

Daftar Pustaka

- Abe, K., Iwamoto, S., & Yano, H. (2007). Obtaining cellulose nanofibers with a uniform width of 15 nm from wood. *Biomacromolecules*, 8(10), 3276-3278.
- Abraham, E., Elbi, P. A., Deepa, B., Jyotishkumar, P., Pothen, L. A., Narine, S. S., & Thomas, S. (2012). X-ray diffraction and biodegradation analysis of green composites of natural rubber/nanocellulose. *Polymer Degradation and Stability*, 97(11), 2378-2387.
- Admin. 2020. *British Plastic Federation*. Diakses April 2020. https://www.bpf.co.uk/plastipedia/polymers/ABS_and_Other_Specialist_Styrenics.aspx.
- Admin. 2016. *filament2print*. Diakses Juni 17, 2020. https://filament2print.com/gb/blog/16_densities-lengths-3D-printing-filaments.html.
- Admin. 2020. *Omnexus*. Diakses April 2020. <https://omnexus.specialchem.com/selection-guide/acrylonitrile-butadiene-styrene-abs-plastic>.
- Camargo, P. H. C., Satyanarayana, K. G., & Wypych, F. (2009). Nanocomposites: synthesis, structure, properties and new application opportunities. *Materials Research*, 12(1), 1-39.
- Çanti, E., Aydin, M., & Yildirim, F. (2017). Production and characterization of composite filaments for 3D printing. In *International symposium on 3d printing technologies 3d-pts2017* (Vol. 361, p. 368).

- Cataldi, A., Rigotti, D., Nguyen, V. D. H., & Pegoretti, A. (2018). Polyvinyl alcohol reinforced with crystalline nanocellulose for 3D printing application. *Materials Today Communications*, *15*, 236-244.
- Callister Jr, W. D., & Rethwisch, D. G. (2013). *Materials Science and Engineering* (9th ed.). Wiley.
- Chatterjee, A., & Deopura, B. L. (2006). High modulus and high strength PP nanocomposite filament. *Composites Part A: Applied Science and Manufacturing*, *37*(5), 813-817.
- Chen, W., Yu, H., Liu, Y., Chen, P., Zhang, M., & Hai, Y. (2011). Individualization of cellulose nanofibers from wood using high-intensity ultrasonication combined with chemical pretreatments. *Carbohydrate Polymers*, *83*(4), 1804-1811.
- Chennakesava, P., & Narayan, Y. S. (2014). Fused deposition modeling-insights. In *International Conference on Advances in Design and Manufacturing (ICAD&M'14)* (p. 1345).
- Cullen, L. E., & MacFarlane, C. (2005). Comparison of cellulose extraction methods for analysis of stable isotope ratios of carbon and oxygen in plant material. *Tree Physiology*, *25*(5), 563-569.
- De Menezes, A. J., Siqueira, G., Curvelo, A. A., & Dufresne, A. (2009). Extrusion and characterization of functionalized cellulose whiskers reinforced polyethylene nanocomposites. *Polymer*, *50*(19), 4552-4563.
- Dendisová, M., Jenišťová, A., Parchaňská-Kokaislová, A., Matějka, P., Prokopec, V., & Švecová, M. (2018). The use of infrared spectroscopic techniques to characterize nanomaterials and nanostructures: a review. *Analytica chimica acta*, *1031*, 1-14.

- Dufresne, A. (2012). Nanocellulose: potential reinforcement in composites. *Natural polymers*, 2, 1-32.
- Dul, S., Fambri, L., & Pegoretti, A. (2018). Filaments production and fused deposition modelling of ABS/carbon nanotubes composites. *Nanomaterials*, 8(1), 49.
- Dwivedi, G., Srivastava, S. K., & Srivastava, R. K. (2017). Analysis of barriers to implement additive manufacturing technology in the Indian automotive sector. *International Journal of Physical Distribution & Logistics Management*.
- Einhorn, S. J., Dufresne, A., Aranguren, M. M., Capadona, J. R., Rowan, S. J., Weder, C., & Veigel, S. (2010). Review: current international research into cellulose nanofibres and composites. *J Mater Sci*, 45, 1-33.
- Emiliano, Sherwin. 2019. *All3DP*. Diakses Juni 17, 2020. <https://all3dp.com/2/pla-density-what-s-the-density-of-pla-filament-plastic/> .
- Fatriasari, W., Masruchin, N., & Hermiati, E. (2019). Selulosa: Karakteristik dan Pemanfaatannya.
- Fengel, D., & Wegener, G. (1983). *Wood: chemistry, ultrastructure, reactions*. Walter de Gruyter.
- Flint, E. B., & Suslick, K. S. (1991). The temperature of cavitation. *Science*, 253(5026), 1397-1399.
- Gibson, Ronald F. 1994. *Principles of Composite Material Mechanics*. Detroit, Michigan: Library of Congress Cataloging-in-Publication Data.
- Gordon, J. E. 1968. *The new science of strong materials: Or why you don't fall through the floor*. New Jersey: Princeton University Press.

- Hadyawarman, dkk. 2008. Fabrikasi Material Nanokomposit Superkuat, Ringan dan Transparan Menggunakan Metode Simple Mixing. *Jurnal Nanosains & Nanoteknologi* 1.
- Haafiz, M. M., Hassan, A., Zakaria, Z., & Inuwa, I. M. (2014). Isolation and characterization of cellulose nanowhiskers from oil palm biomass microcrystalline cellulose. *Carbohydrate polymers*, 103, 119-125.
- Hakim, R., Saputra, I., Utama, G. P., & Setyoadi, Y. (2019). Pengaruh Temperatur Nozzle dan Base Plate Pada Material PLA Terhadap Nilai Masa Jenis dan Kekasaran Permukaan Produk Pada Mesin Leapfrog Creatr 3D Printer. *Jurnal Teknologi Dan Riset Terapan (JATRA)*, 1(1), 1-8.
- Hill, N., & Haghi, M. (2014). Deposition direction-dependent failure criteria for fused deposition modeling polycarbonate. *Rapid Prototyping Journal*.
- Iwamoto, S., Nakagaito, A. N., & Yano, H. (2007). Nano-fibrillation of pulp fibers for the processing of transparent nanocomposites. *Applied Physics A*, 89(2), 461-466.
- Jiang, G. P., Zhang, J., Qiao, J. L., Jiang, Y. M., Zarrin, H., Chen, Z., & Hong, F. (2015). Bacterial nanocellulose/Nafion composite membranes for low temperature polymer electrolyte fuel cells. *Journal of Power Sources*, 273, 697-706.
- Jozala, A. F., de Lencastre-Novaes, L. C., Lopes, A. M., de Carvalho Santos-Ebinuma, V., Mazzola, P. G., Pessoa-Jr, A., & Chaud, M. V. (2016). Bacterial nanocellulose production and application: a 10-year overview. *Applied microbiology and biotechnology*, 100(5), 2063-2072.
- Kargarzadeh, H., Mariano, M., Huang, J., Lin, N., Ahmad, I., Dufresne, A., & Thomas, S. (2017). Recent developments on nanocellulose reinforced polymer nanocomposites: A review. *Polymer*, 132, 368-393.

- Karlsson, H. (2006). *Fibre guide: fibre analysis and process applications in the pulp and paper industry: A handbook*. Lorentzen & Wettre.
- Kim, J. H., Shim, B. S., Kim, H. S., Lee, Y. J., Min, S. K., Jang, D., ... & Kim, J. (2015). Review of nanocellulose for sustainable future materials. *International Journal of Precision Engineering and Manufacturing-Green Technology*, 2(2), 197-213.
- Klemm, D., Heublein, B., Fink, H. P., & Bohn, A. (2005). Cellulose: fascinating biopolymer and sustainable raw material. *Angewandte chemie international edition*, 44(22), 3358-3393.
- Klemm, D., Philipp, B., Heinze, T., Heinze, U., & Wagenknecht, W. (1998). *Comprehensive cellulose chemistry. Volume 1: Fundamentals and analytical methods*. Wiley-VCH Verlag GmbH.
- Kojima, Y., Usuki, A., Kawasumi, M., Okada, A., Kurauchi, T., & Kamigaito, O. (1993). Synthesis of nylon 6–clay hybrid by montmorillonite intercalated with ϵ -caprolactam. *Journal of Polymer Science Part A: Polymer Chemistry*, 31(4), 983-986.
- Lay, M., Thajudin, N. L. N., Hamid, Z. A. A., Rusli, A., Abdullah, M. K., & Shuib, R. K. (2019). Comparison of physical and mechanical properties of PLA, ABS and nylon 6 fabricated using fused deposition modeling and injection molding. *Composites Part B: Engineering*, 176, 107341.
- Liimatainen, H., Visanko, M., Sirviö, J., Hormi, O., & Niinimäki, J. (2013). Sulfonated cellulose nanofibrils obtained from wood pulp through regioselective oxidative bisulfite pre-treatment. *Cellulose*, 20(2), 741-749.
- Liu, H., Taylor, L. S., & Edgar, K. J. (2015). The role of polymers in oral bioavailability enhancement; a review. *Polymer*, 77, 399-415.

- Liu, W., Zhou, J., Ma, Y., Wang, J., & Xu, J. (2017, December). Fabrication of PLA Filaments and its Printable Performance. In *IOP Conference Series: Materials Science and Engineering* (Vol. 275, No. 1, p. 012033). IOP Publishing.
- Matos Ruiz, M., Cavaille, J. Y., Dufresne, A., Gerard, J. F., & Graillat, C. (2000). Processing and characterization of new thermoset nanocomposites based on cellulose whiskers. *Composite Interfaces*, 7(2), 117-131.
- Moon, R. J., Martini, A., Nairn, J., Simonsen, J., & Youngblood, J. (2011). Cellulose nanomaterials review: structure, properties and nanocomposites. *Chemical Society Reviews*, 40(7), 3941-3994.
- Nakagaito, A. N., & Yano, H. (2004). The effect of morphological changes from pulp fiber towards nano-scale fibrillated cellulose on the mechanical properties of high-strength plant fiber based composites. *Applied Physics A*, 78(4), 547-552.
- Nayiroh, N. (2013). Teknologi material komposit. *Yogyakarta. Ebalta*. *Ebaltadiaksesdari www.ebalta.de/rs/datasheet/en*.
- Nechyporchuk, O., Pignon, F., & Belgacem, M. N. (2015). Morphological properties of nanofibrillated cellulose produced using wet grinding as an ultimate fibrillation process. *Journal of Materials Science*, 50(2), 531-541.
- Ning, F., Cong, W., Qiu, J., Wei, J., & Wang, S. (2015). Additive manufacturing of carbon fiber reinforced thermoplastic composites using fused deposition modeling. *Composites Part B: Engineering*, 80, 369-378.
- Peng, B. L., Dhar, N., Liu, H. L., & Tam, K. C. (2011). Chemistry and applications of nanocrystalline cellulose and its derivatives: a nanotechnology perspective. *The Canadian Journal of Chemical Engineering*, 89(5), 1191-1206

- PHANTHONG, P., MA, Y., GUAN, G., & ABUDULA, A. (2015). Extraction of nanocellulose from raw apple stem. *Journal of the Japan Institute of Energy*, 94(8), 787-793.
- Phanthong, P., Reubroycharoen, P., Hao, X., Xu, G., Abudula, A., & Guan, G. (2018). Nanocellulose: Extraction and application. *Carbon Resources Conversion*, 1(1), 32-43.
- Putra, K. S., & Sari, U. R. (2018, July). Pemanfaatan Teknologi 3D Printing Dalam Proses Desain Produk Gaya Hidup. In *Seminar Nasional Sistem Informasi dan Teknologi Informasi* (pp. 917-922). STMIK Pontianak.
- Pääkkö, M., Ankerfors, M., Kosonen, H., Nykänen, A., Ahola, S., Österberg, M., ... & Lindström, T. (2007). Enzymatic hydrolysis combined with mechanical shearing and high-pressure homogenization for nanoscale cellulose fibrils and strong gels. *Biomacromolecules*, 8(6), 1934-1941.
- Raquez, J. M., Habibi, Y., Murariu, M., & Dubois, P. (2013). Polylactide (PLA)-based nanocomposites. *Progress in Polymer Science*, 38(10-11), 1504-1542.
- Salavati-Niasari, M., & Ghanbari, D. (2011). Polymeric nanocomposite materials. *Advances in Diverse Industrial Applications of Nanocomposites*, Boreddy Reddy (Ed.), published by InTech.
- Sehaqui, H., Zhou, Q., & Berglund, L. A. (2011). High-porosity aerogels of high specific surface area prepared from nanofibrillated cellulose (NFC). *Composites science and technology*, 71(13), 1593-1599.
- Sezer, H. K., & Eren, O. (2019). FDM 3D printing of MWCNT re-inforced ABS nanocomposite parts with enhanced mechanical and electrical properties. *Journal of Manufacturing Processes*, 37, 339-347.

- Skoog, D. A., Holler, F. J., & Crouch, S. R. (2017). *Principles of instrumental analysis*. Cengage learning.
- Šturcová, A., Davies, G. R., & Eichhorn, S. J. (2005). Elastic modulus and stress-transfer properties of tunicate cellulose whiskers. *Biomacromolecules*, 6(2), 1055-1061.
- Surya, E. (2013). DAYA SERAP AIR DAN KANDUNGAN SERAT (FIBER CONTENT) KOMPOSIT POLIESTER TIDAK JENUH (UNSATURATED POLYESTER) BERPENGISI SERAT TANDAN KOSONG SAWIT DAN SELULOSA. *Jurnal Teknik Kimia USU*, 2(3), 17-21.
- sy, Do. 2015. “Material and Application Report 2015 Acrylonitrile Butadiene Styrene (ABS) and 3D Printer .”
- Tai, W. P., Kim, Y. S., & Kim, J. G. (2003). Fabrication and magnetic properties of Al₂O₃/Co nanocomposites. *Materials chemistry and physics*, 82(2), 396-400.
- Tashiro, K., & Kobayashi, M. (1991). Theoretical evaluation of three-dimensional elastic constants of native and regenerated celluloses: role of hydrogen bonds. *Polymer*, 32(8), 1516-1526.
- Trache, D., Hussin, M. H., Chuin, C. T. H., Sabar, S., Fazita, M. N., Taiwo, O. F., ... & Haafiz, M. M. (2016). Microcrystalline cellulose: Isolation, characterization and bio-composites application—A review. *International Journal of Biological Macromolecules*, 93, 789-804.
- Vidakis, N., Maniadi, A., Petousis, M., Vamvakaki, M., Kenanakis, G., & Koudoumas, E. (2020). Mechanical and Electrical Properties Investigation of 3D-Printed Acrylonitrile–Butadiene–Styrene Graphene and Carbon Nanocomposites. *Journal of Materials Engineering and Performance*, 1-10.

- Wang, X., Jiang, M., Zhou, Z., Gou, J., & Hui, D. (2017). 3D printing of polymer matrix composites: A review and prospective. *Composites Part B: Engineering*, *110*, 442-458.
- Wang, Z., Xu, J., Lu, Y., Hu, L., Fan, Y., Ma, J., & Zhou, X. (2017). Preparation of 3D printable micro/nanocellulose-poly(lactic acid) (MNC/PLA) composite wire rods with high MNC constitution. *Industrial Crops and Products*, *109*, 889-896.
- Weng, Z., Wang, J., Senthil, T., & Wu, L. (2016). Mechanical and thermal properties of ABS/montmorillonite nanocomposites for fused deposition modeling 3D printing. *Materials & Design*, *102*, 276-283.
- Zhou, S., & Ingram, L. O. (2000). Synergistic hydrolysis of carboxymethyl cellulose and acid-swollen cellulose by two endoglucanases (celz and cely) from *Erwinia chrysanthemi*. *Journal of bacteriology*, *182*(20), 5676-5682.
- Zhu, R., Yadama, V., Liu, H., Lin, R. J., & Harper, D. P. (2017). Fabrication and characterization of Nylon 6/cellulose nanofibrils melt-spun nanocomposite filaments. *Composites Part A: Applied Science and Manufacturing*, *97*, 111-119.