



## DAFTAR PUSTAKA

- Atıcı, A., Karaman, A., Zenciroğlu, A., Karaman, I., Afşarlar, Ç.E., Yılmaz, E., Okumuş, N., Çavuşoğlu, Y.H., Özgüner, I.F., Erdoğan, D., 2014. Factors affecting mortality in stage 3b necrotizing enterocolitis. *Turk. J. Pediatr.* 56: 133–137.
- Atıcı, A., Karaman, A., Zenciroğlu, A., Karaman, İ., Evrim Afşarlar, Ç., Yılmaz, E., Okumuş, N., Çavuşoğlu, Y.H., Faruk Özgüner, İ., Erdoğan, D., n.d. Factors affecting mortality in stage 3b necrotizing enterocolitis.
- Badan Pusat Statistik, B.K. dan K.B., kementerian kesehatan, U., 2017. Survei Demografi Kesehatan Indonesia. *Bkkbn* 1–606.
- Bakhoun, C.Y., Basalely, A., Koppel, R.I., Sethna, C.B., 2019. Acute kidney injury in preterm infants with necrotizing enterocolitis. *J. Matern. Neonatal Med.* 32: 3185–3190. doi:10.1080/14767058.2018.1459553
- Blatt, N.B., Srinivasan, S., Mottes, T., Shanley, M.M., Shanley, T.P., 2014. Biology of sepsis: Its relevance to pediatric nephrology. *Pediatr. Nephrol.* 29: 2273–2287. doi:10.1007/s00467-013-2677-3
- Bracho-Blanchet, E., Torrecilla-Navarrete, M.E., Zalles-Vidal, C., Ibarra-Ríos, D., Fernández-Portilla, E., Dávila-Pérez, R., 2015. Prognostic factors related to mortality in newborns with necrotising enterocolitis. *Cirugía y Cir. (English Ed.* 83: 286–291. doi:10.1016/j.circen.2015.09.015
- Bubberman, J.M., Zoonen, A. Van, Bruggink, J.L.M., Heide, M. Van Der, Berger, R.M.F., Bos, A.F., Kooi, E.M.W., Hulscher, J.B.F., 2018. Necrotizing Enterocolitis Associated with Congenital Heart Disease : a Different Entity ? *J. Pediatr. Surg.* doi:10.1016/j.jpedsurg.2018.11.012
- Clark, R.H., Gordon, P., Walker, W.M., Laughon, M., Smith, P.B., Spitzer, A.R., 2012. Characteristics of patients who die of necrotizing enterocolitis. *J. Perinatol.* 32: 199–204. doi:10.1038/jp.2011.65
- Criss, C.N., Selewski, D.T., Sunkara, B., Gish, J.S., Hsieh, L., Mcleod, J.S., Robertson, J.O., Matusko, N., Gadepalli, S.K., 2018a. Acute kidney injury in necrotizing enterocolitis predicts mortality. *Pediatr. Nephrol.* 33: 503–510. doi:10.1007/s00467-017-3809-y
- Criss, C.N., Selewski, D.T., Sunkara, B., Gish, J.S., Hsieh, L., Mcleod, J.S., Robertson, J.O., Matusko, N., Gadepalli, S.K., 2018b. Acute kidney injury in necrotizing enterocolitis predicts mortality. *Pediatr. Nephrol.* 33: 503–510. doi:10.1007/s00467-017-3809-y
- dos Santos, I.G.G., Mezzacappa, M.A., Alvares, B.R., 2018. Radiological findings associated with the death of newborns with necrotizing enterocolitis. *Radiol. Bras.* 51: 166–171. doi:10.1590/0100-3984.2017.0040
- Drenckpohl, D., Knaub, L., Schneider, C., Mcconnell, C., Wang, H., Macwan, K., 2010. Decreasing Birth Weight May Predispose Premature Infants to Increased Mortality From Necrotizing Enterocolitis. *ICAN Infant, Child, Adolesc. Nutr.* 2: 215–221. doi:10.1177/1941406410376538
- Duci, M., Frigo, A.C., Visentin, S., Verlatto, G., Gamba, P., Fascetti-Leon, F.,



- 2019a. Maternal and placental risk factors associated with the development of necrotizing enterocolitis (NEC) and its severity. *J. Pediatr. Surg.* 54: 2099–2102. doi:10.1016/j.jpedsurg.2019.04.018
- Duci, M., Frigo, A.C., Visentin, S., Verlato, G., Gamba, P., Fascetti-Leon, F., 2019b. Maternal and placental risk factors associated with the development of necrotizing enterocolitis (NEC) and its severity. *J. Pediatr. Surg.* 54: 2099–2102. doi:10.1016/j.jpedsurg.2019.04.018
- Eaton, S., Rees, C.M., Hall, N.J., 2017. Current Research on the Epidemiology, Pathogenesis, and Management of Necrotizing Enterocolitis. *Neonatology*. doi:10.1159/000458462
- Fitzgibbons, S.C., Ching, Y., Yu, D., Carpenter, J., Kenny, M., Weldon, C., Lillehei, C., Valim, C., Horbar, J.D., Jaksic, T., 2009. Mortality of necrotizing enterocolitis expressed by birth weight categories. *J. Pediatr. Surg.* 44: 1072–1076. doi:10.1016/j.jpedsurg.2009.02.013
- Garg, P.M., Tatum, R., Ravisankar, S., Shekhawat, P.S., Chen, Y.H., 2015. Necrotizing enterocolitis in a mouse model leads to widespread renal inflammation, acute kidney injury, and disruption of renal tight junction proteins. *Pediatr. Res.* 78: 527–532. doi:10.1038/pr.2015.146
- Gephart, S.M., Mcgrath, J.M., Effken, J.A., Halpern, M.D., 2012. Necrotizing Enterocolitis Risk. doi:10.1097/ANC.0b013e31824cee94
- Giannone, P.J., Luce, W.A., Nankervis, C.A., Hoffman, T.M., Wold, L.E., 2008. Necrotizing enterocolitis in neonates with congenital heart disease. *Life Sci.* doi:10.1016/j.lfs.2007.09.036
- Holman, R.C., Stoll, B.J., Clarke, M.J., Glass, R.I., 1997. The epidemiology of necrotizing enterocolitis infant mortality in the United States. *Am. J. Public Health* 87: 2026–2031. doi:10.2105/AJPH.87.12.2026
- Hull, M.A., Fisher, J.G., Gutierrez, I.M., Jones, B.A., Kang, K.H., Kenny, M., Zurakowski, D., Modi, B.P., Horbar, J.D., Jaksic, T., 2014a. Mortality and management of surgical necrotizing enterocolitis in very low birth weight neonates: A prospective cohort study. *J. Am. Coll. Surg.* 218: 1148–1155. doi:10.1016/j.jamcollsurg.2013.11.015
- Hull, M.A., Fisher, J.G., Gutierrez, I.M., Jones, B.A., Kang, K.H., Kenny, M., Zurakowski, D., Modi, B.P., Horbar, J.D., Jaksic, T., 2014b. Mortality and management of surgical necrotizing enterocolitis in very low birth weight neonates: A prospective cohort study. *J. Am. Coll. Surg.* 218: 1148–1155. doi:10.1016/j.jamcollsurg.2013.11.015
- Kenton, A.B., O'Donovan, D., Cass, D.L., Helmuth, M.A., Smith, E.O.B., Fernandes, C.J., Washburn, K., Weihe, E.K., Brandt, M.L., 2005. Severe thrombocytopenia predicts outcome in neonates with necrotizing enterocolitis. *J. Perinatol.* 25: 14–20. doi:10.1038/sj.jp.7211180
- Kim, J.H., 2019. Neonatal necrotizing enterocolitis: Clinical features and diagnosis - UpToDate. *UpToDate* 5–7.
- Kim, J.H., Abrams, S. a, Kim, M.S., 2018. Neonatal necrotizing enterocolitis: pathology and pathogenesis. *UpToDate* 1–16.
- Lahmiti, S., Aboussad, A., 2011. Neonatal necrotizing enterocolitis. *ScientificWorldJournal.* 11: 655–656. doi:10.1100/tsw.2011.69



- Li, X., Li, L., Wang, Y., Deng, C., Guo, C., 2017. Postoperative characteristics of infants who developed necrotizing enterocolitis with different postnatal ages. *Med. (United States)* 96. doi:10.1097/MD.00000000000007774
- Llanos, A.R., Moss, M.E., Pinzòn, M.C., Dye, T., Sinkin, R.A., Kendig, J.W., 2002. Epidemiology of neonatal necrotising enterocolitis: A population-based study. *Paediatr. Perinat. Epidemiol.* 16: 342–349. doi:10.1046/j.1365-3016.2002.00445.x
- McElhinney, D.B., Hedrick, H.L., Bush, D.M., Pereira, G.R., Stafford, P.W., Gaynor, J.W., Spray, T.L., Wernovsky, G., 2000. Necrotizing enterocolitis in neonates with congenital heart disease: Risk factors and outcomes. *Pediatrics* 106: 1080–1087. doi:10.1542/peds.106.5.1080
- Mller, M.J., Paul, T., Seeliger, S., 2016. Necrotizing enterocolitis in premature infants and newborns. *J. Neonatal. Perinatal. Med.* doi:10.3233/NPM-16915130
- Neu, J., 2014. Necrotizing enterocolitis: The mystery goes on. *Neonatology*. doi:10.1159/000365130
- Neu, J., Walker, W.A., 2011. Necrotizing Enterocolitis, *N Engl J Med*.
- Qian, T., Zhang, R., Zhu, L., Shi, P., Yang, J., Yang, C. yi, Chen, D. mei, Shi, J. yun, Zhou, X. guang, Qiu, Y. ping, Yang, Y., He, L., He, S. ru, Cao, Y. tao, Wei, Q. fen, Kumar, M., Chen, C., 2017. Necrotizing enterocolitis in low birth weight infants in China: Mortality risk factors expressed by birth weight categories. *Pediatr. Neonatol.* 58: 509–515. doi:10.1016/j.pedneo.2016.10.004
- Samuels, N., van de Graaf, R.A., de Jonge, R.C.J., Reiss, I.K.M., Vermeulen, M.J., 2017. Risk factors for necrotizing enterocolitis in neonates: A systematic review of prognostic studies. *BMC Pediatr.* 17: 1–9. doi:10.1186/s12887-017-0847-3
- Seeman, S.M., Mehal, J.M., Haberling, D.L., Holman, R.C., Stoll, B.J., 2016. Infant and maternal risk factors related to necrotising enterocolitis-associated infant death in the United States. *Acta Paediatr. Int. J. Paediatr.* 105: e240–e246. doi:10.1111/apa.13390
- Short, S.S., Papillon, S., Berel, D., Ford, H.R., Frykman, P.K., Kawaguchi, A., 2014. Late onset of necrotizing enterocolitis in the full-term infant is associated with increased mortality: Results from a two-center analysis. *J. Pediatr. Surg.* 49: 950–953. doi:10.1016/j.jpedsurg.2014.01.028
- Sodhi, C.P., Hackam, D.J., 2016. HHS Public Access 13: 590–600. doi:10.1038/nrgastro.2016.119.Necrotizing
- Song, R., Subbarao, G.C., Maheshwari, A., 2012. Haematological abnormalities in neonatal necrotizing enterocolitis. *J. Matern. Neonatal Med.* 25: 14–17. doi:10.3109/14767058.2012.715005
- Sulemanji, M., Vakili, K., Zurakowski, D., Tworetzky, W., Fishman, S.J., Kim, H.B., 2017. Umbilical Venous Catheter Malposition is Associated with Necrotizing Enterocolitis in Premature Infants. *Neonatology* 111: 337–343. doi:10.1159/000451022
- Sullivan, B.A., Fairchild, K.D., 2015. Predictive monitoring for sepsis and necrotizing enterocolitis to prevent shock. *Semin. Fetal Neonatal Med.*



doi:10.1016/j.siny.2015.03.006

- Thyoka, M., De Coppi, P., Eaton, S., Khoo, K., Hall, N.J., Curry, J., Kiely, E., Drake, D., Cross, K., Pierro, A., 2012. Advanced necrotizing enterocolitis part 1: Mortality. *Eur. J. Pediatr. Surg.* 22: 8–12. doi:10.1055/s-0032-1306263
- Velazco, C.S., Fullerton, B.S., Hong, C.R., Morrow, K.A., Edwards, E.M., Soll, R.F., Jaksic, T., Horbar, J.D., Modi, B.P., 2018. Morbidity and mortality among “big” babies who develop necrotizing enterocolitis: A prospective multicenter cohort analysis. *J. Pediatr. Surg.* 53: 108–112. doi:10.1016/j.jpedsurg.2017.10.028
- Wynn, J.L., Wong, H.R., 2010. Pathophysiology and treatment of septic shock in neonates. *Clin. Perinatol.* 37: 439–479. doi:10.1016/j.clp.2010.04.002
- Yee, W.H., Soraisham, A.S., Shah, V.S., Aziz, K., Yoon, W., Lee, S.K., Shah, P.S., Andrews, W., Lefebvre, F., Singhal, N., Bullied, B., Canning, R., Cronin, G., Dow, K., Dunn, M., Harrison, A., James, A., Kalapesi, Z., Kovacs, L., Lee, D., McMillan, D.D., Shah, P., Ojah, C., Piedboeuf, B., Riley, P., Faucher, D., Rouvinez-Bouali, N., Sankaran, K., Seshia, M., Shivananda, S., Sorokan, T., Synnes, A., 2012. Incidence and timing of presentation of necrotizing enterocolitis in preterm infants. *Pediatrics* 129. doi:10.1542/peds.2011-2022
- Yu, L., Tian, J., Zhao, X., Cheng, P., Chen, X., Yu, Y., Ding, X., Zhu, X., Xiao, Z., 2016. Bowel Perforation in Premature Infants with Necrotizing Enterocolitis: Risk Factors and Outcomes. *Gastroenterol. Res. Pract.* 2016. doi:10.1155/2016/6134187
- Zhang, Y., Ma, J.K., Wei, H., Li, X.W., Li, L.Q., Yu, J.L., 2016. Predictive scores for mortality in full-term infants with necrotizing enterocolitis: experience of a tertiary hospital in Southwest China. *World J. Pediatr.* 12: 202–208. doi:10.1007/s12519-015-0063-x