



DAFTAR PUSTAKA

- Alimuddin, Asmara, W., Widada, J., Mustofa. and Nurjasmi, R., 2010. An Actinomycetes producing anticandida isolated from cajuput rhizosphere: partial identification of isolates and amplification of pks-I genes. *Indonesian Journal of Biotechnology*, 15(1), pp.1-8.
- Alimuddin, Asmara, W., Widada, J. and Mustofa., 2011. Antifungal production of a strain of *Actinomycetes spp* isolated from the rhizosphere of cajuput plant: selection and detection of exhibiting activity against tested fungi. *Indonesian Journal of Biotechnology*, 16(1), pp.1-10.
- Barka, E.A., Vatsa, P., Sanchez, L., Gaveau-Vaillant, N., Jacquard, C., Klenk, H.P., Clément, C., Ouhdouch, Y. and van Wezel, G.P., 2016. Taxonomy, physiology, and natural products of Actinobacteria. *Microbiology and molecular biology reviews*, 80(1), pp.1-43.
- Bentley, S.D., Chater, K.F., Cerdeño-Tárraga, A.M., Challis, G.L., Thomson, N.R., James, K.D., Harris, D.E., Quail, M.A., Kieser, H., Harper, D. and Bateman, A., 2002. Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3 (2). *Nature*, 417(6885), pp.141-147.
- Blasco, B., Leroy, D. and Fidock, D.A., 2017. Antimalarial drug resistance: linking *Plasmodium falciparum* parasite biology to the clinic. *Nature medicine*, 23(8), pp.917-928.
- Blin, K., Shaw, S., Steinke, K., Villebro, R., Ziemert, N., Lee, S.Y., Medema, M.H. and Weber, T., 2019. antiSMASH 5.0: updates to the secondary metabolite genome mining pipeline. *Nucleic acids research*, pp.1-7.
- Boyom, F.F., Ngouana, V., Kemgne, E.A.M., Zollo, P.H.A., Menut, C., Bessiere, J.M., Gut, J. and Rosenthal, P.J., 2011. Antiplasmodial volatile extracts from *Cleistopholis patens* Engler & Diels and *Uvariastrum pierreanum* Engl. (Engl. & Diels)(Annonaceae) growing in Cameroon. *Parasitology research*, 108(5), pp.1211-1217.
- Brahmkshatriya, P.P. and Brahmshatriya, P.S., 2013. Terpenes: Chemistry, biological role, and therapeutic applications. *Natural products: phytochemistry, botany and metabolism of alkaloids, phenolics and terpenes*, pp.2665-2691.
- Brock, N.L., Ravella, S.R., Schulz, S. and Dickschat, J.S., 2013. A detailed view of 2-methylisoborneol biosynthesis. *Angewandte Chemie International Edition*, 52(7), pp.2100-2104.
- Carro, M.D., Ianni, C. and Magi, E., 2013. Determination of terpenoids in plant leaves by GC-MS: Development of the method and application to *Ocimum basilicum* and *Nicotiana langsdorffii*. *Analytical Letters*, 46(4), pp.630-639.



- Chen, R., Wong, H.L. and Burns, B.P., 2019. New approaches to detect biosynthetic gene clusters in the environment. *Medicines*, 6(1), pp.1-11.
- Cordovez, V., Carrion, V.J., Etalo, D.W., Mumm, R., Zhu, H., Van Wezel, G.P. and Raaijmakers, J.M., 2015. Diversity and functions of volatile organic compounds produced by *Streptomyces* from a disease-suppressive soil. *Frontiers in microbiology*, 6, pp.1-13.
- Daina, A., Michielin, O. and Zoete, V., 2017. SwissADME: a free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. *Scientific reports*, 7, pp.1-13.
- Dairi, T., 2005. Studies on biosynthetic genes and enzymes of isoprenoids produced by actinomycetes. *The Journal of Antibiotics*, 58(4), pp.227-243.
- de Lima Procópio, R. E., da Silva, I. R., Martins, M. K., de Azevedo, J. L., & de Araújo, J. M. (2012). Antibiotics produced by *Streptomyces*. *The Brazilian Journal of infectious diseases*, 16(5), pp.466-471.
- Dery, V., Duah, N.O., Ayanful-Torgby, R., Matrevi, S.A., Anto, F. and Quashie, N.B., 2015. An improved SYBR Green-1-based fluorescence method for the routine monitoring of *Plasmodium falciparum* resistance to anti-malarial drugs. *Malaria journal*, 14(1), pp.1-6.
- Dickschat, J.S., 2016. Bacterial terpene cyclases. *Natural product reports*, 33(1), pp.87-110.
- Durant, A.A., Rodríguez, C., Herrera, L., Almanza, A., Santana, A.I., Spadadora, C. and Gupta, M.P., 2014. Anti-malarial activity and HS-SPME-GC-MS chemical profiling of *Plinia cerrocampensis* leaf essential oil. *Malaria journal*, 13(1), pp.1-9.
- Fitriastuti, D., Julianto, T.S. and Iman, A.W.N., 2020. Identification and heme polymerization inhibition activity (HPIA) assay of ethanolic extract and fraction of temu mangga (*Curcuma mangga* Val.) rhizome. *EKSAKTA: Journal of Sciences and Data Analysis*, 20(1), pp.64-72.
- Haldar, K., Bhattacharjee, S. and Safeukui, I., 2018. Drug resistance in *Plasmodium*. *Nature reviews microbiology*, 16(3), pp.156-170.
- Herdini, C., Mubarika, S., Hariwiyanto, B., Wijayanti, N., Hosoyama, A., Yamazoe, A., Nojiri, H. and Widada, J., 2017. Secondary bioactive metabolite gene clusters identification of anticandida-producing *Streptomyces* sp. GMR22 isolated from Wanagama forest as revealed by genome mining approach. *Indonesian Journal of Pharmacy*, 28(1), pp.26-33.
- Isaka, M., Yangchum, A., Rachtawee, P., Komwijit, S. and Lutthisungneon, A., 2010. Hopane-type triterpenes and binaphthopyrones from the scale insect pathogenic fungus *Aschersonia paraphysata* BCC 11964. *Journal of Natural Products*, 73(4), pp.688-692.



- Jenett-Siems, K., Mockenhaupt, F.P., Bienzle, U., Gupta, M.P. and Eich, E., 1999. *In vitro* antiplasmodial activity of Central American medicinal plants. *Tropical medicine & international health*, 4(9), pp.611-615.
- Jiang, J., He, X. and Cane, D.E., 2007. Biosynthesis of the earthy odorant geosmin by a bifunctional *Streptomyces coelicolor* enzyme. *Nature chemical biology*, 3(11), pp.1-14.
- Jiang, Z., Kempinski, C. and Chappell, J., 2016. Extraction and analysis of terpenes/terpenoids. *Current protocols in plant biology*, 1(2), pp.345-358.
- Jones, S.E. and Elliot, M.A., 2017. *Streptomyces* exploration: competition, volatile communication and new bacterial behaviours. *Trends in microbiology*, 25(7), pp.522-531.
- Kaharudin, F.A., Zohdi, R.M., Mukhtar, S.M., Sidek, H.M., Bihud, N.V., Rasol, N.E., Ahmad, F.B. and Ismail, N.H., 2020. *In vitro* antiplasmodial and cytotoxicity activities of crude extracts and major compounds from *Goniothalamus lanceolatus*. *Journal of ethnopharmacology*, 254, pp.1-5.
- Kim, S.H., Lu, W., Ahmadi, M.K., Montiel, D., Ternei, M.A. and Brady, S.F., 2018. Atolypenes, tricyclic bacterial sesterterpenes discovered using a multiplexed *in vitro* Cas9-TAR gene cluster refactoring approach. *ACS synthetic biology*, 8(1), pp.109-118.
- Klapschinski, T.A., Rabe, P. and Dickschat, J.S., 2016. Pristinol, a sesquiterpene alcohol with an unusual skeleton from *Streptomyces pristinaespiralis*. *Angewandte Chemie International Edition*, 55(34), pp.10141-10144.
- Komatsu, M., Tsuda, M., Ōmura, S., Oikawa, H. and Ikeda, H., 2008. Identification and functional analysis of genes controlling biosynthesis of 2-methylisoborneol. *Proceedings of the National Academy of Sciences*, 105(21), pp.7422-7427.
- Kotepui, M., Piwkhram, D., PhunPhuech, B., Phiwklam, N., Chupeerach, C. and Duangmano, S., 2015. Effects of malaria parasite density on blood cell parameters. *PLoS One*, 10(3), pp.1-11.
- Kuzuyama, T., 2002. Mevalonate and nonmevalonate pathways for the biosynthesis of isoprene units. *Bioscience, biotechnology, and biochemistry*, 66(8), pp.1619-1627.
- Lambros, C. and Vanderberg, J.P., 1979. Synchronization of *Plasmodium falciparum* erythrocytic stages in culture. *The Journal of Parasitology*, 65(3), pp.418-420.
- Li, P., Guo, Z., Tang, W. and Chen, Y., 2018. Activation of three natural product biosynthetic gene clusters from *Streptomyces lavendulae* CGMCC 4.1386 by a reporter-guided strategy. *Synthetic and systems biotechnology*, 3(4), pp.254-260.



- Lipinski, C. A. (2004). Lead-and drug-like compounds: the rule-of-five revolution. *Drug Discovery Today: Technologies*, 1(4), pp.337-341.
- Lipinski, C. A., Lombardo, F., Dominy, B. W., & Feeney, P. J. (2001). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced Drug Delivery Reviews*, 46(1-3), pp.3-26.
- Mota, M.L., Lobo, L.T.C., da Costa, J.M.G., Costa, L.S., Rocha, H.A., e Silva, L.F.R., Pohlit, A.M. and de Andrade Neto, V.F., 2012. *In vitro* and *in vivo* antimalarial activity of essential oils and chemical components from three medicinal plants found in northeastern Brazil. *Planta medica*, 78, pp.658-664.
- Mustofa, Sholikhah, E. and Wahyuono, S., 2007. *In vitro* and *in vivo* antiplasmodial activity and cytotoxicity of extracts of *Phyllanthus niruri* L. herbs traditionally used to treat malaria in Indonesia. *Southeast Asian J Trop Med Public Health*, 38(4), pp.609-615.
- Nogueira, C.R. and Lopes, L.M., 2011. Antiplasmodial natural products. *Molecules*, 16(3), pp.2146-2190.
- Nurjasmii, R., Widada, J. and Ngadiman., 2009. Diversity of Actinomycetes at several forest types in Wanagama I Yogyakarta and their potency as a producer of antifungal compound. *Indonesian Journal of Biotechnology*, 14(2), pp.1196-1205.
- Parveen, N. and Cornell, K.A., 2011. Methylthioadenosine/S-adenosylhomocysteine nucleosidase, a critical enzyme for bacterial metabolism. *Molecular microbiology*, 79(1), pp.7-20.
- Rabe, P., Citron, C.A. and Dickschat, J.S., 2013. Volatile terpenes from actinomycetes: a biosynthetic study correlating chemical analyses to genome data. *ChemBioChem*, 14(17), pp.2345-2354.
- Rahman, S., 2017. Potensi antimalaria ekstrak *Actinomycetes* dari sedimen laut: kajian aktivitas antiplasmodium dan toksisitasnya secara *in vitro*. Tesis. Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Roy, R.N., Laskar, S. and Sen, S.K., 2006. Dibutyl phthalate, the bioactive compound produced by *Streptomyces albidoflavus* 321.2. *Microbiological research*, 161(2), pp.121-126.
- Schmidt, R., Cordovez, V., De Boer, W., Raaijmakers, J. and Garbeva, P., 2015. Volatile affairs in microbial interactions. *The ISME Journal*, 9(11), pp.2329-2335.
- Schulz-Bohm, K., Martín-Sánchez, L. and Garbeva, P., 2017. Microbial volatiles: small molecules with an important role in intra-and inter-kingdom interactions. *Frontiers in microbiology*, 8, pp.1-10.



- Shirling, E.B. and Gottlieb, D., 1966. Methods for characterization of *Streptomyces* species. *International Journal of Systematic Bacteriology*, 16(3), pp.313-340.
- Siupka, P., Piński, A., Babicka, D. and Piotrowska-Seget, Z., 2020. Genome Mining Revealed a High Biosynthetic Potential for Antifungal *Streptomyces* sp. S-2 Isolated from Black Soot. *International Journal of Molecular Sciences*, 21(7), pp.1-21.
- Sukmawati, N., 2018. Potensi senyawa organik volatil dari *Streptomyces* sp. GMR22 dan GMY01 dalam menghambat pertumbuhan *Fusarium oxysporum* f.sp. cubense (Foc). *Skripsi*. Fakultas Pertanian Universitas Gadjah Mada, Yogyakarta.
- Trager, W. and Jenson, J.B., 1978. Cultivation of malarial parasites. *Nature*, 273(5664), pp.621-622.
- Tyc, O., Song, C., Dickschat, J.S., Vos, M. and Garbeva, P., 2017. The ecological role of volatile and soluble secondary metabolites produced by soil bacteria. *Trends in microbiology*, 25(4), pp.280-292.
- Tyurin, A.P., Alferova, V.A. and Korshun, V.A., 2018. Chemical elicitors of antibiotic biosynthesis in actinomycetes. *Microorganisms*, 6(2), pp.1-10.
- Wang, C., Wang, Z., Qiao, X., Li, Z., Li, F., Chen, M., Wang, Y., Huang, Y. and Cui, H., 2013. Antifungal activity of volatile organic compounds from *Streptomyces alboflavus* TD-1. *FEMS microbiology letters*, 341(1), pp.45-51.
- Widada, J., 2018. Uji potensi volatile organic compound (VOC) dari *Streptomyces* sp. GMR22 dan *Streptomyces* sp. GMY01 terhadap jamur patogen sawit *Ganoderma* sp. Belum dipublikasikan.
- Wu, Y., Yuan, J., E, Y., Raza, W., Shen, Q. and Huang, Q., 2015. Effects of volatile organic compounds from *Streptomyces albulus* NJZJSA2 on growth of two fungal pathogens. *Journal of Basic Microbiology*, 55(9), pp.1104-1117.
- Xing, M., Zheng, L., Deng, Y., Xu, D., Xi, P., Li, M., Kong, G. and Jiang, Z., 2018. Antifungal activity of natural volatile organic compounds against litchi downy blight pathogen *Peronophythora litchii*. *Molecules*, 23(2), pp.1-15.
- Yamada, Y., Kuzuyama, T., Komatsu, M., Shin-ya, K., Omura, S., Cane, D.E. and Ikeda, H., 2015. Terpene synthases are widely distributed in bacteria. *Proceedings of the National Academy of Sciences*, 112(3), pp.857-862.
- Zellagui, A., Gherraf, N. and Rhouati, S., 2012. Chemical composition and antibacterial activity of the essential oils from *Launaea resedifolia* L. *Organic and medicinal chemistry letters*, 2(2), pp.1-4.



Zhang, M.M., Wong, F.T., Wang, Y., Luo, S., Lim, Y.H., Heng, E., Yeo, W.L., Cobb, R.E., Enghiad, B., Ang, E.L. and Zhao, H., 2017. CRISPR–Cas9 strategy for activation of silent *Streptomyces* biosynthetic gene clusters. *Nature chemical biology*, 13(6), pp.607-609.

Ziemert, N., Alanjary, M. and Weber, T., 2016. The evolution of genome mining in microbes – a review. *Natural product reports*, 33, pp.988-1005.