

DAFTAR PUSTAKA

- A.G.S.Sudheshna, Lakshmi, A. S., D.Padma and R.Raghu Ramulu Naik M.D. (2019) 'Platelet Indices: As Biomarkers of Vascular Complications in T2 Diabetes Mellitus', 18(9), pp. 53–58. doi: 10.9790/0853-1809025358.
- Ahmed, O. A. (2017) 'Effects of Smoking Cigarette on White Blood Cell and Platelet Parameter on a Sample of Normal Subject in Rania City', (July).
- Akinsegun, A., Olusola, D. A., Sarah, J. O., Olajumoke, O., Adewumi, A., Majeed, O., Anthonia, O., Ebele, U., Olaitan, O., Olanrewaju, A. and Kingsley, A. (2014) 'Mean platelet volume and platelet counts in type 2 Diabetes: Mellitus on treatment and non-diabetic mellitus controls in Lagos, Nigeria', *Pan African Medical Journal*, 18, pp. 1–5. doi: 10.11604/pamj.2014.18.42.3651.
- Alhadas, K. R., Santos, S. N., Freitas, M. M. S. and Viana, S. M. S. A. (2016) 'Are platelet indices useful in the evaluation of type 2 diabetic patients?', *Bras Patol Med Lab*, pp. 113–119.
- Anonymous (2004) *Operator's Guide Advia 120 Hematology System*. New York.
- Arnetz, B. B., Kallner, A. and Theorell, T. (1982) 'The Influence of Aging on Hemoglobin', 37(6), pp. 648–650.
- Basili, S., Pacini, G., Guagnano, M. T., Manigrasso, M. R., Santilli, F., Pettinella, C., Ciabattini, G., Patrono, C. and Davì, G. (2006) 'Insulin Resistance as a Determinant of Platelet Activation in Obese Women', *JAACC*, 48(12), pp. 2531–2537. doi: 10.1016/j.jacc.2006.08.040.
- Baynest, H. W. (2015) 'Classification , Pathophysiology , Diagnosis and Management of Diabetes', 6(5). doi: 10.4172/2155-6156.1000541.
- Berthoud, H. R. and Jeanrenaud, B. (1979) 'Acute hyperinsulinemia and its reversal by vagotomy after lesions of the ventromedial hypothalamus in anesthetized rats', *Endocrinology*, 105(1), pp. 146–151. doi: 10.1210/endo-105-1-146.
- Boos, C. J., Beevers, G. D. and Lip, G. Y. H. (2007) 'Assessment of platelet activation indices using the ADVIATM 120 amongst "high-risk" patients with hypertension', *Deutsche Apotheker Zeitung*, (39), pp. 72–78. doi: 10.1080/07853890601040063.
- Boulton, A. J. M. (2015) 'The diabetic foot', *Medicine (United Kingdom)*. Elsevier Ltd, 43(1), pp. 33–37. doi: 10.1016/j.mpmed.2014.10.006.
- Bozkurt, N., Yilmaz, E., Biri, A. and Ozdemir, Z. T. (2006) 'The mean platelet volume in gestational diabetes', *J Thromb Thrombolysis*, 22, pp. 51–54. doi: 10.1007/s11239-006-8322-2.

Buch, A., Kaur, S., Nair, R. and Jain, A. (2017) 'Platelet volume indices as predictive biomarkers for diabetic complications in Type 2 diabetic patients', *Journal of Laboratory Physicians*, 9(2), p. 84. doi: 10.4103/0974-2727.199625.

Chen, X., Fang, L., Lin, H., Shen, P., Zhang, T., Li, H., Li, X., Yu, M., Xu, C., Zhang, J., Lu, F., Du, X., Hu, R. and Zhong, J. (2017) 'The relationship between type 2 diabetes and platelet indicators', *Iranian Journal of Public Health*, 46(9), pp. 1211–1216.

Chua, J., Lim, C. X. Y., Wong, T. Y. and Sabanayagam, C. (2018) 'Diabetic retinopathy in the Asia-pacific', *Asia-Pacific Journal of Ophthalmology*, 7(1), pp. 3–16. doi: 10.22608/APO.2017511.

Colwell, J. A. and Nesto, R. W. (2003) 'The platelet in diabetes: focus on prevention of ischemic events.', *Diabetes care*, 26(7), pp. 2181–2188. doi: 10.2337/diacare.26.7.2181.

d'Emden, M. C., Shaw, J. E., Jones, G. R. and Wah Cheung, N. (2015) 'Guidance concerning the use of glycated haemoglobin (HbA1c) for the diagnosis of diabetes mellitus', *Medical Journal of Australia*, 203(2), pp. 89–90. doi: 10.5694/mja15.00041.

Dahlan, S. (2011) 'Statistika Untuk Kedokteran dan Kesehatan', in *Salemba Medika*. 5th edn. Jakarta, pp. 167–174.

Dayal, A., Kothari, S., Shah, R. J. and Patel, S. M. (2016) 'Mean Platelet Volume In Diabetes Mellitus Type II', I, pp. 0–5.

DeFronzo, R. A., Ferrannini, E., Groop, L., Henry, R. R., Herman, W. H., Holst, J. J., Hu, F. B., Kahn, C. R., Raz, I., Shulman, G. I., Simonson, D. C., Testa, M. A. and Weiss, R. (2015) 'Type 2 diabetes mellitus', *Nature Reviews Disease Primers*. Macmillan Publishers Limited, 1(July), pp. 1–23. doi: 10.1038/nrdp.2015.19.

Demirkol, S., Balta, S., Unlu, M., Yuksel, U. C., Celik, T., Arslan, Z., Kucuk, U. and Yokusoglu, M. (2012) 'Evaluation of the mean platelet volume in patients with cardiac syndrome X', *Clinics*, 67(9), pp. 1019–1022. doi: 10.6061/clinics/2012(09)06.

Demirtas, L., Degirmenci, H., Akbas, E. M., Ozcicek, A., Timuroglu, A. and Gurel, A. (2015) 'Association of hematological indices with diabetes , impaired glucose regulation and microvascular complications of diabetes', 8(7), pp. 11420–11427.

Demirtunc, R., Duman, D., Basar, M., Bilgi, M., Teomete, M. and Garip, T. (2009) 'The relationship between glycemic control and platelet activity in type 2 diabetes mellitus', *Journal of Diabetes and its Complications*. Elsevier B.V., 23(2), pp. 89–94. doi: 10.1016/j.jdiacomp.2008.01.006.

Doğan, M. and Karahan2, İ. (2019) 'Relationship between glycosylated hemoglobin and plateletcrit of type 2 diabetes patients', *JOURNAL OF HEALTH SCIENCES AND MEDICINE*, 2(2), pp. 40–43. doi: 10.32322/jhsm.486180.

Drahansky, M., Paridah, M. ., Moradbak, A., Mohamed, A. ., Owolabi, F. abdulwahab taiwo, Asniza, M. and Abdul Khalid, S. H. . (2016) 'We are IntechOpen , the world ' s leading publisher of Open Access books Built by scientists , for scientists TOP 1 %', *Intech, i(tourism)*, p. 13. doi: <http://dx.doi.org/10.5772/57353>.

England, J. M., Rowan, R. M., Van Assendelft, O. W., Bull, B. S., Coulter, W., Fujimoto, K., Groner, W., Richardson-Jones, A., Klee, G., Koepke, J. A., Lewis, S. M., McLaren, C. E., Shinton, N. K., Tatsumi, N. and Verwilghen, R. L. (1993) 'Recommendations of the international council for standardization in haematology for ethylenediaminetetraacetic acid anticoagulation of blood for blood cell counting and sizing', *American Journal of Clinical Pathology*, 100(4), pp. 371–372. doi: 10.1093/ajcp/100.4.371.

Ghahremanfard, F., Semnani, V., Ghorbani, R., Malek, F., Behzadfar, A. and Zahmatkesh, M. (2015) 'Effects of cigarette smoking on morphological features of platelets in healthy men', *Saudi Medical Journal*, 36(7), pp. 847–850. doi: 10.15537/smj.2015.7.11026.

Glovaci, D., Fan, W. and Wong, N. D. (2019) 'Epidemiology of Diabetes Mellitus and Cardiovascular Disease', *Current Cardiology Reports*. Current Cardiology Reports, 21(4). doi: 10.1007/s11886-019-1107-y.

Gogan, L. M., Artene, A., Sarca, I. and Draghici, A. (2016) 'The Impact of Intellectual Capital on Organizational Performance', *Procedia - Social and Behavioral Sciences*. Elsevier B.V., 221(0), pp. 194–202. doi: 10.1016/j.sbspro.2016.05.106.

Güngör, A. A., Gürsoy, G., Güngör, F., Bayram, S. M. and Atalay, E. (2016) 'The relationship of mean platelet volume with retinopathy in type 2 diabetes mellitus', *Turkish Journal of Medical Sciences*, 46(5), pp. 1292–1299. doi: 10.3906/sag-1410-95.

Gupta, S., Jain, U. and Chauhan, N. (2017) 'Laboratory Diagnosis of HbA1c : A Review', *Journal of Nanomedicine Research*, 5(4), pp. 1–10. doi: 10.15406/jnmr.2017.05.00120.

HARRIS, N., KUNICKA, J. and KRATZ, A. (2005) 'The ADVIA 2120 Hematology System: FFlow Cytometry-Based Analysis of Blood and Body FLuids in the Routine Hematology Laboratory', *Laboratory Hematology*, 11(1), pp. 47–61. doi: 10.1532/lh96.04075.

Harrison, P., Horton, A., Grant, D., Briggs, C. and Machin, S. (2000) 'Immunoplatelet counting: A proposed new reference procedure', *British Journal of Haematology*, 108(2), pp. 228–235. doi: 10.1046/j.1365-2141.2000.01846.x.

Hegde, S., Uday, I., Jayakumar, N. M. and Anantharajaiah, P. H. (2016) 'Assessment of Mean Platelet Volume in Type 2 Diabetes Mellitus and Prediabetes', *National Journal of Laboratory Medicine*, i(3), pp. 3–6. doi: 10.7860/NJLM/2016/20243.2146.

Hekimsoy, Z. and Payzin, B. (2004) 'Mean platelet volume in Type 2 diabetic patients', *Journal of Diabetes and Its Complications*, i, pp. 173–176. doi: 10.1016/S1056-8727(02)00282-9.

IDF committee (2017) *IDF Diabetes Atlas*. 8th edn. Edited by S. Karuranga et al. www.diabetesatlas.org. doi: [http://dx.doi.org/10.1016/S0140-6736\(16\)31679-8](http://dx.doi.org/10.1016/S0140-6736(16)31679-8).

Incarni, M., Sentinelli, F., Perra, L., Pani, M. G., Porcu, M., Lenzi, A., Cavallo, M. G., Cossu, E., Leonetti, F., Baroni, M. G. and Baroni, M. G. (2015) 'Glycated hemoglobin for the diagnosis of diabetes and prediabetes : Diagnostic impact on obese and lean subjects , and phenotypic characterization', 6(1). doi: 10.1111/jdi.12241.

Iwase, E., Tawata, M., Aida, K., Ozaki, Y., Kume, S., Satoh, K., Qi, R. and Onaya, T. (1998) 'A cross-sectional evaluation of spontaneous platelet aggregation in relation to complications in patients with type II diabetes mellitus', *Metabolism*, 47(6), pp. 699–705. doi: 10.1016/S0026-0495(98)90034-8.

Jones, R. L., Paradise, C. and Peterson, C. M. (1981) 'Platelet survival in patients with diabetes mellitus', *Diabetes*, 30(6), pp. 486–489. doi: 10.2337/diab.30.6.486.

Kahn, S. E., Cooper, M. E. and Prato, S. Del (2011) 'PATHOPHYSIOLOGY AND TREATMENT OF TYPE 2 DIABETES: PERSPECTIVES ON THE PAST, PRESENT AND FUTURE', *Bone*, 23(1), pp. 1–7. doi: 10.1038/jid.2014.371.

Kakouros, N., Rade, J. J., Kourliouros, A. and Resar, J. R. (2011) 'Platelet function in patients with diabetes mellitus: From a theoretical to a practical perspective', *International Journal of Endocrinology*, 2011. doi: 10.1155/2011/742719.

Karlsson, F. H., Tremaroli, V., Nookaew, I., Bergström, G., Behre, C. J., Fagerberg, B., Nielsen, J. and Bäckhed, F. (2013) 'Gut metagenome in European women with normal, impaired and diabetic glucose control', *Nature*, 498(7452), pp. 99–103. doi: 10.1038/nature12198.

Kemenkes (2018) 'Hari Diabetes Sedunia 2018', *InfoDATIN*, p. 8.

Kilpatrick, E. S., Dominiczak, M. H. and Small, M. (1996) 'The effects of ageing on glycation and the interpretation of glycaemic control in Type 2 diabetes', pp. 307–312.

Kurt, H. and Demirkiran, D. (2016) 'Changing of Hemoglobin A1c Affects Mean Platelet Volume in Type-2 Diabetes Mellitus', *the Ulutas Medical Journal*, 2(1), p. 27. doi: 10.5455/umj.20160211122820.

Lancé, M. D., van Oerle, R., Henskens, Y. M. C. and Marcus, M. A. E. (2010) 'Do We Need Time Adjusted Mean Platelet Volume Measurements?', *Laboratory Hematology*, 16(3), pp. 28–31. doi: 10.1532/lh96.10011.

Lancé, M. D., Sloep, M., Henskens, Y. M. C. and Marcus, M. A. E. (2012) 'Mean platelet volume as a diagnostic marker for cardiovascular disease: Drawbacks of preanalytical conditions and measuring techniques', *Clinical and Applied Thrombosis/Hemostasis*, 18(6), pp. 561–568. doi: 10.1177/1076029612458147.

Latger-Cannard, V., Hoarau, M., Salignac, S., Baumgart, D., Nurden, P. and Lecompte, T. (2012) 'Mean platelet volume: Comparison of three analysers towards standardization of platelet morphological phenotype', *International Journal of Laboratory Hematology*, 34(3), pp. 300–310. doi: 10.1111/j.1751-553X.2011.01396.x.

Lehner, J., Greve, B. and Cassens, U. (2007) 'Automation in Hematology', *Transfus Med Hemother*, 34, pp. 328–339. doi: 10.1159/00010.

Lippi, G., Salvagno, G. L., Nouvenne, A., Meschi, T., Borghi, L. and Targher, G. (2015a) 'The mean platelet volume is significantly associated with higher glycated hemoglobin in a large population of unselected outpatients', *Primary Care Diabetes*, 9(3), pp. 226–230. doi: 10.1016/j.pcd.2014.08.002.

Lippi, G., Salvagno, G. L., Nouvenne, A., Meschi, T., Borghi, L. and Targher, G. (2015b) 'The mean platelet volume is significantly associated with higher glycated hemoglobin in a large population of unselected outpatients', *Primary Care Diabetes*. Primary Care Diabetes Europe, 9(3), pp. 226–230. doi: 10.1016/j.pcd.2014.08.002.

Liu, Juxiang, Quan, J., Wei, S., An, S., Yang, R., Liu, Jing, Liu, X. and Li, Y. (2018) 'The association of neutrophil to lymphocyte ratio, mean platelet volume, and platelet distribution width with diabetic retinopathy and nephropathy: A meta-analysis', *Bioscience Reports*, 38(3). doi: 10.1042/BSR20180172.

M M Khandekar, A S Khurana, S D Deshmukh, A L Kakrani, A D Katdare, A. K. I. (2006) 'Platelet volume indices in patients with coronary artery disease and acute myocardial infarction: an Indian scenario', *J Clin Pathol*, i, pp. 146–150. doi: 10.1136/jcp.2004.025387.

Ma, Q., Liu, H., Xiang, G., Shan, W. and Xing, W. (2016) 'Association between glycated hemoglobin A1c levels with age and gender in Chinese adults with no prior diagnosis of diabetes mellitus', pp. 737–740. doi: 10.3892/br.2016.643.

Martin, J., Trowbride, E. A., Salmon, G. and Plumb, J. (1983) 'The biological significance of platelet volume: its relationship to bleeding time, platelet thromboxane B₂ production and megakaryocyte nuclear DNA concentration', *thrombosis research*, 32, pp. 443–460.

Martyn, C. N., Matthews, D. M., Tucker, J., Ewing, D. J. and Clarke, B. F. (1986)

‘Effects of Sorbinil Treatment on Erythrocytes and Platelets of Persons with Diabetes’, *Diabetes Care*, 9(1), pp. 36–39.

Mazzanti, L. and Mutus, B. (1997) ‘Diabetes-Induced alterations in platelet metabolism’, *Clin Biochem*, 30(7), pp. 509–515.

Milosevic, D. and Panin, V. L. (2019) ‘RELATIONSHIP BETWEEN HEMATOLOGICAL PARAMETERS AND GLYCEMIC CONTROL IN TYPE 2 DIABETES MELLITUS PATIENTS’, 38(2). doi: 10.2478/jomb-2018-0021.

Muhammad, I., Haider, I., Badshah, A. and Murtaza, Z. (2015) ‘CORRELATION BETWEEN GLYCOSYLATED HEMOGLOBIN AND PLATELET ACTIVITY AMONG PATIENTS WITH TYPE 2 DIABETES MELLITUS’, *J Postgrad Med Inst*, 29(2), pp. 105–108.

Murat Doğan, İ. K. (2019) ‘Relationship between glycosylated hemoglobin and plateletcrit of type 2 diabetes patients’, (March). doi: 10.32322/jhsm.486180.

Prevention, C. for D. C. and (2020) ‘National Diabetes Statistics Report’.

Rao, G. M. M., Morghom, L. O. and Mansori, S. S. (1985) ‘Negative Correlation between Erythrocyte Count and Mean Corpuscular Volume or Mean Corpuscular Haemoglobin in Diabetic and Non-Diabetic Subjects Introduction Erythrocyte Count and Mean Corpuscular Volume or Mean Corpuscular Haemoglobin’, 17(July), pp. 1984–1985.

Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin, N., Colagiuri, S., Guariguata, L., Motala, A. A., Ogurtsova, K., Shaw, J. E. and Bright, D. (2019) ‘Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045 : Results from the International Diabetes Federation Diabetes Atlas , 9 th edition’, *Diabetes Research and Clinical Practice*. Elsevier Ireland Ltd, 157, p. 107843. doi: 10.1016/j.diabres.2019.107843.

Saigo, K., Yasunaga, M. and Ryo, R. (1992) ‘Mean Platelet Volume in Diabetics’, *Diabetes Care*, 40(2), pp. 215–217.

Saluja, M., Swami, Y. K. and Meena, S. R. (2019) ‘Study of impact of glycemic status (HbA1c) on platelet activity measured by mean platelet volume & vascular complications in diabetics’, *Journal of Association of Physicians of India*, 67(May), pp. 26–29.

Sami, W., Ansari, T., Butt, N. S., Rashid, M., Hamid, A., Management, I. and Razak, L. T. (2016) ‘Type 2 diabetes mellitus : Link between diet , HbA1c and complications REVIEW Type 2 diabetes mellitus : Link between diet , HbA1c and complications What this review adds ’:, (October). doi: 10.4066/AMJ.2016.2708.

Sandhaus, L. M., Osei, E. S., Agrawal, N. N., Dillman, C. A., Ascp, M. T. and Meyerson, H. J. (2002) ‘Platelet Counting by the Coulter LH 750 , Sysmex XE

2100 , and Advia 120 A Comparative Analysis Using the RBC / Platelet Ratio Reference Method', pp. 235–241.

Sastroasmoro, S. (2014) 'Dasar-dasar Metodologi Penelitian Klinis', in *Sagung Seto*. 5th edn. Jakarta, pp. 13–29.

Schaper, N. C., van Netten, J. J., Apelqvist, J., Bus, S. A., Hinchliffe, R. J. and Lipsky, B. A. (2020) 'Practical Guidelines on the prevention and management of diabetic foot disease (IWGDF 2019 update)', *Diabetes/Metabolism Research and Reviews*, 36(S1), pp. 1–10. doi: 10.1002/dmrr.3266.

Schneider, D. J. (2009) 'Factors contributing to increased platelet reactivity in people with diabetes', *Diabetes Care*, 32(4), pp. 525–527. doi: 10.2337/dc08-1865.

Şentürk, Ş., Kağıtci, M., Seda, E. and Güven, G. (2017) 'Thrombocyte Alterations in Pregnant Women with Gestational Diabetes Mellitus', *Gynecol Obstet Reprod Med*, 23(1), pp. 1–5. doi: 10.201613/GORM.2017.711.

Seon, B. H., Jongwook, L., Hwan, R. K. and Jongwook, K. (2003) 'Platelet Activation in Patient with Diabetic Retinopathy', *Korean Journal Ophthalmology*, 17, pp. 140–4.

Shaw, J. E. and Zimmet, P. Z. (2020) 'Young-onset type 2 diabetes mellitus — implications for morbidity and mortality', *Endocrinology*. Springer US. doi: 10.1038/s41574-020-0334-z.

Shera, A. S., Jawad, F., Maqsood, A. and Jamal, S. (2004) 'Prevalence of Chronic Complications and Associated Factors in Type 2 Diabetes'.

Shilpi, K. (2018) 'A Study of Platelet Indices in Type 2 Diabetes Mellitus Patients', *Indian Journal of Hematology and Blood Transfusion*. Springer India, 34(1), pp. 115–120. doi: 10.1007/s12288-017-0825-9.

Sobel, B. E. and Schneider, D. J. (2004) 'Platelet function, coagulopathy, and impaired fibrinolysis in diabetes', *Cardiol Clin*, 22(4), pp. 511–526. doi: 10.1016/j.ccl.2004.06.009.

Sobol, A. B. and Watala, C. (2000) 'The role of platelets in diabetes-related vascular complications', *Diabetes Research and Clinical Practice*, 50(1), pp. 1–16. doi: 10.1016/S0168-8227(00)00160-1.

Suwaidi, H. A. H. J. Al (2010) 'Endothelial dysfunction in diabetes', *Nippon rinsho. Japanese journal of clinical medicine*, 68(5), pp. 823–826.

Thomas Alex Kodiatt, Udaya Kumar Manikyam, Suraksha Bellur Rao, Thej Mothakapalli Jagadish, M. R., Lingaiah, H. K. M. and Lakshmaiah, V. (1993) 'Mean platelet volume in diabetes mellitus', *Journal of Laboratory Physicians*, 86(11), pp. 739–742. doi: 10.1093/oxfordjournals.qjmed.a068755.

Tschöpe, D., Langer, E., Schauseil, S., Rösen, P., Kaufmann, L. and Gries, F. A. (1989) 'Increased platelet volume - Sign of impaired thrombopoiesis in diabetes mellitus', *Klin Wochenschrift*, 67(4), pp. 253–259. doi: 10.1007/BF01717328.

Ulutas, K. T., Dokuyucu, R., Sefil, F., Yengil, E., Sumbul, A. T. and Rizaoglu, H. (2014) 'Evaluation of mean platelet volume in patients with type 2 diabetes mellitus and blood glucose regulation : a marker for atherosclerosis?', i(4), pp. 955–961.

Ulutas, K. T., Dokuyucu, R., Sefil, F., Yengil, E., Sumbul, A. T., Rizaoglu, H., Ustun, I., Yula, E., Sabuncu, T. and Gokce, C. (2014) 'Evaluation of mean platelet volume in patients with type 2 diabetes mellitus and blood glucose regulation: A marker for atherosclerosis?', *International Journal of Clinical and Experimental Medicine*, 7(4), pp. 955–961.

Varol, E., Icli, A., Kocyigit, S., Erdogan, D., Ozaydin, M. and Dogan, A. (2013) 'Effect of smoking cessation on mean platelet volume', *Clinical and Applied Thrombosis/Hemostasis*, 19(3), pp. 315–319. doi: 10.1177/1076029612436675.

Vassallo, I. M., Gatt, A., Cassar, K., Papanas, N. and Formosa, C. (2019) 'Healing and Mortality Rates Following Toe Amputation in Type 2 Diabetes Mellitus', *Experimental and Clinical Endocrinology & Diabetes*. doi: 10.1055/a-0942-1789.

Verma, M., Paneri, S., Badi, P. and Raman, P. G. (2006) 'EFFECT OF INCREASING DURATION OF DIABETES MELLITUS TYPE 2 ON GLYCATED HEMOGLOBIN AND INSULIN SENSITIVITY', 21(1), pp. 142–146.

Walinjkar, R. S., Khadse, S., Kumar, S., Bawankule, S. and Acharya, S. (2019) 'Platelet Indices as a Predictor of Microvascular Complications in Type 2 Diabetes', *Indian Journal of Endocrinology and Metabolism*, pp. 206–210. doi: 10.4103/ijem.IJEM.

Wang, Jun, Qin, J., Li, Y., Cai, Z., Li, S., Wang, Jian, *et al.* (2012) 'A metagenome-wide association study of gut microbiota in type 2 diabetes', *Nature*. Nature Publishing Group, 490(7418), pp. 55–60. doi: 10.1038/nature11450.

Wass, J. A. H., Stewart, P. M., Stephanie, A. and Davies, M. J. (2011) 'Oxford Textbook of Endocrinology and Diabetes', *Oxford Textbook of Endocrinology and Diabetes*, pp. 1–21. doi: 10.1093/med/9780199235292.001.1.

Whiting, D. R., Guariguata, L., Weil, C. and Shaw, J. (2011) 'IDF Diabetes Atlas: Global estimates of the prevalence of diabetes for 2011 and 2030', *Diabetes Research and Clinical Practice*. Elsevier Ireland Ltd, 94(3), pp. 311–321. doi: 10.1016/j.diabres.2011.10.029.

Wolfram, R. M., Chehne, F., Oguogho, A. and Sinzinger, H. (2003) 'Narghile (water pipe) smoking influences platelet function and (iso-)eicosanoids', *Life Sciences*, 74(1), pp. 47–53. doi: 10.1016/j.lfs.2003.06.020.

World Health Organization (2011) *Use of Glycated Haemoglobin (HbA1c) in the Diagnosis of Diabetes Mellitus, World Health Organization.*

Wu, M., Xiao, L. and Yang, X. (2019) 'Positive Relationship of Platelet Volume Indices with HbA1c in Unselected Type-2 Diabetes Mellitus Patients.', *Clinical laboratory*. Germany, 65(8). doi: 10.7754/Clin.Lab.2019.190101.

Yenigün, E. C., Okay, G. U., Pirpir, A., Hondur, A. and Yıldırım, İ. S. (2014) 'Increased mean platelet volume in type 2 diabetes mellitus', 41(1), pp. 17–22. doi: 10.5798/diclemedj.0921.2014.01.0366.

Yilmaz, T. and Yilmaz, A. (2016) 'Relationship between altered platelet morphological parameters and retinopathy in patients with type 2 diabetes mellitus', *Journal of Ophthalmology*, 2016(Mi). doi: 10.1155/2016/9213623.

Zhong, Z.-L., Han, M. and Chen, S. (2011) 'Risk factors associated with retinal neovascularization of diabetic retinopathy in type 2 diabetes mellitus', *International Journal of Ophthalmology*, 4(2), pp. 182–185. doi: 10.3980/j.issn.2222-3959.2011.02.15.