

## DAFTAR PUSTAKA

- Aaro, T., Jaana, R., Reidar, G., & Kari, S., 2017. Epstein-Barr virus ( EBV ) - encoded small RNAs ( EBERs ) associated with poor prognosis of head and neck carcinomas. *Oncotarget* 8: 27328–27338.
- Adham, M., Kurniawan, A.N., Muhtadi, A.I., Roezin, A., Hermani, B., Gondhowiardjo, S., et al., 2012. Original Article. *Chin. J. Cancer* 31: 185–196.
- Ahmed, W., Philip, P.S., Tariq, S., & Khan, G., 2014. Epstein-Barr Virus-Encoded Small RNAs ( EBERs ) Are Present in Fractions Related to Exosomes Released by. *PLoS One* 9: 1–8. doi:10.1371/journal.pone.0099163
- Balkwill, F.R., & Hagemann, T., 2012. The tumor microenvironment at a glance. *J. Cell Sci.* 125: 5591–5596. doi:10.1242/jcs.116392
- Biswas, S.K., Sica, A., Lewis, C.E., & Alerts, E., 2008. Plasticity of Macrophage Function during Tumor Progression : Regulation by Distinct. *J. Immunol.* 180: 2011–2017. doi:10.4049/jimmunol.180.4.2011
- Chan, J., El-naggar, A.K., Mbbs, J.C., Dds, T.T., Grandis, J., & Slootweg, P., 2017. WHO Classification of Head and Neck Tumours, in: Tumor of the Nasopharynx. IARC Publication, pp. 63–76. doi:10.1016/j.humphath.2017.05.014
- Chang, A.L., Miska, J., Wainwright, D.A., Dey, M., Rivetta, C. V, Yu, D., et al., 2016. CCL2 produced by the glioma microenvironment is essential for the recruitment of regulatory T cells and myeloid-derived suppressor cells. *Cancer Res.* 76: 5671–5682. doi:10.1158/0008-5472.CAN-16-0144.CCL2
- Chow, K., Chiou, S., Ho, S., Tsai, M., Chen, C., Wang, L., et al., 2003. The elevated serum interleukin-6 correlates with the increased serum butyrate level in patients with nasopharyngeal carcinoma. *Oncol. Rep.* 10: 813–819.
- Chrestella, J., Farhat, F., Daulay, E.R., Asnir, R.A., Yudhistira, A., & Nasution, I.A., 2018. Cyclooxygenase-2 Expression and Its Correlation with Primary Tumor Size and Lymph Node Involvement in Nasopharyngeal Carcinoma. *Open Access Maced J Med Sci.* 6: 2001–2005.
- Duan, Y., Li, Z., Cheng, S., Chen, Y., Zhang, L., He, J., et al., 2015. Nasopharyngeal carcinoma progression is mediated by EBER-triggered inflammation via the RIG-I pathway. *Cancer Lett.* 361: 67–74. doi:10.1016/j.canlet.2015.02.037
- Durán, E., & Arriazu, R., 2013. Quantification of Protein Expression on an Immunofluorescence Section by Using the MetaMorph Image Analysis System. *UNniversal J. Appl. Sci.* 1: 86–94. doi:10.13189/ujas.2013.010303
- Ewald, S.E., Engel, A., Lee, J., Wang, M., Bogyo, M., & Barton, G.M., 2011. Nucleic acid recognition by Toll-like receptors is coupled to stepwise

- processing by cathepsins and asparagine endopeptidase. *J. Exp. Med.* 208: 643–651. doi:10.1084/jem.20100682
- Felton-Edkins, Z., Kondrashov, A., Karali, D., Fairley, J.A., Dawson, C.W., Arrand, J.R., et al., 2006. Epstein-Barr Virus Induces Cellular Transcription Factors to Allow Active Expression of EBV Genes by RNA Polymerase III \*. *J. Biol. Chem.* 281: 33871–33880. doi:10.1074/jbc.M600468200
- GLOBOCAN, 2018. 266 794 986 [WWW Document]. *Glob. Cancer Obs.* URL <http://gco.iarc.fr/today/>
- Han, L., Sun, L., Zhao, Z., Chao, Y., Sun, Z., Li, H., et al., 2015. Sequence variation of Epstein-Barr virus ( EBV ) BCRF1 in lymphomas in non-endemic areas of nasopharyngeal carcinoma. *Arch Virol* 160: 441–445. doi:10.1007/s00705-014-2279-9
- Hanahan, D., & Weinberg, R.A., 2011. Review Hallmarks of Cancer : The Next Generation. *Cell* 144: 646–674. doi:10.1016/j.cell.2011.02.013
- Hoebe, E.K., Large, T.Y.S. Le, Greijer, A.E., & Middeldorp, J.M., 2013. BamHI-A rightward frame 1 , an Epstein – Barr virus-encoded oncogene and immune modulator. *Rev. Med. Virol.* 23: 367–383. doi:10.1002/rmv
- Howe, J.G., & Shu, M., 1988. Isolation and Characterization of the Genes for Two Small RNAs of Herpesvirus Papio and Their Comparison with Epstein-Barr Virus-Encoded EBV RNAs. *J. Virol.* 62: 2790–2798.
- Huang, D., Song, S., Wu, Z., Wu, W., Cui, X., Chen, J., et al., 2017. Epstein – Barr Virus-Induced VEGF and GM-CSF Drive Nasopharyngeal Carcinoma Metastasis via Recruitment and Activation of Macrophages. *Cancer Res.* 77: 3591–3605. doi:10.1158/0008-5472.CAN-16-2706
- Huang, H., Liu, X., Zhao, F., Lu, J., Zhang, B., Peng, X., et al., 2017. M2-polarized tumour-associated macrophages in stroma correlate with poor prognosis and Epstein – Barr viral infection in nasopharyngeal carcinoma. *Acta Otolaryngol.* 1–7. doi:10.1080/00016489.2017.1296585
- Huang, S.C.M., Tsao, S.W., & Tsang, C.M., 2018. Interplay of Viral Infection , Host Cell Factors and Tumor Microenvironment in the Pathogenesis of Nasopharyngeal Carcinoma. *Cancers (Basel).* 10: 1–18. doi:10.3390/cancers10040106
- Iwakiri, D., 2014. Epstein-Barr Virus-Encoded RNAs: Key Molecules in Viral Pathogenesis. *Cancers (Basel).* 6: 1615–1630. doi:10.3390/cancers6031615
- Iwakiri, D., Zhou, L., Samanta, M., Matsumoto, M., Ebihara, T., Seya, T., et al., 2009. Epstein-Barr virus ( EBV )– encoded small RNA is released from EBV-infected cells and activates signaling from toll-like receptor 3. *Br. Defin. Rep.* 206: 2091–2099. doi:10.1084/jem.20081761
- Jiang, R., Ye, J., Zhu, B., Song, Y., Chen, H., & Cao, S., 2014. Roles of TLR3 and

- RIG-I in Mediating the Inflammatory Response in Mouse Microglia following Japanese Encephalitis Virus Infection. *J. Immunol. Res.* 2014: 1–11.
- Kawai, T., & Akira, S., 2011. Toll-like Receptors and Their Crosstalk with Other Innate Receptors in Infection and Immunity. *Immunity* 34: 637–650. doi:10.1016/j.immuni.2011.05.006
- Kratochvill, F., Neale, G., Haverkamp, J.M., Velde, L. Van De, Smith, A.M., Kawauchi, D., et al., 2016. TNF counterbalances the emergence of M2 tumor macrophages. *Cell Rep.* 12: 1902–1914. doi:10.1016/j.celrep.2015.08.033.TNF
- Lafaille, M.A.C. De, & Lafaille, J.J., 2009. Review Natural and Adaptive Foxp3 + Regulatory T Cells : More of the Same or a Division of Labor? *Immunity* 30: 626–635. doi:10.1016/j.immuni.2009.05.002
- Li, J., Huang, Z., Xiong, G., Mo, H., Qiu, F., Mai, H., et al., 2011. Distribution , characterization , and induction of CD8 + regulatory T cells and IL-17-producing CD8 + T cells in nasopharyngeal carcinoma. *J. Transl. Med.* 9: 1–10.
- Li, Z., Duan, Y., Cheng, S., Chen, Y., Hu, Y., Zhang, L., et al., 2015. EBV-encoded RNA via TLR3 nasopharyngeal carcinoma induces inflammation in. *Oncotarget* 6: 24291–24303.
- Lin, G., Wang, Jin, Lao, X., Wang, Jun, Li, L., Li, Shuhong, et al., 2012. Interleukin-6 Inhibits Regulatory T Cells and Improves the Proliferation and Cytotoxic Activity of Cytokine-induced Killer Cells. *J Immunother* 35: 337–343.
- Lo, K., & Huang, D.P., 2002. Genetic and epigenetic changes in nasopharyngeal carcinoma. *Cancer Biol.* 12: 451–462. doi:10.1016/S1044
- Lourenço, E. V, & Cava, A. La, 2012. Natural regulatory T cells in autoimmunity Elaine. *Autoimmunity* 44: 33–42. doi:10.3109/08916931003782155.Natural
- Mantovani, A., Sica, A., Sozzani, S., Allavena, P., Vecchi, A., & Locati, M., 2004. The chemokine system in diverse forms of macrophage activation and polarization. *TRENDS Immunol.* 25: 677–686. doi:10.1016/j.it.2004.09.015
- Mantovani, A., Sozzani, S., Locati, M., Allavena, P., Sica, A., & Mantovani, A., 2002. Macrophage polarization : tumor-associated macrophages as a paradigm for polarized M2 mononuclear phagocytes. *TRENDS Immunol.* 23: 549–555.
- Marshall, N.A., Vickers, M.A., Barker, R.N., Marshall, N.A., Vickers, M.A., & Barker, R.N., 2003. Regulatory T Cells Secreting IL-10 Dominate the Immune Response to EBV Latent Membrane Protein 1. *J Immunol* 170: 6183–6189. doi:10.4049/jimmunol.170.12.6183
- Martinez, F.O., Gordon, S., Locati, M., Mantovani, A., Martinez, F.O., Gordon, S., et al., 2006. Transcriptional Profiling of the Human Monocyte-to-Macrophage

- Differentiation and Polarization: New Molecules and Patterns of Gene Expression. *J. Immunol.* 177: 7303–7311. doi:10.4049/jimmunol.177.10.7303
- Meylan, E., & Tschopp, J., 2006. Toll-Like Receptors and RNA Helicases : Two Parallel Ways to Trigger Antiviral Responses. *Mol. Cell* 561–569. doi:10.1016/j.molcel.2006.05.012
- Mogensen, T.H., & Paludan, S.R., 2001. Molecular Pathways in Virus-Induced Cytokine Production. *Microbiol. Mol. Biol. Rev.* 65: 131–150. doi:10.1128/MMBR.65.1.131
- Morales-Sánchez, A., & Fuentes-Panana, E., 2018. The Immunomodulatory Capacity of an Epstein-Barr Virus Abortive Lytic Cycle : Potential Contribution to Viral Tumorigenesis. *Cancers (Basel)*. 10: 1–25. doi:10.3390/cancers10040098
- Mozes, T., Barath, I., Gornicsar, K., Grosz, A., Gondocs, C., Szephalmi, P., et al., 2011. Deviations in Circulating TNF $\alpha$  Levels and TNF $\alpha$  Production by mononuclear cell. *Mediators Inflamm.* 1–8.
- Nakanishi, Y., Wakisaka, N., Kondo, S., Endo, K., Sugimoto, H., Hatano, M., et al., 2017. Progression of understanding for the role of Epstein-Barr virus and management of nasopharyngeal carcinoma. *Cancer Metastasis Rev* 36: 435–447. doi:10.1007/s10555-017-9693-x
- Napetschnig, J., & Wu, H., 2013. Molecular Basis of NF- $\kappa$ B Signaling. *Annu Rev Biophys.* 6: 443–468.
- Omoseebi, O., Akinde, O.R., Obadofin, O.O., Ogun, G.O., & Banjo, A.A.F., 2017. Association of Epstein – Barr Virus ( EBV ) with Malignancy of the Nasopharynx in Lagos , Nigeria. *Ann. Trop. Pathol.* 8: 29–33. doi:10.4103/atp.atp
- Ooft, M.L., Ipenburg, J.A. Van, Sanders, M.E., Kranendonk, M., Hofland, I., Bree, R. De, et al., 2017a. Prognostic role of tumour-associated macrophages and regulatory T cells in EBV-positive and EBV- negative nasopharyngeal carcinoma 1–8. doi:10.1136/jclinpath-2017-204664
- Ooft, M.L., van Ipenburg, J.A., Braunius, W.W., Zuur, C.I., Koljenovic, S., & Willems, S.M., 2017b. Prognostic role of tumor infiltrating lymphocytes in EBV positive and EBV negative nasopharyngeal carcinoma .pdf. *Oral Oncol.* 71: 16–25.
- Orecchioni, M., Ghosheh, Y., Pramod, A.B., & Ley, K., 2019. Macrophage Polarization : Different Gene Signatures in M1 ( LPS + ) vs . Classically and M2 ( LPS – ) vs . Alternatively Activated Macrophages. *Front. Immunol.* 10: 1–14. doi:10.3389/fimmu.2019.01084
- Qian, B., Li, J., Zhang, H., Kitamura, T., Zhang, J., Liam, R., et al., 2012. metastasis. *Nature* 475: 222–225. doi:10.1038/nature10138.CCL2

- Raab-traub, N., 2002. Epstein – Barr virus in the pathogenesis of NPC. *Cancer Biol.* 12: 431–441. doi:10.1016/S1044
- Repellin, C.E., Tsimbouri, P.M., Philbey, A.W., & Wilson, J.B., 2010. Lymphoid Hyperplasia and Lymphoma in Transgenic Mice Expressing the Small Non-Coding RNA , EBER1 of Epstein-Barr Virus. *PLoS One* 5: 1–12. doi:10.1371/journal.pone.0009092
- Rosa, M.D., Gottlieb, E., Lerner, M.R., & Steitz, J.A., 1981. Striking Similarities Are Exhibited by Two Small Epstein- Barr Virus-Encoded Ribonucleic Acids and the Adenovirus- Associated Ribonucleic Acids VAI and VAII. *Mol. Cell. Biol.* 1: 785–796.
- Samanta, M., Iwakiri, D., Kanda, T., Imaizumi, T., & Takada, K., 2006. EB virus-encoded RNAs are recognized by RIG-I and activate signaling to induce type I IFN. *EMBO J.* 25: 4207–4214. doi:10.1038/sj.emboj.7601314
- Savage, N.D.L., Boer, T. De, Walburg, K. V, Joosten, S.A., Meijgaarden, K. Van, & Ottenhoff, T.H.M., 2008. Human Anti-Inflammatory Macrophages Induce Foxp3 + GITR + CD25 + Regulatory T Cells, Which Suppress via Membrane-Bound TGF  $\beta$  -1. *J. Immunol.* 181: 2220–2226. doi:10.4049/jimmunol.181.3.2220
- Sethi, G., Sung, B., & Aggarwal, B.B., 2008. TNF: A master switch for inflammation to cancer. *Front. Biosci.* 5094–5107.
- Sun, W., Wei, F., Li, W., Wei, J., Zhong, H., Wen, Y., et al., 2017. A positive-feedback loop between tumour infiltrating activated Treg cells and type 2-skewed macrophages is essential for progression of laryngeal squamous cell carcinoma. *Br. J. Cancer* 117: 1631–1643. doi:10.1038/bjc.2017.329
- Sun, W.E.I., Liu, D., Li, W., Zhang, L., Long, G., Wang, J., et al., 2014. Interleukin-6 promotes the migration and invasion of nasopharyngeal carcinoma cell lines and upregulates the expression of MMP-2 and MMP-9. *Int. J. Oncol.* 44: 1551–1560. doi:10.3892/ijo.2014.2323
- Takada, K., 2012. Role of EBER and BARF1 in nasopharyngeal carcinoma (NPC) tumorigenesis. *Semin. Cancer Biol.* 22: 162–165. doi:10.1016/j.semcancer.2011.12.007
- Tsang, C.M., Lo, K.W., Nicholls, J.M., Huang, S.C.M., & Tsao, S.W., 2019. Pathogenesis of Nasopharyngeal Carcinoma ;, in: Anne W.M. Lee, M.L.L. and W.T.N. (Ed.), *Nasopharyngeal Carcinoma From Etiology to Clinical Practice*. Elsevier Inc., USA, pp. 45–64. doi:10.1016/B978-0-12-814936-2.00003-1
- Tsao, S.W., Tsang, C.M., & Lo, K.W., 2017. Epstein – Barr virus infection and nasopharyngeal carcinoma. *Phil. Trans. R. Soc. B* 372: 1–10.
- Wang, J., Huang, H., Lu, J., Bi, P., Wang, F., Liu, X., et al., 2017. Tumor cells induced-M2 macrophage favors accumulation of Treg in nasopharyngeal carcinoma. *Int J Clin Exp Pathol* 10: 8389–8401.

- Wang, K.H., Austin, S.A., Chen, S.H., Sonne, D.C., & Gurushanthaiah, D., 2017. Nasopharyngeal Carcinoma Diagnostic Challenge in a Nonendemic Setting: Our Experience with 101 Patients. *Perm. J.* 21: 180–185.
- Wang, Y., Li, X., Mo, Y., Fan, C., Tang, L., Xiong, F., et al., 2018. Effects of tumor metabolic microenvironment on regulatory T cells. *Mol. Cancer* 17: 1–15.
- Waniczek, D., Lorenc, Z., Śnietura, M., & Wesecki, M., 2017. Tumor-Associated Macrophages and Regulatory T Cells Infiltration and the Clinical Outcome in Colorectal Cancer. *Arch. Immunol. Ther. Exp. (Warsz.)*. 65: 445–454. doi:10.1007/s00005-017-0463-9
- Watson, P.F., & Petrie, A., 2010. Method agreement analysis : A review of correct methodology. *Theriogenology* 73: 1167–1179. doi:10.1016/j.theriogenology.2010.01.003
- Wu, Y., Maruo, S., Yajima, M., Kanda, T., & Takada, K., 2007. Epstein-Barr Virus ( EBV ) -Encoded RNA 2 ( EBER2 ) but Not EBER1 Plays a Critical Role in EBV-Induced B-Cell Growth Transformation □. *J. Virol.* 81: 11236–11245. doi:10.1128/JVI.00579-07
- Yi, M., Cai, J., Li, J., CHen, S., Zeng, Z., Peng, Q., et al., 2017. Rediscovery of NF- $\kappa$ B Signaling in Nasopharyngeal Caicrnoma: How Genetic Defect of NF-kB Pathway Interplay with EBV in Driving Oncogenesis. *J. Cell. Physiol.* 1–39. doi:doi: [10.1002/jcp.26410]
- Young, L.S., & Dawson, C.W., 2014. Epstein - Barr virus and nasopharyngeal carcinoma. *Chin. J. Cancer* 33: 581–590. doi:10.5732/cjc.014.10197
- Young, L.S., Yap, L.F., & Murray, P.G., 2016. Epstein – Barr virus : more than 50 years old and still providing surprises. *Nat. Rev. Cancer* 16: 789–802. doi:10.1038/nrc.2016.92
- Yu, Y., Ke, L., Lv, X., Ling, Y., Lu, J., Liang, H., et al., 2018. The prognostic significance of carcinoma- associated fibroblasts and tumor-associated macrophages in nasopharyngeal carcinoma. *Cancer Manag. Res.* 10: 1935–1946.
- Zeng, Z., Zhang, S.F.X., Zhou, S.L.M., & Xiong, W., 2015. Epstein – Barr virus-encoded small RNA 1 ( EBER-1 ) could predict good prognosis in nasopharyngeal carcinoma. *Clin Transl Oncol* 1: 1–6. doi:10.1007/s12094-015-1354-3
- Zhang, G., Tsang, C.M., Deng, W., Yip, Y.L., Lui, V.W., Chuen, S., et al., 2013. Enhanced IL-6 / IL-6R Signaling Promotes Growth and Malignant Properties in EBV-Infected Premalignant and Cancerous Nasopharyngeal Epithelial Cells. *PLoS One* 8: 1–13. doi:10.1371/journal.pone.0062284