



DAFTAR PUSTAKA

- Anspaugh, L., Bennett, B., Bouville, A., Burkart, W., Cox, R., Croft, J. dan Wrixon, A. (2000) *Sources and Effects of Ionizing Radiation* (Vol. I), United Nations Publications.
- Aoyama, K., Ueda, O., dan Kawamura, T. (2004). Personal Dose Monitoring System. *Highly accurate and reliable equipment useful to our customers*, 102.
- Barro-Torres, S., Fernández-Caramés, T. M., Pérez-Iglesias, H. J., dan Escudero, C. J. (2012). Real-time personal protective equipment monitoring system. *Computer Communications*, 36(1), 42-50.
- Batan dan Bapeten. (2005). *Proteksi Radiasi dalam Pekerjaan (Terjemahan dokumen IAEA RS-G-1.1: Occupational Radiation Protection)*, Redaksi: Hendriyanto Haditjahyono Pusat Pendidikan dan Pelatihan.
- Buchanan, B. B., Grussem, W., dan Jones, R. L. (Eds.). (2015). *Biochemistry and molecular biology of plants*. John Wiley and Sons.
- Burns, D., Katsis, D., Henriquez, S., Howell, S. dan Litz, M. (2011). Development of a wireless radioactive material sensor network, *Nuclear Instruments and Methods in Physics Research A*.
- Bushberg, J. T., & Boone, J. M. (2011). *The essential physics of medical imaging*. Lippincott Williams & Wilkins.
- Byun, S. H. (2014). Radioisotopes and Radiation Methodology. *Med. Phys. 4R06/6R03, version, 15*.
- Carroll, Q. B. (2011). *Radiography in the Digital age*, Charles C Thomas, PUBLISHER, LTD: ISBN 978-0-398-08646-6 (hard) ISBN 978-0-398-08647-3 (ebook).
- Conti, E., Placidi, P., Magalotti, D., Bissi, L., Paolucci, M., Scorzoni, A., dan Servoli, L. (2014). A portable dosimetric system based on a CMOS image sensor for radiation protection in Interventional Radiology. *Conference Record - IEEE Instrumentation and Measurement Technology Conference*, 288–292.
- Cooper GM. (2000). The Cell: A Molecular Approach. 2nd edition. Sunderland (MA): Sinauer Associates; The Molecular Composition of Cells, Available from: <https://www.ncbi.nlm.nih.gov/books/NBK9879/>



Durišić, M. P., Tafa, Z., Dimić, G., dan Milutinović, V. (2012, June). A survey of military applications of wireless sensor networks. In *2012 Mediterranean conference on embedded computing (MECO)* (pp. 196-199). IEEE.

EPA, (2012), Radiation : Facts , Risks and Realities. *United States Environmental Protection Agency*, (April).

Faheem, M., dan Gungor, V. C. (2018). Energy efficient and QoS-aware routing protocol for wireless sensor network-based smart grid applications in the context of industry 4.0. *Applied Soft Computing*, 68, 910-922.

Faludi, R., (2010), *Building wireless sensor networks: with ZigBee, Xbee, Mikrokontroller Arduino, and processing*. "O'Reilly Media, Inc.".

Fardela, R., dan Ashari, A. (2018, October). Study of Wireless Sensor Network Application for Dosimeter Personal *Real-time*. In *2018 International Conference on Orange Technologies (ICOT)* (pp. 1-4). IEEE.

Fardela, R. (2014). *Pengembangan Detektor Sinar-X Berbasis Fototransistor Development Of Phototransistor Based X-Ray Detector* (Tesis, Universitas Gadjah Mada).

Fardela, R. dan Kusminarto. (2016). Penentuan Sensitivitas Detektor Sinar-X Berbasis Fototransistor. *Jurnal Ipteks Terapan*, 9(4).

Fardela, R., Suparta, G. B., Ashari, A., dan Triyana, K. (2019). Multi Sensor Data Acquisition System Design for Monitoring the Radiation Dose Based on Wireless Sensor Network. *International Journal of Engineering Research and Technology*. ISSN 0974-3154, Volume 12, Number 6 (2019), pp. 848-853.

Ferdoush, S., dan Li, X. (2014). Wireless sensor network system design using Raspberry Pi and Mikrokontroller Arduino for environmental monitoring applications. *Procedia Computer Science*, 34, 103-110.

Fujibuchi, T., Nozaki, Y., Ishigaki, Y., dan Matsumoto, Y. (2019). Estimation of the characteristics of gamma-ray dose measurements with an experimental wireless dose monitoring system (The 9th International Symposium on Radiation Safety and Detection Technology (ISORD-9)). *Progress in nuclear science and technology*, 6, 77-80.

Fujibuchi, T., Inoue, A., Ishigaki, Y., dan Matsumoto, Y. (2019). Development of a wireless multisensor active personal dosimeter-tablet system (The 9th International Symposium on Radiation Safety and Detection Technology (ISORD-9)). *Progress in nuclear science and technology*, 6, 73-76.



Gomaa, R., Adly, I., Sharshar, K., Safwat, A., dan Ragai, H. (2013, April). ZigBee wireless sensor network for radiation monitoring at nuclear facilities. In *6th Joint IFIP Wireless and Mobile Networking Conference (WMNC)* (pp. 1-4). IEEE.

Gomaa, R. I., Shohdy, I. A., Sharshar, K. A., Al-Kabbani, A. S., dan Ragai, H. F. (2014). Real-time radiological monitoring of nuclear facilities using ZigBee technology. *IEEE Sensors Journal*, 14(11), 4007-4013.

ICRP. (1991). Recommendations of the International Commission on Radiological Protection, ICRP Publication 60, Pergamon Press, Elmsford, New York.

Ishigaki, Y., Matsumoto, Y., Ichimiya, R., dan Tanaka, K. (2013). Development of mobile radiation monitoring system utilizing smartphone and its field tests in Fukushima. *IEEE Sensors Journal*, 13(10), 3520-3526.

Izewska, J. O. A. N. N. A., dan Rajan, G. O. V. I. N. D. A. (2005). Radiation dosimeters. *Radiation Oncology Physics: A Handbook for Teachers and Students*, 71-99.

Kalita, S., Borole, J. N., dan Rane, K. P. (2014). Wireless Earthquake Alarm System using ATmega328p, ADXL335 and Xbee S2. *International Journal of Engineering Trends and Technology*, 12(3), 144–148.

Kang, H. G., Song, J. J., Lee, K., Nam, K. C., Hong, S. J., dan Kim, H. C. (2016). An investigation of medical radiation detection using CMOS image sensors in smartphones. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 823, 126-134.

Katsis, D., Burns, D., Henriquez, S., Howell, S., dan Litz, M. (2011). Development of a wireless radioactive material sensor network. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 652(1), 94-98.

Kefalidis, E., Kandarakis, I., dan David, S. (2017). Performance characteristics of a personal gamma spectrometer based on a SiPM array for radiation monitoring applications. In *Journal of Physics Conference Series* (Vol. 931, No. 1).

Khan, F. M., dan Gibbons, J. P. (2014). *Khan's the physics of radiation therapy*. Lippincott Williams dan Wilkins.

Knoll, G. F. 2010, *Radiation detection and measurement*. John Wiley dan Sons.



Kónya, J., dan Nagy, N. M. (2018). *Nuclear and radiochemistry : Chapter 5 - Interaction of Radiation With Matter*, hal. 85-131. Elsevier.
<https://doi.org/10.1016/B978-0-12-813643-0.00005-6>

Krane, K.S. (1992). *Modern Physics*, John Wiley and Sons, Inc., Diterjemahkan oleh Hans J., 2006, *Fisika Modern*, UI Press, Jakarta.

Kumar, R. R., Macwin, L., dan Rathna, R. (2015). Nuclear radiation detection using Wireless Sensor Network. In *Innovations in Information, Embedded and Communication Systems (ICIIECS), 2015 International Conference on* (pp. 1-4). IEEE.

Kusminarto dan Fadela, R. (2015). An X-ray Detector using A Fluorescent Material ZnS: Ag Attached on a Phototransistor in Darlington Configuration. In *Applied Mechanics and Materials* (Vol. 771, pp. 21-24). Trans Tech Publications.

Liu, X. (2015). Atypical hierarchical routing protocols for wireless sensor networks: A review. *IEEE Sensors Journal*, 15(10), 5372-5383.

Lodish H, Berk A, dan Zipursky SL. (2000). Molecular Cell Biology. 4th edition, New York: W. H. Freeman; Section 10.7, Molecular Mechanisms of Eukaryotic Transcriptional Control.

Louis, L. (2016). Working Principle Of Mikrokontroller Arduino And U Sing It. *International Journal of Control, Automation, Communication and Systems (IJCACS)*, 1(2), 21-29.

Magalotti, D., Bissi, L., Conti, E., Paolucci, M., Placidi, P., Scorzoni, A., dan Servoli, L. (2014). Performance of CMOS imager as sensing element for a real-time active pixel dosimeter for interventional radiology procedures. *Journal of Instrumentation*, 9(01), C01036.

Magalotti, D., Placidi, P., Conti, E., De Biagi, M., Fabiani, S., Bissi, L., dan Servoli, L. (2015(a)). Design and implementation of a wireless intelligent personal *node* sensor for the dosimetry of interventional radiology operators. In *2015 IEEE International Instrumentation and Measurement Technology Conference (I2MTC) Proceedings* (pp. 1159-1164). IEEE. [10.1109/I2MTC.2015.7151435](https://doi.org/10.1109/I2MTC.2015.7151435)

Magalotti, D., Placidi, P., Paolucci, M., Scorzoni, A., dan Servoli, L. (2015(b)). Experimental characterization of a wireless personal *node* sensor for the dosimetry during interventional radiology procedures. *IEEE Transactions on Instrumentation and Measurement*, 65(5), 1070-1078.



- Magalotti, D., Placidi, P., Dionigi, M., Scorzoni, A., & Servoli, L. (2016). Experimental characterization of a personal wireless sensor network for the medical X-ray dosimetry. *IEEE Transactions on Instrumentation and Measurement*, 65(9), 2002-2011.
- Matsumoto, Y., Satoh, M., dan Ozaki, K. (2013, December). A low power environmental wireless radiation monitoring system by using 920MHz frequency band. In *2013 Seventh International Conference on Sensing Technology (ICST)* (pp. 782-785). IEEE.
- Mujawar, T. H., Bachuwar, V. D., Kasbe, M. S., Shaligram, A. D., dan Deshmukh, L. P. (2015). Development of wireless sensor network system for LPG gas leakage detection system. *International Journal of Scientific and Engineering Research*, 6(4), 558-563.
- Nagatani, T., Katayama, H., dan Nakagawa, S. (2016). Collection and Transmission System of Radiation Information With a Portable Radiation Detector. In *The Proceedings of the 4th International Conference on Industrial Application Engineering* (pp. 89-94).
- Ojovan, M. I., Lee, W. E., dan Kalmykov, S. N. (2019). *An introduction to nuclear waste immobilisation*. Elsevier.
- Petersen, S., Doyle, P., Vatland, S., Aasland, C. S., Andersen, T. M., dan Sjong, D. (2007, September). Requirements, drivers and analysis of wireless sensor network solutions for the Oil and Gas industry. In *2007 IEEE Conference on Emerging Technologies and Factory Automation (EFTA 2007)* (pp. 219-226). IEEE.
- Podgorsak, E.B. (2006). *Radiation Oncology Physics: A Handbook for Teachers and Students*. International Atomic Energy Agency (Vol. 98).
- Rahman, A. F. S., Mustika, I. W., dan Kusumawardani, S. S. (2016). *Perancangan Sistem Wireless Fingerprint dengan Memanfaatkan Modul Xbee untuk Pengelolaan Data Presensi dan Monitoring* (Doctoral dissertation, Universitas Gadjah Mada).
- Rando, T. A. (2006). Stem cells, ageing and the quest for immortality. *Nature*, 441(7097), 1080.
- Reaz, A., Ramamurthi, V., Ghosal, D., Benko, J., Li, W., Dixit, S., dan Mukherjee, B. (2008, June). Enhancing multi-hop wireless mesh networks with a ring overlay. In *2008 5th IEEE Annual Communications Society Conference on*



Sensor, Mesh and Ad Hoc Communications and Networks Workshops (pp. 1-6). IEEE.

Reddy, P. S., Kumar, R. A. R., Mathews, M. G., dan Amarendra, G. (2017). Online fault diagnostics and testing of area gamma radiation monitor using wireless network. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 859, 23-30.

Sasikumar, C., dan Manivannan, D. (2013). Gas Leakage Detection and Monitoring Based on Low Power Microcontroller and Xbee. *International Journal of Engineering and Technology*, 5(1), 58–62.

SAV, S. M., Raj, B., Sivalingam, K. M., Ebenezer, J., Chandran, T., Shanmugavel, M., dan Rajan, K. K. (2012). Wireless sensor network for sodium leak detection, *Nuclear Engineering and Design*, 249, 432-437.

Sofyan, H. (2013). Pemantauan Rutin Dosis Eksternal Perorangan Menggunakan Dosimeter Personal Aktif, *Prosiding Pertemuan Ilmiah XXVII HFI Jateng dan DIY*, Solo, ISSN : 0853-0823, hal. 88–92.

Stabin, M. G. (2007). *Radiation protection and dosimetry: an introduction to health physics*. Springer Science dan Business Media.

Thomas, D. J. (2012). *ICRU report 85: fundamental quantities and units for ionizing radiation*.

Tuna, G., Das, R., dan Tuna, A. (2015). Wireless sensor network-based health monitoring system for the elderly and disabled. *International Journal of Computer Networks and Applications (IJCNA)*, 2(6), 247-253.

United Nations. Scientific Committee on the Effects of Atomic Radiation. (2000). *Sources and effects of ionizing radiation: sources* (Vol. 1). United Nations Publications.

User Guide, “Xbee®/Xbee-PRO S2C Zigbee®.” Available online: <http://www.alselectro.com/files/90002002.pdf>.

Valadares, D. C. G., de Araújo, J. M. F. R., Spohn, M. A., Perkusich, A., Gorgônio, K. C., dan Melcher, E. U. K. (2020). 802.11 g signal strength evaluation in an industrial environment. *Internet of Things*, 9, 100163.

Virone, G., Wood, A., Selavo, L., Cao, Q., Fang, L., Doan, T., dan Stankovic, J. (2006, April). An advanced wireless sensor network for health monitoring.



In *Transdisciplinary conference on distributed diagnosis and home healthcare (D2H2)* (pp. 2-4).

Wardhana, W. A. (2007). Teknologi Nuklir: Proteksi Radiasi dan Aplikasinya. Yogyakarta: CV ANDI.

Wrixon, A.D, Barraclough, I., dan Clark, M.J. (2004). Radiation, People and The Environment. *International Atomic Energy Agency*, 1–85.

Wu, L., Wang, L., Su, S., Li, X., Wang, G., Wei, J., dan Qian, J. (2014, April). Wireless sensor network based solution for nuclear radiation detection. In *2014 4th IEEE International Conference on Information Science and Technology* (pp. 397-400). IEEE.

Xbee, D. (2013). XBee-PRO™ OEM RF Modules.“*Product Manual v1.xAx-802.15, 4.*

XBee/XBee-PRO® S2C Zigbee® RF Module, 2017 diakses pada : 5 Agustus 2020:
<https://www.digi.com/resources/documentation/digidocs/pdfs/90002002.pdf>

Xing, B., Ding, R., dan Wang, J. (2013, November). Design of Wireless Sensor Network for Protection of X-Ray Detection. In *2013 6th International Conference on Intelligent Networks and Intelligent Systems (ICINIS)* (pp. 282-285). IEEE.