

BIBLIOGRAPHY

- Agrios, G.N. 2005. Plant Pathology. Elsevier Academic Press.
- Ahmad, Suhanna., Clement Wong Kling Fook, Ganesan Vadamalai, Mohd Aswad Wahab, Noor Baity Saidi and D. Zulperi. (2020) Molecular characterization of *Fusarium oxysporum* f.sp *cubense* tropical race 4 (Foc-TR4) isolates from Malaysia banana using secreted in xylem (SIX) effector genes. Archives of Phytopathology and Plant Protection; 1-17.
- Anonymous. 2005. Potency of banana investment in Indonesia. http://agribisnis.deptan.go.id/index.php?files=Berita_Detail&tbl=berita&idberita=341&drt=9. [01 Januar 2020]. (In Bahasa Indonesia).
- Anonymous. 2009. *Fusarium oxysporum* f.sp *cubense* (Panama disease of banana). Access at <<https://www.cabi.org/isc/datasheet/24621>> January 10th 2020.
- Aurore G, Parfait B, Fahrasmane L, 2009. Bananas, raw materials for making processed food products. Trends in Food Science & Technology 20, 78–91.
- Beckman, C.H. 1987. The nature of wilt diseases of plants. American Phytopathological Society, St Paul. MN., USA. 175 pp.
- Benhamou, N., Joosten, M. & Dewit, P. (1990). Subcellular localization of chitinase and of its potential substrate in tomato root tissues infected by *Fusarium oxysporum* f.sp. *radicis-lycopersici*. *Plant Physiology* **92**, 1108–1120, <https://doi.org/10.1104/pp.92.4.1108>
- Booth, C. 1971. The genus *Fusarium*. Kew, Surrey, UK. Commonwealth Mycological Institute 237pp.
- Brogliè, K. *et al.* 1991. Transgenic plants with enhanced resistance to the fungal pathogen *Rhizoctonia solani*. *Science* **254**, 1194–1197, <https://doi.org/10.1126/science.254.5035.1194> .
- Buddenhagen, I. W. 1995. Bananas: a world overview, problems and opportunities. Dalam Proceeding first national banana industry conference. Australia. 32-38.
- Cao L, Blekemolen MC, Tintor N, Cornelissen BJC, Takken FLW (2018) The *Fusarium oxysporum* Avr2-Six5 effector pair alters plasmodesmatal exclusion selectivity to facilitate cell-to-cell movement of Avr2. *Mol Plant* 11(5): 691-705.
- Carvalhais, Lilia C., J. Henderson., V-A.Rincon-Florez., C.O'Dwyer., E. Czistowski., E.A.B. Aitken and Andre Drenth. 2019. Molecular Diagnostic of Banana *Fusarium* Wilt Targeting Secreted in Xylem Genes. *Front Plant Sci* 10 (547) : 1-17.
- Catanzariti AM, Lim GTT, Jones DA (2015) The tomato I-3 gene: a novel gene for resistance to *Fusarium* wilt disease. *New Phytol* 207(1): 106- 118.

- Czislowski E, Fraser-Smith S, Zander M, O'Neill WT, Meldrum RA, et al. (2018) Investigation of the diversity of effector genes in the banana pathogen, *Fusarium oxysporum f. sp. cubense*, reveals evidence of horizontal gene transfer. *Mol Plant Pathol* 19(5): 1155-1171.
- Dale J, James A, Paul JY, Khanna H, Smith M, et al. (2017) Transgenic Cavendish bananas with resistance to *Fusarium* wilt tropical race 4. *Nature Communication* 8(1): 1496.
- De Cal A, Pascual S, Melgarejo P (1997) Infectivity of chlamydo spores vs microconidia of *Fusarium oxysporum f.sp. lycopersici* on tomato. *J Phytopathol* 145:231–233.
- Dita, M., Marcia Barquero., Daniel Heck, Eduardo S.G. Mizubuti and Charles P. Staver. 2018. *Fusarium* Wilt of Banana: Current Knowledge on Epidemiology and Research Needs Toward Sustainable Disease Management. *Frontiers* 9 : 1-21.
- Dita, M.A., Garming, H., Bergh I. Van den, Staver, C. and Lescot, T. 2013. Banana in Latin America and the Caribbean: current State, challenges and perspectives. *Proc. Int. ISHSPromusa Symp. on Bananas and Plantains: Towards Sustainable Global Production and Improved Uses Eds.: I. Van den Bergh et al. Acta Hort.* 986, ISHS 2013: 365-380.
- Dita, M.a Pérez-Vicente, L. and E. Martinez (2004) Inoculation of *Fusarium oxysporum f.sp cubense* causal agent of *Fusarium* wilt in banana. *Memorias de XV Reunion Internacional de ACORBAT (Oaxaca, MX)*. Pp: 1-14.
- Anonymous. 2005. Potency of banana investment in Indonesia. http://agribisnis.deptan.go.id/index.php?files=Berita_Detail&tbl=berita&idberita=341&drt=9. [01 Januar 2020]. (In Bahasa Indonesia).
- Ebbole, D. & Sachs, M.S. 1990. A rapid and simple method for isolation of *Neurospora crassa* homokaryons using microconidia. *Fungal Genetic Newsletter* 37: 17-18.
- Ellis, ML, Lanubile A, Garcia C, Munkvold GP (2016). Association of putative fungal effectors in *Fusarium oxysporum* wilt symptoms in soybean. *Phytopathology* 106 (7) : 762-773.
- Fawcett, G.L. 1911. Report of the plant pathologist. *Ann. Rep. Porto Rico Exp. Stat.* : 35-36.
- Fourie, G. 2008. Evolutionary biology of *Fusarium oxysporum f.sp. cubense*. University of Pretoria, Pretoria.
- Fourie, G., Steenkamp, E.T., Ploetz, R.C., Gordon, T.R. and Viljoen, A. 2011. Current status of the taxonomic position of *Fusarium oxysporum* formae speciale

cubense within the *Fusarium oxysporum* complex. *Infection, Genetics and Evolution* 11: 533–542.

- Fraser-Smith S, Cziślowski E, Meldrum RA, Zander M, O'Neill W, et al. 2014. Sequence variation in the putative effector gene SIX8 facilitates molecular differentiation of *Fusarium oxysporum f. sp. cubense*. *Plant Pathology* 63(5): 1044-1052.
- Gawehns F, Houterman PM, Ichou FA, Michielse CB, Hijdra M, et al. 2014. The *Fusarium oxysporum* effector Six6 contributes to virulence and suppresses I-2-mediated cell death. *Mol Plant Microbe Interact* 27(4): 336-348.
- Gawehns F, Ma L, Bruning O, Houterman PM, Boeren S, et al. 2015. The effector repertoire of *Fusarium oxysporum* determines the tomato xylem proteome composition following infection. *Front Plant Sci* 6(1): 967
- Groenewald, S. (2005). *Biology, Pathogenecity, and Diversity of Fusarium oxysporum f.sp. cubense*. Faculty of Natural and Agricultural Science. University of Pretoria. Pretoria. 158 p.
- Griffin, D.H. 1994. Introduction to the fungi. In *Fungal physiology* 2nd edition, (D.H. Griffin, eds): 1-20, Wiley-Liss, New York.
- Guo L, Han L, Yang L, Zeng H, Fan D, et al. 2014. Genome and transcriptome analysis of the fungal pathogen *Fusarium oxysporum f. sp. cubense* causing banana vascular wilt disease. *PLoS One* 9(4): e95543.
- Houterman PM, Ma L, Van Ooijen G, De Vroomen MJ, Cornelissen BJC, et al. 2009. The effector protein Avr2 of the xylem-colonizing fungus *Fusarium oxysporum* activates the tomato resistance protein I-2 intracellularly. *Plant J* 58 (6): 970-978.
- Houterman PM, Speijer D, Dekker HL, De Koster CG, Cornelissen BJC, et al. 2007. The mixed xylem sap proteome of *Fusarium oxysporum*-infected tomato plants. *Mol Plant Pathol* 8(2): 215-221.
- Jumjunidang, Edison, Riska, & C. Hermanto. 2012. Fusarium Wilt Disease on Banana in NAD Province: Distribution and Identification of Isolates through Vegetative Compatibility Group Analysis [Penyakit Layu Fusarium pada Tanaman Pisang di Propinsi NAD: Sebaran dan Identifikasi Isolat Berdasarkan Analisis Vegetative Compatibility Group]. *Jurnal Hortikultura* 22: 164–171.
- Kiswanti.,Dwi., dan C. Sumardiyono. 2010. Identifikasi dan virulensi *Fusarium oxysporum f.sp cubense* RAS 4. *Jurnal Perlindungan Tanaman Indonesia* 16 (1) : 28-32.
- LeiZhang, Alberto Cenci, Mathieu Rouard, Dong Zhang, Yunyue Wang, Weihua Tang & Si-Jun Zheng. 2019. Transcriptomic analysis of resistant and susceptible

banana corms in response to infection by *Fusarium oxysporum* f. sp. *cubense* tropical race 4. *Scientific Reports* 9 : 1-14.

- Li E, Wang G, Xiao J, Ling J, Yang Y, et al. 2016. A SIX1 homolog in *Fusarium oxysporum* f. sp. *conglutinans* is required for full virulence on cabbage. *PLoS One* 11(3): e0152273.
- Li, W., Xuejun Ge, Wei Wu, Wei Wang, Yulin Hu, Yiwei Mo, Dequan Sun, Shengyou Shi, and Jianghui Xie (2015) Identification of defense-related genes in banana roots infected by *Fusarium oxysporum* f. sp. *cubense* tropical race 4. *Euphytica* DOI 10.1007/s10681-015-1418-z
- Li, W.-M., Qian, C.-M., Mo, Y.-W., Hu, Y.-L. & Xie, J.-H. 2011. Tolerance of banana for Fusarium wilt is associated with early H₂O₂ accumulation in the roots. *African Journal of Biotechnology* 10, 11378–11387, <https://doi.org/10.5897/AJB11.994>.
- Mak, C., A.A. Mohamed, K.W. Liew, & Y.W. Ho. 2004. Early Screening Tehnique for Fusarium Wilt Resistance in Banana Micro-propagated Plants. <http://www/Fao.org/docrep/007/ae216e/ae216eOK.htm>. Banana.Improvement, modified 21/06/20.
- Masdek, N., Mahmood, M., Molina, A., Hwang, S.C., Dimyati, A., Tangaveli, R. and Omar, I., 2003. Global significance of Fusarium wilt: Asia. Abstracts of Papers 2nd. International Symposium on Fusarium wilt on banana. PROMUSA-INIBAP/EMBRAPA. Salvador de Bahía, Brazil. 22 - 26 Sept.
- Metsalu T, Vilo J (2015). ClustVis: a web tool for visualizing clustering of multivariate data using principal component analysis and heatmap. *Nucleic Acids Research* 43: W566–W570. <https://doi.org/10.1093/nar/gkv468>.
- Miura N, Ueda . 2018. Evaluation of unconventional protein secretion by *Saccharomyces cerevisiae* and other fungi. *Cells* 7:128 Moore, N.Y., Pegg, K., Allen, A.R. and Irvin, J.A.G. 1993. Vegetative compatibility and distribution of *Fusarium oxysporum* f. sp. *cubense* in Australia. *Australian Journal of Experimental Agriculture* 33 (6) 797 – 802.
- Nasdir, N. 2003. Fusarium wilt race 4 in Indonesia. Research Institute for Fruits west. Sumatra, Indonesia. Abstracts of Papers 2nd. International Symposium on Fusarium wilt on banana. PROMUSA-INIBAP/EMBRAPA. Salvador de Bahía, Brazil. 22 - 26 Sept.
- Nasir, N., Jumjunidang, Riska and Eliesti, F. 2003. The occurrence of *Fusarium oxysporum* f. sp. *cubense* race 4 in Indonesia. Program and Abstracts of 2nd International Symposium on Fusarium Wilt on Banana Salvador de Bahia 22–26 September 2003.
- Nelson, P.E., Toussoun, T.A. and Marasas, W.F.O. 1983. *Fusarium* species: an illustrated manual for identification. Pennsylvania State University, University Park, USA. 193.

- Pariaud., V. Ravigne, F. Halkett, H. Goyeau, J. Carlier and C. Lannou (2009). Aggressiveness and its role in the adaptation of plant pathogens. *Plant Pathology* 58: 409-424.
- Pérez-Vicente, L., 2004. *Fusarium* wilt (Panama disease) of bananas: an updating review of the current knowledge on the disease and its causal agent. In. *Memorias de XV Reunion Internacional de ACORBAT (Oaxaca, MX)*. Pp: 1-14.
- Pérez-Vicente, L., 2004. *Fusarium* wilt (Panama disease) of bananas: an updating review of the current knowledge on the disease and its causal agent. In. *Memorias de XV Reunion Internacional de ACORBAT (Oaxaca, MX)*. Pp: 1-14.
- Pietro AD, Madrid MP, Caracuel Z, Delgado-Jarana J, Roncero MI (2003) *Fusarium oxysporum*: exploring the molecular arsenal of a vascular wilt fungus. *Mol Plant Pathol* 4: 315–325.
- Ploetz R.C. 2006. *Fusarium* wilt of Banana is caused by several pathogens referred to as *Fusarium oxysporum* f. sp. *cubense*. *Phytopathology* 96: 653-656.
- Ploetz, R. C. and Corell, J. C. 1988. Vegetative compatibility among races of *Fusarium oxysporum* f. sp. *cubense*. *Plant Disease* 72: 325–328.
- Ploetz, R.C. 2005. Panama disease: an old nemesis rears its ugly head. Part 2: The Cavendish era and beyond. Online. Minnesota, US. APS. <http://www.apsnet.org/online/feature/panama2/default.asp>
- Ploetz, R.C. and Pegg, K.G. 2000. *Fusarium* wilt. In: *Diseases of Banana, Abaca and Enset*. Jones, D.R. (Ed.). Wallingford, UK. CABI. Pp. 143-159.
- Ploetz, R.C. and Correll, J.C. 1988. Vegetative compatibility among races of *Fusarium oxysporum* f. sp. *cubense*. *Plant Disease* 72: 325–328.
- Ploetz, RC. 1990. *Fusarium* Wilt of Banana. Minnesota, US. APS. 139 p.
- Poon, Nee Kiew., Chee How Teo and R. Y. Othman. 2019. Differential gene expression analysis of Secreted in Xylem (SIX) genes from *Fusarium oxysporum* f. sp. *cubense* tropical race 4 in *Musa acuminata* cv. Berangan and potential application for early detection of infection. *Journal of General Plant Pathology* 1-9.pp.
- Puhalla, J. E. 1984. Classification of strains of *Fusarium oxysporum* on the basis of vegetative compatibility. *Can. J. Bot.* 63:179–183.
- Purwanti, R.D., N. Hidayah, Sudjindro, & Sudarsono. 2008. Inoculation Methods and Conidial Densities of *Fusarium oxysporum* f. sp. *cubense* in Abaca. *Hayati Journal of Biosciences* 15: 1–7.

- Pratama, Y., Arif Wibowo, Ani Widiastuti, Siti Subandiyah, Sri WIdinugraheni and M. Rep (2018) Evaluation of some specific primer sets development for detecting *Fusarium oxysporum* f.sp. *cubense* Tropic Race 4 (*Foc* TR4) originating from Indonesia. *Jurnal Perlindungan Tanaman Indonesia*, Vol. 22, No. 2, 2018: 82–90 DOI: 10.22146/jpti.25037
- Rabouille C .2017. Pathways of unconventional protein secretion. *Trends Cell Biol* 27:230–240.
- Rep, M., H. Charlotte van der Does, M. Meijer, R. V. Wijik, P.M Houterman, Henk L. Dekker, Chris G.de Koster and B.J.C. Cornelissen. (2004) A small. Cysteine-rich protein secreted by *Fusarium oxysporum* during colonization of xylem vessels is required for I-3-mediated resistance in tomato. *Molecular Microbiology* 53 (5): 1373-1383.
- Riska, Jumjunidang, & C. Hermanto. 2012. Relation between Concentration Level of *Fusarium oxysporum* f.sp. *cubense* VCG 01213/16 and the Disease Development on Susceptible Banana [Hubungan antara Tingkat Konsentrasi Inokulum *Fusarium oxysporum* f.sp. *cubense*VCG 01213/16 dengan Perkembangan Penyakit Layu pada Kultivar Pisang Rentan]. *Jurnal Hortikultura* 22: 155–163.
- Rorer, J.B .1911. A preliminary list of of Trinidad fungi. Board of Agriculture, Trinidad and Tobago, Circ. No 4: 37-44
- Schippers, B. & van Eck, W.H. 1981. Formation and survival of chlamydospores in *Fusarium*. In *Fusarium: Diseases, Biology and Taxonomy*, (P.E. Nelson, T.A. Toussoun, R.J. Cook, eds): 250-260. The Pennsylvania State University Press, University Park and London.
- Schlumbaum, A., Mauch, F., Vogeli, U. & Boller, T. (1986). Plant chitinases are potent inhibitors of fungal growth. *Nature* **324**, 365–367, <https://doi.org/10.1038/324365a0>
- Smith, E.F. 1910. A Cuban banana disease. *Science* 31: 754-755.
- Snyder, W.C. and Hansen, H.N. 1940. The species concept in *Fusarium*. *American Journal of Botany* 27: 64-67.
- Snyder, W.C. and Hansen, H.N. 1940. The species concept in *Fusarium*. *American Journal of Botany* 27: 64-67.
- Stover, R. H., 1962 *Fusarial Wilt (Panama Disease) of Bananas and Other Musa Species*. Commonwealth Mycological Institute, Surrey, England.
- Stover, R. H., 1990 *Fusarium wilt of banana: some history and current status of the disease*, pp. 1–7 in *Twenty Contributors Present Reports and Research on the Disease, Fusarium Wilt of Banana*, edited by Ploetz, R. C..APS Press, St. Paul, MN.

- Stover, R. H., and I. W. Buddenhagen, 1986 Banana breeding: polyploidy, disease resistance and productivity. *Fruits* 41: 175–191.
- Stover, R.H., 1972. Banana, plantain and abaca diseases. Kew, UK. Commonwealth Mycological Institute. 316 p
- Su, H., S. C. Hwang, and W. H. Ko, 1986 Fusarial wilt of Cavendish in Taiwan. *Plant Diseases* 70 (9) : 814–818.
- Subramaniam S, Maziah M, Sariah M, Puad MP, Xavier R. 2006. Bioassay method for testing *Fusarium* wilt disease tolerance in transgenic banana. *Sci Hortic* 108:378–389.
- Sumardiyono, C., S.M. Widyastuti, & Y. Assi. 2001. Pengimbasan Ketahanan Pisang terhadap Penyakit Layu *Fusarium* dengan *Pseudomonas fluorescens*. p. 257–259. Prosiding Kongres Nasional XVI dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia. Bogor, August 22–24, 2001.
- Sutherland R, Viljoen A, Myburg AA, Van den Berg N. 2013. Pathogenecity associated genes in *Fusarium oxysporum* f.sp *cubense* race 4. *S Afr J. Sci* 109 (5/6): 1–10.
- van Dam P, Fokkens L, Ayukawa Y, Gragt M, Horst A, et al. .2017. A mobile pathogenicity chromosome in *Fusarium oxysporum* for infection of multiple *cucurbit species*. *Sci Rep* 7(1): 9042.
- van Dam P, Fokkens L, Schmidt SM, Linmans JHJ, Kistler HC, et al. .2016. Effector profiles distinguish formae speciales of *Fusarium oxysporum*. *Environ Microbiol* 18(11): 4087-4102.
- van der Does HC, Duyvesteijn RGE, Goltstein PM, van Schie CC, Manders EM, et al. 2008. Expression of effector gene SIX1 of *Fusarium oxysporum* requires living plant cells. *Fungal Genet Biol* 45(9): 1257- 1264.
- Van Loon, L. C. & Van Strien, E. A. 1999. The families of pathogenesis-related proteins, their activities, and comparative analysis of PR-1 type proteins. *Physiological and Molecular Plant Pathology* **55**, 85–97, <https://doi.org/10.1006/pmpp.1999.0213>.
- van Loon, L. C., Rep, M. & Pieterse, C. M. J. 2006. Significance of Inducible Defense-related Proteins in Infected Plants. *Annual Review of Phytopathology* Vol. 44: 135–162.
- Vicente., Luis-Perez., M.A. DIta., and E. Matinez. 2014. Technical Manual Prevention and diagnostic of *Fusarium* Wilt (Panama disease) of banana caused by *Fusarium oxysporum* f. sp. *cubense* Tropical Race 4 (TR4). Food And Agriculture Organization of the United Nations.

- Waite, B. H., and R. H. Stover, 1960 Studies on Fusarium wilt of bananas.VI. Variability and the cultivar concept in *Fusarium oxysporum* f..*ubense*. Can. J. Bot. 38: 985–994.
- Wibowo, A., Suryanti, & C. Sumardiyono, 2001. Patogenisitas 6 Isolat *Fusarium oxysporum* f. sp. *ubense* Penyebab Penyakit Layu *Fusarium* pada Pisang. Kongres XVI dan Seminar Nasional PFI. Institut Pertanian Bogor. Bogor, August 22–24, 2001.
- Widinugraheni S, Niño-Sánchez J, van der Does HC, van Dam P, García-Bastidas FA, Subandiyah S, Meijer HJG, Kistler HC, Kema GHJ, Rep M (2018) A *SIX1* homolog in *Fusarium oxysporum* f.sp. *ubense* tropical race 4 contributes to virulence towards Cavendish banana. PLoS One 13:e0205896.