Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

(JNPK-KR), J.N.K.-K.R., (IDAI), I.D.A.I., & (POGI), P.O.G.I., 2008. Pelayanan obstetri dan neonatal emergensi komprehensif (Ponek). Jakarta, Indonesia.

Aagaard, H., & Hall, E.O.C., 2008. Mothers' experiences of having a preterm infant in the neonatal care unit: A meta-synthesis. *J. Pediatr. Nurs.* 23: 26–36. doi:10.1016/j.pedn.2007.02.003

Adama, E.A., Bayes, S., & Sundin, D., 2016. Parents' experiences of caring for preterm infants after discharge from neonatal intensive care unit: A meta-synthesis of the literature. *J. Neonatal Nurs.* 22: 27–51. doi:10.1016/j.jnn.2015.07.006

Ahmed, A.H., 2008. Breastfeeding preterm infants: an educational program to support mothers of preterm infants in Cairo, Egypt. *Pediatr. Nurs.* 34: 125–30, 138.

Ahmed, A.H., & Sands, L.P., 2010. Effect of pre- and postdischarge interventions on breastfeeding outcomes and weight gain among premature infants. *J. Obstet. Gynecol. Neonatal Nurs.* 39: 53–63. doi:10.1111/j.1552-6909.2009.01088.x

Al-Yateem, N., & Docherty, C., 2015. Transition: A concept of significance to nursing and health care professionals. *J. Nurs. Educ. Pract.* 5. doi:10.5430/jnep.v5n5p35

Alligood, M.R., 2014. Nursing theory: Utilization and application, 5th ed. Mosby Inc, Elsevier, united States of America.

Aloysius, A., Kharusi, M., Winter, R., Platonos, K., Banerjee, J., & Deierl, A., 2018. Support for families beyond discharge from the NICU. *J. Neonatal Nurs.* 24: 55–60. doi:10.1016/j.jnn.2017.11.013

Andrew, S., & Holcomb, E.J., 2009. Designs for mixed methods research. Blackwell Publishing Ltd., Malaysia.

Bapat, R., McClead, R., Shepherd, E., Ryshen, G., & Bartman, T., 2016. Challenges, successes and opportunities for reducing readmissions in a referral-based children's hospital NICU. *J. Neonatal. Perinatal. Med.* 9: 433–440. doi:10.3233/NPM-161624

Bartholomew, L.K., Parcel, G.S., Kok, G., & Gottlieb, N.H., 2006. Planning health promotion programs: An intervention mapping approach, 1st ed. Jossey-Bass A wiley Imprint, San Francisco. doi:10.7748/nm.24.7.21.s24

Beheshtipoor, N., Shaker, Z., Edraki, M., Razavi, M., & Zare, N., 2013. The Effect of family-based empowerment program on the weight and length of hospital stay of preterm infants in the neonatal intensive care unit. *Galen Mecal J.* 2: 114–119.

Benavente-Fernándeza, I., Redondo, M.D.S., Castellanos, J.L.L., Munuzuri, A.P., Gracia,

Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

S.R., Campillo, C.W.R., et al., 2017. Hospital discharge criteria for very low birth weight newborn. *An. Pediatría* 87: 54.e1-54.e8. doi:10.1016/j.anpedi.2016.11.007

Benitz, W.E., 2015. Hospital Stay for healthy term newborn infants. *Pediatrics* 135: 948–953. doi:10.1542/peds.2015-0699

Birjandi, A., & Bragg, Li.M., 2009. Discharge planning handbook for healthcare: Top 10 secrets to unlocking a new revenue pipeline. Taylor & Francis Group, united States of America.

Blencowe, H., Krasevec, J., de Onis, M., Black, R.E., An, X., Stevens, G.A., et al., 2019. National, regional, and worldwide estimates of low birthweight in 2015, with trends from 2000: A systematic analysis. *Lancet Glob. Heal.* 7: e849–e860. doi:10.1016/S2214-109X(18)30565-5

Borimnejad, L., Mehrnush, N., Seyed-fatemi, N., & Haghani, H., 2012. The effect of empowerment program on mother-infant interaction and weight gain in preterm infants. *Zahedan J. Res. Med. Sci.* 14: 19–23.

Brooks, J.L., Holdtich-Davis, D., Docherty, S.L., & Theodorou, C.S., 2016. Birthing and parenting a premature infant in a cultural context. *Qual. Health Res.* 26: 387–398. doi:10.1177/1049732315573205

Burnham, N., Feeley, N., & Sherrard, K., 2013. Parents' perceptions regarding readiness for their infant's discharge from the NICU. *Neonatal Netw.* 32: 324–334. doi:10.1891/0730-0832.32.5.324

Cambonie, G., Muller, J.B., Ehlinger, V., Roy, J., Guédeney, A., Lebeaux, C., et al., 2017. Mother-infant interaction assessment at discharge and at 6 months in a French cohort of infants born very preterm: The OLIMPE study. *PLoS One* 12: 1–18. doi:10.1371/journal.pone.0188942

Cartwright, A., & Boath, E., 2018. Feeding infants with down's syndrome: A qualitative study of mothers' experiences. *J. Neonatal Nurs.* 24: 134–141. doi:10.1016/j.jnn.2018.03.001

Castel, S., Beunard, A., Creveuil, C., Blaizot, X., Proia, N., & Guillois, B., 2016. Effects of an intervention program on maternal and paternal parenting stress after preterm birth: A randomized trial. *Early Hum. Dev.* 103: 17–25. doi:10.1016/j.earlhumdev.2016.05.007

Çekin, B., & Turan, T., 2018. The stress levels of parents of premature infants and related factors in nenoatal intensive care units. *Turk. J. Pediatr.* 60: 117–125. doi:10.24953/turkjped.2018.02.001

Cescutti-Butler, L., Hemingway, A., & Hewitt-Taylor, J., 2019. "His tummy's only tiny" –

Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

scientific feeding advice versus women's knowledge: Women's experiences of feeding their late preterm babies. *Midwifery* 69: 102–109. doi:10.1016/j.midw.2018.11.001

Chang Lee, S.N., Long, A., & Boore, J., 2009. Taiwanese women's experiences of becoming a mother to a very-low-birth-weight preterm infant: A grounded theory study. *Int. J. Nurs. Stud.* 46: 326–336. doi:10.1016/j.ijnurstu.2008.10.004

Chen, Y., & Bai, J., 2017. Reliability and validity of the Chinese version of the readiness for hospital discharge scale–parent form in parents of preterm infants. *Int. J. Nurs. Sci.* 4: 88–93. doi:10.1016/j.ijnss.2017.01.009

Chen, Y., Zhang, J., & Bai, J., 2016. Effect of an educational intervention on parental readiness for premature infant discharge from the neonatal intensive care units. *J. Adv. Nurs.* 72: 135–146. doi:10.1111/jan.12817

Cohen, J., 1988. Statistical power analysis for the behavioral sciences. Lawrence Erlbaum Associates, New York.

Committee on Fetus and Newborn American Academy of Pediatrics, 2008. Hospital discharge of the high-risk neonate. *Pediatrics* 122: 1119–1126. doi:10.1542/peds.2008-2174

Creswell, J.W., 2014. Research design_ qualitative, quantitative, and mixed method approaches. SAGE Publications, California.

Datar, A., & Sood, N., 2006. Impact of postpartum hospital-stay legislation on newborn length of stay, readmission, and mortality in California. *Pediatrics* 118: 63–72. doi:10.1542/peds.2005-3044

Davila, R.C., & Segre, L.S., 2018. A Nurse-based model of psychosocial support for emotionally distressed mothers of infants in the NICU. *J. Obstet. Gynecol. Neonatal Nurs.* 47: 114–121. doi:10.1016/j.jogn.2016.12.007

DeLaune, S.C., & Patricia, L., 2011. Fundamentals of nursing: Standarts and practice, 4th ed. Delmar, Cengage Learning. ALL, united States of America.

Deswita, 2013. Pengalaman ibu dalam merawat bayi dengan prematur dan berat badan lahir rendah. *Ners J. Keperawatan* 9: 28–32.

Direktorat Pembinaan Pendidikan Keluarga, 2019. Pengembangan model dukungan psikologis awal: Bagi pendidikan anak dan remaja, 3rd ed. Kementerian Pendidikan dan Kebudayaan, Jakarta, Indonesia.

Emmanuel, E., Creedy, D.K., St John, W., Gamble, J., & Brown, C., 2008. Maternal role development following childbirth among Australian women. *J. Adv. Nurs.* 64: 18–26. doi:10.1111/j.1365-2648.2008.04757.x

UNIVERSITAS GADJAH MADA
Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Erfina, E., Widyawati, W., McKenna, L., Reisenhofer, S., & Ismail, D., 2019a. Exploring Indonesian adolescent women's healthcare needs as they transition to motherhood: A qualitative study. *Women and Birth* 32: 544–551. doi:10.1016/j.wombi.2019.02.007

Erfina, E., Widyawati, W., McKenna, L., Reisenhofer, S., & Ismail, D., 2019b. Adolescent mothers' experiences of the transition to motherhood: an integrative review. *Int. J. Nurs. Sci.* 6: 221–228. doi:10.1016/j.ijnss.2019.03.013

Faul, F., Erdfelder, E., Lang, A.-G., & Buchner, A., 2007. G*Power 3: A flexible statistical power analysis program for the social, behavioral, and biomedical sciences. *Behav. Res. Methods* 39: 175–191.

Feeley, N., Genest, C., Charbonneau, L., Aita, M., Stremler, R., Zelkowitz, P., et al., 2016. Understanding readiness for discharge in mothers of NICU infants, in: Council of International Neonatal Nurses Conference – COINN 2016.

Galvin, E.C., Wills, T., & Coffey, A., 2017. Readiness for hospital discharge: A concept analysis. *J. Adv. Nurs.* 38: 42–49. doi:10.1111/jan.13324

Gerstein, E.D., Poehlmann-Tynan, J., & Clark, R., 2015. Mother-child interactions in the NICU: Relevance and implications for later parenting. *J. Pediatr. Psychol.* 40: 33–44. doi:10.1093/jpepsy/jsu064

Gholizadeh, M., Delgoshaei, B., Gorji, H.A., Torani, S., & Janati, A., 2015. Challenges in patient discharge planning in the health system of Iran: A qualitative study. *Glob. J. Health Sci.* 8: 168. doi:10.5539/gjhs.v8n6p168

Gracia, S.R., Muñuzuri, A.P., López, E.S., Castellanos, J.L.L., Fernández, I.B., Campillo, C.W.R., et al., 2017. Criteria for hospital discharge of the healthy term newborn after delivery. *An. Pediatría* 86: 289.e1-289.e6. doi:10.1016/j.anpedi.2016.08.011

Graham, J., Gallagher, R., & Bothe, J., 2013. Nurses' discharge planning and risk assessment: Behaviours, understanding and barriers. *J. Clin. Nurs.* 22: 2338–2346. doi:10.1111/jocn.12179

Granero-Molina, J., Medina, I.M.F., Fernandez-Sola, C., Hernandez-Padilla, J.M., Lasserrotte, M. del M.J., & Rodriguez, M. del M.L., 2019. Experiences of mothers of extremely preterm infants after hospital discharge. *J. Pediatr. Nurs.* 45: e2–e8. doi:10.1016/j.pedn.2018.12.003

Hair, J.F., Black, W.C., Babin, B.J., & Anderson, R.E., 2013. Multivariate data analysis, 7th ed. Pearson Education, Inc., New Jersey.

Hall, E.O.C., & Brinchmann, B.S., 2009. Mothers of preterm infants: Experiences of space, tone and transfer in the neonatal care unit. *J. Neonatal Nurs.* 15: 129–136.

UNIVERSITAS GADJAH MADA
Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

doi:10.1016/j.jnn.2009.05.001

Hall, E.O.C., Kronborg, H., Aagaard, H., & Brinchmann, B.S., 2013. The journey towards motherhood after a very preterm birth: Mothers' experiences in hospital and after home-coming. *J. Neonatal Nurs.* 19: 109–113. doi:10.1016/j.jnn.2012.08.002

Hall, S.L., Phillips, R., & Hynan, M.T., 2016. Transforming NICU care to provide comprehensive family support. *Newborn Infant Nurs. Rev.* 16: 69–73. doi:10.1053/j.nainr.2016.03.008

Hamid, A., 2006. Semangat Islam dalam kebudayaan orang Bugis-Makassar. *J. Jaffray* 4.

Hamzah, A., 2007. Perilaku menyusui bayi pada etnik Bugis di Pekkae, 2003. *J. Kesehat. Masy. Nas.* 1: 195–201. doi:10.21109/kesmas.v1i5.290

Hasselberg, M., Huus, K., & Golsäter, M., 2016. Breastfeeding preterm infants at a neonatal care unit in rural tanzania. *J. Obstet. Gynecol. Neonatal Nurs.* 45: 825–835. doi:10.1016/j.jogn.2016.07.010

Hill, P.D., Ledbetter, R.J., & Kavanaugh, K.L., 1997. Breastfeeding patterns of low-birth-weight infants after hospital discharge. *J. Obstet. Gynecol. Neonatal Nurs.* 26: 189–197. doi:10.1111/j.1552-6909.1997.tb02132.x

Hoffmann, T.C., Glasziou, P.P., Boutron, I., Milne, R., Perera, R., Moher, D., et al., 2014. Better reporting of interventions: Template for intervention description and replication (TIDieR) checklist and guide. *BMJ* 348: 1–12. doi:10.1136/bmj.g1687

Holloway, I., & Wheeler, S., 2010. Qualitative research in nursing and healthcare, 3rd ed. Wiley-Blackwell, Chichester.

Howe, T.H., Sheu, C.F., Wang, T.N., & Hsu, Y.W., 2014. Parenting stress in families with very low birth weight preterm infants in early infancy. *Res. Dev. Disabil.* 35: 1748–1756. doi:10.1016/j.ridd.2014.02.015

Huhtala, M., Korja, R., Lehtonen, L., Haataja, L., Lapinleimu, H., & Rautava, P., 2012. Parental psychological well-being and behavioral outcome of very low birth weight infants at 3 years. *Pediatrics* 129. doi:10.1542/peds.2011-2411

Ivones, J & Rofii, M., 2013. Pengalaman ibu yang memiliki bayi preterm yang dirawat di Inkubator rumah sakit. *J. Keperawatan Anak* 1: 10–17.

J, L.M., & Samson, R., 2018. The use of historical controls in post-test only non-equivalent control group. *Int. J. Trend Sci. Res. Dev.* Volume-2: 2605–2614. doi:10.31142/ijtsrd15653

Jefferies, A.L., 2014. Going home: Facilitating discharge of the preterm infant. *Paediatr. Child Health* 19: 31–36. doi:10.1093/pch/19.1.31

UNIVERSITAS
GADJAH MADA
**Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit**
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Jones, E., & Spencer, S.A., 2007. Optimising the provision of human milk for preterm infants. *Arch. Dis. Child. Fetal Neonatal Ed.* 92: 236–238. doi:10.1136/adc.2006.100941

Julianti, E., Rustina, Y., & Defi, E., 2019. Program perencanaan pulang dapat meningkatkan pengetahuan dan keterampilan ibu yang melahirkan bayi prematur merawat bayinya. *J. Keperawatan Indones.* 22: 74–81. doi:10.7454/jki.v22i1.540

Karbandi, S., Momenizadeh, A., Heidarzadeh, M., & Mazlom, S.R., 2015. Effects of maternal empowerment program on the length of hospitalization and readmission rate of premature infants. *J Babol Univ Med Sci* 17: 28–33.

Kementerian Kesehatan Republik Indonesia, 2013a. Pelayanan Kesehatan pada Jaminan Kesehatan Nasional. Kementerian Kesehatan Republik Indonesia, Indonesia.

Kementerian Kesehatan Republik Indonesia, 2013b. Pelayanan kesehatan ibu di fasilitas kesehatan dan rujukan, 1st ed. Kementerian Kesehatan Republik Indonesia. doi:10.1016/j.mcna.2016.06.004.Nutrition

Kementerian Kesehatan Republik Indonesia, 2012. Sistem Rujukan Pelayanan Kesehatan Perorangan. Kementerian Kesehatan Republik Indonesia, Indonesia.

Koliouli, F., Gaudron, C.Z., & Raynaud, J., 2016. Life experiences of French premature fathers : A qualitative study. *J. Neonatal Nurs.* 22: 244–249. doi:10.1016/j.jnn.2016.04.003

Korja, R., Maunu, J., Kirjavainen, J., Savonlahti, E., Haataja, L., Lapinleimu, H., et al., 2008. Mother–infant interaction is influenced by the amount of holding in preterm infants. *Early Hum. Dev.* 84: 257–267. doi:10.1016/j.earlhumdev.2007.06.006

Kutner, M.H., Nachtsheim, C.J., & Li, W., 2014. Comprehensive neonatal nursing care, 5th ed. Springer Publishing Company, New York.

Larsson, C., Wagstrom, U., Normann, E., & Blomqvist, Y.T., 2017. Parents experiences of discharge readiness from a Swedish neonatal intensive care unit. *Nurs. Open* 4: 90–95. doi:10.1002/nop2.71

Latva, R., Lehtonen, L., Salmelin, R.K., & Tamminen, T., 2004. Visiting less than every day. *Arch. Pediatr. Adolesc. Med.* 158: 1153. doi:10.1001/archpedi.158.12.1153

Lerret, S.M., & Weiss, M.E., 2011. How ready are they? Parents of pediatric solid organ transplant recipients and the transition from hospital to home following transplant. *Pediatr. Transplant.* 15: no-no. doi:10.1111/j.1399-3046.2011.01536.x

Lerret, S.M., Weiss, M.E., Stendahl, G.L., Chapman, S., Menendez, J., Williams, L., et al., 2015. Pediatric solid organ transplant recipients: Transition to home and chronic illness

UNIVERSITAS GADJAH MADA
Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

care. *Pediatr. Transplant.* 19: 118–129. doi:10.1111/petr.12397

Lian, Y.C., Ying, S.H.K., Peng, C.C., & Yann, T.Y., 2008. Early discharge study for premature infants: singapore general hospital. *Perm. J.* 12: 15–8.

Lowdermilk, D.L., Perry, S.E., Cashion, K., & Alden, K.R., 2012. Maternity & women's health care.pdf, 10th ed. Mosby Inc, Elsevier, St. Louis, Missouri.

Lutz, K.F., Burnson, C., Hane, A., Samuelson, A., Maleck, S., & Poehlmann, J., 2012. Parenting stress, social support, and mother-child interactions in families of multiple and singleton preterm toddlers. *NIH Public Access* 61: 642–656. doi:10.1111/j.1741-3729.2012.00726.x.

Mäkelä, H., Axelin, A., Feeley, N., & Niela-Vilén, H., 2018. Clinging to closeness: The parental view on developing a close bond with their infants in a NICU. *Midwifery* 62: 183–188. doi:10.1016/j.midw.2018.04.003

McGowan, E.C., Du, N., Hawes, K., Tucker, R., O'Donnell, M., & Vohr, B., 2017. Maternal mental health and neonatal intensive care unit discharge readiness in mothers of preterm infants. *J. Pediatr.* 184: 68–74. doi:10.1016/j.jpeds.2017.01.052

Medina, I.M.F., Granero-Molina, J., Fernández-Sola, C., Hernández-Padilla, J.M., Ávila, M.C., & Rodríguez, M. del M.L., 2018. Bonding in neonatal intensive care units: Experiences of extremely preterm infants' mothers. *Women and Birth* 31: 325–330. doi:10.1016/j.wombi.2017.11.008

Meleis, A.I., 2010. Transition theory; Middle-range and situation-spesific theoriesin nursing research and practice. Springer Publishing Company, LLC 11, New York.

Meleis, A.I., Sawyer, L.M., Im, E.-O., Hilfinger Messias, D.K., & Schumacher, K., 2000. Experiencing transitions: An emerging middle-range theory. *Adv. Nurs. Sci.* 23: 12–28. doi:10.1097/00012272-200009000-00006

Melnyk, B.M., Alpert-Gillis, L., Feinstein, N.F., Crean, H.F., Johnson, J., Fairbanks, E., et al., 2004. Creating opportunities for parent empowerment: program effects on the mental health/coping outcomes of critically ill young children and their mothers. *Pediatrics* 113: e597-607. doi:10.1001/archpedi.1992.02160150115035

Melnyk, B.M., Crean, H.F., Feinstein, N.F., & Fairbanks, E., 2009. Maternal anxiety and depression following a premature infants' discharge from the NICU: Explanatory effects of the COPE program. *Nurs. Res.* 57: 383–394. doi:10.1097/NNR.0b013e3181906f59.Maternal

Melnyk, B.M., Oswalt, K.L., & Sidora-Arcoleo, K., 2014. Validation and psychometric properties of the neonatal intensive care unit parental beliefs scale. *Nurs. Res.* 63: 105–

Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

115. doi:10.1097/NNR.0000000000000023

Mercer, R.T., 2004. Becoming a mother versus maternal role attainment. *J. Nurs. Scholarsh.* 36: 226–232. doi:10.1111/j.1547-5069.2004.04042.x

Mohammaddoost, F., Mosayebi, Z., Peyrovi, H., Chehrzad, M.-M., & Mehran, A., 2016. The effect of mothers′ empowerment program on premature infants′ weight gain and duration of hospitalization. *Iran. J. Nurs. Midwifery Res.* 21: 357. doi:10.4103/1735-9066.185572

Murdoch, M.R., & Franck, L.S., 2012. Gaining confidence and perspective: A phenomenological study of mothers' lived experiences caring for infants at home after neonatal unit discharge. *J. Adv. Nurs.* 68: 2008–2020. doi:10.1111/j.1365-2648.2011.05891.x

Nawati, & Nurhayati, F., 2016. Hubungan status paritas dengan tingkat kemandirian ibu post partumspontan dalam perawatan diri dan bayi di RS PMI Bogor. *J. Kesehat.* 7: 355–359.

Negrato, C.A., & Gomes, M.B., 2013. Low birth weight: Causes and consequences. *Diabetol. Metab. Syndr.* 5: 1–8. doi:10.1186/1758-5996-5-49

Nordheim, T., Rustøen, T., Solevåg, A.L., Småstuen, M.C., & Nakstad, B., 2018. Hope in parents of very-low birth weight infants and its association with parenting stress and quality of life. *J. Pediatr. Nurs.* 38: e53–e58. doi:10.1016/j.pedn.2017.10.006

O'Connor, D.L., & Unger, S., 2013. Post-discharge nutrition of the breastfed preterm infant. *Semin. Fetal Neonatal Med.* 18: 124–128. doi:10.1016/j.siny.2013.05.001

Opara, P., & Okorie, E., 2018. Kangaroo mother care: Mothers experiences post discharge from hospital. *J. Pregnancy Neonatal Med.* 01: 16–20. doi:10.35841/neonatal-medicine.1.1.16-20

Ottosson, C., & Lantz, B., 2016. Parental participation in neonatal care. *J. Neonatal Nurs.* 1–7. doi:10.1016/j.jnn.2016.11.001

Palinkas, L.A., Horwitz, S.M., Green, C.A., Wisdom, J.P., Duan, N., & Hoagwood, K., 2015. Purposeful sampling for qualitative data collection and analysis in mixed method implementation research. *Adm Policy Ment Heal.* 44: 73. doi:10.1007/s10488-013-0528-y.Purposeful

Parkes, A., Sweeting, H., & Wight, D., 2015. Parenting stress and parent support among mothers with high and low education. *J. Fam. Psychol.* 29: 907–918. doi:10.1037/fam0000129

Perry, S.E., Hockenberry, M.J., Lowdermilk, D.L., & Wilson, D., 2014. Maternal child nursing care, 5th ed. Mosby Inc, Elsevier, Canada.

Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Peyrovi, H., Mosayebi, Z., Mohammad-Doost, F., Chehrzad, M., & Mehran, A., 2016. The effect of empowerment program on "Perceived readiness for discharge" of mothers of premature infants. *J. Matern. Neonatal Med.* 29: 752–757. doi:10.3109/14767058.2015.1017461

Phillips-Pula, L., Pickler, R., McGrath, J.M., Brown, L.F., & Dusing, S.C., 2013. Caring for a preterm infant at home. *J. Perinat. Neonatal Nurs.* 27: 335–344. doi:10.1097/JPN.0b013e3182a983be

Pickler, Rita H, McGrath, J.M., Reyna, B. a, McCain, N., Lewis, M., Cone, S., et al., 2012. A model of neurodevelopmental risk and protection for preterm infants. *J. Perinat. Neonatal Nurs.* 24: 356–65. doi:10.1097/JPN.0b013e3181fb1e70

Pickler, Rita H., Reyna, B.A., Griffin, J.B., Lewis, M., & Thompson, A.M., 2012. Changes in oral feeding in preterm infants 2 weeks after hospital discharge. *Newborn Infant Nurs. Rev.* 12: 202–206. doi:10.1053/j.nainr.2012.09.012

Pilliteri, A., 2010. Maternal & child health nursing: Care of the childbearing & childrearing family, 6th ed. Wolters Kluwer Health | Lippincott Williams & Wilkins, China.

Pisoni, C., Spairani, S., Manzoni, F., Ariaudo, G., Naboni, C., Moncecchi, M., et al., 2019. Depressive symptoms and maternal psychological distress during early infancy: A pilot study in preterm as compared with term mother–infant dyads. *J. Affect. Disord.* 257: 470–476. doi:10.1016/j.jad.2019.07.039

Potter, P.A., Perry, A.G., Stockert, P.A., & Hall, A.M., 2013. Fundamentals of Nursing, 8th ed. Mosby, an imprint of Elsevier Inc., St. Louis, Missouri.

Purdy, I., Craig, J., & Zeanah, P., 2015. NICU discharge planning and beyond: Recommendations for parent psychosocial support. *J. Perinatol.* 35: 24–28. doi:10.1038/jp.2015.146

Quinn, J.M., Sparks, M., & Gephart, S.M., 2017. Discharge criteria for the late preterm infant. *Adv. Neonatal Care* 17: 362–371. doi:10.1097/ANC.0000000000000406

Raajashri, R., Adhisivam, B., Vishnu Bhat, B., & Palanivel, C., 2018. Maternal perceptions and factors affecting kangaroo mother care continuum at home: A descriptive study. *J. Matern. Neonatal Med.* 31: 666–669. doi:10.1080/14767058.2017.1293035

Rabelo, M.Z. da S., Chaves, E.M.C., Cardoso, M.V.L.M.L., & Sherlock, M. do S.M., 2007. Feelings and expectations of mothers of preterm babies at discharge. *Acta Paul. Enferm.* 20: 333–337. doi:https://doi.org/10.1590/s0103-21002007000300015

Rahayu, I.S., & Hasballah, K., 2017. Faktor budaya dalam perawatan ibu nifas. *J. Ilmu Keperawatan* 5: 37–49.

UNIVERSITAS
GADJAH MADA
**Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit**
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Rahayuningsih, F.B., Hakimi, M., Haryanti, F., & Anganthi, N.R.N., 2015. Social support and postpartum quality of life during the postpartum period. *J. Heal. J. Med. Nurs.* 15: 88–93.

Reid, T., & Freer, Y., 2010. Developmentally focused nursing care, in: Boxwell, G. (Ed.), Neonatal Intensive Care Nursing. Routledge Taylor and Francis Group, London and New York, pp. 40–62.

Reshidi, N. Al, Long, T., & Cappleman, J., 2016. Factors influencing discharge planning In neonatal intensive care units In Saudi Arabia: A systematic review. *Gulf Med. J.* 5: 27–35.

Roque, A.T.F., Lasiuk, G.C., Radünz, V., & Hegadoren, K., 2017. Scoping review of the mental health of parents of infants in the NICU. *J. Obstet. Gynecol. Neonatal Nurs.* 46: 576–587. doi:10.1016/j.jogn.2017.02.005

Rosdahl, C.B., & Kawalski, M.T., 2015. Buku ajar keperawatan dasar. Penerbit Buku Kedokteran, EGC, Jakarta, Indonesia.

Rossman, B., Greene, M.M., Kratovil, A.L., & Meier, P.P., 2017. Resilience in mothers of very-low-birth-weight infants hospitalized in the NICU. *JOGNN - J. Obstet. Gynecol. Neonatal Nurs.* 46: 434–445. doi:10.1016/j.jogn.2016.11.016

Rowe, J., & Jones, L., 2010. Discharge and beyond. A longitudinal study comparing stress and coping in parents of preterm infants. *J. Neonatal Nurs.* 16: 258–266. doi:10.1016/j.jnn.2010.07.018

Rustina, Y., 2015. Bayi prematur: Perspektif keperawatan. Sagung Seto, Jakarta, Indonesia.

Rustina, Y., Nursasi, A.Y., Budiati, T., Syahreni, E., & Fitriyani, P., 2014. Pengaruh pemberdayaan keluarga terhadap status kesehatan bayi berat lahir rendah di Kota Jakarta. *Makara J. Heal. Res.* 18: 19–24. doi:10.7454/msk.v18i1.3089

Rustina, Y., Wanda, D., Waluyanti, F.T., & Kusumasari, A.P., 2016. Nurses' and parents' perspective on low birth weight infants discharge planning at a secondary goverment hospital in Jakarta, Indonesia: A case study. *Neonatal, Paediatr. Child Heal. Nurs.* 19.

Schuh, M., Schendel, S., Islam, S., Klassen, K., Morrison, L., Rankin, K.N., et al., 2016. Parent readiness for discharge from a tertiary care pediatric cardiology unit. *J. Spec. Pediatr. Nurs.* 21: 139–146. doi:10.1111/jspn.12148

Schumacher, K.L., & Meleis, A. lbrahim, 1994. Transitions: A central concept in nursing. *Image J. Nurs. Scholarsh.* 26: 119–127. doi:10.1111/j.1547-5069.1994.tb00929.x

Seidman, G., Unnikrishnan, S., Kenny, E., Myslinski, S., Cairns-Smith, S., Mulligan, B., et al., 2015. Barriers and enablers of kangaroo mother care practice: A systematic review.

UNIVERSITAS GADJAH MADA
**Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit**
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

PLoS One 10: e0125643. doi:10.1371/journal.pone.0125643

Shin, H., & White-Traut, R., 2007. The conceptual structure of transition to motherhood in the neonatal intensive care unit. *J. Adv. Nurs.* 58: 90–98. doi:10.1111/j.1365-2648.2006.04194.x

Smith, V.C., Dukhovny, D., Zupancic, J.A.F., Gates, H.B., & Pursley, D.M., 2012. Neonatal intensive care unit discharge preparedness: Primary care implications. *Clin. Pediatr. (Phila).* 51: 454–461. doi:10.1177/0009922811433036

Smith, V.C., Hwang, S.S., Dukhovny, D., Young, S., & Pursley, D.M., 2013. Neonatal intensive care unit discharge preparation, family readiness and infant outcomes: Connecting the dots. *J. Perinatol.* 33: 415–421. doi:10.1038/jp.2013.23

Smith, V.C., Young, S., Pursley, D.M., McCormick, M.C., & Zupancic, J.A.F., 2009. Are families prepared for discharge from the NICU? *J. Perinatol.* 29: 623–629. doi:10.1038/jp.2009.58

Sousa, V.D., & Rojjanasrirat, W., 2011. Translation , adaptation and validation of instruments or scales for use in cross-cultural health care research : A clear and user-friendly guideline. *J. Eval. Clin. Pract.* 17: 268–274. doi:10.1111/j.1365-2753.2010.01434.x

Souza, N.L. de, Pinheiro-Fernandes, A.C., Clara-Costa, Í. do C., Cruz-Enders, B., Carvalho, J.B.L. de, & Silva, M. de L.C. da, 2010. Domestic maternal experience with preterm newborn children. *Rev. Salud Pública* 12: 356–367. doi:10.1590/S0124-00642010000300002

Stefana, A., & Lavelli, M., 2017. Parental engagement and early interactions with preterm infants during the stay in the neonatal intensive care unit: Protocol of a mixed-method and longitudinal study. *BMJ Open* 7: 1–8. doi:10.1136/bmjopen-2016-013824

Stewart, J., 2015. Discharge planning for high-risk newborns [WWW Document]. *Uptodate*. URL https://www.uptodate.com/contents/discharge-planning-for-high-risk-newborns?source=search_result&search=discharge planning&selectedTitle=3~150

Suyami, Rustina, Y., & Agustini, N., 2007. Pengaruh edukasi terhadap tingkat kecemasan dan tingkat efikasi diri ibu dalam merawat BBLR. Universitas Indonesia, Depok.

Sweeney, S., Rothstein, Rachel, Visintainer, P., Rothstein, Robert, & Singh, R., 2017. Impact of kangaroo care on parental anxiety level and parenting skills for preterm infants in the neonatal intensive care unit. *J. Neonatal Nurs.* 23: 151–158. doi:10.1016/j.jnn.2016.09.003

Tarigan, R.M. br., Widiasih, R., & Ermiati, 2012. Pengetahuan ibu tentang pelaksanaan

Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

perawatan bayi BBLR di rumah di RSKIA Kota Bandung. Universitas Padjajaran.

Treyvaud, K., Spittle, A., Anderson, P.J., & O'Brien, K., 2019. A multilayered approach is needed in the NICU to support parents after the preterm birth of their infant. *Early Hum. Dev.* 104838. doi:10.1016/j.earlhumdev.2019.104838

Turrill, S., & Crathern, L., 2010. Families in NICU, in: Boxwell, G. (Ed.), Neonatal Intensive Care Nursing. Routledge Taylor and Francis Group, New York, pp. 41–64.

Umberger, E., Canvasser, J., & Hall, S.L., 2018. Enhancing NICU parent engagement and empowerment. *Semin. Pediatr. Surg.* 27: 19–24. doi:10.1053/j.sempedsurg.2017.11.004

UNICEF-WHO, 2019. Low birthweight estimates: Levels and trends 2000 - 2015 [WWW Document]. URL https://www.unicef.org/media/53711/file/UNICEF-WHO Low birthweight estimates 2019 .pdf (accessed 10.28.19).

UNICEF, 2019. 1 in 7 babies worldwide born with a low birthweight [WWW Document]. URL https://www.unicef.org/press-releases/1-7-babies-worldwide-born-low-birthweight-lancet-global-health-unicef-who (accessed 10.28.19).

Vazquez, V., & Cong, X., 2014. Parenting the NICU infant: A meta-ethnographic synthesis. *Int. J. Nurs. Sci.* 1: 281–290. doi:https://doi.org/10.1016/j.ijnss.2014.06.001

Vonderheid, S.C., Rankin, K., Norr, K., Vasa, R., Hill, S., & White-Traut, R., 2016. Health care use outcomes of an integrated hospital-to-home mother–preterm infant intervention. *J. Obstet. Gynecol. Neonatal Nurs.* 45: 625–638. doi:10.1016/j.jogn.2016.05.007

Wanda, D., Rustina, Y., Hayati, H., & Tri, F.W., 2014. Pengembangan model pelayanan asuhan keperawatan bayi berat lahir rendah. *J. Ners* Vol. 9 No.: 83–90.

Weiss, M.E., Bobay, K.L., Bahr, S.J., Costa, L., Hughes, R.G., & Holland, D.E., 2015. A Model for hospital discharge preparation. *J. Nurs. Adm.* 45: 606–614. doi:10.1097/NNA.0000000000000273

Weiss, M.E., Johnson, N.L., Malin, S., Jerofke, T., Lang, C., & Sherburne, E., 2008. Readiness for discharge in parents of hospitalized children. *J. Pediatr. Nurs.* 23: 282–295. doi:10.1016/j.pedn.2007.10.005

Weiss, M.E., Lerret, S.M., Sawin, K.J., & Schiffman, R.F., 2020. Parent readiness for hospital discharge scale : Psychometrics and association with postdischarge outcomes. *J. Pediatr. Heal. Care* 34: 30–37. doi:10.1016/j.pedhc.2019.06.011

Weiss, M.E., & Lokken, L., 2009. Predictors and outcomes of postpartum mothers' perceptions of readiness for discharge after birth. *J. Obstet. Gynecol. Neonatal Nurs.* 38: 406–417. doi:10.1111/j.1552-6909.2009.01040.x

Weiss, M.E., & Piacentine, L.B., 2006. Psychometric properties of the readiness for hospital

Pengembangan Model Rencana Pemulangan Terintegrasi (Relasi) untuk Meningkatkan Kesiapan Ibu Merawat
Bayi Berat Lahir Rendah saat Pemulangan dari Rumah Sakit
SUNI HARIATI, dr. Retno Sutomo, Sp.A(K)., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

discharge scale. *J. Nurs. Meas.* 14: 163–180. doi:10.1891/jnm-v14i3a002

Weiss, M.E., Ryan, P., Lokken, L., & Nelson, M., 2004. Length of stay after vaginal birth : sociodemographic and readiness for discharge factors. *Birth* 31: 137–152.

Weiss, M.E., Sawin, K.J., Gralton, K., Johnson, N., Klingbeil, C., Lerret, S., et al., 2017. Discharge teaching, readiness for discharge, and post-discharge outcomes in parents of hospitalized children. *J. Pediatr. Nurs.* 34: 58–64. doi:10.1016/j.pedn.2016.12.021

Whittingham, K., Boyd, R.N., Sanders, M.R., & Colditz, P., 2014. Parenting and prematurity: Understanding parent experience and preferences for support. *J. Child Fam. Stud.* 23: 1050–1061. doi:10.1007/s10826-013-9762-x

Wong, D.L., Hockenberry, M.J., Wilson, D., Wilkinson, M.L., & Schwartz, P., 2009. Buku ajar keperawatan pediatrik. Penerbit Buku Kedokteran, EGC, Jakarta, Indonesia.

World Health Organization, 2018a. Preterm birth [WWW Document]. *World Heal. Organ.* URL https://www.who.int/news-room/fact-sheets/detail/preterm-birth (accessed 7.9.19).

World Health Organization, 2018b. Process of translation and adaptation of instruments [WWW Document]. *World Heal. Organ.* URL https://www.who.int/substance_abuse/research_tools/translation/en/ (accessed 11.7.19).

World Health Organization, 2013. Counselling for maternal and newborn health care. *Couns. Matern. Newborn Heal. Care A Handb. Build. Ski.* 137–147.

Wu, B., Zheng, J., Zhou, M., Xi, X., Wang, Q., Hua, J., et al., 2015. Improvement of expressed breast milk in mothers of preterm Infants by recording breast milk pumping diaries in a Neonatal Center in China. *PLoS One* 10: 1–10. doi:10.1371/journal.pone.0144123

Yani, E.R., Rustina, Y., & Hastono, S.P., 2009. pengaruh paket pendidikan kesehatan " Rindu " terhadap kesiapan ibu merawat bayi. Universitas Indonesia.