

DAFTAR PUSTAKA

- Anwer, G., Masood, S., Younas, S., & Ahmad, M. (2019). Parental rearing practices as predictors of resilience and emotional intelligence among young adults. *FOUNDATION UNIVERSITY JOURNAL OF PSYCHOLOGY*, 1-38.
- Azarnioshan, B., Naderi, H., Shojaee, A. A., & Asghariganji, A. (2019). The Mediating Role of Resilience in the Relationship Between Perceived Parenting Styles and Anger Management. *International Journal of School Health*, 1-6.
- Bani, Z., Rani, S., & Leghari, N. U. (2019). Parenting styles as determinants of conflict management and anxiety among adolescents. *Isra Med J*, 86-90.
- Barahmand, U., & Heydari Sheikh Ahmad, R. (2016). Psychotic-like experiences and psychological distress: The role of resilience. *Journal of the American Psychiatric Nurses Association*, 312-319.
- Barragan, M., Laurens, K. R., Navarro, J. B., & Obiols, J. E. (2011). Psychotic-like experiences and depressive symptoms in a community sample of adolescents. *European Psychiatry*, 396-401.
- Baumrind, D. (1991). The influence of parenting style on adolescent competence and substance use. *The journal of early adolescence*, 56-95.
- Baumrind, D. (2009). Patterns of parental authority and adolescent autonomy. *New directions for child and adolescent development*, 61-69.
- Bourgin, J., Tebeka, S., Mallet, J., Mazer, N., Dubertret, C., & Le Strat, Y. (2020). Prevalence and correlates of psychotic-like experiences in the general population. *Schizophrenia Research*, 371-377.
- Bromley, S., Choi, M., & Faruqui, S. (2015). *First episode psychosis: An information guide*. Canada: Centre for Addiction and Mental Health.
- Catalan, A., Angosto, V., Díaz, A., Valverde, C., de Artaza, M. G., Sesma, E., . . . van Os, J. (2017). Relation between psychotic symptoms, parental care and childhood trauma in severe mental disorders. *Psychiatry Research*, 78-84.
- Cole, C., Newman-Taylor, K., & Kennedy, F. (2016). Dissociation mediates the relationship between childhood maltreatment and subclinical psychosis. *J. Trauma Dissociation*, 577-592.
- Dominguez, M., Wichers, M., Lieb, R., Wittchen, H., & van Os, J. (2011). Evidence that onset of clinical psychosis is an outcome of progressively more persistent subclinical psychotic experiences: an 8-year cohort study. *Schizophr. Bull.*, 84-93.

- Ered, A., Gibson, L. E., Maxwell, S. D., Cooper, S., & Eelman, L. M. (2017). Coping as a mediator of stress and psychotic-like experiences. *European Psychiatry*, 9-13.
- Fekih-Romdhane, F., Sassi, H., Ennaifer, S., Tira, S., & Cheour, M. (2020). Prevalence and correlates of psychotic like experiences in a large community sample of young adults in Tunisia. *Community mental health journal*, 1-13.
- Fisher, H., Schreier, A., Zammit, S., Maughan, B., Munafo, M., Lewis, G., & Wolke, D. (2013). Pathways between childhood victimization and psychosis-like symptoms in the ALSPAC birth cohort. *Schizophrenia Bulletin*, 1045-1055.
- Fonseca-Pedrero, E., Santarén-Rosell, M., Lemos-Giráldez, S., Paino, M., Sierra-Baigrie, S., & Muñiz, J. (2011). Psychotic-like experiences in the adolescent general population. *Actas Espanolas de Psiquiatria*, 155-162.
- Galletly, C., Van Hooff, M., & McFarlane, A. (2011). Psychotic symptoms in young adults exposed to childhood trauma—a 20 year follow-up study. *Schizophrenia research*, 76-82.
- Gaweda, L., Pionke, R., ..., & Cechnicki, A. (2019). The interplay between childhood trauma, cognitive biases, psychotic-like experiences and depression and their additive impact on predicting lifetime suicidal behavior in young adults. *Psychological Medicine*, 1-9.
- Hanna, D., & Dempster, M. (2012). *Psychology Statistics for Dummies*. White Sussex: John Wiley & Sons, Ltd.
- Hidayati. (2012). unpublished thesis.
- Indarjo, S. (2009). Kesehatan jiwa remaja. *Jurnal Kesehatan Masyarakat*, 48-57.
- Isaksson, J. V., Olofsdotter, S., Åslund, C., & Nilsson, K. W. (2020). Psychotic-like experiences during early adolescence predict symptoms of depression, anxiety, and conduct problems three years later: A community-based study. *Schizophrenia Research*, 190-196.
- Jaya, E. (2017). Confirmatory factor analysis of the Indonesian version of community. *Makara Hubs-Asia*, 1-12.
- Kaymaz, N., Drukker, M., Lieb, R., ..., Lataster, T., & van Os, J. (2012). Do subthreshold psychotic experiences predict clinical outcomes in unselected non-help-seeking population-based samples? A systematic review and meta-analysis, enriched with new results. *Psychological Medicine*, 2239–2253.

- Kelleher, I., Cederlöf, M., & Lichtenstein, P. (2014). Psychotic experiences as a predictor of the natural course of suicidal ideation: a Swedish cohort study . *World Psychiatry*, 184-188.
- Khalid, J., & Aslam, N. (2012). Relationship of perceived parenting with psychological distress and resilience among adolescents. *Pakistan Journal of Psychology*.
- Kritzas, N., & Grobler, A. A. (2005). The relationship between perceived parenting styles and resilience during adolescence. *Journal of Child and Adolescent Mental Health*, 1-12.
- Larashati, M. A., & Rustika, I. M. (2017). Peran pola asuh autoritatif dan kecerdasan emosional terhadap problem focused coping pada remaja akhir di program studi pendidikan dokter FK UNUD. *Jurnal Psikologi Udayana*, 139-150.
- Lee, J. Y., Ban, D., Kim, S. Y., Kim, J. M., Shin, I. S., Yoon, J. S., & Kim, S. W. (2019). Negative life events and problematic internet use as factors associated with psychotic-like experiences in adolescents. *Frontiers in psychiatry*.
- Listiyandini, R. A. (2015). Fostering positive trait: Contribution of parenting style on resilience and gratitude in Indonesian late adolescents. *International Conference on Child and Adolescent Mental Health*. Jakarta.
- Maharani, L., & Turnip, S. S. (2018). Prevalence of psychotic-like experiences and their correlations with internalizing problems: A study of early adolescents in rural area in Karawang, Indonesia. *Asia-Pacific Psychiatry*, e12313.
- Molteni, S., Filosi, E., Mensi, M. M., Spada, G., Zandrini, C., Ferro, F., . . . Balottin, U. (2019). Predictors of Outcomes in Adolescents With Clinical High Risk for Psychosis, Other Psychiatric Symptoms, and Psychosis: A Longitudinal Protocol Study. *Frontiers in Psychiatry*.
- Nehemiah, N., & Turnip, S. S. (2018). The prevalence and psychosocial risk factors for psychotic-like experiences (PLE) among high school students in Jakarta. *Asia-Pacific Psychiatry*, e12337.
- Nijhof, K. S., & Engels, R. C. (2007). Parenting styles, coping strategies, and the expression of homesickness. *Journal of adolescence*, 709-720.
- Poletti, M., Pelizza, L., Azzali, S., Paterlini, F., Garlassi, S., Scazza, I., . . . Andrea, R. (2019). Clinical high risk for psychosis in childhood and adolescence: findings from the 2-year follow-up of the ReARMS project. *European child & adolescent psychiatry*, 957-971.
- Poulton, R., Caspi, A., Moffitt, T. E., Cannon, M., Murray, R., & Harrington, H. (2000). Children's self-reported psychotic symptoms and adult

- schizophreniform disorder: a 15-year longitudinal study. *Archives of general psychiatry*, 1053-1058.
- Rossi, R., Socci, V., Gregori, E., Talevi, D., ..., Rossi, A., & Lorenzo, G. (2020). ResilienCity: Resilience and psychotic-like experiences 10 years after L'Aquila earthquake. *Frontiers in Psychiatry*, 1-7.
- Rustika, I. (2014). Faktor-faktor yang mempengaruhi prestasi akademik pada remaja.
- Santrock, J. (2011). *Life-Span Development 13th Edition*. New York: The McGraw-Hill Companies, Inc.
- Scott, J., Martin, G., Bor, W., Sawyer, M., Clark, J., & McGrath, J. (2009). The prevalence and correlates of hallucinations in Australian adolescents: results from a national survey. *Schizophrenia research*, 179-185.
- Sentana, R. (2015). Hubungan pola asuh orangtua dengan jenis gangguan jiwa pada pasien gangguan jiwa di rumah sakit jiwa Grhasia Yogyakarta. *Sekolah Tinggi Ilmu Kesehatan 'Aisyiyah*, Naskah Publikasi.
- Skwarek, B. i., & Borczykowska-Rzepka, M. (2019). Adolescents' perception of parenting styles as a correlate of their styles of coping with stress. 33-52.
- Subandi, M. A. (2013). The role of family empowerment and family resilience on recovery from psychosis. *Gadjah Mada University*.
- Sun, M., Hu, X., Zhang, W., Guo, R., Hu, A., Mwansisya, T. E., & ... & Shi, J. (2015). Psychotic-like experiences and associated socio-demographic factors among adolescents in China. *Schizophrenia research*, 49-54.
- Sun, M., Zhang, W., Guo, R., Hua, A., Lib, Y., Mwansisya, T., . . . Liu, Z. (2017). Psychotic-like experiences and correlation with childhood trauma and other socio-demographic factors: A cross-sectional survey in adolescence and early adulthood in China. *Psychiatry Research*, 272-277.
- Suryadi, D. (2005). Penerapan pola asuh orang tua yang konsisten sebagai upaya preventif bagi gangguan skizofrenia paranoid. *Fakultas Psikologi Universitas Tarumanegara*, Skripsi.
- Tor, J., Dolz, M., Sintes, A., Muñoz, D., Pardo, M., de la Serna, E., . . . Baeza, I. (2018). Clinical high risk for psychosis in children and adolescents: a systematic review. *European child & adolescent psychiatry*, 683-700.
- Towsyfyhan, N., & Sabet, F. (2017). The Effectiveness of Acceptance and Commitment Therapy on the Improving of Resilience and Optimism in Adolescents with Major Depressive Disorder. *International Journal of Humanities and Social Science*, 239-245.

- Wolfradt, U., Hempel, S., & Miles, J. N. (2003). Perceived parenting styles, depersonalisation, anxiety and coping behaviour in adolescents. *Personality and individual differences*, 521-532.
- World Health Organization. (2019, November 28). Retrieved from World Health Organization: <https://www.who.int/en/news-room/fact-sheets/detail/mental-disorders>
- Yu, X., & Zhang, J. (2007). Factor analysis and psychometric evaluation of the connor-davidson resilience scale (CD-RISC) with chinese people. *SOCIAL BEHAVIOR AND PERSONALITY*, 19-30.
- Yung, A. R., Nelson, B., Baker, K., Buckby, J. A., Baksheev, G., & Cosgrave, E. (2009). Psychotic-like experiences in a community sample of adolescents: Implications for the continuum model of psychosis and prediction of schizophrenia. *Australian and New Zealand Journal of Psychiatry*, 118-128.
- Zabrina, S. P. (2020). Peran bias kognitif, stressful life event, dukungan sosial terhadap psychotic like experience pada remaja. (*Unpublished Thesis*). Yogyakarta: Fakultas Psikologi Universitas Gadjah Mada.
- Zautra, A., Hall, J., & Murray, K. (2010). Resilience: A new definition of health for people and communities. In J. W. Reich, A. J. Zautra, & J. S. Hall, *Handbook of adult resilience* (pp. 1-60). New York: The Guilford Press.