

## DAFTAR PUSTAKA

- Alluhayb, A. H., dan Logue, B. A. 2017. *The analysis of aroma/flavor compounds in green tea using ice concentration linked with extractive stirrer*. Journal of Chromatography A, 1518, 8–14.
- Anderson, T. W. 2003. An introduction to multivariate statistical analysis (3rd ed.). Hoboken, NJ: John Wiley and Sons.
- Apriyantono, A. Dan Bakti, K. 2009. *Identification of Character Impact Odorants of Wood Apple Fruit (Feronia limonia)*. Jurnal Teknologi dan Industri Pangan, Vol.XV, No.1, Tahun 2004.
- Araya-Farias M, Gaudreau A, Rozoy E, dan Bazinet L. R. 2014. *HPLCMS method for the simultaneous determination of tea catechins and folates*. J Agric Food Chem, 62: 4241-50.
- Babu, P. V., dan Liu, D. 2008. *Green tea catechins and cardiovascular health: an update*. Curr Med Chem, 15(18): 1840-50.
- Baert, J. J, De Clippeleer, J. dan, Hughes, P.S. 2012. On the origin of free and bound staling aldehydes in beer, J. Agric. Food Chem. 60: 11449–11472.
- Bhuyan, L.P. dan Mahanta, P.K., 1989. Studies on fatty acid composition in tea *Camellia sinensis*. Journal of the Science of Food and Agriculture, 46(3), pp.325-330.
- Blank, I. dan Fay, L. B. 1996. Formation of 4-hydroxy-2,5-dimethyl-3(2H)-furanone and 4-hydroxy-2(or 5)-ethyl-5(or 2)-methyl-2(2H)-furanone through maillard reaction based on pentose sugars. J. Agric. Food Chem. 44: 531-536.
- Boruvka, L., Vacek, O., dan Jehlicka, J. 2005. Principal component analysis as a tool to indicate the origin of potentially toxic elements in soils. Geoderma, 128, 289–300.

- Brand-Williams, W., Cuvelier, M. E., dan Berset, C. 1995. *Use of a free radical method to evaluate antioxidant activity*. Lebensmittel-Wissenschaft und Technologie, 28, 25–30.
- Cai, K., Xiang, Z., Pan, W., Zhao, H., Ren, Z., Lei, B., dan Geng, Z. 2013. *Identification and quantitation of glycosidically bound aroma compounds in three tobacco types by gas chromatography–mass spectrometry*. Journal of Chromatography A, 1311, 149–156. doi:10.1016/j.chroma.2013.08.051
- CAMO Software AS. 1998. Nedre Vollgate 8, N-0158 OSLO, Norway.
- Chacko, S. M., Thambi, P. T., Kuttan, R., dan Nishigaki, I. 2010. *Beneficial effects of green tea: a literature review*. Chin Med, 5: 13.
- Chaturvedula, V. S. P., dan Prakash, I. 2011. The aroma, taste, color and bioactive constituents of tea. *Journal of Medicinal Plants Research*, 5(11), 2110–2124.
- Chaturvedula, V. S. P., dan Prakash, I. 2011. *The aroma, taste, color and bioactive constituents of tea*. Journal of Medicinal Plants Research, 5, 2110–2124.
- Chen, X., Chen, D., Jiang, H., Sun, H., Zhang, C., Zhao, H dan Xu, Z. 2019. *Aroma characterization of Hanzhong black tea (Camellia sinensis) using solid phase extraction coupled with gas chromatography–mass spectrometry and olfactometry and sensory analysis*. Food chemistry, 274, 130–136.
- Cheong, J. J., dan Choi, Y. D. 2003 *Methyl jasmonate as a vital substance in plants*, Trends Genet. 19, 409–413.
- De Garmo, E.P., W.G. Sullivan, dan C.R Candra. 1984. *Engineering Economy*. 7th edition Mc Millan Publ. Co. New York.
- Deng, W.W., Ogita, S., dan Ashihara, H. 2009. *Ethylamine content and theanine biosynthesis in different organs of Camellia sinensis seedlings*, Z. Naturforsch. C 64 (2009) 387–390.

- El-Shahawi, M. S., Hamza, A., Bahaffi, S. O., Al-Sibaai, A. A., dan Abduljabbar, T. N. 2012. *Analysis of some selected catechins and caffeine in green tea by high performance liquid chromatography*. Food Chemistry, 134(4), 2268–2275.
- Fernández-Cáceres, P. L., Martín, M. J., Pablos, F., dan González, A. G. 2001. *Differentiation of tea (C. sinensis) varieties and their geographical origin according to their metal content*. Journal of Agricultural and Food Chemistry, 49(10), 4775–4779.
- Gao, X., Lv, S., Wu, Y., Li, J., Zhang, W., Wang, C., dan Meng, Q. 2017. *Volatile components of essential oils extracted from Pu-erh ripe tea by different extraction methods*. International Journal of Food Properties, 20(1), 240–253.
- Gong, X., Han, Y., Zhu, J., Hong, L., Zhu, D., dan Liu, J. 2017. *Identification of the aroma-active compounds in Longjing tea characterized by odor activity value, gas chromatography- olfactometry, and aroma recombination*. International Journal of Food Properties, 20(1), 1107–1121.
- Han, Z. X., Rana, M. M., Liu, G. F., Gao, M. J., Li, D. X., Wu, F. G., dan Wei, S. 2016. *Green tea flavour determinants and their changes over manufacturing processes*. Food Chemistry, 212, 739–748.
- Hattori, S., Takagaki, H. dan Fujimori, T. 2005. *A Comparison of the volatile compounds in several green teas*. Food Sci. Technol. Res, 11, 82–86
- Hayat, K., Iqbal, H., Malik, U., Bilal, U., dan Mushtaq, S. 2015. *Tea and its consumption: benefits and risks*. Crit. Rev. Food Sci. Nutr. 55 (7) 939e954.
- Ho, C.-T., Zheng, X., dan Li, S. 2015. *Tea aroma formation*. Food Science and Human Wellness, 4(1), 9–27.

- Hou, Z.W., Wang, Y.J., Xu, S.S., Wei, Y.M., Bao, G.H., Dai, Q.Y., Deng, W.W. dan Ning, J.M., 2020. *Effects of dynamic and static withering technology on volatile and nonvolatile components of Keemun black tea using GC-MS and HPLC combined with chemometrics. LWT*, p.109547.
- Ichsan, O, A, N., Supriyadi, dan Gunadi, R. 2019. “Seleksi Klon Teh Unggul PT Pagilaran Sebagai Bahan Baku Teh Hitam Kualitas Premium”. Tesis | Magister Teknologi Hasil Perkebunan Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Jiang, H., Yu, F., Qin, L., Zhang, N., Cao, Q., Schwab, W., Li, D. dan Song, C., 2019. *Dynamic change in amino acids, catechins, alkaloids, and gallic acid in six types of tea processed from the same batch of fresh tea (Camellia sinensis L.) leaves. Journal of Food Composition and Analysis*, 77, pp.28-38.
- Joshi, R. dan Gulati, 2015 A. *Fractionation and Identification of Minor and Aroma-active Constituents in Kangra Orthodox Black Tea. Food Chemistry*, 167, 290 –298.
- Kanasawud, P., dan Crouzet. J. Z. 1990. *Mechanism of formation of volatile compounds by thermal degradation of carotenoids in aqueous medium. 1.beta-Carotene degradation, J. Agric. Food Chem.* 38, 237–243.
- Kawakami, M., dan Yamanishi, T. 1999. *Formation of aroma components in roasted or pan-fired green tea by roasting or pan-firing treatment. J. Jpn. Soc. Biosci. Biotechnol. Agrochem.* 73, 893–906.
- Kim, S.Y., dan Kim, Y.S. 2007. *Formation of volatile components from the thermal interactions of theanine with reducing sugars, Abstr. Pap. Amer. Chem. Soc.* 234, 205.
- Kim, Y., Lee, K. G., dan Kim, M. K. 2016. *Volatile and non-volatile compounds in green tea affected in harvesting time and their correlation to consumer preference. Journal of Food Science and Technology*, 53(10), 3735–3743.

- Kraujalyte, V., Pelvan, E., dan Alasalvar, C. 2016. *Volatile compounds and sensory characteristics of various instant teas produced from black tea*. Food Chemistry, 194, 864–872.
- Kuo, J.M., Hwang, A., Yeh, D. B., Pan, M. H., Tsai, M. L., dan Pan, B. S. 2006. *Lipoxygenase from Banana Leaf: Purification and Characterization of an Enzyme That Catalyses Linoleic Acid Oxygenation at the 9-Position*. J. Agric Food Chem, 54: 3151-31-56.
- Lau, H., Liu, S. Q., Xu, Y. Q., Lassabliere, B., Sun, J., dan Yu, B. 2018. *Characterising volatiles in tea (Camellia sinensis). Part I: Comparison of headspace-solid phase microextraction and solvent assisted flavour evaporation*. Lwt, 94 (December 2017), 178–189.
- Lee, J. E., Lee, B. J., Chung, J. O., Kim, H. N., Kim, E. H., Jung, S., dan Hong, Y. S. 2015. *Metabolomic unveiling of a diverse range of green tea (Camellia sinensis) metabolites dependent on geography*. Food Chemistry, 174, 452–459.
- Liu, P. P., Yin, J. F., Chen, G. S., Wang, F., dan Xu, Y. Q. 2018. *Flavor characteristics and chemical compositions of oolong tea processed using different semi fermentation times*. Journal of Food Science and Technology, 55(3), 1185–1195.
- Mitrowihardjo, S., Mangoendidjojo, W., Hartiko, H., dan Yudono, P. 2012. *Catechins Content and Quality (Colour, Flavor, Appearance) of Six Tea Clones (Camellia sinensis (L.) O. Kuntze) at Different Altitude Growings*. Agritech, Vol. 32, No. 2, Mei 2012.
- Moreda-Piñeiro, A., Fisher, A., dan Hill, S. J. 2003. *The classification of tea according to region of origin using pattern recognition techniques and trace metal data*. Journal of Food Composition Analysis, 16, 195–211.
- Mosblech, A., Feussner, I., dan Heilmann, I. 2009. *Oxylipins: Structurally diverse metabolites from fatty acid oxidation*. Plant Physiol. Biochem. 47, 511–517.

- Nanninga, A. W. 1916. *De tehecultuur in Ned, Indie*, Amsterdam.
- Narukawa, M., Kimata, H., Noga, C., dan Watanabe, T. 2010. *Taste characterization of green tea catechins*. International Journal of Food Science and Technology, 45, 1579–1585.
- Narukawa, M., Toda, Y., Nakagita, T., Hayashi, Y., dan Misaka, T. 2014. *L-Theanine elicits umami taste via the T1R1 + T1R3 umami taste receptor*. Amino Acids, 46 (6), 1583–1587.
- Ningrum, A., Minh, N. N., dan Schreiner, M. 2015. *Carotenoids and Norisoprenoids as Carotenoid Degradation Products in Pandan Leaves (Pandanus amaryllifolius Roxb.)*, International Journal of Food Properties, 18:9, 1905-1914.
- Palupi, N. S., Zakaria, F. R., dan Prangdimurti, E. 2007. Pengaruh pengolahan terhadap nilai gizi pangan. Modul e-Learning ENBP, Departemen Ilmu & Teknologi Pangan-Fateta-IPB, 1-14
- Ravichandran, R., 2002. *Carotenoid composition, distribution and degradation to flavour volatiles during black tea manufacture and the effect of carotenoid supplementation on tea quality and aroma*. Food Chemistry, 78(1), pp.23-28.
- Reineccaius, G. 1994. *Source Book of Flavors (2nd Ed)*. Chapman and Hall. New York.
- Rohdiana, D. dan Shabri. 2012. *Analisis individual katekin teh hijau hasil ekstraksi dan fraksionasi kromatografi kolom*. Jurnal Penelitian Teh Dan Kina, 15(September 2007), 81–88.
- Sanderson, G. W., & Grahamm, H. N. (1973). Formation of black tea aroma. *Journal of Agricultural and Food Chemistry*, 21(4), 576-585.
- Sanderson, G. W., Grahamm, H. N. 1973. *Formation of black tea aroma*. J. Agric. Food Chem. 21, 576–585.

- Schieberle, P. dan Hofmann, T. 1997. *Identification of the character impact odorants in fresh strawberry juice by quantitative measurements and sensory studies on model mixtures*. Journal of Agriculture and Food Chemistry, 45, 227–232.
- Schuh, C., dan Schieberle, P. 2006. *Characterization of the key aroma compounds in the beverage prepared from Darjeeling black tea: Quantitative differences between tea leaves and infusion*. Journal of Agricultural and Food Chemistry, 54, 916–924
- Shanmugavelan, P., Kim, S.Y., Kim, J.B., Kim, H.W., Cho, S.M., Kim, S.N., Kim, S.Y., Cho, Y.S. dan Kim, H.R., 2013. *Evaluation of sugar content and composition in commonly consumed Korean vegetables, fruits, cereals, seed plants, and leaves by HPLC-ELSD*. Carbohydrate Research, 380, pp.112-117.
- Sharma, S. 1996. *Applied multivariate techniques*. New York: John Wiley and Sons.
- Song, M., Xia, Y., dan Tomasino, E. 2015. *Investigation of a quantitative method for the analysis of chiral monoterpenes in white wine by HS-SPME-MDGC-MS of different wine matrices*. Molecules, 20(4), 7359–7378. doi:10.3390/molecules20047359.
- Susanti, E., Ciptati, Ratnawati, R., Aulanni'am, dan Rudijanto, A. 2015. *Qualitative analysis of catechins from green tea GMB-4 clone using HPLC and LC-MS/MS*. Asian Pacific Journal of Tropical Biomedicine, 5(12), 1046–1050.
- Tan, H.R., Lau, H., Liu, S.Q., Tan, L.P., Sakumoto, S., Lassabliere, B., Leong, K.C., Sun, J. dan Yu, B., 2019. *Characterisation of key odourants in Japanese green tea using gas chromatography-olfactometry and gas chromatography-mass spectrometry*. LWT, 108, pp.221-232.
- Tjitrosoepomo, G. 2004. *Taksonomi Tumbuhan (Spermatophyta)*. Gadjah Mada University Press, Yogyakarta.

- Tu, Y., Yang, X., dan Zhang, S. 2012. *Determination of theanine and gamma-aminobutyric acid in tea by high performance-liquid chromatography with precolumn derivatization*, Chinese J. Chromatogr. 30: 184–189.
- Wagiman dan Triman. 2011. *Ketahanan Relatif Klon Teh PGL terhadap Serangan Empoasca sp.* Jurnal Perlindungan Tanaman Indonesia, Vol. 17, No. 2, 2011: 60–65.
- Wang, C., Zhang, C., Kong, Y., Peng, X., Li, C., Liu, S., dan Xu, Y. 2017. *A comparative study of volatile components in Dianhong teas from fresh leaves of four tea cultivars by using chromatography-mass spectrometry, multivariate data analysis, and descriptive sensory analysis*. Food Research International, 100(May), 267–275.
- Wang, K., Liu, F., Liu, Z., Huang, J., Xu, Z., Li, Y., dan Yang, X. 2011. *Comparison of catechins and volatile compounds among different types of tea using high performance liquid chromatograph and gas chromatograph mass spectrometer*. International Journal of Food Science and Technology, 46(7), 1406–1412
- Winterhalter, P., dan Rouseff, R. 2002. *Carotenoid-derived aroma compounds: an introduction*.
- Wong, K.H., Abdul Aziz, S. dan Mohamed, S., 2008. *Sensory aroma from Maillard reaction of individual and combinations of amino acids with glucose in acidic conditions*. International journal of food science & technology, 43(9), pp.1512-1519.
- Wu, C., Xu, H., H  ritier, J., dan Andlauer, W. 2012. *Determination of catechins and flavonol glycosides in Chinese tea varieties*. Food Chemistry, 132(1), 144–149.
- Wu, S.-B., Meyer, R.S., Whitaker, B.D., Litt, A., dan Kennelly, E.J. 2013. *A new liquid chromatography–mass spectrometry-based strategy to integrate chemistry, morphology, and evolution of eggplant (*solanum*) species*.

*Journal of Chromatography A*, 1314, 154–172.  
 doi:10.1016/j.chroma.2013.09.017

- Wu, Y., Lv, S., Lian, M., Wang, C., Gao, X. dan Meng, Q., 2016. *Study of characteristic aroma components of baked Wujiatai green tea by HS-SPME/GC-MS combined with principal component analysis*. *Cyta-Journal of Food*, 14(3), pp.423-432.
- Xia, E. H., Zhang, H. Bin, Sheng, J., Li, K., Zhang, Q. J., Kim, C., dan Gao, L. Z. 2017. *The Tea Tree Genome Provides Insights into Tea Flavor and Independent Evolution of Caffeine Biosynthesis*. *Molecular Plant*, 10(6), 866–877.
- Xiao, J., Huo, J., Jiang, H. dan Yang, F., 2011. *Chemical compositions and bioactivities of crude polysaccharides from tea leaves beyond their useful date*. *International Journal of Biological Macromolecules*, 49(5), pp.1143-1151.
- Yang, Z., Baldermann, S., dan Watanabe, N. 2013. *Recent studies of the volatile compounds in tea*. *Food Research International*, 53(2), 585–599
- Yashin, A., Nemzer, B. dan Yashin, Y., 2012. *Bioavailability of tea components*. *Journal of Food Research*, 1(2), p.281.
- Yi, T., Zhu, L., Peng, W., He, X., Chen, H., Li, J., Yu, T., Liang, Z., Zhao, Z., dan Chen, H. 2015. *Comparison of ten major constituents in seven types of processed tea using HPLC-DAD-MS followed by principal component and hierarchical cluster analysis*. *Food Science and Technology*, 62 (1, Part 1), 194-201. <https://doi.org/10.1016/j.lwt.2015.01.003>
- Yılmaz, C., Özdemir, F. dan Gökmen, V., 2020. *Investigation of free amino acids, bioactive and neuroactive compounds in different types of tea and effect of black tea processing*. *LWT*, 117, p.108655.
- Yuanshuang, W., Shidong, L., Ming, L., Chen, W., Xuemei, G. dan Qingxiong, M. 2016. *Study of characteristic aroma components of baked Wujiatai green*

tea by HS-SPME/GC-MS combined with principal component analysis, *CyTA. Journal of Food*, 14:3, 423-432, DOI: 10.1080/19476337.2015.11123.

Zarzo, M., dan Stanton, D. T. 2009. *Understanding the underlying dimensions in perfumers' odor perception space as a basis for developing meaningful odor maps. Attention, Perception, & Psychophysics*, 71(2), 225-247.

Zhao, M., Ma, Y., Dai, L.L., Zhang, D.L., Li, J.H., Yuan, W.X., Li, Y.L. dan Zhou, H.J., 2013. *A high-performance liquid chromatographic method for simultaneous determination of 21 free amino acids in tea. Food Analytical Methods*, 6(1), pp.69-75.

Zhao, M., Ma, Y., Dai, L.L., Zhang, D.L., Li, J.H., Yuan, W.X., Li, Y.L. dan Zhou, H.J., 2013. *A high-performance liquid chromatographic method for simultaneous determination of 21 free amino acids in tea. Food Analytical Methods*, 6(1), pp.69-75.

Zhen, Y. 2002. *Tea-Bioactivity and Therapeutic Potential (ed)*. Taylor and Francis, NY, p. 58.

Zhonghua L., Huang J., Shi Z. dan Wang Z. 1995. *Studies on some factors affecting the quality of tea catechins. Proceeding of '95 International Tea Quality Human Health Symposium*. Shanghai. China. 211 p.