

## DAFTAR PUSTAKA

- Amantea, D., Bagetta, G., Tassorelli, C., Biagio, N., & Tiziana, M., 2009. Identification of distinct cellular pools of interleukin-1  $\beta$  during the evolution of the neuroinflammatory response induced by transient middle cerebral artery occlusion in the brain of rat. *Brain Res.* 1313: 259–269. doi:10.1016/j.brainres.2009.12.017
- Arika, W.M., Kibiti, C.M., Njagi, J.M., & Ngugi, M.P., 2019. Anti-obesity effects of dichloromethane leaf extract of *Gnidia glauca* in high fat diet-induced obese rats. *Heliyon* 5: e02800. doi:10.1016/j.heliyon.2019.e02800
- Arnold, S.E., Arvanitakis, Z., Macauley-Rambach, S.L., Koenig, A.M., Wang, H.Y., Ahima, R.S., et al., 2018. Brain insulin resistance in type 2 diabetes and Alzheimer disease: Concepts and conundrums. *Nat. Rev. Neurol.* 14: 168–181. doi:10.1038/nrneurol.2017.185
- Aslani, S., Vieira, N., Marques, F., Costa, P.S., Sousa, N., & Palha, J.A., 2015. The effect of high-fat diet on rat's mood, feeding behavior and response to stress. *Transl. Psychiatry* 5: 1–8. doi:10.1038/tp.2015.178
- Aung, H.H., Altman, R., Nyunt, T., Kim, J., Nuthikattu, S., Budamagunta, M., et al., 2016. Lipotoxic brain microvascular injury is mediated by activating transcription factor 3-dependent inflammatory and oxidative stress pathways. *J. Lipid Res.* 57: 955–968. doi:10.1194/jlr.M061853
- Aung, H.H., Lame, M.W., Gohil, K., An, C. II, Wilson, D.W., & Rutledge, J.C., 2013. Induction of ATF3 gene network by triglyceride-rich lipoprotein lipolysis products increases vascular apoptosis and inflammation. *Arterioscler. Thromb. Vasc. Biol.* 33: 2088–2096. doi:10.1161/ATVBAHA.113.301375
- Aung, H.H., Tsoukalas, A., Rutledge, J.C., & Tagkopoulos, I., 2014. A systems biology analysis of brain microvascular endothelial cell lipotoxicity. *BMC Syst. Biol.* 8: 1–15. doi:10.1186/1752-0509-8-80
- Azodi, M.Z., Vafae, R., Azodi, T., Omidi, R., Gilanchi, S., Azizi-Jalilian, F., et al., 2013. Molecular approaches in obesity studies. *Gastroenterol. Hepatol. from Bed to Bench* 6: 23–31. doi:10.22037/ghfbb.v6i0.469
- Back, I.R., Oliveira, R.R., Silva, E.S., & Marcon, S.S., 2018. Risk Factors Associated with Overweight and Obesity in Japanese-Brazilians. *J. Nutr. Metab.* 2018. doi:10.1155/2018/5756726
- Batandier, C., Poyot, T., Marissal-Avry, N., Couturier, K., Canini, F., Roussel, A.M., et al., 2020. Acute emotional stress and high fat/high fructose diet modulate brain oxidative damage through Nrf2 and uric acid in rats. *Nutr. Res.* 79: 23–34. doi:10.1016/j.nutres.2020.05.009
- Bentham, J., Di Cesare, M., Bilano, V., Bixby, H., Zhou, B., Stevens, G.A., et al., 2017. Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. *Lancet* 390: 2627–2642. doi:10.1016/S0140-6736(17)32129-3
- Blázquez, E., Velázquez, E., Hurtado-Carneiro, V., & Ruiz-Albusac, J.M., 2014. Insulin in the brain: Its pathophysiological implications for states related with

- central insulin resistance, type 2 diabetes and alzheimer's disease. *Front. Endocrinol. (Lausanne)*. 5: 1–21. doi:10.3389/fendo.2014.00161
- Blüher, M., 2019. Obesity: global epidemiology and pathogenesis. *Nat. Rev. Endocrinol.* 15: 288–298. doi:10.1038/s41574-019-0176-8
- Boden, G., 2008. Obesity and Free Fatty Acids. *Endocrinol. Metab. Clin. North Am.* 37: 635–646. doi:10.1016/j.ecl.2008.06.007
- Bruce-Keller, A.J., Keller, J.N., & Morrison, C.D., 2009. Obesity and vulnerability of the CNS. *Biochim. Biophys. Acta - Mol. Basis Dis.* 1792: 395–400. doi:10.1016/j.bbadis.2008.10.004
- Cattaneo, A., Cattane, N., Begni, V., Pariante, C.M., & Riva, M.A., 2016. The human BDNF gene: peripheral gene expression and protein levels as biomarkers for psychiatric disorders. *Transl. Psychiatry* 6: e958. doi:10.1038/tp.2016.214
- Cavagni, J., Wagner, T.P., Gaio, E.J., Rêgo, R.O.C.C., Torres, I.L.D.S., & Rösing, C.K., 2013. Obesity may increase the occurrence of spontaneous periodontal disease in Wistar rats. *Arch. Oral Biol.* 58: 1034–1039. doi:10.1016/j.archoralbio.2013.03.006
- Cavaliere, G., Trinchese, G., Penna, E., Cimmino, F., Pirozzi, C., Lama, A., et al., 2019. High-Fat Diet Induces Neuroinflammation and Mitochondrial Impairment in Mice Cerebral Cortex and Synaptic Fraction. *Front. Cell. Neurosci.* 13: 1–13. doi:10.3389/fncel.2019.00509
- Chakraborti, C.K., 2015. Role of adiponectin and some other factors linking type 2 diabetes mellitus and obesity. *World J. Diabetes* 6: 1296. doi:10.4239/wjd.v6.i15.1296
- Charan, J., & Kantharia, N., 2013. How to calculate sample size in animal studies? *J. Pharmacol. Pharmacother.* doi:10.4103/0976-500X.119726
- Chaumontet, C., Azzout-Marniche, D., Blais, A., Chalvon-Dermersay, T., Nadkarni, N.A., Piedcoq, J., et al., 2015. Rats Prone to Obesity Under a High-Carbohydrate Diet have Increased Post-Meal CCK mRNA Expression and Characteristics of Rats Fed a High-Glycemic Index Diet. *Front. Nutr.* 2: 1–10. doi:10.3389/fnut.2015.00022
- Chen, T.J., Chen, S.S., Wang, D.C., & Hung, H.S., 2019. High-fat diet reduces novelty-induced expression of activity-regulated cytoskeleton-associated protein. *J. Cell. Physiol.* 235: 1065–1075. doi:10.1002/jcp.29021
- Chooi, Y.C., Ding, C., & Magkos, F., 2019. The epidemiology of obesity. *Metabolism.* 92: 6–10. doi:10.1016/j.metabol.2018.09.005
- Dakin, R.S., Walker, B.R., Seckl, J.R., Hadoke, P.W.F., & Drake, A.J., 2015. Estrogens protect male mice from obesity complications and influence glucocorticoid metabolism. *Int. J. Obes.* 39: 1539–1547. doi:10.1038/ijo.2015.102
- De Gonzalez, A.B., Hartge, P., Cerhan, J.R., Flint, A.J., Hannan, L., MacInnis, R.J., et al., 2010. Body-mass index and mortality among 1.46 million white adults. *N. Engl. J. Med.* 363: 2211–2219. doi:10.1056/NEJMoa1000367
- De La Monte, S.M., Longato, L., Tong, M., & Wands, J.R., 2009. Insulin resistance and neurodegeneration: Roles of obesity, type 2 diabetes mellitus and non-alcoholic steatohepatitis. *Curr. Opin. Investig. Drugs* 10: 1049–1060.

- Di Cesare, M., Bentham, J., Stevens, G.A., Zhou, B., Danaei, G., Lu, Y., et al., 2016. Trends in adult body-mass index in 200 countries from 1975 to 2014: A pooled analysis of 1698 population-based measurement studies with 19.2 million participants. *Lancet* 387: 1377–1396. doi:10.1016/S0140-6736(16)30054-X
- Elffers, T. (Dorine. W., De Mutsert, R., Lamb, H.J., De Roos, A., Willems Van Dijk, J.A.P. (Ko., Rosendaal, F.R., et al., 2017. Body fat distribution, in particular visceral fat, is associated with cardiometabolic risk factors in women with obesity. *Atherosclerosis* 263: e175. doi:10.1016/j.atherosclerosis.2017.06.559
- Ertunc, M.E., & Hotamisligil, G.S., 2016. Lipid signaling and lipotoxicity in metaflammation: Indications for metabolic disease pathogenesis and treatment. *J. Lipid Res.* 57: 2099–2114. doi:10.1194/jlr.R066514
- Gajewska, E., Sobieska, M., & Suwalska, A., 2014. Obesity itself does not influence BDNF. *Eur. Rev. Med. Pharmacol. Sci.* 18: 3246–3250.
- Ghosh, A., Gao, L., Thakur, A., Siu, P.M., & Lai, C.W.K., 2017. Role of free fatty acids in endothelial dysfunction. *J. Biomed. Sci.* 24: 1–15. doi:10.1186/s12929-017-0357-5
- Giacobbo, B.L., Doorduyn, J., Klein, H.C., Dierckx, R.A.J.O., Bromberg, E., & de Vries, E.F.J., 2019. Brain-Derived Neurotrophic Factor in Brain Disorders: Focus on Neuroinflammation. *Mol. Neurobiol.* 56: 3295–3312. doi:10.1007/s12035-018-1283-6
- Gu, N., Rao, C., Tian, Y., Di, Z., Liu, Z., Chang, M., et al., 2014. Anti-inflammatory and antiapoptotic effects of mesenchymal stem cells transplantation in rat brain with cerebral ischemia. *J. Stroke Cerebrovasc. Dis.* 23: 2598–2606. doi:10.1016/j.jstrokecerebrovasdis.2014.05.032
- Guo, Y.L., Chakraborty, S., Rajan, S.S., Wang, R., & Huang, F., 2010. Effects of oxidative stress on mouse embryonic stem cell proliferation, apoptosis, senescence, and self-renewal. *Stem Cells Dev.* 19: 1321–1331. doi:10.1089/scd.2009.0313
- Halbach, O.V.B.U., 2011. Immunohistological markers for proliferative events, gliogenesis, and neurogenesis within the adult hippocampus. *Cell Tissue Res.* 345: 1–19. doi:10.1007/s00441-011-1196-4
- Holmes, A., Coppey, L.J., Davidson, E.P., & Yorek, M.A., 2015. Rat Models of Diet-Induced Obesity and High Fat/Low Dose Streptozotocin Type 2 Diabetes: Effect of Reversal of High Fat Diet Compared to Treatment with Enalapril or Menhaden Oil on Glucose Utilization and Neuropathic Endpoints. *J. Diabetes Res.* 2015. doi:10.1155/2015/307285
- Hsuchou, H., He, Y., Kastin, A.J., Tu, H., Markadakis, E.N., Rogers, R.C., et al., 2009. Obesity induces functional astrocytic leptin receptors in hypothalamus. *Brain* 132: 889–902. doi:10.1093/brain/awp029
- Juananda, D., Ratna Sari, D.C., Prakosa2, D., Arfian, N., & Romi, M., 2017. Pengaruh Stres Kronik terhadap Otak: Kajian Biomolekuler Hormon Glukokortikoid dan Regulasi Brain-Derived Neurotrophic Factor (BDNF) Pascastres di Cerebellum. *J. Ilmu Kedokt.* 9: 65. doi:10.26891/jik.v9i2.2015.65-70

- Kaur, N., Lu, B., Monroe, R.K., Ward, S.M., & Halvorsen, S.W., 2005. Inducers of oxidative stress block ciliary neurotrophic factor activation of Jak/STAT signaling in neurons. *J. Neurochem.* 92: 1521–1530. doi:10.1111/j.1471-4159.2004.02990.x
- Kemendes, 2018. Laporan Nasional RISKESDAS 2018. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan, Jakarta.
- Kleinert, M., Clemmensen, C., Hofmann, S.M., Moore, M.C., Renner, S., Woods, S.C., et al., 2018. Animal models of obesity and diabetes mellitus. *Nat. Rev. Endocrinol.* doi:10.1038/nrendo.2017.161
- Kobayashi, Y., Nojima, Y., Sakamoto, T., Iwabuchi, K., & Nakazato, T., 2019. Comparative analysis of seven types of superoxide dismutases for their ability to respond to oxidative stress in *Bombyx mori*. *Sci. Rep.* 1–12. doi:10.1038/s41598-018-38384-8
- Kolodziej, U., Maciejczyk, M., Miasko, A., Matczuk, J., Knas, M., Zukowski, P., et al., 2017. Oxidative modification in the salivary glands of high fat-diet induced insulin resistant rats. *Front. Physiol.* 8: 1–10. doi:10.3389/fphys.2017.00020
- Kubo, E., Chhunchha, B., Singh, P., Sasaki, H., & Singh, D.P., 2017. Sulforaphane reactivates cellular antioxidant defense by inducing Nrf2/ARE/Prdx6 activity during aging and oxidative stress. *Sci. Rep.* 7: 1–17. doi:10.1038/s41598-017-14520-8
- Lakhan, S.E., Kirchgessner, A., & Hofer, M., 2009. Inflammatory mechanisms in ischemic stroke : therapeutic approaches 11: 1–11. doi:10.1186/1479-5876-7-97
- Lasker, S., Rahman, M.M., Parvez, F., Zamila, M., Miah, P., Nahar, K., et al., 2019. High-fat diet-induced metabolic syndrome and oxidative stress in obese rats are ameliorated by yogurt supplementation. *Sci. Rep.* 9: 1–15. doi:10.1038/s41598-019-56538-0
- Lee, J.-M., Park, J.-M., Song, M.K., Kim, Y.J., & Kim, Y.-J., 2016. Comparison of the behavioral effects of exercise and high fat diet on cognitive function in adolescent rats. *J. Exerc. Rehabil.* 12: 520–525. doi:10.12965/jer.1632856.428
- Lee, S.-I., Kim, J.-W., Lee, Y.-K., Yang, S.-H., Lee, I.-A., Suh, J.-W., et al., 2011. Anti-obesity Effect of *Monascus pilosus* Mycelial Extract in High Fat Diet-induced Obese Rats. *J. Appl. Biol. Chem.* 54: 197–205. doi:10.3839/jabc.2011.033
- Legris, O.G., Masquelier, J., Everard, A., Cani, P.D., Alhouayek, M., & Muccioli, G.G., 2016. High-fat diet feeding differentially affects the development of inflammation in the central nervous system. *J. Neuroinflammation* 13: 1–11. doi:10.1186/s12974-016-0666-8
- Lien, E.L., Boyle, F.G., Wrenn, J.M., Perry, R.W., Thompson, C.A., & Borzelleca, J.F., 2001. Comparison of AIN-76A and AIN-93G diets: A 13-week study in rats. *Food Chem. Toxicol.* 39: 385–392. doi:10.1016/S0278-6915(00)00142-3
- Linaker, C.H., D'angelo, S., Syddall, H.E., Harris, E.C., Cooper, C., & Walker-Bone, K., 2020. Body mass index (BMI) and work ability in older workers: Results from the health and employment after fifty (HEAF) prospective cohort study. *Int. J. Environ. Res. Public Health* 17. doi:10.3390/ijerph17051647

- Lushchak, V.I., 2014. Free radicals, reactive oxygen species, oxidative stress and its classification. *Chem. Biol. Interact.* 224: 164–175. doi:10.1016/j.cbi.2014.10.016
- Ma, W., Yuan, L., Yu, H., Xi, Y., & Xiao, R., 2014. Mitochondrial dysfunction and oxidative damage in the brain of diet-induced obese rats but not in diet-resistant rats. *Life Sci.* 110: 53–60. doi:10.1016/j.lfs.2014.07.018
- Maciejczyk, M., Żebrowska, E., & Chabowski, A., 2019. Insulin resistance and oxidative stress in the brain: What's new? *Int. J. Mol. Sci.* 20. doi:10.3390/ijms20040874
- Maciejczyk, M., Żebrowska, E., Zalewska, A., & Chabowski, A., 2018. Redox balance, antioxidant defense, and oxidative damage in the hypothalamus and cerebral cortex of rats with high fat diet-induced insulin resistance. *Oxid. Med. Cell. Longev.* 2018. doi:10.1155/2018/6940515
- Marcelino, H., Veyrat-Durebex, C., Summermatter, S., Sarafian, D., Miles-Chan, J., Arsenijevic, D., et al., 2013. A role for adipose tissue de novo lipogenesis in glucose homeostasis during catch-up growth: A randle cycle favoring fat storage. *Diabetes* 62: 362–372. doi:10.2337/db12-0255
- Martínez-Cué, C., & Rueda, N., 2020. Cellular Senescence in Neurodegenerative Diseases. *Front. Cell. Neurosci.* 14. doi:10.3389/fncel.2020.00016
- Martyn, J.A.J., Kaneki, M., & Yasuhara, S., 2008. Obesity-induced insulin resistance and hyperglycemia: Etiologic factors and molecular mechanisms. *Anesthesiology* 109: 137–148. doi:10.1097/ALN.0b013e3181799d45
- Maurer, L., Tang, H., Haumesser, J.K., Altschüler, J., Kühn, A.A., Spranger, J., et al., 2017. High-fat diet-induced obesity and insulin resistance are characterized by differential beta oscillatory signaling of the limbic cortico-basal ganglia loop. *Sci. Rep.* 7: 1–11. doi:10.1038/s41598-017-15872-x
- Maximova, O.A., Murphy, B.R., & Pletnev, A.G., 2010. High-throughput automated image analysis of neuroinflammation and neurodegeneration enables quantitative assessment of virus neurovirulence. *Vaccine* 28: 8315–8326. doi:10.1016/j.vaccine.2010.07.070
- McEwen, B.S., & Morrison, J.H., 2013. The Brain on Stress: Vulnerability and Plasticity of the Prefrontal Cortex over the Life Course. *Neuron* 79: 16–29. doi:10.1016/j.neuron.2013.06.028
- Miyamoto, Y., Koh, Y.H., Park, Y.S., Fujiwara, N., Sakiyama, H., Misonou, Y., et al., 2003. Oxidative Stress Caused by Inactivation of Glutathione Peroxidase and Adaptive Responses. *Biol. Chem.* 384: 567–574.
- Mota, M., Banini, B.A., Cazanave, S.C., & Sanyal, A.J., 2016. Molecular mechanisms of lipotoxicity and glucotoxicity in nonalcoholic fatty liver disease. *Metabolism.* 65: 1049–1061. doi:10.1016/j.metabol.2016.02.014
- Nguyen, J.C.D., Killcross, A.S., & Jenkins, T.A., 2014. Obesity and cognitive decline: Role of inflammation and vascular changes. *Front. Neurosci.* 8: 1–9. doi:10.3389/fnins.2014.00375
- Noeman, S.A., Hamooda, H.E., & Baalash, A.A., 2011. Biochemical Study of Oxidative Stress Markers in the Liver, Kidney and Heart of High Fat Diet Induced Obesity in Rats. *Diabetol. Metab. Syndr.* 3: 17. doi:10.1186/1758-5996-3-17

- Ogrodnik, M., Zhu, Y., Langhi, L.G.P., Tchkonina, T., Krüger, P., Fielder, E., et al., 2019a. Obesity-Induced Cellular Senescence Drives Anxiety and Impairs Neurogenesis. *Cell Metab.* 29: 1061-1077.e8. doi:10.1016/j.cmet.2018.12.008
- Ogrodnik, M., Zhu, Y., Zglinicki, T. Von, Kirkland, J.L., Jurk, D., Vitoirelli, S., et al., 2019b. Obesity-Induced Cellular Senescence Drives Anxiety and Impairs Neurogenesis Article Obesity-Induced Cellular Senescence Drives Anxiety and Impairs Neurogenesis 1061–1077. doi:10.1016/j.cmet.2018.12.008
- Oussaada, S.M., van Galen, K.A., Cooman, M.I., Kleinendorst, L., Hazebroek, E.J., van Haelst, M.M., et al., 2019. The pathogenesis of obesity. *Metabolism.* 92: 26–36. doi:10.1016/j.metabol.2018.12.012
- Pugazhenthii, S., Qin, L., & Reddy, P.H., 2017. Common neurodegenerative pathways in obesity, diabetes, and Alzheimer's disease. *Biochim. Biophys. Acta - Mol. Basis Dis.* 1863: 1037–1045. doi:10.1016/j.bbadis.2016.04.017
- Radak, D., Resanovic, I., & Isenovic, E.R., 2014. Link between oxidative stress and acute brain ischemia. *Angiology.* doi:10.1177/0003319713506516
- Rayess, H., Wang, M.B., & Srivatsan, E.S., 2012. Cellular senescence and tumor suppressor gene p16. *Int. J. Cancer* 130: 1715–1725. doi:10.1002/ijc.27316
- Reddy, P.H., Manczak, M., Mao, P., Calkins, M.J., Reddy, A.P., & Shirendeb, U., 2010. Amyloid- $\beta$  and mitochondria in aging and Alzheimer's disease: Implications for synaptic damage and cognitive decline. *J. Alzheimer's Dis.* 20. doi:10.3233/JAD-2010-100504
- Redinger, R., 2012. The Pathophysiology of Obesity and Its Clinical Manifestations. *Psychol. Med.* 41: 483–484. doi:10.1017/S0033291711000407
- Rios, M., 2013. BDNF and the central control of feeding: Accidental bystander or essential player? *Trends Neurosci.* 36: 83–90. doi:10.1016/j.tins.2012.12.009
- Robison, L.S., Albert, N.M., Camargo, L.A., Anderson, B.M., Salinero, A.E., Riccio, D.A., et al., 2020. High-fat diet-induced obesity causes sex-specific deficits in adult hippocampal neurogenesis in mice. *eNeuro* 7. doi:10.1523/ENEURO.0391-19.2019
- Sandrini, L., Di Minno, A., Amadio, P., Ieraci, A., Tremoli, E., & Barbieri, S.S., 2018. Association between obesity and circulating brain-derived neurotrophic factor (BDNF) levels: Systematic review of literature and meta-analysis. *Int. J. Mol. Sci.* doi:10.3390/ijms19082281
- Sari, D.C.R., Rochmah, M.A., Ananda, W., Setyaningsih, W., Nugroho, D.B., & Arfian, N., 2020. Expression of Senescence Markers Increased in the Frontal Lobes of Obese Rats. *Malaysian J. Med. Heal. Sci.* 16: 62–66.
- Shirle, R., Ord, E.N.J., & Work, L.M., 2014. Oxidative stress and the use of antioxidants in stroke. *Antioxidants* 3: 472–501. doi:10.3390/antiox3030472
- Speakman, J.R., 2019. Use of high-fat diets to study rodent obesity as a model of human obesity. *Int. J. Obes.* 43: 1491–1492. doi:10.1038/s41366-019-0363-7
- Swinburn, B.A., Sacks, G., Hall, K.D., McPherson, K., Finegood, D.T., Moodie, M.L., et al., 2011. The global obesity pandemic: Shaped by global drivers and local environments. *Lancet* 378: 804–814. doi:10.1016/S0140-6736(11)60813-1
- Tanaka, T., Kishi, S., Ninomiya, K., Tomii, D., Koseki, K., Sato, Y., et al., 2019.

- Impact of abdominal fat distribution, visceral fat, and subcutaneous fat on coronary plaque scores assessed by 320-row computed tomography coronary angiography. *Atherosclerosis* 287: 155–161. doi:10.1016/j.atherosclerosis.2019.06.910
- Thu Tran, N.T., Blizzard, C.L., Luong, K.N., Van Truong, N. Le, Tran, B.Q., Otahal, P., et al., 2018. The importance of waist circumference and body mass index in cross-sectional relationships with risk of cardiovascular disease in Vietnam. *PLoS One* 13: 1–13. doi:10.1371/journal.pone.0198202
- Tu, W., Wang, H., Li, S., Liu, Q., & Sha, H., 2019. The Anti-Inflammatory and Anti-Oxidant Mechanisms of the Keap1/Nrf2/ARE Signaling Pathway in Chronic Diseases. *Aging Dis.* 10: 637. doi:10.14336/ad.2018.0513
- Valavi, M., Zarban, A., Dehghani Firuzabadi, M., Sharifzadeh, G., & Zarezade, M., 2016. Oxidative Stress and Antioxidant Markers in Serum and Red Blood Cell of Patients with Ischemic and Hemorrhagic Stroke: A Case-Control Study. *Mod. Care J.* 13. doi:10.5812/modernc.10340
- Verdile, G., Keane, K.N., Cruzat, V.F., Medic, S., Sabale, M., Rowles, J., et al., 2015. Inflammation and Oxidative Stress: The Molecular Connectivity between Insulin Resistance, Obesity, and Alzheimer's Disease. *Mediators Inflamm.* 2015. doi:10.1155/2015/105828
- Wang, L., Gill, R., Pedersen, T.L., Higgins, L.J., Newman, J.W., & Rutledge, J.C., 2009. Triglyceride-rich lipoprotein lipolysis releases neutral and oxidized FFAs that induce endothelial cell inflammation. *J. Lipid Res.* 50: 204–213. doi:10.1194/jlr.M700505-JLR200
- Younus, H., 2018. Therapeutic potentials of superoxide dismutase. *International J. Heal. Sci.* 12: 88–93.
- Zhao, Z., Yao, M., Wei, L., & Ge, S., 2019. Obesity caused by a high-fat diet regulates the Sirt1/PGC-1 $\alpha$ /FNDC5/BDNF pathway to exacerbate isoflurane-induced postoperative cognitive dysfunction in older mice. *Nutr. Neurosci.* 0: 1–12. doi:10.1080/1028415X.2019.1581460