

### Daftar Pustaka

- Adhikari, S., S. Saha, T.K. Bandyopadhyay, and P. Ghosh. 2015. Efficiency of ISSR marker for characterization of *Cymbopogon* germplasms and their suitability in molecular barcoding. *Plant Systematics Evolution* 301(1): 439 – 450.
- Allaby, R.G., R.L. Ware, and L. Kistler. 2017. A re-evaluation of the domestication bottleneck from archaeogenomic evidence. *Evolutionary Applications* 12: 29 – 37.
- Amiryousefi, A., J. Hyvonen, and P. Poczal. 2018. iMEC: online marker efficiency. *Applications in Plant Sciences* 6(6): 1 – 4.
- Amom, T. and P. Nongdam. 2017. The use of molecular marker methods in plants: A review. *International Journal of Current Research and Review* 9(17): 1 – 7.
- Anna, I.C.S., G.N. Silva, V.Q. Carneiro, D.S. Pontes, M. Nascimento, and C.D. Cruz. 2018. Comparison of projection of distance techniques for genetic diversity studies. *Acta Scientiarum, Agronomy* 42: 1 – 11.
- Anwar, S. K. Karno, F. Kusmiyati, dan B. Herwibawa. 2019. Genetic relationship between yardlong bean (*Vigna unguiculata* ssp. *sesquipedalis*) F1 progenies and their parents based on RAPD markers. *IOP Conf. Series: Earth and Environmental Science* 250: 1 – 8.
- Azrai, M., 2005. Pemanfaatan markah molekuler dalam proses seleksi pemuliaan tanaman. *Jurnal AgroBiogen* 1(1): 26 – 37.
- Badan Pusat Statistik. 2018. *Statistik Tanaman Sayuran dan Buah-buahan Semusim*. Subdirektorat Statistik Indonesia, Jakarta.
- Badan Penelitian dan Pengembangan Pertanian. 2018. *Balai Penelitian Tanaman Sayuran*. Kementerian Pertanian Republik Indonesia, Jakarta.
- Branco, C.J., E.A. Vieira, G. Malone, M.M. Kopp, E. Malone, A. Bernandes, C.C. Mistura, F.I.F. Carvalho, and C.A. 2007. IRAP dan REMAP assesment of genetic similarity in rice. *Journal of Applied Genetic*. 48(2):107 – 113.
- Cabo, S., A. Carvalho, L. Rocha, A. Martin, and J.L. Brito. 2014. IRAP, REMAP, and ISSR fingerprinting in newly formed hexaploid tritordeum (*X Tritordeum* Ascherson at Graebner) and respective parental species. *Plant Molecular Biology Reporters* 32(3): 1 – 10.
- Carsono, N., P.N. Lukman, F. Damayanti, U. Santoso, dan S. Sari. 2014. Identifikasi polimorfis marka-marka molekuler yang diduga berkaitan dengan karakter daya hasil tinggi pada 30 genotip padi. *Chimica et Natura Acta* 2(1): 91 – 95.
- Cheraghi, A., F. Rahmani, and A.H.Ghorttapeh. 2018. IRAP and REMAP based genetic diversity among varieties of *Lallemantia iberica*. *Molecular Biology Research Communications* 7(3): 125 – 132.
- Fadilah, W.N., O. Mohamad, A.M. Zaki, and A. Shamsiah. 2019. Assesment of IRAP markers to evaluate the genetic diversity of *Eurycoma longifolia*. *Tropical Agricultural Science* 42(3): 921 – 937.
- Fan, F., B. Cui, T. Zhang, G. Ding, and X. Wen. 2014. LTR-retrotransposon activation, IRAP marker development and its potential in genetic diversity assessment of masson pine (*Pinus massoniana*). *Tree Genetics & Genomes* 10(1): 213 – 222.

- Gajera, H.P., R.K. Domadiya, S.V. Patel, and B.A. Golakiya. 2014. Appraisal of RAPD and ISSR markers for genetic diversity analysis among cowpea (*Vigna unguiculata* L.) genotypes. *J. Crop. Sci. Biotech.* 17(2): 79 – 88.
- Guo, Z.H., K.X. Fu, X.Q. Zhang, S.Q. Bai, Y. Fan, Y. Peng, L.K. Huang, Y.H. Yan, and X. Ma. 2014. Molecular insights into the genetics diversity of *Hemarthria compressa* germplasm collections native to Southwest China. *Molecules* 19(12): 21541 – 21559.
- Gyulai, G. 2017. *Plant Genetics Biotechnology and Forestry 2<sup>nd</sup> Edition*. St. Istvan University Press, Hungary.
- Haque, M.S., A. Azad, N.R. Saha, and M.M. Islam. 2020. Analysis of yardlong bean (*Vigna unguiculata* subsp. *sesquipedalis*) genetic diversity using RAPD markers. *Asian Journal of Biotechnology* 12(2): 127 – 135.
- Haryanto, E., T. Suhartini, dan E. Rahayu. 2007. *Budi Daya Kacang Panjang*. Panebar Swadya, Depok.
- Hayward, A.C., R. Tollenaere, J. Dalton-Morgan, and J. Batley. 2015. Molecular marker applications in plants. *Methods in Molecular Biology* 1245: 12 – 27.
- Holasou, H.A., F. Rahmati, F.Rahmani, M.Imani, and Z. Talebzadeh. 2019. Elucidate genetic diversity and population structure of bread wheat (*Triticum aestivum* L.) cultivars using IRAP and REMAP markers. *J. Crop Sci. Biotech* 72(2): 139 – 151.
- Hu, T. and P. Xu. 2017. The genetic driving force for the grain-vegetable cowpea diversification: a focus on the pod length. *Journal of Cell Signaling* 2(3): 1 – 2.
- Igwe, D.O., C.A. Afiukwa, B.E. Ubi, K.I. Ogbu, O.B. Ojuederie, and G.N. Ude. 2017. Assessment of genetic diversity in *Vigna unguiculata* L. (Walp) accessions using inter-simple sequence repeat (ISSR) and start codon targeted (SCoT) polymorphic markers. *BMC Genetics* 18(98): 1 – 13.
- Kaewpongumpai, S., S. Poeaim, and O. Vanijajiva. 2016. Molecular variability of *Bouea macrophylla* cultivars using inter-primer binding site (iPBS) marker. *The 5<sup>th</sup> International Biochemistry and Molecular*, Songkla University 237 – 240.
- Kalendar, R., A. Amenov, and A. Daniyarov. 2018. Use of retrotransposon-derived genetic markers to analyse genomic variability in plants. *Functional Plant Biology* 46(1): 15 – 29.
- Kalendar, R., A.J. Flavell, T.H.N. Ellis, T. Sjakste, C. Moisy, and A.H. Schulman. 2011. Analysis of plant diversity with retrotransposon-based molecular markers. *Heredity* 106: 520 – 530.
- Kalendar, R., T. Grop, M. Regina, A. Suoniemi, dan A. Schulman. 1999. IRAP and REMAP: two new retrotransposon-based DNA fingerprinting techniques. *Theor. Appl. Genet.* 98: 704 – 711.
- Kaya, E. and E.Y. Gokdogan. 2016. Using two retrotransposon based marker system (IRAP and REMAP) for molecular characterization of olive (*Olea europaea* L.) cultivars. *Not. Bot. Horti. Agrobo.* 44(1): 1842 – 4309.
- Komalasari, W.B. 2018. *Statistik Konsumsi Pangan 2018*. Pusat Data dan Sistem Informasi Pertanian. Sekretariat Jenderal, Kementerian Pertanian.

- Kongjaimun, A., A. Kaga, N. Tomooka, P. Sonta, D.A. Vaughan, and P. Srinives. 2012. The genetics of domestication of yardlong bean, *Vigna unguiculata* (L.) Walp. ssp. *unguiculata* cv.-gr. *Sesquipedalis*. *Annals of Botany* 109: 1185 – 1200.
- Kumar, K. and F. Cava. 2018. Principle coordinate analysis assisted chromatographic analysis of bacterial cell wall collection: a robust classification approach. *Analytical Biochemistry* 550: 8 – 14.
- Larekeng, S.H., R. Dermawan, H. Iswoyo, and K. Mustari. 2019. RAPD primer screening for amplification on Katokkon pepper from Toraja, South Sulawesi, Indonesia. *Conf. Series: Earth and Environmental Science* 270: 1 – 8.
- Liu, J., G.H. Zhao, X.Y. Li, F. Chen, F.C. Zou, J.F. Yang, R.Q. Lin, Y.B. Weng, and X.Q. Zhu. 2011. IRAP: an efficient retrotransposon-based electrophoretic technique for studying genetic variability among geographical isolates of *Schistosoma japonicum*. *Electrophoresis* 32: 1473 – 1479.
- Mahjoob, B., H.N. Zarini, S.H. Hashemi, and F.V. Shamasbi. 2016. Comparison of ISSR, IRAP, and REMAP markers for assessing genetic diversity in different species of *Brassica* sp. *Russian Journal of Genetics* 52: 1271 – 1281.
- Mandoulakani, B.A., P. Sadigh, H. Azizi, Y. Piri, S.H. Nasri, and S. Arzhangh. 2015. Comparative assessment of IRAP, REMAP, ISSR, and SSR markers for evaluation of genetic diversity of alfalfa (*Medicago sativa* L.). *J. Agr. Sci. Tech.* 17: 999 – 1010.
- Mandoulakani, B.A., Y. Piri, R. Darvishzadeh, and I. Bernousi. 2012. Retroelement insertional polymorphism and genetic diversity in *Medicago sativa* populations revealed by IRAP and REMAP markers. *Plant Molecular Biology Reporter* 30(2): 286 – 296.
- Maneesha and K.C. Upadhyaya. 2017. Analysis of genetic diversity in pigeon pea germplasm using retrotransposon-based molecular markers. *Journal of Genetics* 96(4): 551 – 561.
- Mendes, R.F.M., F.B. Britto, F.R.F. Filho, and P.S.C. Lima. 2015. Genetic variability of indigenous cowpea genotypes determined using inter-simple sequence repeats markers. *African Journal of Biotechnology* 14(36): 2652 – 2661.
- Mondini, L., A.N. Noorani, and M.A. Pagnotta. 2009. Assessing plant genetic diversity by molecular tools. *Diversity* 1: 19- 35.
- Mullis, K.B., F. Ferre, R.A. Gibbs, and J.D. Watson. 1994. *The Polymerase Chain Reaction*. Springer Science + Business Media, New York.
- Nachimuthu, V.V., S. Robin, D. Sudhakar, M. Raveendran, S. Rajeswari, and S. Manonmani. 2014. Evaluation of rice genetic diversity and variability in a population panel by principle component analysis. *Indian Journal of Science and Technology* 7(10): 1555 – 15562.
- Nadeem, M.A., M.A. Nawaz, M.Q. Shahid, Y. Dogan, G. Comertpay, M. Yildiz, R. Hatipoglu, F. Ahmad, N. Labhane, H. Ozokan, G. Chung, and F.S. Baloch. 2018. DNA molecular markers in plant breeding: current status and recent advancements in genomic selection and genome editing. *Biotechnology & Biotechnology Equipment* 32(3): 261 – 285.

- Obradovic, J., V. Jurisic, N. Tomic, J. Merdjanovic, B. Perin, S. Pavlovic, and N. Djordjevic. 2013. Optimization of PCR condition for amplifications of GC-rich EGFR promoter sequence. *Journal of Clinical Laboratory Analysis* 27: 487 – 493.
- Otwe, E.P., D.S. Agyrifo, I.K. Galyuon, and J.S. Heslop-Harrison. 2017. Molecular diversity in some Ghanaian Cowpea [*Vigna unguiculata* L. (Walp)] accessions. *Tropical Plant Biol.* 10: 57-67.
- Pakhrou, O., L. Medraoui, C. Yatrib, M. Alami, A. Filali-maltouf, and B. Belkadi. 2017. Assessment of genetic diversity and populations structure of an endemic Moroccan tree (*Argania spinosa* L.) based in IRAP and ISSR markers and implications for conservation. *Physiol. Mol. Biol. Plants* 23(3): 651 – 661.
- Perrier, X., A. Flori, and F. Bonnot. 2003. Data analysis methods. In: Hamon, P., M. Seguin, X. Perrier, and J.C. Ed. Glaszmann. Genetic diversity of cultivated tropical plants. Enfield, Science Publishers, Montpellier.
- Phansak, P., P.W.J. Taylor, and O. Mongkolporn. 2005. Genetic diversity in yardlong bean (*Vigna unguiculata* ssp. *sesquipedalis*) and related *Vigna* species using sequence tagged microsatellite site analysis. *Scientia Horticulturae* 106(2): 137 – 146.
- Pidigam, S., S.B. Munnam, S. Nimmarajula, N. Gonela, S.S. Adimulam, H. Yardla, L. Bandari, dan G. Amarapalli. 2019. Assessment of genetic diversity in yardlong bean (*Vigna unguiculata* (L.) Walp subsp. *sesquipedalis* Verdc.) germplasm from India using RAPD markers. *Genetic Resources and Crop Evolution* 66(6): 1231 – 1242.
- Pitojo, S. 2006. Benih Kacang Panjang. Kanisius, Yogyakarta.
- Poczai, P., U. Varga, N.E. Bell, and J. Hyvonen. 2012. Genomic Meets Biodiversity: Advances in Molekular Marker Development and Their Applications in Plant Genetic Diversity Assessment. Botanical Museum, Universitas of Helsinki, Helsinki.
- Rambabu, E., Reddy, R.K, V. Kamala, P. Saidaiah, and S.R. Pandravada. 2016. Morphological characterization of yardlong bean – an under exploited vegetable. *International Journal of Science and Nature* 7(2): 344 – 348.
- Roy, N.S., J.Y. Choi., S.I. Lee, and N.S. Kim. 2015. Marker utility of transposable elements for plant genetics, breeding, and ecology: a review. *Genes Genom* 37: 141 – 151.
- Samadi, B. 2003. Usaha Tani Kacang Panjang. Kanisius, Yogyakarta.
- Sayekti, U., U. Widyastuti, dan N.T. Mathius. 2015. Keragaman genetik kelapa sawit (*Elaeis guineensis* Jacq.) asal Angola menggunakan marka SSR. *Jurnal Agronomi Indonesia* 43(2): 140 – 146.
- Sheidai, M., M. Riazifar, A. Hoordadian, and O. Alishah. 2018. Genetic finger printing of salt- and drought-tolerant cotton cultivars (*Gossypium hirsutum*) by IRAP-REMAP and SRAP molecular markers. *Plant Gene* 14: 12 – 19.
- Singh, J.P., A.K. Singh, A. Bajpai, and Z. Ahmad. 2014. Comparative analysis of DNA polymorphisms and phylogenetic relationships among *Syzygium cumini* Skeels based on phenotypic characters and RAPD technique. *Bioinformation* 10(4): 201 – 208.

- Smykal, P., C.J. Coyne, M.J. Ambrose, N. Maxted, H. Schaefer, M.W. Blair, J. Berger, S.L. Greene, M.N. Nelson, N. Besharat, T. Vymyslicky, C. Toker, R.K. Saena, M. Roorkiwal, M.K. Pandey, J. Hu, Y.H. Li, L.X. Wang, Y. Guo, L.J. Qiu, R.J. Redden, and R.K. Varshney. 2015. Legume crops phylogeny and genetic diversity for science and breeding. *Critical Reviews in Plant Sciences* 34: 43 – 104.
- Tantasawat, P., J. Trongchuen, T. Prajongjai, W. Seehalak. 2010. Variety identification and comparative diversity in yardlong bean (*Vigna unguiculata* ssp. *Sesquipedalis*) using morphological characters, SSR and ISSR analysis. *Scientia Horticulturae* 124(2): 204 – 216.
- Tomas, D., A.L. Dias, M. Silva, H.R. Oliveira, M.J. Suso, W. Viegas, and M.M. Veloso. 2016. Genetic diversity assesment of Portuguese cultivated *Vicia faba* L. through IRAP markers. *Diversity* 8(2): 1 – 11.
- United States Department of Agriculture. 2019. Plant Database. <<https://plants.usda.gov/java/CassificationServlet?source=display&classid=VIUNSS2>>. Diakses 14 November 2019.
- Waluyo, N. 2017. Produksi benih kacang panjang (*Vigna unguiculata* ssp. *sesquipedalis*) varietas KP-1 di dataran rendah Subang. Prosiding Seminar Nasional Agroinovasi Spesifik Lokasi Untuk Ketahanan Pangan Pada Era Masyarakat Ekonomi ASEAN.
- Widyawan, M.H., S. Wulandary, and Taryono. 2020. Genetic diversity analysis of yardlong bean genotypes (*Vigna unguiculata* subsp. *sesquipedalis*) based on IRAP marker. *BIODIVERSITAS* 21(3): 1101 – 1107.
- Xu, P., X. Wu, B. Wang, Y. Liu, D. Qin, J.D. Ehlers, T.J. Close, T. Hu, Z. Lu, and G. Li. 2010. Development and polymorphism of *Vigna unguiculata* ssp. *Unguiculata* microsatellite markers used phylogenetic analysis in asparagus bean (*Vigna unguiculata* ssp. *Sesquipedalis* (L.) Verdc.). *Molecular Breeding* 25: 675 – 684.
- Xu, P., X. Wu, B. Wang, J. Luo, Y. Liu, J.D. Ehlers, T.J. Close, P.A. Roberts, Z. Lu, S. Wang, dan G. Li. 2012. Genome wide linkage disequilibrium in Chinese asparagus bean (*Vigna unguiculata* ssp. *sesquipedalis*) germplasm; implications for domestication history and genome wide association studies. *Heredity* 109: 34 – 40.
- Xu, P., T. Hu, Y. Yang, X. Wu, B. Wang, Y. Liu, and D. Qin. 2011. Mapping genes governing flowers and seedcoat color in asparagus bean (*Vigna unguiculata* ssp. *Sesquipedalis*) based on single nucleotide polymorphism and simple sequence repeat markers. *HORTSCIENCE* 46(8): 1102 – 1104.
- Yousefiazarkhanian, M., A. Asghari, J. Ahmadi, B. Asghari, and A.A. Jafari. 2016. Genetic diversity of *Salvia* species assessed by ISSR and RAPD markers. *Notulae Botanica Horti Agrobotanici* 44(2): 431 – 436.
- Zhang, H., W. Xu, H. Chen, J. Chen, X. Chen, and S. Yang. 2020. Evaluation and QTL mapping of salt tolerance in yardlong bean [*Vigna unguiculata* (L.) Walp. Subsp. *unguiculata* Sesquipedalis group] seedlings. *Plant Molecular Biology Reporter* 38(1): 1 – 11.