

DAFTAR PUSTAKA

- Abdi, H. (2001) '*Partial Least-Square Regression*'. doi: 10.1002/9783527809080.cataz12383.
- Anggriawan, R. Y. (2019) ,"*Studi Penentuan Kadar Nikotin pada Rokok Elektronik menggunakan E-Nose dengan kemometrik sebagai analisisnya*", Departemen Fisika, Universitas Gadjah Mada
- Anton, H. (1987) *Elementary Linear Algebra*. Fifth Edition, Drexel University
- Antou, N. K. (2000), "*Kajian Pencilan pada Model Regresi Kuadrat Terkecil Parsial*", Institut Pertanian Bogor
- Astuti, A. D. (2014), "*Partial Least Square dan Principal Component Regression untuk Regresi Linear dengan Multikolinearitas pada Kasus Indeks Pembangunan Manusia di Kabupaten Gunung Kidul.*"
- Audyna, piquitha della (2018), "*Verifikasi Klasifikasi Jenis Teh Menggunakan Electronic Nose Berbasis Support Vector Machine dan Algoritma Genetika*". Universitas Gadjah Mada: Yogyakarta
- Azzuhdi, M. J. (2020), "*Klasifikasi teh hitam berdasarkan lokasi tanam menggunakan e-nose dengan metode supervised learning*". Universitas Gadjah Mada: Yogyakarta. doi: 10.1016/j.solener.2019.02.027.
- Barghouthi, Z. and Amereih, S. (2012) '*Field determination of fluoride in drinking water using a polymeric aluminium complex of 5-(2-carboxyphenylazo)-8-hydroxyquinoline impregnated paper*', International Journal of Environmental Analytical Chemistry, 93(5), pp. 565–577. doi: 10.1080/03067319.2012.690147.
- Barghouthi, Z. and Amereih, S. (2013) '*Field method for estimation of fluoride in drinking groundwater by photometric measurement of spot on aluminium quinalizarin reagent paper*', Arabian Journal of Chemistry. King Saud University, 10, pp. S2919–S2925. doi: 10.1016/j.arabjc.2013.11.024.
- Blatt, R. et al. (2010) '*Pattern Classification Techniques for Early Lung Cancer Diagnosis using an Electronic Nose*', Frontiers in Artificial Intelligence and Applications, 178, pp. 693–697. doi: 10.3233/978-1-58603-891-5-693.
- Bordbar, M. M., Tashkhourian, J. and Hemmateenejad, B. (2018) '*Qualitative and quantitative analysis of toxic materials in adulterated fruit pickle samples by a colorimetric sensor array*', Sensors and Actuators, B: Chemical. Elsevier B.V., 257, pp. 783–791. doi: 10.1016/j.snb.2017.11.010.



- Barclay, D., Thompson, R., dan Higgins, C. (1995) '*The Partial Least Squares (PLS) Approach to Causal Modeling: Personal Computer Adoption and Use an Illustration*', *Technology Studies*, 2(2), pp. 285–309. doi: 10.1017/CBO9781107415324.004.
- Boulesteix, A. L. and Strimmer, K. (2007) '*Partial least squares: A versatile tool for the analysis of high-dimensional genomic data*', *Briefings in Bioinformatics*, 8(1), pp. 32–44. doi: 10.1093/bib/bbl016.
- Cao, J. *et al.* (1996) '*The relationship of fluorosis and brick tea drinking in Chinese Tibetans*', *Environmental Health Perspectives*, 104(12), pp. 1340–1343. doi: 10.1289/ehp.961041340.
- Cao, J. *et al.* (2006) '*Fluoride levels in various black tea commodities: Measurement and safety evaluation*', *Food and Chemical Toxicology*, 44(7), pp. 1131–1137. doi: 10.1016/j.fct.2006.01.010.
- Cui, S. *et al.* (2015) '*Qualitative and quantitative analysis on aroma characteristics of ginseng at different ages using E-nose and GC-MS combined with chemometrics*', *Journal of Pharmaceutical and Biomedical Analysis*. Elsevier B.V., 102, pp. 64–77. doi: 10.1016/j.jpba.2014.08.030.
- Esposito, V. (2010) *Handbook of Partial Least Square*, Springer.
- Evy Damayanthi, Clara M.Kusharto, Rohayati Suprihatin, D. R. (2008) '*Studi Kandungan Katekin dan Turunannya Sebagai Antioksidan Alami Serta Karakteristik Organoleptik Produk Teh Murbei dan Teh Camellia-Murbei*'.
- Faiz, Suyanto. ST, M. (2012), "*Uji Kinerja Taguchi Gas Sensor (TGS) untuk Monitoring Gas Methane pada Portable Biodigester*", Jurusan Teknik Fisika FTI ITS Surabaya.
- Garthwaite, P. H. (1994) '*An interpretation of partial least squares*', *Journal of the American Statistical Association*, 89(425), pp. 122–127. doi: 10.1080/01621459.1994.10476452.
- Gu, D. C. *et al.* (2019) '*A novel method for rapid quantitative evaluating formaldehyde in squid based on electronic nose*', *Lwt. Elsevier*, 101(June 2018), pp. 382–388. doi: 10.1016/j.lwt.2018.11.012.
- Gujarati, D. N. (2003) *Basic Econometric*. Forth edit. New York: Mc- Graw Hill.
- Güney, S. and Atasoy, A. (2011) '*Classification of n-butanol concentrations with k-NN algorithm and ANN in electronic nose*', *INISTA 2011 - 2011 International Symposium on INnovations in Intelligent SysTems and Applications*, pp. 138–142. doi: 10.1109/INISTA.2011.5946057.



- Gupta, P. and Sandesh, N. (2012) '*Estimation of fluoride concentration in tea infusions, prepared from different forms of tea, commercially available in Mathura city*', Journal of International Society of Preventive and Community Dentistry, 2(2), p. 64. doi: 10.4103/2231-0762.109371.
- Gutierrez-Osuna, R. *et al.* (2004) '*Signal Conditioning and Preprocessing*', Handbook of Machine Olfaction, pp. 105–132. doi: 10.1002/3527601597.ch5.
- Gutierrez-Osuna, R. and Nagle, H. T. (1999) '*A method for evaluating data-preprocessing techniques for odor classification with an array of gas sensors*', IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics, 29(5), pp. 626–632. doi: 10.1109/3477.790446.
- Haenlein, M. and Kaplan, A. M. (2004) '*A Beginner 's Guide to Partial Least Squares Analysis A Beginner 's Guide to Partial Least Squares Analysis*', Routledge Information, 3(4), pp. 37–41. doi: 10.1207/s15328031us0304.
- Hede, R. P. A. (2016) "*Comparison of least square mehod and maximum likelihood method for estimating the two parameter weibull distribution*", Universitas Sanata Dharma.
- Hidekazu, Y., & Toshiyuki, F. (1977) '*Study on the plant fluorida content and relationship with alumunium*', Japanese Journal of Soil Fertility, (48), pp. 253–261.
- Huang, L. *et al.* (2014) '*Application of Electronic Nose with Multivariate Analysis and Sensor Selection for Botanical Origin Identification and Quality Determination of Honey*', Food and Bioprocess Technology, 8(2), pp. 359–370. doi: 10.1007/s11947-014-1407-6.
- Huang, C. *et al.* (2019) '*Feature selection method based on partial least squares and analysis of traditional Chinese medicine data*', Computational and Mathematical Methods in Medicine, 2019. doi: 10.1155/2019/9580126.
- Ikadianti, R. (2015) *Pemodelan Jumlah Uang Beredar Menggunakan Partial Least Squares Regression (Plsr) Dengan Algoritma Nipals (Nonlinear Iterative Partial Least Squares), None.* Universitas Diponegoro Semarang.
- Inca, I., Widodo, T. W. and Lelono, D. (2018) '*Klasifikasi Teh Hijau dan Teh Hitam Tambi-Pagilaran dengan Metode Principal Component Analysis (PCA) Menggunakan E-Nose*', IJEIS (Indonesian Journal of Electronics and Instrumentation Systems), 8(1), p. 61. doi: 10.22146/ijeis.28718.
- Khiadani (Hajian), M. (2013) '*Determiation of polycyclic aromatic hydrocarbons concentration in eight brands of black tea which are used more in Iran*', International Journal of Environmental Health Engineering, 2(1), p. 40. doi: 10.4103/2277-9183.122427.



- Kusnanto (2019) *Rancang Bangun Sistem Prediksi Jumlah Tingkat Pendaftaran Jamaah Haji dan umroh Menggunakan Metode Least Square, Jurnal Ekonomi Volume 18, Nomor 1 Maret 201*. Universitas Islam Negeri Sultan Syarif Kasim Riau.
- Lee, L. C., Liong, C. Y. and Jemain, A. A. (2018) '*Partial least squares-discriminant analysis (PLS-DA) for classification of high-dimensional (HD) data: A review of contemporary practice strategies and knowledge gaps*', *Analyst*, 143(15), pp. 3526–3539. doi: 10.1039/c8an00599k.
- Lelono, D. (2017) *Pengembangan Instrumentais Sistem Electronic Nose untuk Uji Teh Hitam Lokal*. Universitas Gadjah Mada.
- Lin, S. and Zhang, X. (2016) '*A rapid and novel method for predicting nicotine alkaloids in tobacco through electronic nose and partial least-squares regression analysis*', *Analytical Methods*, 8(7), pp. 1609–1617. doi: 10.1039/c5ay02257f.
- Lozano, J. et al. (2015) '*Automatic sensor system for the continuous analysis of the evolution of wine*', *American Journal of Enology and Viticulture*, 66(2), pp. 148–155. doi: 10.5344/ajev.2014.14103.
- Lu, Y., Guo, W.-F. and Yang, X.-Q. (2004) '*Fluoride Content in Tea and Its Relationship with Tea Quality*', *Journal of agricultural and food chemistry*, 52, pp. 4472–4476. doi: 10.1021/jf0308354.
- Lukitaningsih, E., Sulistyono, B. and Neogrohato, S. (2001) '*Analysis of polycyclic aromatic hydrocarbons in some meat products*', *Majalah Farmasi Indonesia*, 12(3), pp. 103–108.
- Maina, A. (2019), "*Aplikasi Teknologi Hidung Elektronik (Electronic Nose) untuk Prediksi Cepat Kadar Asam Klorogenat pada Biji Kopi Hijau (Application of Electronic Nose Technology For Fast Prediction Of Chlorogenate Acid Content In Green Coffe Seeds)*". Program Studi Teknik Pertanian', 5(1), pp. 1–10. Universitas Syah Kuala: Aceh
- Marcus, G., Wattimanela, H., & Lesnussa, Y. (2012) '*Analisis Regresi Komponen Utama Untuk Mengatasi Multikolinearitas*', *Jurnal Ilmu Matematika dan Terapan*, 6(1), pp. 32–40.
- Martiadhi, C. T. R. I., Teknik, F. and Ekstensi, P. S. (2010), "*Analisis pengaruh cuaca terhadap beban puncak elektrik PLN pada wilayah Jakarta Pusat*", Universitas Indonesia
- Mirhosseini, A. R. et al. (1998) '*Human Face Image Recognition: An Evidence Aggregation Approach*', *Computer Vision and Image Understanding*, 71(2), pp. 213–230. doi: 10.1006/cviu.1998.0710.



- Montgomery, D. C., Peck, E. A., & Vining, G. G. (2006) *Introduction of Linear Regression Analysis*. 4 th. Canada: John wiley & Sons.
- Montgomery, D.C., Runger, G. . (2007) *Applied Statistics and Probability for Engineers*. 4 th. Hoboken: John wiley & Sons.
- Di Natale, C. *et al.* (2000) ‘*Electronic nose and electronic tongue integration for improved classification of clinical and food samples*’, *Sensors and Actuators, B: Chemical*, 64(1–3), pp. 15–21. doi: 10.1016/S0925-4005(99)00477-3.
- Nollet, L. M. L. and Toldra, F. (2015) *Handbook of Food Analysis*. third edit. CRC Press Taylor & Francis Group.
- Nurhayati (2014) ‘*Metode Regresi Komponen Utama, Regresi Kuadrat Terkecil Parsial, dan Lasso pada Data Kemiskinan Hasil Olahan Susenas 2012*’, Institut Pertanian Bogor.
- Nurhayati, S. (2015) ‘*Prediksi mahasiswa drop out menggunakan metode support vector machine*’, Institut Pertanian Bogor
- Nurhidayat, A. (2010) ‘*Pengembangan dan Evaluasi Sistem Peringatan Dini untuk Kebocoran LPG Rumah Tangga*’, Universitas Indonesia.
- Palacín, J. *et al.* (2019) ‘*Application of an array of metal-oxide semiconductor gas sensors in an assistant personal robot for early gas leak detection*’, *Sensors (Switzerland)*, 19(9), pp. 1–16. doi: 10.3390/s19091957.
- Patel, H. K., Austin, R. H. and Barber, J. (2014) *The Electronic Nose: Artificial Olfaction Technology, Biological and Medical Physics, Biomedical Engineering*. doi: 10.1007/978-81-322-1548-6.
- Phaisangittisagul, E. (2010) ‘*Improving sensor subset selection of machine olfaction using multi-class SVM*’, 3rd International Conference on Knowledge Discovery and Data Mining, *WKDD 2010*, pp. 28–31. doi: 10.1109/WKDD.2010.39.
- Puspita, W. A. (2018) *Perbandingan Metode Partial Least Square (Pls) Dan Principal Component Refression (Pcr) Untuk Mengatasi Multikolinearitas Pada Model Regresi Berganda*. Universitas Islam Negeri Sunan Kalijaga.
- Qu, G. *et al.* (2001) ‘*Measuring odor concentration with an electronic nose*’, 44(6), pp. 1807–1812.
- Rimall, R. (2014) *Evaluation of models for predicting the average monthly euro versus Norwegian krone exchange rate from financial and comodity information, Dk*. doi: 10.1017/CBO9781107415324.004.
- Sabilla, S. I., Sarno, R. and Siswantoro, J. (2017) ‘*Estimating Gas Concentration using*



- Artificial Neural Network for Electronic Nose*, *Procedia Computer Science*. Elsevier B.V., 124(December), pp. 181–188. doi: 10.1016/j.procs.2017.12.145.
- Santoso, B. (2007) *Data mining teknik pemanfaatan data untuk keperluan bisnis*. Yogyakarta: Graha Ilmu.
- Sarwoko (2005) *Dasar-dasar Ekonometrika*. Yogyakarta: Andi Offset.
- Shaffer, R. E., Rose-Pehrsson, S. L. and McGill, R. A. (1998) ‘*Multiway Analysis of Preconcentrator-Sampled Surface Acoustic Wave Chemical Sensor Array Data*’, *Field Analytical Chemistry and Technology*, 2(3), pp. 179–192. doi: 10.1002/(sici)1520-6521(1998)2:3<179::aid-fact7>3.0.co;2-q.
- Shao, J. (1993) ‘*Linear Model Selection by cross-validation*’, *Journal of American Statistical Association*, 88, pp. 486–494.
- Simamora, J. (2017) ‘*Rancang bangun sistem pendeteksi kesegaran daging berdasarkan sensor bau dan warna*’, Institut Teknologi Sepuluh Nopember. doi: 10.3171/JNS/2008/108/6/1122.
- Sofuoglu, S. C. and Kavcar, P. (2008) ‘*An exposure and risk assessment for fluoride and trace metals in black tea*’, *Journal of Hazardous Materials*, 158(2–3), pp. 392–400. doi: 10.1016/j.jhazmat.2008.01.086.
- Srinadi, I. G. A. M. (2017) ‘*Model Partial Least Square Regression (PLSR) Pengaruh Bidang Pendidikan dan Ekonomi Terhadap Tingkat Kemiskinan di Indonesia*’, *Journal of Chemical Information and Modeling*, 53(9), pp. 1689–1699. doi: 10.1017/CBO9781107415324.004.
- Sujatha, G. et al. (2012) ‘*Advances In Electronic - Nose Technologies*’, *International Journal of Engineering Research and Applications (IJERA)*, 2(August), pp. 1541–1546. Available at: http://www.ijera.com/papers/Vol2_issue4/IU2415411546.pdf.
- Sukmono (2014) ‘*Penggunaan Partial Least Square Regression (PLSR) untuk mengatasi multikolinearitas dalam estimasi klorofil daun tanaman padi dengan citra hiperspektral*’, *Least Square Regression*, pp. 93–98.
- Suryani, L. (2019), “*Klasifikasi teh hitam berbasis e-nose menggunakan independent component analysis dan SVM*”. Universitas Gadjah Mada: Yogyakarta.
- Supriyadi, E. (2016) *Perbandingan metode Partial Least Square (PLS) dan Principal Component Regression (PCR) untuk mengatasi multikolinearitas pada model regresi linear berganda*. Universitas Negeri Semarang.
- Tang, Y. and Sutskever, I. (2011) ‘*Data normalization in the learning of restricted boltzmann machines*’.



- Varmuza, P. F. (2008) *Book Reviews: Introduction to Multivariate Statistical Analysis in Chemometrics*, Applied Spectroscopy. doi: 10.1366/000370210791114185.
- Wang, H. (1999) *Partial Least Square Regression: Method and Applications*, National Defence Industry Press. Beijing.
- Wang, J., Kou, Z. and Ji, L. (2002) 'Facial Feature Point Extraction by Partial Least Square Regression', The Pennsylvania State University CiteSeer Archives, (November 2002).
- Webb-Peploe, M. M. and Bradley, W. G. (1966) 'Endemic fluorosis with neurological complications in a Hampshire man', Journal of Neurology, Neurosurgery & Psychiatry, 29(6), pp.577–583. doi: 10.1136/jnnp.29.6.577.
- Westerhuis, J. A., Kourti, T. and Macgregor, J. F. (1998) 'Analysis of multiblock and hierarchical PCA and PLS models', Journal of Chemometrics, 12(5), pp. 301–321. doi: 10.1002/(SICI)1099-128X(199809/10)12:5<301::AID-CEM515>3.0.CO;2-S.
- Whyte, M. P. et al. (2005) 'Skeletal fluorosis and instant tea', American Journal of Medicine, 118(1), pp. 78–82. doi: 10.1016/j.amjmed.2004.07.046.
- Wickremasinghe, R. et al. (1979) 'Changes in Polyphenols, Amino Acids and Volatile Compounds during Fermentation and Firing in Orthodox Processing of Tea'.
- Wigena, A. H. (2011) 'Regresi kuadrat terkecil parsial multi respon untuk statistical downscaling', Forum Statistika dan Komputasi, 16(2), pp. 12–15.
- Wilson, A. D. and Baietto, M. (2011) 'Advances in electronic-nose technologies developed for biomedical applications', Sensors, 11(1), pp. 1105–1176. doi: 10.3390/s110101105.
- Wiśniewska, P. et al. (2016) 'Differentiation Between Spirits According to Their Botanical Origin', Food Analytical Methods, 9(4), pp. 1029–1035. doi: 10.1007/s12161-015-0280-x.
- Wold, S., Sjöström, M. and Eriksson, L. (2001) 'PLS-regression: A basic tool of chemometrics', Chemometrics and Intelligent Laboratory Systems, 58(2), pp. 109–130. doi: 10.1016/S0169-7439(01)00155-1.
- Xu, M., Wang, J. and Zhu, L. (2019) 'The qualitative and quantitative assessment of tea quality based on E-nose, E-tongue and E-eye combined with chemometrics', Food Chemistry. Elsevier Ltd, 289, pp. 482–489. doi: 10.1016/j.foodchem.2019.03.080.
- Yadav, S. (2018) 'Correlation analysis in Biological Studies', Journal of the Practice of Cardiovascular Sciences, 3(May), pp. 36–8. doi: 10.4103/jpcs.jpcs.



- Yan, J. *et al.* (2015) ‘*Electronic nose feature extraction methods: A review*’, *Sensors (Switzerland)*, 15(11), pp. 27804–27831. doi: 10.3390/s151127804.
- Yuwono, M. (2005) ‘Determination of fluoride in black, green and herbal teas by ionselective electrode using a standard-addition method’, *Dental Journal (Majalah Kedokteran Gigi)*, 38(2), p. 91. doi: 10.20473/j.djmk.v38.i2.p91-95.
- Zhang, Y. *et al.* (2019) ‘*The forms of fluorine in tea and its bioaccessibility*’, 52(July), pp. 289–298.
- Zigner, K. R.. (2019) "*Methane Sensing in the Field*", Senior Projecta Spring, New York.
- Zulfaida, U., Arumsari, A. and Nugraha, R. (2016) ‘*Analisis Kadar Fluorida Dalam Sampel Seduhan Teh (Camellia Sinensis) menggunakan Metode Spektrofotometri Sinar Tampak*’, 2(2460–642), pp. 15–22. Available at: <http://karyailmiah.unisba.ac.id/index.php/farmasi/article/viewFile/3040/pdf>.