

DAFTAR PUSTAKA

- Ahuja, S. dan Dong, M., 2005. *Handbook of Pharmaceutical Analysis by HPLC*. Elsevier, hal. 20–22; 201–203.
- Alara, O.R., Mudalip, S.K.A., Abdurahman, N.H., Mahmoud, M.S., dan Obanijesu, E.O.O., 2019. Data on parametric influence of microwave-assisted extraction on the recovery yield, total phenolic content and antioxidant activity of *Phaleria macrocarpa* fruit peel extract. *Chemical Data Collections*, **24**: 100277.
- Almajano, M.P., Carbó, R., Jiménez, J.A.L., dan Gordon, M.H., 2008. Antioxidant and antimicrobial activities of tea infusions. *Food Chemistry*, **108**: 55–63.
- Almajano, M.P., Vila, I., dan Gines, S., 2011. Neuroprotective effects of white tea against oxidative stress-induced toxicity in striatal cells. *Neurotoxicity Research*, **20**: 372–378.
- Aluani, D., Tzankova, V., Kondeva-Burdina, M., Yordanov, Y., Nikolova, E., Odzhakov, F., dkk., 2017. Evaluation of biocompatibility and antioxidant efficiency of chitosan-alginate nanoparticles loaded with quercetin. *International Journal of Biological Macromolecules*, **103**: 771–782.
- Alves, M.G., Martins, A.D., Teixeira, N.F., Rato, L., Oliveira, P.F., dan Silva, B.M., 2015. White tea consumption improves cardiac glycolytic and oxidative profile of prediabetic rats. *Journal of Functional Foods*, **14**: 102–110.
- Armstrong, N.A., 2006. *Pharmaceutical Experimental Design and Interpretation*, 2nd ed. Informa Healthcare.
- Azman, N.A.M., Peiró, S., Fajarí, L., Julià, L., dan Almajano, M.P., 2014. Radical scavenging of white tea and its flavonoid constituents by electron paramagnetic resonance (EPR) spectroscopy. *Journal of Agricultural and Food Chemistry*, **62**: 5743–5748.
- Azuma, K., Izumi, R., Osaki, T., Ifuku, S., Morimoto, M., Saimoto, H., dkk., 2015. Chitin, chitosan, and its derivatives for wound healing: old and new materials. *Journal of Functional Biomaterials*, **6**: 104–142.
- Banerjee, B., 1992. Botanical classification of tea, dalam: Willson, K.C., Clifford, M.N. (Eds.), *Tea*. Springer Netherlands, hal. 25–51.
- Banerjee, S. dan Chatterjee, J., 2015. Efficient extraction strategies of tea (*Camellia sinensis*) biomolecules. *Journal of Food Science and Technology*, **52**: 3158–3168.
- Barbosa, M.L., de Meneses, A.A.P.M., de Aguiar, R.P.S., de Castro e Sousa, J.M., de Carvalho Melo Cavalcante, A.A., dan Maluf, S.W., 2020. Oxidative

stress, antioxidant defense and depressive disorders: A systematic review of biochemical and molecular markers. *Neurology, Psychiatry and Brain Research*, **36**: 65–72.

Bazinet, L., Labbé, D., dan Tremblay, A., 2007. Production of green tea EGC- and EGCG-enriched fractions by a two-step extraction procedure. *Separation and Purification Technology*, **56**: 53–56.

Bharadwaz, A. dan Bhattacharjee, C., 2012. Extraction of polyphenols from dried tea leaves. *International Journal of Scientific and Engineering Research*, **3**: 1–5.

Bilia, A.R., Isacchi, B., Righeschi, C., Guccione, C., dan Bergonzi, M.C., 2014. Flavonoids loaded in nanocarriers: an opportunity to increase oral bioavailability and bioefficacy. *Food and Nutrition Sciences*, **5**: 1212.

Cabrera, C., Artacho, R., dan Giménez, R., 2006. Beneficial effects of green tea - a review. *Journal of the American College of Nutrition*, **25**: 79–99.

Cai, J., Wang, Y., Xi, X., Li, H., dan Wei, X., 2015. Using FTIR spectra and pattern recognition for discrimination of tea varieties. *International Journal of Biological Macromolecules*, **78**: 439–446.

Cano, A., Ettcheto, M., Chang, J.H., Barroso, E., Espina, M., Kühne, B.A., dkk., 2019. Dual-drug loaded nanoparticles of epigallocatechin-3-gallate (EGCG)/ascorbic acid enhance therapeutic efficacy of EGCG in a APPswe/PS1dE9 alzheimer's disease mice model. *Journal of Controlled Release*, **301**: 62–75.

Chang, C.C., Yang, M.H., Wen, H.M., dan Chern, J.C., 2002. Estimation of total flavonoid content in propolis by two complementary colorimetric methods. *Journal of Food and Drug Analysis; Philadelphia*, **10**: .

Chaturvedula, V.S.P. dan Prakash, I., 2011. The aroma, taste, color and bioactive constituents of tea. *Journal of Medicinal Plants Research*, **5**: 2110–2124.

Cheong, W.J., Park, M.H., Kang, G.W., Ko, J.H., dan Seo, Y.J., 2005. Determination of catechin compounds in korean green tea infusions under various extraction conditions by high performance liquid chromatography. *Bulletin of the Korean Chemical Society*, **26**: 747–754.

Choung, M.G., Hwang, Y.S., Lee, M.S., Lee, J., Kang, S.T., dan Jun, T.H., 2013. Comparison of extraction and isolation efficiency of catechins and caffeine from green tea leaves using different solvent systems. *International Journal of Food Science and Technology*, **49**: 1572–1578.

Choung, M.G. dan Lee, M.S., 2011. Optimal extraction conditions for simultaneous determination of catechins and caffeine in green tea leaves. *Food Science and Biotechnology*, **20**: 327–333.

- Chowdhury, A., Sarkar, J., Chakraborti, T., Pramanik, P.K., dan Chakraborti, S., 2016. Protective role of epigallocatechin-3-gallate in health and disease: A perspective. *Biomedicine and Pharmacotherapy*, **78**: 50–59.
- Colom, J., Cano-Sarabia, M., Otero, J., Aríñez-Soriano, J., Cortés, P., MasPOCH, D., dkk., 2017. Microencapsulation with alginate/CaCO₃: A strategy for improved phage therapy. *Scientific Reports*, **7**: 41441.
- Cui, L., Liu, Y., Liu, T., Yuan, Y., Yue, T., Cai, R., dkk., 2017. Extraction of epigallocatechin gallate and epicatechin gallate from tea leaves using β -cyclodextrin. *Journal of Food Science*, 1–7.
- da Silva Carvalho, A.G., da Costa Machado, M.T., de Freitas Queiroz Barros, H.D., Cazarin, C.B.B., Maróstica Junior, M.R., dan Hubinger, M.D., 2019. Anthocyanins from jussara (*Euterpe edulis* Martius) extract carried by calcium alginate beads pre-prepared using ionic gelation. *Powder Technology*, **345**: 283–291.
- da Silveira, T.F.F., Meinhart, A.D., Ballus, C.A., dan Godoy, H.T., 2014. The effect of the duration of infusion, temperature, and water volume on the rutin content in the preparation of mate tea beverages: An optimization study. *Food Research International*, **60**: 241–245.
- Dai, W., Ruan, C., Sun, Y., Gao, X., dan Liang, J., 2020. Controlled release and antioxidant activity of chitosan and β -lactoglobulin complex nanoparticles loaded with epigallocatechin gallate. *Colloids and Surfaces B: Biointerfaces*, **188**: 110802.
- Dai, W., Ruan, C., Zhang, Y., Wang, J., Han, J., Shao, Z., dkk., 2020. Bioavailability enhancement of EGCG by structural modification and nano-delivery: A review. *Journal of Functional Foods*, **65**: 103732.
- Damiani, E., Bacchetti, T., Padella, L., Tiano, L., dan Carloni, P., 2014. Antioxidant activity of different white teas: comparison of hot and cold tea infusions. *Journal of Food Composition and Analysis*, **33**: 59–66.
- Dharshini, L.C.P., Vishnupriya, S., Sakthivel, K.M., dan Rasmi, R.R., 2020. Oxidative stress responsive transcription factors in cellular signalling transduction mechanisms. *Cellular Signalling*, **72**: 109670.
- Dias, T.R., Tomás, G., Teixeira, N.F., Alves, M.G., Oliveira, P.F., dan Silva, B.M., 2013. White tea (*Camellia sinensis* (L.)): antioxidant properties and beneficial health effects. *International Journal of Food Science, Nutrition and Dietetics*, **2**: 19–26.
- Dong, J.J., Ye, J.H., Lu, J.L., Zheng, X.Q., dan Liang, Y.R., 2011. Isolation of antioxidant catechins from green tea and its decaffeination. *Food and Bioproducts Processing*, **89**: 62–66.

- Dube, A., Ng, K., Nicolazzo, J.A., dan Larson, I., 2010a. Effective use of reducing agents and nanoparticle encapsulation in stabilizing catechins in alkaline solution. *Food Chemistry*, **122**: 662–667.
- Dube, A., Nicolazzo, J.A., dan Larson, I., 2010b. Chitosan nanoparticles enhance the intestinal absorption of the green tea catechins (+)-catechin and (–)-epigallocatechin gallate. *European Journal of Pharmaceutical Sciences*, **41**: 219–225.
- Dube, A., Nicolazzo, J.A., dan Larson, I., 2011. Chitosan nanoparticles enhance the plasma exposure of (–)-epigallocatechin gallate in mice through an enhancement in intestinal stability. *European Journal of Pharmaceutical Sciences*, **44**: 422–426.
- Effendi, D.S., Syakir, M., Yusron, M., dan Wiratno, 2010. *Budidaya Dan Pasca Panen Teh*. Pusat Penelitian dan Pengembangan Perkebunan, Kementerian Pertanian, Bogor, Indonesia.
- Eleazu, C.O., Eleazu, K.C., Chukwuma, S., dan Essien, U.N., 2013. Review of the mechanism of cell death resulting from streptozotocin challenge in experimental animals, its practical use and potential risk to humans. *Journal of Diabetes and Metabolic Disorders*, **12**: 60.
- Ezzat, H.M., Elnaggar, Y.S.R., dan Abdallah, O.Y., 2019. Improved oral bioavailability of the anticancer drug catechin using chitosomes: Design, in-vitro appraisal and in-vivo studies. *International Journal of Pharmaceutics*, **565**: 488–498.
- Fàbregas, A., Miñarro, M., García-Montoya, E., Pérez-Lozano, P., Carrillo, C., Sarrate, R., dkk., 2013. Impact of physical parameters on particle size and reaction yield when using the ionic gelation method to obtain cationic polymeric chitosan–tripolyphosphate nanoparticles. *International Journal of Pharmaceutics*, **446**: 199–204.
- Fan, W., Yan, W., Xu, Z., dan Ni, H., 2012. Formation mechanism of monodisperse, low molecular weight chitosan nanoparticles by ionic gelation technique. *Colloids and Surfaces B: Biointerfaces*, **90**: 21–27.
- Fangueiro, J.F., Andreani, T., Fernandes, L., Garcia, M.L., Egea, M.A., Silva, A.M., dkk., 2014. Physicochemical characterization of epigallocatechin gallate lipid nanoparticles (EGCG-LNs) for ocular instillation. *Colloids and Surfaces B: Biointerfaces*, **123**: 452–460.
- Fangueiro, J.F., Calpena, A.C., Clares, B., Andreani, T., Egea, M.A., Veiga, F.J., dkk., 2016. Biopharmaceutical evaluation of epigallocatechin gallate-loaded cationic lipid nanoparticles (EGCG-LNs): In vivo, in vitro and ex vivo studies. *International Journal of Pharmaceutics*, **502**: 161–169.

- Fu, N., Zhou, Z., Jones, T.B., Tan, T.T.Y., Wu, W.D., Lin, S.X., dkk., 2011. Production of monodisperse epigallocatechin gallate (EGCG) microparticles by spray drying for high antioxidant activity retention. *International Journal of Pharmaceutics*, **413**: 155–166.
- Ghitescu, L.D., Gugliucci, A., dan Dumas, F., 2001. Actin and annexins I and II are among the main endothelial plasmalemma-associated proteins forming early glucose adducts in experimental diabetes. *Diabetes*, **50**: 1666–1674.
- Gómez-Mascaraque, L.G., Soler, C., dan Lopez-Rubio, A., 2016. Stability and bioaccessibility of EGCG within edible micro-hydrogels. Chitosan vs. gelatin, a comparative study. *Food Hydrocolloids*, **61**: 128–138.
- González, A.G. dan Herrador, M.A., 2007. A practical guide to analytical method validation, including measurement uncertainty and accuracy profiles. *TrAC Trends in Analytical Chemistry*, **26**: 227–238.
- Gowda, S.N.S., Rajasowmiya, S., Vadivel, V., Banu Devi, S., Celestin Jerald, A., Marimuthu, S., dkk., 2018. Gallic acid-coated silver nanoparticle alters the expression of radiation-induced epithelial-mesenchymal transition in non-small lung cancer cells. *Toxicology in Vitro*, **52**: 170–177.
- Goyal, S.N., Reddy, N.M., Patil, K.R., Nakhate, K.T., Ojha, S., Patil, C.R., dkk., 2016. Challenges and issues with streptozotocin-induced diabetes – A clinically relevant animal model to understand the diabetes pathogenesis and evaluate therapeutics. *Chemico-Biological Interactions*, **244**: 49–63.
- Grasel, F. dos S., Ferrão, M.F., dan Wolf, C.R., 2016. Development of methodology for identification the nature of the polyphenolic extracts by FTIR associated with multivariate analysis. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, **153**: 94–101.
- Guzmán, K., Kumar, B., Vallejo, M.J., Grijalva, M., Debut, A., dan Cumbal, L., 2019. Ultrasound-assisted synthesis and antibacterial activity of gallic acid-chitosan modified silver nanoparticles. *Progress in Organic Coatings*, **129**: 229–235.
- Hajiaghaalipour, F., Kanthimathi, M.S., Sanusi, J., dan Rajarajeswaran, J., 2015. White tea (*Camellia sinensis*) inhibits proliferation of the colon cancer cell line, HT-29, activates caspases and protects DNA of normal cells against oxidative damage. *Food Chemistry*, **169**: 401–410.
- Hajiaghaalipour, F., Sanusi, J., dan Kanthimathi, M.S., 2016. Temperature and time of steeping affect the antioxidant properties of white, green, and black tea infusions. *Journal of Food Science*, **81**: 246–254.
- Halim, M. dan Halim, A., 2019. The effects of inflammation, aging and oxidative stress on the pathogenesis of diabetes mellitus (type 2 diabetes). *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, **13**: 1165–1172.

- Han, J., Guenier, A.S., Salmieri, S., dan Lacroix, M., 2008. Alginate and chitosan functionalization for micronutrient encapsulation. *Journal of Agricultural and Food Chemistry*, **56**: 2528–2535.
- Handayani, D., Mun'im, A., dan Ranti, A.S., 2015. Optimation of green tea waste atraction using microwave assisted extraction to yield green tea extract. *Traditional Medicine Journal*, **19**: 29–35.
- Hasan, K.Md.M., Tamanna, N., dan Haque, Md.A., 2018. Biochemical and histopathological profiling of wistar rat treated with *Brassica napus* as a supplementary feed. *Food Science and Human Wellness*, **7**: 77–82.
- He, J., Wu, Z., Zhang, S., Zhou, Y., Zhao, F., Peng, Z., dkk., 2014. Optimization of microwave-assisted extraction of tea saponin and its application on cleaning of historic silks. *Journal of Surfactants and Detergents*, **17**: 919–928.
- Hecht, H. dan Srebnik, S., 2016. Structural characterization of sodium alginate and calcium alginate. *Biomacromolecules*, **17**: 2160–2167.
- Hilal, Y. dan Engelhardt, U., 2007. Characterisation of white tea – Comparison to green and black tea. *Journal für Verbraucherschutz und Lebensmittelsicherheit*, **2**: 414–421.
- Hirun, S. dan Roach, P.D., 2011. An improved solvent extraction method for the analysis of catechins and caffeine in green tea. *Journal of Food and Nutrition Research*, **50**: 160–166.
- Holme, H.K., Davidsen, L., Kristiansen, A., dan Smidsrød, O., 2008. Kinetics and mechanisms of depolymerization of alginate and chitosan in aqueous solution. *Carbohydrate Polymers*, **73**: 656–664.
- Hu, B., Ma, F., Yang, Y., Xie, M., Zhang, C., Xu, Y., dkk., 2016. Antioxidant nanocomplexes for delivery of epigallocatechin-3-gallate. *Journal of Agricultural and Food Chemistry*, **64**: 3422–3429.
- Hu, C.J., Gao, Y., Liu, Y., Zheng, X.Q., Ye, J.H., Liang, Y.R., dkk., 2016. Studies on the mechanism of efficient extraction of tea components by aqueous ethanol. *Food Chemistry*, **194**: 312–318.
- Hu, Q., Wang, T., Zhou, M., Xue, J., dan Luo, Y., 2016. Formation of redispersible polyelectrolyte complex nanoparticles from gallic acid-chitosan conjugate and gum arabic. *International Journal of Biological Macromolecules*, **92**: 812–819.
- Huang, J., Xie, Z., Wang, Y., Zhang, J., dan Wan, X., 2015. Recent advances of anti-hyperglycemia and anti-diabetes actions of tea in animal studies. *Current Opinion in Food Science*, **2**: 78–83.
- ICH, 2005. 'Validation of analytical procedures: text and methodology', dalam: Q2 (R1).

- Ighodaro, O.M., 2018. Molecular pathways associated with oxidative stress in diabetes mellitus. *Biomedicine and Pharmacotherapy*, **108**: 656–662.
- Islam, Md.S., 2011. Effects of the aqueous extract of white tea (*Camellia sinensis*) in a streptozotocin-induced diabetes model of rats. *Phytomedicine*, **19**: 25–31.
- Istenič, K., Cerc Korošec, R., dan Poklar Ulrih, N., 2016. Encapsulation of (–)-epigallocatechin gallate into liposomes and into alginate or chitosan microparticles reinforced with liposomes. *Journal of the Science of Food and Agriculture*, **96**: 4623–4632.
- Jahromi, M.A.M., Al-Musawi, S., Pirestani, M., Ramandi, M.F., Ahmadi, K., Rajayi, H., dkk., 2014. Curcumin-loaded chitosan tripolyphosphate nanoparticles as a safe, natural and effective antibiotic inhibits the infection of *Staphylococcus aureus* and *Pseudomonas aeruginosa* in vivo. *Iranian Journal of Biotechnology*, **12**: 1–8.
- Kazi, J., Sen, R., Ganguly, S., Jha, T., Ganguly, S., dan Debnath, M.C., 2020. Folate decorated epigallocatechin-3-gallate (EGCG) loaded PLGA nanoparticles; in-vitro and in-vivo targeting efficacy against MDA-MB-231 tumor xenograft. *International Journal of Pharmaceutics*, 119449.
- Khan, N. dan Mukhtar, H., 2007. Tea polyphenols for health promotion. *Life Sciences*, **81**: 519–533.
- Ko, M.J., Cheigh, C.I., dan Chung, M.S., 2014. Optimization of subcritical water extraction of flavanols from green tea leaves. *Journal of Agricultural and Food Chemistry*, **62**: 6828–6833.
- Kohane, D.S., 2007. Microparticles and nanoparticles for drug delivery. *Biotechnology and Bioengineering*, **96**: 203–209.
- Kothamasu, P., Kanumur, H., Ravur, N., Maddu, C., Parasuramrajam, R., dan Thangavel, S., 2012. Nanocapsules: the weapons for novel drug delivery systems. *BioImpacts : BI*, **2**: 71–81.
- Krupkova, O., Ferguson, S.J., dan Wuertz-Kozak, K., 2016. Stability of (–)-epigallocatechin gallate and its activity in liquid formulations and delivery systems. *The Journal of Nutritional Biochemistry*, **37**: 1–12.
- Kulig, D., Zimoch-Korzycka, A., Jarmoluk, A., dan Marycz, K., 2016. Study on alginate–chitosan complex formed with different polymers ratio. *Polymers*, **8**: 167.
- Kumar, D., Gulati, A., dan Sharma, U., 2016. Determination of theanine and catechin in *Camellia sinensis* (kangra tea) leaves by HPTLC and NMR techniques. *Food Analytical Methods*, **9**: 1666–1674.

- Labbé, D., Têtu, B., Trudel, D., dan Bazinet, L., 2008. Catechin stability of EGC- and EGCG-enriched tea drinks produced by a two-step extraction procedure. *Food Chemistry*, **111**: 139–143.
- Lee, L.S., Lee, N., Kim, Y.H., Lee, C.H., Hong, S.P., Jeon, Y.W., dkk., 2013. Optimization of ultrasonic extraction of phenolic antioxidants from green tea using response surface methodology. *Molecules*, **18**: 13530–13545.
- Li, F., Jin, H., Xiao, J., Yin, X., Liu, X., Li, D., dkk., 2018. The simultaneous loading of catechin and quercetin on chitosan-based nanoparticles as effective antioxidant and antibacterial agent. *Food Research International*, **111**: 351–360.
- Li, J. dan Wang, X., 2015. Binding of (–)-epigallocatechin-3-gallate with thermally-induced bovine serum albumin/ι-carrageenan particles. *Food Chemistry*, **168**: 566–571.
- Li, N., Taylor, L.S., Ferruzzi, M.G., dan Mauer, L.J., 2012. Kinetic study of catechin stability: effects of pH, concentration, and temperature. *Journal of Agricultural and Food Chemistry*, **60**: 12531–12539.
- Li, Q., Liu, C.G., Huang, Z.H., dan Xue, F.F., 2011. Preparation and characterization of nanoparticles based on hydrophobic alginate derivative as carriers for sustained release of vitamin D3. *Journal of Agricultural and Food Chemistry*, **59**: 1962–1967.
- Li, X., Xie, H., Lin, J., Xie, W., dan Ma, X., 2009. Characterization and biodegradation of chitosan–alginate polyelectrolyte complexes. *Polymer Degradation and Stability*, **94**: 1–6.
- Liang, H., Liang, Y., Dong, J., dan Lu, J., 2007. Tea extraction methods in relation to control of epimerization of tea catechins. *Journal of the Science of Food and Agriculture*, **87**: 1748–1752.
- Liu, F., Antoniou, J., Li, Y., Majeed, H., Liang, R., Ma, Y., dkk., 2016a. Chitosan/sulfobutylether-β-cyclodextrin nanoparticles as a potential approach for tea polyphenol encapsulation. *Food Hydrocolloids*, **57**: 291–300.
- Liu, F., Majeed, H., Antoniou, J., Li, Y., Ma, Y., Yokoyama, W., dkk., 2016b. pH and temperature stability of (–)-epigallocatechin-3-gallate-β-cyclodextrin inclusion complex-loaded chitosan nanoparticles. *Carbohydrate Polymers*, **149**: 340–347.
- Lobatto, M.E., Fuster, V., Fayad, Z.A., dan Mulder, W.J.M., 2011. Perspectives and opportunities for nanomedicine in the management of atherosclerosis. *Nature Reviews Drug Discovery*, **10**: 835–852.
- López-León, T., Carvalho, E.L.S., Seijo, B., Ortega-Vinuesa, J.L., dan Bastos-González, D., 2005. Physicochemical characterization of chitosan

nanoparticles: electrokinetic and stability behavior. *Journal of Colloid and Interface Science*, **283**: 344–351.

- Maity, S., Mukhopadhyay, P., Kundu, P.P., dan Chakraborti, A.S., 2017. Alginate coated chitosan core-shell nanoparticles for efficient oral delivery of naringenin in diabetic animals—An in vitro and in vivo approach. *Carbohydrate Polymers*, **170**: 124–132.
- Mansur, A.R., Song, N.E., Jang, H.W., Lim, T.G., Yoo, M., dan Nam, T.G., 2019. Optimizing the ultrasound-assisted deep eutectic solvent extraction of flavonoids in common buckwheat sprouts. *Food Chemistry*, **293**: 438–445.
- Maritim, A.C., Sanders, R.A., dan Watkins, J.B., 2003. Diabetes, oxidative stress, and antioxidants: A review. *Journal of Biochemical and Molecular Toxicology*, **17**: 24–38.
- Martien, R., Adhyatmika, Irianto, I.D., Farida, V., dan Sari, D.P., 2012. Perkembangan teknologi nanopartikel sebagai sistem penghantaran obat. *Majalah Farmaseutik*, **8**: 133–144.
- Matough, F.A., Budin, S.B., Hamid, Z.A., Alwahaibi, N., dan Mohamed, J., 2012. The role of oxidative stress and antioksidants in diabetic complications. *Journal of SQU Medical*, **12**: 5–18.
- Merisko-Liversidge, E.M. dan Liversidge, G.G., 2008. Drug nanoparticles: Formulating poorly water-soluble compounds. *Toxicologic Pathology*, **36**: 43–48.
- Mohammed, M., Syeda, J., Wasan, K., dan Wasan, E., 2017. An overview of chitosan nanoparticles and its application in non-parenteral drug delivery. *Pharmaceutics*, **9**: 53.
- Mukhopadhyay, P., Chakraborty, S., Bhattacharya, S., Mishra, R., dan Kundu, P.P., 2015. pH-sensitive chitosan/alginate core-shell nanoparticles for efficient and safe oral insulin delivery. *International Journal of Biological Macromolecules*, **72**: 640–648.
- Nagpal, K., Singh, S.K., dan Mishra, D.N., 2010. Chitosan nanoparticles: A promising system in novel drug delivery. *Chemical and Pharmaceutical Bulletin*, **58**: 1423–1430.
- Nasr, A., Gardouh, A., Ghonaim, H., Abdelghany, E., dan Ghorab, M., 2016. Effect of oils, surfactants and cosurfactants on phase behavior and physicochemical properties of self-nanoemulsifying drug delivery system (SNEDDS) for irbesartan and olmesartan. *International Journal of Applied Pharmaceutics*, **8**: 13–24.
- Nguyen, S., Pascariu, M., dan Ghitescu, L., 2006. Early glycation products of endothelial plasma membrane proteins in experimental diabetes.

Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease, **1762**: 94–102.

- Niedowicz, D.M. dan Daleke, D.L., 2005. The role of oxidative stress in diabetic complications. *Cell Biochemistry and Biophysics*, **43**: 289–330.
- Nilsen-Nygaard, J., Strand, S.P., Vårum, K.M., Draget, K.I., dan Nordgård, C.T., 2015. Chitosan: Gels and Interfacial Properties. *Polymers*, **7**: 552–579.
- Nkhili, E., Tomao, V., El Hajji, H., El Boustani, E.S., Chemat, F., dan Dangles, O., 2009. Microwave-assisted water extraction of green tea polyphenols. *Phytochemical Analysis*, **20**: 408–415.
- Nshimiyimana, D.S. dan He, Q., 2010. Radical scavenging capacity of rwandan ctc tea polyphenols extracted using microwave assisted extraction. *Pakistan Journal of Nutrition*, **9**: 589–593.
- Oguntibeju, O.O., Aboua, Y., dan Kachepe, P., 2020. Possible therapeutic effects of vindoline on testicular and epididymal function in diabetes-induced oxidative stress male Wistar rats. *Heliyon*, **6**: e03817.
- Oliveira, R.N., Mancini, M.C., Oliveira, F.C.S. de, Passos, T.M., Quilty, B., Thiré, R.M. da S.M., dkk., 2016. FTIR analysis and quantification of phenols and flavonoids of five commercially available plants extracts used in wound healing. *Matéria (Rio de Janeiro)*, **21**: 767–779.
- Ortsäter, H., Grankvist, N., Wolfram, S., Kuehn, N., dan Sjöholm, Å., 2012. Diet supplementation with green tea extract epigallocatechin gallate prevents progression to glucose intolerance in db/db mice. *Nutrition and Metabolism*, **9**: 11.
- Othman, A.I., El-Sawi, M.R., El-Missiry, M.A., dan Abukhalil, M.H., 2017. Epigallocatechin-3-gallate protects against diabetic cardiomyopathy through modulating the cardiometabolic risk factors, oxidative stress, inflammation, cell death and fibrosis in streptozotocin-nicotinamide-induced diabetic rats. *Biomedicine and Pharmacotherapy*, **94**: 362–373.
- Park, S.J., Garcia, C.V., Shin, G.H., dan Kim, J.T., 2015. Fabrication and optimization of EGCG-loaded nanoparticles by high pressure homogenization. *Journal of Applied Polymer Science*, **133**: 1–7.
- Park, S.J., Garcia, C.V., Shin, G.H., dan Kim, J.T., 2016. Fabrication and optimization of EGCG-loaded nanoparticles by high pressure homogenization. *Journal of Applied Polymer Science*, **133**: 1–7.
- Park, Y.H., Kung, E., dan Son, D.J., 2002. Effect of pH on the stability of green tea catechins. *ResearchGate*, **17**: 117–123.
- Parmar, N., Singla, N., Amin, S., dan Kohli, K., 2011. Study of cosurfactant effect on nanoemulsifying area and development of lercanidipine loaded

(SNEDDS) self nanoemulsifying drug delivery system. *Colloids and Surfaces B: Biointerfaces*, **86**: 327–338.

Pasrija, D. dan Anandharamakrishnan, C., 2015. Techniques for extraction of green tea polyphenols: a review. *Food and Bioprocess Technology*, **8**: 935–950.

Patil, M.A., Suryanarayana, P., Putcha, U.K., Srinivas, M., dan Reddy, G.B., 2014. Evaluation of Neonatal Streptozotocin Induced Diabetic Rat Model for the Development of Cataract. *Oxidative Medicine and Cellular Longevity*, **2014**: .

Peiró, S., Gordon, M.H., Blanco, M., Pérez-Llamas, F., Segovia, F., dan Almajano, M.P., 2014. Modelling extraction of white tea polyphenols: The influence of temperature and ethanol concentration. *Antioxidants*, **3**: 684–699.

Pękal, A. dan Pyrzynska, K., 2014. Evaluation of aluminium complexation reaction for flavonoid content assay. *Food Analytical Methods*, **7**: 1776–1782.

Pérez-Burillo, S., Giménez, R., Rufián-Henares, J.A., dan Pastoriza, S., 2018. Effect of brewing time and temperature on antioxidant capacity and phenols of white tea: Relationship with sensory properties. *Food Chemistry*, **248**: 111–118.

Perumal, V., Manickam, T., Bang, K.S., Velmurugan, P., dan Oh, B.T., 2016. Antidiabetic potential of bioactive molecules coated chitosan nanoparticles in experimental rats. *International Journal of Biological Macromolecules*, **92**: 63–69.

Perva-Uzunalić, A., Škerget, M., Knez, Ž., Weinreich, B., Otto, F., dan Grüner, S., 2006. Extraction of active ingredients from green tea (*Camellia sinensis*): Extraction efficiency of major catechins and caffeine. *Food Chemistry*, **96**: 597–605.

Pinto Reis, C., Neufeld, R.J., Ribeiro, A.J., dan Veiga, F., 2006. Nanoencapsulation I. Methods for preparation of drug-loaded polymeric nanoparticles. *Nanomedicine: Nanotechnology, Biology and Medicine*, **2**: 8–21.

Pitocco, D., Tesaro, M., Alessandro, R., Ghirlanda, G., dan Cardillo, C., 2013. Oxidative Stress in Diabetes: Implications for Vascular and Other Complications. *International Journal of Molecular Sciences*, **14**: 21525–21550.

Plapied, L., Duhem, N., des Rieux, A., dan Préat, V., 2011. Fate of polymeric nanocarriers for oral drug delivery. *Current Opinion in Colloid and Interface Science*, **16**: 228–237.

Pratiwi, G., Martien, R., dan Murwanti, R., 2019. Chitosan nanoparticle as a delivery system for polyphenols from meniran extract (*Phyllanthus niruri* L.): Formulation, optimization, and immunomodulatory activity. *International Journal of Applied Pharmaceutics*, 50–58.

- Pulicharla, R., Marques, C., Das, R.K., Rouissi, T., dan Brar, S.K., 2016. Encapsulation and release studies of strawberry polyphenols in biodegradable chitosan nanoformulation. *International Journal of Biological Macromolecules*, **88**: 171–178.
- Radhakrishnan, R., Kulhari, H., Pooja, D., Gudem, S., Bhargava, S., Shukla, R., dkk., 2016. Encapsulation of biophenolic phytochemical EGCG within lipid nanoparticles enhances its stability and cytotoxicity against cancer. *Chemistry and Physics of Lipids*, **198**: 51–60.
- Ramalho, S.A., Nigam, N., Oliveira, G.B., de Oliveira, P.A., Silva, T.O.M., dos Santos, A.G.P., dkk., 2013. Effect of infusion time on phenolic compounds and caffeine content in black tea. *Food Research International*, **51**: 155–161.
- Raposo, D., Morgado, C., Pereira-Terra, P., dan Tavares, I., 2015. Nociceptive spinal cord neurons of laminae I–III exhibit oxidative stress damage during diabetic neuropathy which is prevented by early antioxidant treatment with epigallocatechin-gallate (EGCG). *Brain Research Bulletin*, **110**: 68–75.
- Rodrigues, V. de C., da Silva, M.V., dos Santos, A.R., Zielinski, A.A.F., dan Haminiuk, C.W.I., 2015. Evaluation of hot and cold extraction of bioactive compounds in teas. *International Journal of Food Science and Technology*, **50**: 2038–2045.
- Rohdiana, D., 2015. Teh: proses, karakteristik dan komponen fungsionalnya. *Food Review Indonesia*, **10**: 34–37.
- Rolim, W.R., Pelegrino, M.T., de Araújo Lima, B., Ferraz, L.S., Costa, F.N., Bernardes, J.S., dkk., 2019. Green tea extract mediated biogenic synthesis of silver nanoparticles: Characterization, cytotoxicity evaluation and antibacterial activity. *Applied Surface Science*, **463**: 66–74.
- Roshanak, S., Rahimmalek, M., dan Goli, S.A.H., 2016. Evaluation of seven different drying treatments in respect to total flavonoid, phenolic, vitamin C content, chlorophyll, antioxidant activity and color of green tea (*Camellia sinensis* or *C. assamica*) leaves. *Journal of Food Science and Technology*, **53**: 721–729.
- Rowe, R.C. (Ed.), 2009. *Handbook of Pharmaceutical Excipients*, 6. ed. ed. APhA, (PhP) Pharmaceutical Press, London.
- Sæther, H.V., Holme, H.K., Maurstad, G., Smidsrød, O., dan Stokke, B.T., 2008. Polyelectrolyte complex formation using alginate and chitosan. *Carbohydrate Polymers*, **74**: 813–821.
- Saikia, C., Gogoi, P., dan Maji, T.K., 2015. Chitosan: a promising biopolymer in drug delivery applications. *Journal of Molecular and Genetic Medicine*, 1–10.

- Samanta, A., Chanda, S., Bandyopadhyay, B., dan Das, N., 2016. Establishment of drug delivery system nanocapsulated with an antioxidant (+)-catechin hydrate and sodium meta borate chelator against sodium fluoride induced oxidative stress in rats. *Journal of Trace Elements in Medicine and Biology*, **33**: 54–67.
- Sanna, V., Lubinu, G., Madau, P., Pala, N., Nurra, S., Mariani, A., dkk., 2015. Polymeric nanoparticles encapsulating white tea extract for nutraceutical application. *Journal of Agricultural and Food Chemistry*, **63**: 2026–2032.
- Santoso, B.S.A., 2018. 'Aktivitas antioksidan dan antidiabetes kombinasi jus buah mengkudu (*Morinda citrifolia* Linn.) dan rimpang temulawak (*Curcuma xanthorrhiza* Roxb.) pada tikus yang diinduksi streptozotocin', *Disertasi*, Dr., Universitas Gadjah Mada, Yogyakarta.
- Sechi, M., Syed, D.N., Pala, N., Mariani, A., Marceddu, S., Brunetti, A., dkk., 2016. Nanoencapsulation of dietary flavonoid fisetin: Formulation and in vitro antioxidant and α -glucosidase inhibition activities. *Materials Science and Engineering: C*, **68**: 594–602.
- Shah, M.A., Reanmongkol, W., Radenahmad, N., Khalil, R., Ul-Haq, Z., dan Panichayupakaranant, P., 2019. Anti-hyperglycemic and anti-hyperlipidemic effects of rhinacanthins-rich extract from *Rhinacanthus nasutus* leaves in nicotinamide-streptozotocin induced diabetic rats. *Biomedicine and Pharmacotherapy*, **113**: 108702.
- Sharpe, E., Hua, F., Schuckers, S., Andreescu, S., dan Bradley, R., 2016. Effects of brewing conditions on the antioxidant capacity of twenty-four commercial green tea varieties. *Food Chemistry*, **192**: 380–387.
- Sheikhpour, R., 2013. Diabetes and oxidative stress: The mechanism and action. *Iranian Journal of Diabetes and Obesity*, **5**: 40–45.
- Shtay, R., Keppler, J.K., Schrader, K., dan Schwarz, K., 2019. Encapsulation of (–)-epigallocatechin-3-gallate (EGCG) in solid lipid nanoparticles for food applications. *Journal of Food Engineering*, **244**: 91–100.
- Siemionow, M. dan Demir, Y., 2004. Diabetic neuropathy: Pathogenesis and treatment. A review. *Journal of Reconstructive Microsurgery*, **20**: 241–252.
- Smith, A., Giunta, B., Bickford, P.C., Fountain, M., Tan, J., dan Shytle, R.D., 2010. Nanolipidic particles improve the bioavailability and α -secretase inducing ability of epigallocatechin-3-gallate (EGCG) for the treatment of Alzheimer's disease. *International Journal of Pharmaceutics*, **389**: 207–212.
- Snyder, L.R. dan Dolan, J.W., 2010. , dalam: *Introduction to Modern Liquid Chromatography*. John Wiley and Sons Inc. Publication, USA, hal. 542–543.

- Sochor, J., Ruttkay-Nedecky, B., Babula, P., dan Kizek, R., 2012. *Automation of Methods for Determination of Lipid Peroxidation*.
- Sökmen, M., Alomar, S.Y., Albay, C., dan Serdar, G., 2017. Microwave assisted production of silver nanoparticles using green tea extracts. *Journal of Alloys and Compounds*, **725**: 190–198.
- Sousa, L. dos S., Cabral, B.V., Madrona, G.S., Cardoso, V.L., dan Reis, M.H.M., 2016. Purification of polyphenols from green tea leaves by ultrasound assisted ultrafiltration process. *Separation and Purification Technology*, **168**: 188–198.
- Stat-Ease, 2018. *Handbook for Experimenters: A Concise Collection of Handy Tips to Help You Set up and Analyze Your Designed Experiments*, 11. Stat-Ease, Inc., Minneapolis, USA.
- Stoica, R., Şomoghi, R., dan Ion, R.M., 2013. Preparation of chitosan – tripolyphosphate nanoparticles for the encapsulation of polyphenols extracted from rose Hips. *Digest Journal of Nanomaterials and Biostructures*, **8**: 955–963.
- Su, J., Wang, X., Song, W., Bai, X., dan Li, C., 2016. Reducing oxidative stress and hepatoprotective effect of water extracts from Pu-erh tea on rats with high-fat diet. *Food Science and Human Wellness*, **5**: 199–206.
- Sulistyo, H., Kurniawan, D.W., dan Rujito, L., 2017. Biochemical and histopathological effects of green tea nanoparticles in ironized mouse model. *Research in Pharmaceutical Sciences*, **12**: 99–106.
- Susanti, E., Ciptati, Ratnawati, R., Aulanni'am, dan Rudijanto, A., 2015. Qualitative analysis of catechins from green tea GMB-4 clone using HPLC and LC-MS/MS. *Asian Pacific Journal of Tropical Biomedicine*, **5**: 1046–1050.
- Szkudelski, T., 2001. The mechanism of alloxan and streptozotocin action in b cells of the rat pancreas. *Physiological research*, **50**: 536–546: .
- Tang, W.Q., Li, D.C., Lv, Y.X., dan Jiang, J.G., 2011. Concentration and drying of tea polyphenols extracted from green tea using molecular distillation and spray drying. *Drying Technology*, **29**: 584–590.
- Tiyaboonchai, W., 2003. Chitosan nanoparticles : a promising system for drug delivery. *Naresuan University Journal*, **11**: 51–66.
- Tounekti, T., Joubert, E., Hernández, I., dan Munné-Bosch, S., 2013. Improving the Polyphenol Content of Tea. *Critical Reviews in Plant Sciences*, **32**: 192–215.

- Ueno, Y., Kizaki, M., Nakagiri, R., Kamiya, T., Sumi, H., dan Osawa, T., 2002. Dietary glutathione protects rats from diabetic nephropathy and neuropathy. *The Journal of nutrition*, **132**: 897–900.
- Venditti, E., Bacchetti, T., Tiano, L., Carloni, P., Greci, L., dan Damiani, E., 2010. Hot vs. cold water steeping of different teas: Do they affect antioxidant activity. *Food Chemistry*, **119**: 1597–1604.
- Venkatesan, J., Bhatnagar, I., dan Kim, S.-K., 2014. Chitosan-alginate biocomposite containing fucoidan for bone tissue engineering. *Marine Drugs*, **12**: 300–316.
- Vuong, Q.V., Golding, J.B., Stathopoulos, C.E., Nguyen, M.H., dan Roach, P.D., 2011. Optimizing conditions for the extraction of catechins from green tea using hot water. *Journal of Separation Science*, **34**: 3099–3106.
- Vuong, Q.V., Golding, J.B., Stathopoulos, C.E., dan Roach, P.D., 2013. Effects of aqueous brewing solution pH on the extraction of the major green tea constituents. *Food Research International*, , Tea – from bushes to mugs: composition, stability and health aspects **53**: 713–719.
- Wang, H., Chen, L., Zhang, L., Gao, X., Wang, Y., dan Weiwei, T., 2016. Protective effect of sophoraflavanone G on streptozotocin (STZ)-induced inflammation in diabetic rats. *Biomedicine & Pharmacotherapy*, **84**: 1617–1622.
- Wang, H., Helliwell, K., dan You, X., 2000. Isocratic elution system for the determination of catechins, caffeine and gallic acid in green tea using HPLC. *Food Chemistry*, **68**: 115–121.
- Wang, J., Kong, M., Zhou, Z., Yan, D., Yu, X., Cheng, X., dkk., 2017. Mechanism of surface charge triggered intestinal epithelial tight junction opening upon chitosan nanoparticles for insulin oral delivery. *Carbohydrate Polymers*, **157**: 596–602.
- Wei, Z., Yang, W., Fan, R., Yuan, F., dan Gao, Y., 2015. Evaluation of structural and functional properties of protein–EGCG complexes and their ability of stabilizing a model β -carotene emulsion. *Food Hydrocolloids*, **45**: 337–350.
- Weissman, S.A. dan Anderson, N.G., 2015. Design of experiments (DoE) and process optimization. A review of recent publications. *Organic Process Research & Development*, **19**: 1605–1633.
- Widyaningrum, N., Fudholi, A., Sudarsono, dan Setyowati, E.P., 2015. Stability of epigallocatechin gallate (EGCG) from green tea (*Camellia sinensis*) and its antibacterial activity against *Staphylococcus epidermidis* ATCC 35984 and *Propionibacterium acnes* ATCC 6919. *Asian Journal of Biological Sciences*, **8**: 93–101.

- Wrona, M., Cran, M.J., Nerín, C., dan Bigger, S.W., 2017. Development and characterisation of HPMC films containing PLA nanoparticles loaded with green tea extract for food packaging applications. *Carbohydrate Polymers*, **156**: 108–117.
- Xu, L., Huang, Y.A., Zhu, Q.J., dan Ye, C., 2015. Chitosan in molecularly-imprinted polymers: current and future prospects. *International Journal of Molecular Sciences*, **16**: 18328–18347.
- Yen, W.J., Chyau, C.C., Lee, C.P., Chu, H.L., Chang, L.W., dan Duh, P.D., 2013. Cytoprotective effect of white tea against H₂O₂-induced oxidative stress in vitro. *Food Chemistry*, **141**: 4107–4114.
- Yoon, S.P., Maeng, Y.H., Hong, R., Lee, B.R., Kim, C.G., Kim, H.L., dkk., 2014. Protective effects of epigallocatechin gallate (EGCG) on streptozotocin-induced diabetic nephropathy in mice. *Acta Histochemica*, **116**: 1210–1215.
- Younes, I. dan Rinaudo, M., 2015. Chitin and chitosan preparation from marine sources. Structure, properties and applications. *Marine Drugs*, **13**: 1133–1174.
- Yu, K., Ho, J., McCandlish, E., Buckley, B., Patel, R., Li, Z., dkk., 2013. Copper ion adsorption by chitosan nanoparticles and alginate microparticles for water purification applications. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **425**: 31–41.
- Yu, M., Wang, B., Qi, Z., Xin, G., dan Li, W., 2019. Response surface method was used to optimize the ultrasonic assisted extraction of flavonoids from *Crinum asiaticum*. *Saudi Journal of Biological Sciences*, **26**: 2079–2084.
- Zderic, A. dan Zondervan, E., 2017. Product-driven process synthesis: Extraction of polyphenols from tea. *Journal of Food Engineering*, **196**: 113–122.
- Zhang, Q. dan Ruan, J., 2016. Tea: Analysis and Tasting, dalam: *Encyclopedia of Food and Health*. Academic Press, Oxford, hal. 256–267.
- Zhao, Y., Chen, P., Lin, L., Harnly, J.M., Yu, L., dan Li, Z., 2011. Tentative identification, quantitation, and principal component analysis of green pu-erh, green, and white teas using UPLC/DAD/MS. *Food chemistry*, **126**: 1269–1277.
- Zhong, J., Xu, C., Reece, E.A., dan Yang, P., 2016. The green tea polyphenol EGCG alleviates maternal diabetes-induced neural tube defects by inhibiting DNA hypermethylation. *American Journal of Obstetrics and Gynecology*, **215**: 368.e1-368.e10.
- Zielinski, A.A.F., Haminiuk, C.W.I., dan Beta, T., 2016. Multi-response optimization of phenolic antioxidants from white tea (*Camellia sinensis* L. Kuntze) and their identification by LC–DAD–Q-TOF–MS/MS. *LWT - Food Science and Technology*, **65**: 897–907.

- Zimmermann, B.F. dan Gleichenhagen, M., 2011. The effect of ascorbic acid, citric acid and low pH on the extraction of green tea: How to get most out of it. *Food Chemistry*, **124**: 1543–1548.
- Zorzi, G.K., Carvalho, E.L.S., von Poser, G.L., dan Teixeira, H.F., 2015. On the use of nanotechnology-based strategies for association of complex matrices from plant extracts. *Revista Brasileira de Farmacognosia*, **25**: 426–436.
- Zou, L., Peng, S., Liu, W., Chen, X., dan Liu, C., 2015. A novel delivery system dextran sulfate coated amphiphilic chitosan derivatives-based nanoliposome: Capacity to improve in vitro digestion stability of (–)-epigallocatechin gallate. *Food Research International*, **69**: 114–120.
- Zou, L., Peng, S., Liu, Wei, Gan, L., Liu, Wei-lin, Liang, R., dkk., 2014. Improved in vitro digestion stability of (–)-epigallocatechin gallate through nanoliposome encapsulation. *Food Research International*, **64**: 492–499.