

## DAFTAR PUSTAKA

- Ahmad, N., Ahmad, R., Al-Qudaihi, A., Alaseel, S.E., Fita, I.Z., Khalid, M.S., and Pottoo, F.H., 2019, Preparation of a novel curcumin nanoemulsion by ultrasonication and its comparative effects in wound healing and the treatment of inflammation, *RSC Adv.*, 9, 20192–20206.
- Akbari, S. and Nour, A.H., 2018, Emulsion types , stability mechanisms and rheology : A review Emulsion types , stability mechanisms and rheology : A review, *Int. J. Innov. Res. Sci. Stud.*, 1, 14–21.
- Alfauziah, T.Q. and Budiman, A., 2016, Farmaka Uji Aktivitas Antifungi Emulsi Minyak Atsiri Bunga Cengkeh terhadap Jamur Kayu Antifungal Activity Assay of Clove Oil Emulsion against Wooden Fungus Farmaka, *farmaka*, 14, 33–42.
- Americas ICI, I., 1976, The HLB System a Time Saving Guide to Emulsifier Section, Chemmunique (ed) ICI America Inc.
- Artiga-Artigas, M., Lanjari-Pérez, Y., and Martín-Belloso, O., 2018, Curcumin-loaded nanoemulsions stability as affected by the nature and concentration of surfactant, *Food Chem.*, 266, 466–474.
- Azeem, A., Rizwan, M., Ahmad, F.J., Iqbal, Z., Khar, R.K., Aqil, M., and Talegaonkar, S., 2009, Nanoemulsion Components Screening and Selection : a Technical Note, *AAPS PharmSciTech*, 10, 69–76.
- Badawy, M.E.I., Abdelgaleil, S.A.M., Mahmoud, N.F., and Marei, A.E.S.M., 2018, Preparation and characterizations of essential oil and monoterpene nanoemulsions and acaricidal activity against two-spotted spider mite (*Tetranychus urticae* Koch), *Int. J. Acarol.*, 44, 330–340.
- Baglioni, P. and Giorgi, R., 2006, Soft and hard nanomaterials for restoration and conservation of cultural heritage, 293–303.
- Balakrishnan, B., Paramasivam, S., and Arulkumar, A., 2014, of the lemongrass plant ( *Cymbopogon citratus* ) extracted in different solvents for antioxidant and antibacterial activity against human pathogens E valuation, *Asian Pacific J. Trop. Dis.*, 4, 134–139.
- Bota, W., Martosupono, M., and Rondonuwu, F.S., 2015, Potensi Senyawa Minyak Sereh Wangi (Citronella Oil) dari Tumbuhan *Cymbopogon nardus* L . sebagai Agen Antibakteri., In, *Seminar Nasional Sains dan Teknologi.*, pp. 1–8.
- Brodo, I.M., Sharnoff, S.D., and Sharnoff, S., 2003, Looking at lichens, *Bioscience*, 53, 776–778.
- Cámara, B., Ríos, A.D.L., Urizal, M., Buergo, M.Á. De, Varas, M.J., Fort, R., and Ascaso, C., 2011, Characterizing the Microbial Colonization of a Dolostone Quarry : Implications for Stone Biodeterioration and Response to Biocide Treatments, 299–313.

- Chen, C., Qian, Y., Chen, Q., Tao, C., Li, C., and Li, Y., 2011, Evaluation of pesticide residues in fruits and vegetables from Xiamen, China, *Food Control*, 22, 1114–1120.
- de-Billerbeck, V.G., Roques, C.G., Bessièrè, J., Fonvieille, J., and Dargent, R., 2001, Effects of *Cymbopogon nardus* ( L . ) W . Watson essential oil on the growth and morphogenesis of *Aspergillus niger*, 17, 9–17.
- Diastuti, H., Asnani, A., and Chasani, M., 2019, Antifungal activity of curcuma xanthorrhiza and curcuma soloensis extracts and fractions Antifungal activity of curcuma xanthorrhiza and curcuma soloensis extracts and fractions, 10–15.
- Diastuti, H., Syah, Y.M., Juliawaty, L.D., and Singgih, M., 2014, Antibacterial Curcuma xanthorrhiza Extract and Fractions, 46, 224–234.
- Diba, K., Rezaie, S., and Mahmoudi, M., 2007, Identification of *Aspergillus* Species Using Morphological Characteristics, *Pak J Med Sc*, 23, 867–872.
- Direktorat Jenderal Perkebunan, 2013, *Statistik Perkebunan Indonesia 2012-2014: Tanaman Semusim*, Departemen Pertanian Jakarta.
- Dungani, R., Aditiawati, P., Islam, N., Aprilia, N.A.S., Hartati, S., Sulaeman, A., et al., 2019, Chapter 9: Evaluation of the effects of decay and weathering in cellulose-reinforced fiber composites, Book: Durability and Life Prediction in Biocomposites, Fibre-Reinforced Composites and Hybrid Composites (Mohammad Jawaid, Mohamaed Thariq Naheed Saba), Woodhead Publishing. An imprint of Elsevier.
- Edward, H.G.M., Farwell, D.W., Lewis. I.R., Seaward, M.R.D., Turner, P., Withley, A., 1993, *FT-Raman microscopy and lichen biodeterioration. Bruker Rep*, 139:8-11
- Farooq, M., Hassan, M., and Gull, F., 2015, Mycobial deterioration of stone monuments of, 2, 29–33.
- Fauziyyah, N.A. and Sari Putri, D.A., 2016, Isolasi Jamur dari Batuan Penutup Drainase Pada Sisi Selatan Lantai II Bidang H Candi Borobudur, *J. Konserv. Cagar Budaya*, 10, 40–44.
- Feng, J., Chen, Q., Wu, X., Jafari, S.M., and McClements, D.J., 2018, Formulation of oil-in-water emulsions for pesticide applications: impact of surfactant type and concentration on physical stability, *Environ. Sci. Pollut. Res.*, 25, 21742–21751.
- Feng, J., Zeng, Y., Ma, C., Cai, X., Zhang, Q., Tong, M., et al., 2006, The surfactant tween 80 enhances biodesulfurization, *Appl. Environ. Microbiol.*, 72, 7390–7393.
- Fridjonsson, E.O., Graham, B.F., Akhflash, M., May, E.F., and Johns, M.L., 2014, Optimized droplet sizing of water-in-crude oil emulsions using nuclear magnetic resonance, *Energy and Fuels*, 28, 1756–1764.

- Gandjar, I., Samson, R.A., Tweel-vermeulen, K.v.d., Oetari, A., Santosa, I., 1999, *Pengenalan Kapang Tropik Umum*, Yayasan Obor Indonesia. Jakarta.
- Ganjewala, D., 2009, Cymbopogon essential oils: Chemical compositions and bioactivities, *Int. J. Essent. Oil Ther.*, 3, 56–65.
- Hait, S.K. and Moulik, S.P., 2001, Determination of Critical Micelle Concentration (CMC) of Nonionic Surfactants by Donor-Acceptor Interaction with Iodine and Correlation of CMC with Hydrophile-Lipophile Balance and Other Parameters of the Surfactants, *J. Surfactants Deterg.*, 4, 303–309.
- Haldoko, L.A., Muhammad, R., and Purwoko, A.W., 2014, Karakteristik Batu Penyusun Candi Borobudur, *J. Konserv. Cagar Budaya*, 8, 38–47.
- Huneck, S. and Yoshimura, I., 1996, Identification of Lichen Substances,.
- Idris, F.N., Nadzir, M.M., and Shukor, S.R.A., 2020, Journal of Environmental Chemical Engineering Optimization of solvent-free microwave extraction of Centella asiatica using Taguchi method, *J. Environ. Chem. Eng.*, 8, 103766.
- Kale, S.N. and Deore, S.L., 2017, Emulsion Micro Emulsion and Nano Emulsion : A Review, 8, 39–47.
- Karjiban, R.A., Basri, M., Rahman, M.B.A., and Salleh, A.B., 2012, Structural Properties of Nonionic Tween80 Micelle in Water Elucidated by Molecular Dynamics Simulation, *Biol. Environ. Eng. Soc.*, 3, 287–297.
- Katata-seru, L., Lebepe, T.C., Samuel, O., and Bahadur, I., 2017, Application of Taguchi method to optimize garlic essential oil nanoemulsions, *J. Mol. Liq.*, 244, 279–284.
- Ketaren, S., 1985, *Pengantar Teknologi Minyak Atsiri*, Balai Pustaka, Jakarta.
- Khan, A.Y., Talegaonkar, S., Iqbal, Z., and Ahmed, F.J., 2018, Multiple Emulsions : An Overview, 429–443.
- Khan, B.A., Akhtar, N., Khan, H.M.S., Waseem, K., Mahmood, T., Rasul, A., et al., 2011, Basics of pharmaceutical emulsions: A review, *African J. Pharm. Pharmacol.*, 5, 2715–2725.
- Khopkar, S.M., 1990, Konsep Dasar Kimia Analitik, penerjemah A. Saptorahardjo, pendamping Agus Nurhadi, UI Press, Jakarta.
- Komaiko, J. and McClements, D.J., 2015, Low-energy formation of edible nanoemulsions by spontaneous emulsification: Factors influencing particle size, *J. Food Eng.*, 146, 122–128.
- Komaiko, J. and McClements, D.J., 2014, Optimization of isothermal low-energy nanoemulsion formation: Hydrocarbon oil, non-ionic surfactant, and water systems, *J. Colloid Interface Sci.*, 425, 59–66.
- Komaiko, Jennifer S and McClements, D.J., 2016, Formation of Food-Grade

Nanoemulsions Using Low-Energy Preparation Methods : A Review of Available Methods,15, 331–352.

Komaiko, Jennifer S. and McClements, D.J., 2016, Formation of Food-Grade Nanoemulsions Using Low-Energy Preparation Methods: A Review of Available Methods, *Compr. Rev. Food Sci. Food Saf.*, 15, 331–352.

Kyatanwar, A. U., Jadhav, K. R., & Kadam, V. J. (2010). Self micro-emulsifying drug delivery system (SMEDDS). *Journal of Pharmacy Research*, 3(2), 75–83.

Lefebvre, G., Riou, J., Bastiat, G., Roger, E., Frombach, K., Gimel, J.C., et al., 2017, Spontaneous nano-emulsification: Process optimization and modeling for the prediction of the nanoemulsion's size and polydispersity, *Int. J. Pharm.*, 534, 220–228.

Lely, N., Pratiwi, R.I., and Imanda, Y.L., 2017, Efektivitas Antijamur Kombinasi Ketokonazol dengan Minyak Atsiri Sereh Wangi ( *Cymbopogon nardus* ( L .) Rendle ) The Effectiveness of Antifungal Ketoconazole Combination with Essential Oils of Citronella ( *Cymbopogon nardus* ( L .) Rendle ),7, 10–15.

Li, J., Won, J., Saenger, M., and Deering, A., 2017, Thymol nanoemulsions formed via spontaneous emulsification : Physical and antimicrobial properties, *Food Chem.*, 232, 191–197.

Liang, Y., Zhu, L., Gao, M., Zheng, Z., Wu, J., and Zhan, X., 2018, Influence of Tween-80 on the production and structure of water-insoluble curdlan from *Agrobacterium* sp., *Int. J. Biol. Macromol.*, 106, 611–619.

Liew, S.N., Utra, U., Alias, A.K., Tan, T.B., Tan, C.P., and Yussof, N.S., 2020, LWT - Food Science and Technology Physical , morphological and antibacterial properties of lime essential oil nanoemulsions prepared via spontaneous emulsi fi cation method,128, .

Madaan, V., Chanana, A., Kataria, mahesh kumar, and Bilandi, A., 2014, Review Article: Emulsion Technology and Recent Trends in Emulsion Applications, *Int. Res. J. Pharm.*, 5, 533–542.

McClements, D.J., 2011, Edible nanoemulsions: fabrication, properties, and functional performance, *Soft Matter*, 7(6), 2297–2316.

McClenney, N., 2005, Laboratory detection and identification of *Aspergillus* species by microscopic observation and culture : the traditional approach,125–128.

Mehrnia, M., Jafari, S., Makhmal-zadeh, B.S., and Maghsoudlou, Y., 2016, Crocin Loaded Nano-emulsions: Factors Affecting Emulsion properties in Spontaneous Emulsification, *Int. J. Biol. Macromol.*, 84, 261–267.

Mehrnia, M.A., Jafari, S.M., Makhmal-Zadeh, B.S., and Maghsoudlou, Y., 2016, Crocin loaded nano-emulsions: Factors affecting emulsion properties in spontaneous emulsification, *Int. J. Biol. Macromol.*, 84, 261–267.

- Mohammadi, A., Jafari, S.M., Assadpour, E., and Faridi Esfanjani, A., 2016, Nano-encapsulation of olive leaf phenolic compounds through WPC-pectin complexes and evaluating their release rate, *Int. J. Biol. Macromol.*, 82, 816–822.
- Mohammadi, P. and Krumbein, Æ.W.E., 2008, Biodeterioration of ancient stone materials from the Persepolis monuments ( Iran ),27–33.
- Montes de Oca-Ávalos, J.M., Candal, R.J., and Herrera, M.L., 2017, Nanoemulsions: stability and physical properties, *Curr. Opin. Food Sci.*, 16, 1–6.
- Muehlmann, L. and Garcia, M., 2015, Aluminium-phthalocyanine chloride nanoemulsions for anticancer photodynamic therapy: Development and in vitro activity against monolayers and spheroids of human mammary adenocarcinoma MCF-7 cells, *J. Nanobiotechnology*, 13, .
- Negi, A. and Sarethy, I.P., 2019, Microbial Biodeterioration of Cultural Heritage : Events , Colonization , and Analyses,1014–1029.
- Noveriza, R., Trisno, J., Rahma, H., Yuliani, S., Reflin, and Martinius, 2018, Effectiveness of several dosage formula of oil and nano emulsion of citronella against vascular streak dieback ( VSD ) disease on cocoa Effectiveness of several dosage formula of oil and nano emulsion of citronella against vascular streak dieback ( VSD ),. In, *IOP Conf. Series: Earth and Environmental Science*. IOP Publishing Ltd, pp. 1–8.
- Novianti, D., 2016, Kemampuan Antifungi Ekstrak Rimpang Temulawak (Curcuma xanthorrhiza) terhadap *Candida albicans*, *Sainmatika*, 13, 69–79.
- Nugraheni, A.S., Djauhari, S., and Cholil, A., 2014, Jurusan Hama dan Penyakit Tumbuhan, Fakultas Pertanian, Universitas Brawijaya Malang 2) Jurusan Kimia, Fakultas MIPA, Universitas Brawijaya Malang Jl. Veteran, Malang 65145, Indonesia,2, 92–102.
- Nuraini, 2019, Validasi Efektivitas Nanopestisida Minyak Serai Wangi Terhadap Potyvirus Penyebab Penyakit Mosaik dan Vektornya pada Tanaman Nilam,.
- Nurdianti, L., Aryani, R., and Indra, 2017, Formulasi dan Karakterisasi SNE (Self Nanoemulsion) Astaxanthin dari *Haematococcus pluvialis* sebagai Super Antioksidan Alami, *J. Sains Farm. Klin. Klin.*, 4, 30–36.
- Nyamath, S. and Karthikeyan, B., 2018, In vitro Antifungal activity of lemongrass ( *Cymbopogon citratus* ) leaf extracts In vitro Antifungal activity of lemongrass ( *Cymbopogon citratus* ) leaf extracts, *J. Pharmacogn. Phytochem.*, 7, 1148–1151.
- Oliveira, A.E.M.F.M., Duarte, J.L., Cruz, R.A.S., Da Conceição, E.C., Carvalho, J.C.T., and Fernandes, C.P., 2017, Utilization of dynamic light scattering to evaluate *Pterodon emarginatus* oleoresin-based nanoemulsion formation by

- non-heating and solvent-free method, *Brazilian J. Pharmacogn.*, 27, 401–406.
- Parmar, N., Singla, N., Amin, S., and Kohli, K., 2011, Colloids and Surfaces B : Biointerfaces Study of cosurfactant effect on nanoemulsifying area and development of lercanidipine loaded ( SNEDDS ) self nanoemulsifying drug delivery system, *Colloids Surfaces B Biointerfaces*, 86, 327–338.
- Patel, V., Kukadiya, H., Mashru, R., Surti, N., and Mandal, S., 2010, Development of microemulsion for solubility enhancement of clopidogrel, *Iran. J. Pharm. Res.*, 9, 327–334.
- Policegoudra, R.S., Rehna, K., Rao, L.J., and Aradhya, S.M., 2010, Antimicrobial, antioxidant, cytotoxicity and platelet aggregation inhibitory activity of a novel molecule isolated and characterized from mango ginger (*Curcuma amada* Roxb.) rhizome, *J. Biosci.*, 35, 231–240.
- Prieto, C. and Calvo, L., 2013, Performance of the Biocompatible Surfactant Tween 80, for the Formation of Microemulsions Suitable for New Pharmaceutical Processing, *J. Appl. Chem.*, 2013, 1–10.
- Riki, Kurniatin, popi asri, Ambarsari, L., Nurcholis, W., and Darusman, L.K., 2016, Characterization and Toxicity of Temulawak Curcuminoid Nanoparticles, *Curr. Biochem.*, 3, 43–53.
- Rizkita, A.D., 2017, Efektivitas Antibakteri Ekstrak Daun Sereh Wangi, Sirih Hijau, dan Jahe Merah terhadap Pertumbuhan *Streptococcus Mutans*,. In, *Seminar Nasional Sains dan Teknologi 2017.*, pp. 1–7.
- Rowe, R.C., Sheskey, P.J., and Quinn, M.E., 2009, Handbook of Pharmaceutical Exipients, sixth edit. Rowe,R.C., Sheskey,P.J., and Quinn,M.E. (eds) Pharmaceutical Press, USA.
- Roy, R.K., 1990, *A Primer on the Taguchi Method*, Van Nostrand Reinhold, New York.
- Roy, R.K., 2001, *Design of Experiments Using the Taguchi Approach*, Jhon Wiley and Sons, Inc. New York.
- Roziaty, E., 2016, Review Lichen: Karakteristik Anatomis dan Reproduksi Vegetatifnya, *J. Pena Sains*, 3, 44–53.
- Safitri, D., Samsiar, A., Astuti, D.Y., and Roanisca, O., 2019, Nanoemulsi Ekstrak Daun Pelawan (*Tristanopsis Merguensis*) Sebagai Antibakteri (*Escherichia Coli* Dan *Staphylococcus Aureus*) Menggunakan Microwave Assisted Extraction (Mae), *Pros. Semin. Nas. Penelit. Pengabd. Pada Masy.*, 1–4.
- Salvadori, O., Speciale, S., Museale, P., and Casanova, A., 2016, The Role of Fungi and Lichens in the Biodeterioration of Stone, *Open Conf. Proc. J.*, 7, 39–54.
- Salvia-trujillo, L., Rojas-graü, A., Soliva-fortuny, R., and Martín-belloso, O., 2013, Physicochemical Characterization of Lemongrass Essential Oil – Alginate

Nanoemulsions : Effect of Ultrasound Processing Parameters,2439–2446.

- Salvia-trujillo, L., Rojas-graü, M.A., Soliva-fortuny, R., and Martín-belloso, O., 2014, Impact of micro fluidization or ultrasound processing on the antimicrobial activity against *Escherichia coli* of lemongrass oil-loaded nanoemulsions, *Food Control*, 37, 292–297.
- Sari, A.I. and Herdiana, Y., 2017, *Farmaka Farmaka*, *farmaka*, 16, 247–254.
- Schiavon, N., Caro, T. De, Kiros, A., Teresa, A., Isabella, C., Parisi, E., et al., 2013, A multianalytical approach to investigate stone biodeterioration at a UNESCO world heritage site : the volcanic rock-hewn churches of Lalibela , Northern Ethiopia,843–854.
- Shafiq-un-Nabi, S., Shakeel, F., Talegaonkar, S., Ali, J., Baboota, S., Ahuja, A., et al., 2007, Formulation development and optimization using nanoemulsion technique: A technical note, *AAPS PharmSciTech*, 8, 1–6.
- Shahavi, M.H., Hosseini, M., Jahanshahi, M., Meyer, L., and Darzi, G.N., 2015, Clove oil nanoemulsion as an effective antibacterial agent: Taguchi optimization method, *Desalin. Water Treat.*, 12, 1–12.
- Sidi, P. and Wahyudi, M., 2013, Aplikasi Metoda Taguchi Untuk Mengetahui Optimasi Kebulatan Pada Proses Bubut Cnc, *Rekayasa Mesin*, 4, pp.101-108.
- Silva, P.D.C., Pereira, L.A.S., Rezende, É.M. De, Michele, V.R., Lago, A.M.T., Carvalho, G.R., et al., 2019, Production and efficacy of neem nanoemulsion in the control of *Aspergillus flavus* and *Penicillium citrinum* in soybean seeds, *Eur. J. Plant. Pathol.*, 115, 1105–1116.
- Sukmawati, A., Utami, W., Yuliani, R., Da’I, M., and Nafarin, A., 2018, Effect of tween 80 on nanoparticle preparation of modified chitosan for targeted delivery of combination doxorubicin and curcumin analogue, *IOP Conf. Ser. Mater. Sci. Eng.*, 311, .
- Sulaswatty, A., Rusli, M.K., Abimanyu, H., Tursiloadi, S., 2014, *Quo Vadis Minyak Serai Wangi dan Produk Turunannya*, LIPI Press, Jakarta.
- Suzetti, E.V., 2017, Formulasi dan Karakterisasi Nanoemulsi Minyak Biji Kelor (*Moringa Oleifera*) dengan Variasi Surfaktan dan Kosurfaktan, .
- Swarbrick, J., 2007, *Encyclopedia of Pharmaceutical Technology*, Third Edition, PharmaceuTech, Inc, USA, 526.
- Tadros, T. ed., 2013, *Encyclopedia of Colloid and Interface Science*, 1st ed. Springer-Verlag Berlin Heidelberg, Berlin.
- Tshweu, L., Katata, L., Kalombo, L., and Swai, H., 2013, Nanoencapsulation of water-soluble drug, lamivudine, using a double emulsion spray-drying technique for improving HIV treatment, *J. Nanoparticle Res.*, 15, .
- Tyagi, R., Sharma, P., Nautiyal, R., Lakhera, A.K., and Kumar, V., 2020, Synthesis

of quaternised guar gum using Taguchi L ( 16 ) orthogonal array, *Carbohydr. Polym.*, 237, 116136.

- Untari, D.T., 2016, Uji Efektifitas Minyak Atsiri Daun Serai Wangi Lenabatu (*Cymbopogon nardus L.*) sebagai Penghambat Pertumbuhan Jamur Kerak (*Lichenes*) pada Cagar Budaya Batu, *Skripsi*, Program Studi Kimia FMIPA UII, Yogyakarta.
- Urrutia, P.I., 2019, Predicting Water-In-Oil Emulsion Coalescence From Surface Pressure Isotherms,.
- Utomo, O.S., 2015, Pengaruh Ekstrak Serai Wangi (*Cymbopogon Nardus L. Rendle.*) sebagai Antifungi terhadap Pertumbuhan *Candida Albicans* In Vitro,.
- Wahyuni, S., Rini, W.D.P., Kasatriyanto, B., Purwoko, A.W., and Rachmat, B., 2017, Minyak Atsiri untuk Konservasi Cagar Budaya Berbahan Batu Tahap II, *J. Konserv. Cagar Budaya*, 11, 29–39.
- Wahyuningsih, I. and Putranti, W., 2015, Optimasi Perbandingan Tween 80 dan Polietilenglikol 400 pada Formula Self Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Biji Jinten Hitam, *pharmacy*, 12, 223–241.
- Warscheid, T. and Braams, J., 2000, Biodeterioration of stone: A review, *Int. Biodeterior. Biodegrad.*, 46, 343–368.
- Yuliani, S.H., Hartini, M., Stephanie, Pudyastuti, B., and Istyastono, enade perdana, 2016, Comparison of Physical Stability Properties of Pomegranate Seed Oil Nanoemulsion Dosage Forms with Long-Chain Triglyceride And Medium-Chain Triglyceride as the Oil Phase, *Tradit. Med. J.*, 21, 3–7.
- Zayendra, S. and Yozza, H., 2016, Penerapan Metode Taguchi untuk Optimalisasi Hasil Produksi Roti di Usaha Roti Meyza Bakery, Padang Sumatera Barat, *J. Mat. UNAND*, 5, 113–121.