



## DAFTAR PUSTAKA

- Aiken, G. R., McKnight, D. M., MacCarthy, P. & W., 1985. *Humic Substances in Soil, Sediment, and Water: Geochemistry, Isolation, and Characterization*. New York: Wiley.
- Agulhon, P., Robitze, M., Habas, J.-P. & Quignard, F., 2014. Influence of both cation and alginate nature on the rheological behavior of transition metal alginate gels. *Influence of both cation and alginate nature on the rheological behavior of transition metal alginate gels*, Volume 112, pp. 525-531.
- Ai, L., Li, M. & Li, L., 2011. Adsorption of Methylene Blue from Aqueous Solution with Activated Carbon/Cobalt Ferrite/Alginate Composite Beads: Kinetics, Isotherms, and Thermodynamics. *Journal of Chemical & Engineering Data*, Volume 56, pp. 3475-3483.
- Ali, H., 2010. Biodegradation of Synthetic Dyes—A Review. *Water, Air, & Soil Pollution*, Volume 213, pp. 251-273.
- Allen, S. J. & Koumanova, B., 2005. Decolourisation of Water/Wastewater Using Adsorption (Review). *Journal of the University of Chemical Technology and Metallurgy*, 40(3), pp. 175-192.
- Aprilia, T. C., 2019. *Snitesis Manik Asam Humat/Karbon Aktif/Alginat sebagai Adsorben Ion Pb(II)*, Yogyakarta: Universitas Gadjah Mada.
- Ayuningtyas, E., 2016. *Pelepah Pisang (Musa Paradisiaca) Teraktivasi Asam dan Basa sebagai Biosorben Cu(II)*, Yogyakarta: Universitas Gadjah Mada.
- Ballav, N. et al., 2018. L-Cysteine doped polypyrrole (Ppy@L·cyst): a super adsorbent for the rapid removal of Hg<sup>2+</sup> and efficient catalytic activity of the spent adsorbent for reuse. *Chemical Engineering Journal*, Volume 345, pp. 621-630.
- Bansal, R. C. & Goyal, M., 2005. *Activated Carbon Adsorption*. 1 penyunt. Boca Raton: CRC Press.
- Benhouria, A. et al., 2015. Calcium alginate–bentonite–activated carbon composite beads as highly effective adsorbent for methylene blue. *Chemical Engineering Journal*, Volume 270, pp. 621-630.
- Bosscher, D., MD, M. V. C.-B. & Deelstra, H., 2001. Effect of thickening agents, based on soluble dietary fiber, on the availability of calcium, iron, and zinc from infant formulas. *Nutrition*, 17(7-8), pp. 614-618.
- Cataldo, S. et al., 2016. Pb(II) adsorption by a novel activated carbon - alginate composite material. A kinetic and equilibrium study. *International Journal of Biological Macromolecules*, Volume 92, pp. 769-778.
- Celi, L., Schnitzer, M. & Nègre, M., 1997. Analysis of Carboxyl Groups in Soil Humic Acids By A Wet Chemical Method, Fourier-Transform Infrared



- Spectrophotometry, And Solution-State Carbon-13 Nuclear Magnetic Resonance. A Comparative Study. *Soil Science*, 162(3), pp. 189-197.
- Chacko, J. T. & Subramaniam, K., 2011. Enzymatic Degradation of Azo Dyes – A Review. *International Journal of Environmental Sciences*, 1(6).
- Chen, J. P., Wu, S. & Chong, K.-H., 2003. Surface modification of a granular activated carbon by citric acid for enhancement of copper adsorption. *Carbon*, 41(10), pp. 1979-1986.
- Chen, R. et al., 2015. Lead(II) and methylene blue removal using a fully biodegradable hydrogel based on starch immobilized humic acid. *Chemical Engineering Journal*, Volume 268, pp. 348-355.
- Choe, S. R. et al., 2018. Fabrication of alginate/humic acid/Fe-aminoclay hydrogel composed of a grafted-network for the efficient removal of strontium ions from aqueous solution. *Environmental Technology & Innovation*, Volume 9, pp. 285-293.
- Crini, G., 2006. Non-conventional low-cost adsorbents for dye removal: A review. *Bioresource Technology*, Volume 97, pp. 1061-1085.
- Crittenden, J. C., Vaitheeswaran, K. & Hand, D. W., 1993. Removal of Dissolved Organic Carbon Using Granular Activated Carbon. *Water Research*, 27(4), pp. 715-721.
- Dąbrowski, A., 2001. Adsorption — from theory to practice. *Advances in Colloid and Interface Science*, 93(1-3), pp. 135-224.
- Darmadi, D. et al., 2008. Adsorption of Methylene Blue from Aqueous Solutions on Carbon Coated Monolith. *ASEAN Journal of Chemical Engineering*, 8(1), pp. 27-38.
- De Gisi, S., Lofrano, G. & Grassi, M., 2016. Characteristics and adsorption capacities of low-cost sorbents for wastewater treatment: A review. *Sustainable Materials and Technologies*, Volume 9, pp. 10-40.
- Deniz, F. & Kepekci, R. A., 2016. Dye biosorption onto pistachio by-product: A green environmental engineering approach. *Journal of Molecular Liquids*, Volume 219, pp. 194-200.
- Derbyshire, F. et al., 2001. *Carbon Materials in Environmental Applications*. New York: Marcel Dekker.
- Do, D. D., 1998. *Adsorption Analysis: Equilibria and Kinetics*. London: Imperial College Press.
- Freundlich, H., 1906. Over the adsorption in solution. *The Journal of Physical Chemistry A*, Volume 57, p. 385.
- Ghosh, D. & Bhattacharyya, K. G., 2002. Adsorption of methylene blue on kaolinite. *Applied Clay Science*, Volume 20, pp. 295-300.



- Gotoh, T., Matsushima, K. & Kikuchi, K.-I., 2004. Preparation of alginate–chitosan hybrid gel beads and adsorption of divalent metal ions. *Chemosphere*, 55(1), pp. 135-140.
- Hamerlinck, Y. & Mertens, D. H., 1994. *Activated carbon principles in separation technology*, New York: Elsevier.
- Hassan, A., Abdel-Mohsen, A. & Fouda, M. M., 2014. Comparative study of calcium alginate, activated carbon, and their composite beads on methylene blue adsorption. *Carbohydrate Polymers*, Volume 102, pp. 192-198.
- Haug, A., Larsen, B. & Smidsrød, O., 1967. Alkaline Degradation of Alginate. *Acta Chemica Scandinavica*, 21(10), pp. 2859-2870.
- Hayes, M. H. B. & Graham, C. L., 2000. Procedures for the isolation and fractionation of humic substances. Dalam: E. A. Ghabbour & G. Davies, penyunt. *Humic Substances: Versatile Components of Plants, Soil and Water*. Cambridge: Royal Society of Chemistry, pp. 91-110.
- Ho, Y. & McKay, G., 2003. Sorption of dyes and copper ions onto biosorbents. *Process Biochemistry*, Volume 38, pp. 1047-1061.
- Huang, W. et al., 2018. Citric acid-crosslinked  $\beta$ -cyclodextrin for simultaneous removal of bisphenol A, methylene blue and copper: The roles of cavity and surface functional groups. *Journal of the Taiwan Institute of Chemical Engineers*, Volume 82, pp. 189-197.
- Jain, A., Gupta, V., Bhatnagar, A. & Suhas, S., 2003. Utilization of industrial waste products as adsorbents for the removal of dyes. *Journal of Hazardous Materials*, Volume B101, pp. 31-42.
- Javadian, H., Ghorbani, F., Tayebi, H. & Asl, S. M. H., 2015. Study of the adsorption of Cd (II) from aqueous solution using zeolite-based geopolymer, synthesized from coal fly ash; kinetic, isotherm and thermodynamic studies. *Arabian Journal of Chemistry*, 8(6), pp. 837-849.
- Jin, G., Eom, Y. & Lee, T. G., 2016. Removal of Hg(II) from aquatic environments using activated carbon impregnated with humic acid. *Journal of Industrial and Engineering Chemistry*, Volume 42, pp. 46-52.
- Johnson, F. A., Craig, D. Q. M. & Mercer, A. D., 1997. Characterization of the Block Structure and Molecular Weight of Sodium Alginates. *Journal of Pharmacy and Pharmacology*, 49(7), pp. 639-643.
- Johnson, W. P. & John, W. W., 1999. PCE solubilization and mobilization by commercial humic acid. *Journal of Contaminant Hydrology*, 35(4), pp. 343-362.
- Katheresan, V., Kansedo, J. & Lau, S. Y., 2018. Efficiency of various recent wastewater dye removal methods: A review. *Journal of Environmental Chemical Engineering*, Volume 6, pp. 4676-4697.



- Khan, M. A. N., Siddique, M. & W, . F., 2015. Removal of reactive blue 19 dye by sono, photo and sonophotocatalytic oxidation using visible light. *Ultrasonics Sonochemistry*, Volume 26, pp. 370-377.
- Khan, N. A., Bhadra, B. N. & Jhung, S. H., 2018. Heteropoly acid-loaded ionic liquid@metal-organic frameworks: Effective and reusable adsorbents for the desulfurization of a liquid model fuel. *Chemical Engineering Journal*, Volume 334, pp. 2215-2221.
- Khotimchenko, Y. S., Kovalev, V. V., Savchenko, O. V. & Ziganshina , O. A., 2001. Physical–Chemical Properties, Physiological Activity, and Usage of Alginates, the Polysaccharides of Brown Algae. *Russian Journal of Marine Biology*, Volume 27, pp. S53-S64.
- Kim, T. Y. et al., 2008. Adsorption equilibrium of copper ion and phenol by powdered activated carbon, alginate bead and alginate-activated carbon bead. *Journal of Industrial and Engineering Chemistry*, 14(6), pp. 714-719.
- Klavins, M. & Eglite, L., 2002. Immobilisation of humic substances. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Volume 203, pp. 47-54.
- Klučáková, M. & Pekař, M., 2005. Solubility and dissociation of lignitic humic acids in water suspension. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 252(2-3), pp. 157-163.
- Langmuir, I., 1917. The Constitution and Fundamental Properties of Solids and Liquids. II. Liquids.. *Journal of the American Chemical Society*, 39(9), pp. 1848-1906.
- Lassen, P. & Carlsen, L., 1997. Solubilization of phenanthrene by humic acids. *Chemosphere*, 34(4), pp. 817-825.
- Lassen, P. & Carlsen, L., 1999. The effect of humic acids on the water solubility and water — Organic carbon partitioning of fluorene and its NSO-heteroanalogues: Carbazole, dibenzofuran, and dibenzothiophene. *Chemosphere*, 38(13), pp. 2959-2968.
- Lin, Y.-B., Fugetsu, B., Terui, N. & Tanaka, S., 2005. Removal of organic compounds by alginate gel beads with entrapped activated carbon. *Journal of Hazardous Materials*, Volume B120, pp. 237-241.
- Liu, H. et al., 2014. Removal of Cu(II) ions from aqueous solution by activated carbon impregnated with humic acid. *Frontiers of Environmental Science & Engineering*, pp. 329-336.
- Lu, S. et al., 2019. An adsorbent based on humic acid and carboxymethyl cellulose for efficient dye removal from aqueous solution. *International Journal of Biological Macromolecules*, Volume 135, pp. 790-797.
- Mahmoudi, K., Hosni, K., Hamdi, N. & Srasra, E., 2015. Kinetics and equilibrium studies on removal of methylene blue and methyl orange by adsorption



- onto activated carbon prepared from date pits-A comparative study. *Environmental Engineering*, 32(2), pp. 274-283.
- Marr, H. E. & Stewart, J. M., 1973. The Crystal Structure of Methylene Blue Pentahydrate. *Acta Crystallographica*, Volume B29, pp. 847-853.
- McHugh, D. J., 1987. Production, Properties and Uses of Alginate. Dalam: D. J. McHugh, penyunt. *Production and Utilization of Products from Commercial Seaweeds*. Rome: Food and Agriculture Organization of the United Nations, pp. 58-115.
- Mohan, D., Singh, K. P. & Singh, V. K., 2005. Removal of Hexavalent Chromium from Aqueous Solution Using Low-Cost Activated Carbons Derived from Agricultural Waste Materials and Activated Carbon Fabric Cloth. *Industrial & Engineering Chemistry Research*, 44(4), pp. 1027-1042.
- Mojsov, K. D. et al., 2016. The Application of Enzymes for The Removal of Dyes from Textile Effluents. *Advanced Technologies*, pp. 81-86.
- Mørch, Ý. A., Donati, I., Strand§, B. L. & Skjåk-Bræk§, G., 2006. Effect of Ca<sup>2+</sup>, Ba<sup>2+</sup>, and Sr<sup>2+</sup> on Alginate Microbeads. *Biomacromolecules*, 7(5), pp. 1471-1480.
- Mu, B. & Wang, A., 2016. Adsorption of dyes onto palygorskite and its composites: A review. *Journal of Environmental Chemical Engineering*, Volume 4, pp. 1274-1294.
- Muzzarelli, R. A. A. & Muzzarelli, C., 2005. Chitosan Chemistry: Relevance to the Biomedical Sciences. *Advances in Polymer Science*, Volume 186, pp. 151-209.
- Nandi, B. K., Goswami, A. & Purkait, M. K., 2009. Removal of cationic dyes from aqueous solutions by kaolin: Kinetic and equilibrium studies. *Applied Clay Science*, 42(3-4), pp. 583-590.
- Nasrullah, A., Bhat, A. H., Naeem, A. & Isa, M. H., 2018. High surface area mesoporous activated carbon-alginate beads for efficient removal of methylene blue. *International Journal of Biological Macromolecules*, Volume 107, pp. 1792-1799.
- Pan, Y. et al., 2017. Removal of azo dye in an up-flow membrane-less bioelectrochemical system integrated with bio-contact oxidation reactor. *Chemical Engineering Journal*, Volume 326, pp. 454-461.
- Park, H. G., Kim, T. W., Chae, M. Y. & Yoo, I.-K., 2007. Activated carbon-containing alginate adsorbent for the simultaneous Activated carbon-containing alginate adsorbent for the simultaneous. *Process Biochemistry*, Volume 42, p. 13711377.
- Piccolo, A. & Conte, P., 2000. Molecular Size of Humic Substances. Supramolecular Associations Versus Macromolecular Polymers. *Advances in Environmental Research*, 3(4), pp. 508-521.



- Pollard, S. J. T., Fowler, G. D., Sollars, C. J. & Perry, R., 1992. Low-cost adsorbents for waste and wastewater treatment: a review. *Science of The Total Environment*, 116(1-2), pp. 31-52.
- Porras, J. et al., 2018. Fe and Cu in humic acid extracts modify bacterial inactivation pathways during solar disinfection and photo-Fenton processes in water. *Applied Catalysis B: Environmental*, Volume 235, pp. 75-83.
- Prado, A. G. S., Pertusatti, J. & Nunes, A. R., 2011. Aspects of protonation and deprotonation of humic acid surface on molecular conformation. *Journal of the Brazilian Chemical Society*, 22(8), pp. 1478-1483.
- Puttipipatkachorn, S., Pongjanyakul, T. & Priprem, A., 2005. Molecular interaction in alginate beads reinforced with sodium starch glycolate or magnesium aluminum silicate, and their physical characteristics. *International Journal of Pharmaceutics*, 293(1-2), pp. 51-62.
- Radovic, L. R., Moreno-Castilla, C. & Rivera-Utrilla, J., 2001. Carbon materials as adsorbents in aqueous solutions. Dalam: L. R. Radovic, penyunt. *Chemistry & Physics of Carbon*. New York: Marcel Dekker Inc..
- Rafatullah, M., Sulaiman, O., Hashim, R. & Ahmad, A., 2010. Adsorption of methylene blue on low-cost adsorbents: A review. *Journal of Hazardous Materials*, Volume 117, pp. 70-80.
- Salleh, M. A. M., Mahmoud, D. K., Karim, W. A. W. A. & Idris, A., 2011. Cationic and anionic dye adsorption by agricultural solid wastes: A comprehensive review. *Desalination*, Volume 280, pp. 1-13.
- Schmidt, D. J. et al., 2009. Electrochemically Controlled Swelling and Mechanical Properties of a Polymer Nanocomposite. *ACS Nano*, 3(8), pp. 2207-2216.
- Serpa, A. L., Schneider, I. A. H. & Rubio, J., 2005. Adsorption onto Fluidized Powdered Activated Carbon Floccs-PACF. *Environmental Science & Technology*, Volume 39, pp. 885-888.
- Shamraiz, U. et al., 2016. Functional metal sulfides and selenides for the removal of hazardous dyes from Water. *Journal of Photochemistry & Photobiology, B: Biology*, Volume 159, pp. 33-41.
- Shenvi, S. S. et al., 2015. Humic Acid Based Biopolymeric Membrane for Effective Removal of Methylene Blue and Rhodamine B. *Industrial & Engineering Chemistry Research*, Volume 54, pp. 4965-4975.
- Shi, C., Dai, X. H. & Liang, P. Y., 2012. Adaptive backoff algorithm based on node number estimation with multiple thresholds. *Industrial & Engineering Chemistry Research*, 40(6), pp. 1108-1114.
- Silva, T. L. et al., 2016. Mesoporous activated carbon from industrial laundry sewage sludge: Adsorption studies of reactive dye Remazol Brilliant Blue R. *Chemical Engineering Journal*, Volume 303, pp. 467-476.



- Sivakumar, V. & Rao, P. G., 2003. Studies on the use of power ultrasound in leather dyeing. *Ultrasonics Sonochemistry*, Volume 10, pp. 85-94.
- Skjåk-Bræk, G., Grasdalen, H. & Smidsrød, O., 1989. Inhomogeneous polysaccharide ionic gels. *Carbohydrate Polymers*, 10(1), pp. 31-54.
- Sokolowska-Gajda, J., Freeman, H. S. & Reife, A., 1996. Synthetic Dyes Based on Environmental Considerations. Part 2: Iron Complexed Formazan Dyes. *Dyes and Pigments*, Volume 30, pp. 1-20.
- Stevenson, F. J., 1994. *Humus Chemistry: Genesis, Composition, Reactions*. New York: John Wiley & Sons Inc..
- Tang, L. et al., 2018. Sustainable efficient adsorbent: Alkali-acid modified magnetic biochar derived from sewage sludge for aqueous organic contaminant removal. *Chemical Engineering Journal*, Volume 336, pp. 160-169.
- Tan, I., Ahmad, A. & Hameed, B., 2008. Adsorption of basic dye on high-surface-area activated carbon prepared from coconut husk: Equilibrium, kinetic and thermodynamic studies. *Journal of Hazardous Materials*, Volume 154, pp. 337-346.
- Tan, I., Ahmad, . A. & Hameed, B., 2008. Adsorption of basic dye using activated carbon prepared from oil palm shell: batch and fixed bed studies. *Desalination*, Volume 225, pp. 13-28.
- Tan, K. H., 1982. *Principles of Soil Chemistry*. New York: Marcel Dekker Inc.
- Tan, X. . L., Wang, X. K., Geckeis, H. & Rabung, T., 2008. Sorption of Eu(III) on Humic Acid or Fulvic Acid Bound to Hydrous Alumina Studied by SEM-EDS, XPS, TRLFS, and Batch Techniques. *Environmental Science & Technology*, Volume 42, pp. 6532-6537.
- Tejeda-Agredano, M.-C., Mayer, P. & Ortega-Calvo, J.-J., 2014. The effect of humic acids on biodegradation of polycyclic aromatic hydrocarbons depends on the exposure regime. *Environmental Pollution*, Volume 184, pp. 435-442.
- Valdes, H., Sanchez-Polo, M., Rivera-Utrilla, J. & Zaror, C. A., 2002. Effect of Ozone Treatment on Surface Properties of Activated Carbon. *Langmuir*, 18(6), pp. 2111-2116.
- Van Stempvoort, D. R. & Lesage, S., 2002. Binding of methylated naphthalenes to concentrated aqueous humic acid. *Advances in Environmental Research*, 6(4), pp. 495-504.
- von Wandruszka, R., 2000. Humic acids: Their detergent qualities and potential uses in pollution remediation. *Geochemical Transactions*, 1(2), p. 10.
- von Wandruszka, R., Ragle, C. & Engebretson, R., 1997. The role of selected cations in the formation of pseudomicelles in aqueous humic acid. *Talanta*, Volume 44, pp. 805-809.



- Wang, J. et al., 2018. Polyvinylpyrrolidone and polyacrylamide intercalated molybdenum disulfide as adsorbents for enhanced removal of chromium(VI) from aqueous solutions. *Chemical Engineering Journal*, Volume 334, pp. 569-578.
- Wang, Q. et al., 2018. A new type of activated carbon fibre supported titanate nanotubes for high-capacity adsorption and degradation of methylene blue. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Volume 555, pp. 605-614.
- Wang, S. et al., 2005. The physical and surface chemical characteristics of activated carbons and the adsorption of methylene blue from wastewater. *Journal of Colloid and Interface Science*, Volume 284, pp. 440-446.
- Wawrzkievicz, M., 2012. Anion Exchange Resins as Effective Sorbents for Acidic Dye Removal from Aqueous Solutions and Wastewaters. *Solvent Extraction and Ion Exchange*, Volume 30, pp. 507-523.
- Yang, J.-S., Xie, Y.-J. & He, W., 2011. Research progress on chemical modification of alginate: A review. *Carbohydrate Polymers*, Volume 84, pp. 33-39.
- Yates, L. M. & Von Wandruszka, R., 1999. Decontamination of Polluted Water by Treatment with a Crude Humic Acid Blend. *Environmental Science & Technology*, 33(12), pp. 2076-2080.
- Zheng, H., 1997. Interaction mechanism in sol-gel transition of alginate solutions by addition of divalent cations. *Carbohydrate Research*, 302(1-2), pp. 97-101.
- Zhou, Y. et al., 2018. A novel amphoteric  $\beta$ -cyclodextrin-based adsorbent for simultaneous removal of cationic/anionic dyes and bisphenol A. *Chemical Engineering Journal*, Volume 341, pp. 47-57.
- Ziechmann, W. & Huebner, M., 2000. *The Structure of Humic Substances-Limits and Potential*. Boston, Royal Society of Chemistry.