

## DAFTAR PUSTAKA

- Aji, M.P., Wati, A.L., Priyanto, A., Karunawan, J., Nuryadin, B.W., Wibowo, E., Marwoto, P., and Sulhadi, 2018, Polymer carbon dots from plastics waste upcycling, *Environ. Nanotechnology, Monit. Manag.*, 9, 136–140.
- Aji, M.P., Wiguna, P.A., Suciningtyas, S.A., Susanto, Rosita, N., and Sulhadi, 2016, Carbon nanodots from frying oil as catalyst for photocatalytic degradation of methylene blue assisted solar light irradiation, *Am. J. Appl. Sci.*, 13, 432–438.
- Algarra, M., Campos, B.B., Radotić, K., Mutavdžić, D., Bandosz, T., Jiménez-Jiménez, J., Rodriguez-Castellón, E., and Esteves da Silva, J.C.G., 2014, Luminescent carbon nanoparticles: Effects of chemical functionalization, and evaluation of Ag<sup>+</sup> sensing properties, *J. Mater. Chem. A*, 2, 8342–8351.
- Atkin, P., Daeneke, T., Wang, Y., Carey, B.J., Berean, K.J., Clark, R.M., Ou, J.Z., Trinchì, A., Cole, I.S., and Kaladar-Zaheh, K., 2016, 2D WS<sub>2</sub>/carbon dot hybrids with enhanced photocatalytic activity, *J. Mater. Chem. A*, 4, 13563–13571.
- Bao, L., Liu, C., Zhang, Z.L., and Pang, D.W., 2015, Photoluminescence-tunable carbon nanodots: Surface-state energy-gap tuning, *Adv. Mater.*, 27, 1663–1667.
- Bao, L., Zhang, Z.L., Tian, Z.Q., Zhang, L., Liu, C., Lin, Y., Qi, B., and Pang, D.W., 2011, Electrochemical tuning of luminescent carbon nanodots: From preparation to luminescence mechanism, *Adv. Mater.*, 23, 5801–5806.
- Baragau, I.A., Power, N.P., Morgan, D.J., Heil, T., Lobo, R.A., Roberts, C.S., Titirici, M-M., Dunn, S., and Kellici, S., 2020, Continuous hydrothermal flow synthesis of blue-luminescent, excitation-independent nitrogen-doped carbon quantum dots as nanosensors, *J. Mater. Chem. A*, 8, 3270–3279.
- Coker, D.F., Reimers, J.R., and Watts, R.O., 1982, The Infrared Absorption Spectrum of Water, *Aust. J. Phys.*, 35, 623–638.

- Dhenadhayalan, N., Lin, K.C., Suresh, R., and Ramamurthy, P., 2016, Unravelling the Multiple Emissive States in Citric-Acid-Derived Carbon Dots, *J. Phys. Chem. C*, 120, 1252–1261.
- Ding, H., Wei, J.S., Zhang, P., Zhou, Z.Y., Gao, Q.Y., and Xiong, H.M., 2018, Solvent-Controlled Synthesis of Highly Luminescent Carbon Dots with a Wide Color Gamut and Narrowed Emission Peak Widths, *Small*, 14, 1800612.
- Ding, H., Yu, S.B., Wei, J.S., and Xiong, H.M., 2016, Full-color light-emitting carbon dots with a surface-state-controlled luminescence mechanism, *ACS Nano*, 10, 484–491.
- Dong, Y., Pang, H., Yang, H. Bin, Guo, C., Shao, J., Chi, Y., Li, C.M., Yu, T., 2013, Carbon-based dots co-doped with nitrogen and sulfur for high quantum yield and excitation-independent emission, *Angew. Chemie - Int. Ed.*, 52, 7800–7804.
- Dong, Y., Wang, R., Li, G., Chen, C., Chi, Y., and Chen, G., 2012, Polyamine-functionalized carbon quantum dots as fluorescent probes for selective and sensitive detection of copper ions, *Anal. Chem.*, 84, 6220–6224.
- Easterfield, T.H., and Sell, W.J., 1894, Studies on Citrazinic acid. part II, *Anal. Chem.*, 8, 28–31.
- Essner, J.B., Kist, J.A., Polo-Parada, L., and Baker, G.A., 2018, Artifacts and Errors Associated with the Ubiquitous Presence of Fluorescent Impurities in Carbon Nanodots, *Chem. Mater.*, 30, 1878–1887.
- Gaddam, R.R., Vasudevan, D., Narayan, R., and Raju, K.V.S.N., 2014, Controllable synthesis of biosourced blue-green fluorescent carbon dots from camphor for the detection of heavy metal ions in water, *RSC Adv.*, 4, 57137–57143.
- Gao, X., Du, C., Zhuang, Z., and Chen, W., 2016, Carbon quantum dot-based

nanoprobes for metal ion detection, *J. Mater. Chem. C*, 4, 6927–6945.

Guo, H., You, B., Zhao, S., Wang, Y., Sun, G., Bai, Y., and Shi, L., 2018, Full-color tunable photoluminescent carbon dots based on oil/water interfacial synthesis and their applications, *RSC Adv.*, 8, 24002–24012.

Himaja, A.L., Karthik, P.S., Sreedhar, B., and Singh, S.P., 2014, Synthesis of carbon dots from kitchen waste: Conversion of waste to value added product, *J. Fluoresc.*, 24, 1767–1773.

Hu, S., Trinchi, A., Atkin, P., and Cole, I., 2015, Tunable photoluminescence across the entire visible spectrum from carbon dots excited by white light, *Angew. Chemie - Int. Ed.*, 54, 2970–2974.

Hu, S., Wei, Z., Chang, Q., Trinchi, A., and Yang, J., 2016, A facile and green method towards coal-based fluorescent carbon dots with photocatalytic activity, *Appl. Surf. Sci.*, 378, 402–407.

Hu, Y., Yang, J., Tian, J., Jia, L., and Yu, J.S., 2014a, Green and size-controllable synthesis of photoluminescent carbon nanoparticles from waste plastic bags, *RSC Adv.*, 4, 47169–47176.

Hu, Y., Yang, J., Tian, J., Jia, L., and Yu, J.S., 2014b, Waste frying oil as a precursor for one-step synthesis of sulfur-doped carbon dots with pH-sensitive photoluminescence, *Carbon N. Y.*, 77, 775–782.

Jelinek, R., 2017, *Carbon Quantum Dots*, Araujo, P. (ed) Springer, Switzerland.

Jiang, K., Sun, S., Zhang, L., Lu, Y., Wu, A., Cai, C., and Lin, H., 2015, Red, green, and blue luminescence by carbon dots: Full-color emission tuning and multicolor cellular imaging, *Angew. Chemie - Int. Ed.*, 54, 5360–5363.

Jiang, Y., Wang, Y., Meng, F., Wang, B., Cheng, Y., and Zhu, C., 2015, N-doped carbon dots synthesized by rapid microwave irradiation as highly fluorescent probes for Pb<sup>2+</sup> detection, *New J. Chem.*, 39, 3357–3360.

- Kasprzyk, W., Świergosz, T., Bednarz, S., Walas, K., Bashmakova, N. V., and Bogdał, D., 2018, Luminescence phenomena of carbon dots derived from citric acid and urea—a molecular insight, *Nanoscale*, 10, 13889–13894.
- Kim, S., Hwang, S.W., Kim, M.K., Shin, D.Y., Shin, D.H., Kim, C.O., Yang, S.B., Park, J.H., Hwang, E., Choi, S-H., Ko, G., Sim, S., Sone, C., Choi, H.J., Bae, S., and Hong, B.H., 2012, Anomalous behaviors of visible luminescence from graphene quantum dots: Interplay between size and shape, *ACS Nano*, 6, 8203–8208.
- Kumar, V.B., Porat, Z., and Gedanken, A., 2016, Facile one-step sonochemical synthesis of ultrafine and stable fluorescent C-dots, *Ultrason. Sonochem.*, 28, 367–375.
- Li, M., Chen, T., Gooding, J.J., and Liu, J., 2019, Review of carbon and graphene quantum dots for sensing, *ACS Sensors*, 4, 1732–1748.
- Li, W., Huang, S., Wen, H., Luo, Y., Cheng, J., Jia, Z., Han, P., and Xue, W., 2020, Fluorescent recognition and selective detection of nitrite ions with carbon quantum dots, *Anal. Bioanal. Chem.*, 412, 993–1002.
- Lin, S., Chen, M., Wang, Z., Zhang, Y., Yuan, R., Liang, X., Xiang, W., and Zhou, Y., 2017, Construction of full-color light-emitting N-based carbon nanodots and their efficient solid-state materials via tape-casting technology for warm WLED, *Chem. Eng. J.*, 324, 194–202.
- Lindon, J.C., Tranter, G.E., and Koppenaal, D.W., 2016, *Encyclopedia of Spectroscopy and Spectrometry*, Springer-Verlag, Berlin.
- Liu, M., 2020, Optical Properties of Carbon Dots: A Review, *Nanoarchitectonics*, 1, 1–12.
- Liu, S., Tian, J., Wang, L., Zhang, Y., Qin, X., Luo, Y., Asiri, A.M., Al-Youbi, A.O., and Sun, X., 2012, Hydrothermal treatment of grass: A low-cost, green

route to nitrogen-doped, carbon-rich, photoluminescent polymer nanodots as an effective fluorescent sensing platform for label-free detection of Cu(II) ions, *Adv. Mater.*, 24, 2037–2041.

Liu, Z., Zou, H., Wang, N., Yang, T., Peng, Z., Wang, J., Li, N., and Huang, C., 2018, Photoluminescence of carbon quantum dots: coarsely adjusted by quantum confinement effects and finely by surface trap states, *Sci. China Chem.*, 61, 490–496.

Ludmerczki, R., Mura, S., Carbonaro, C.M., Mandity, I.M., Carraro, M., Senes, N., Garroni, S., Granozzi, G., Calvillo, L., Marras, S., Malfatti, L., and Innocenzi, P., 2019, Carbon Dots from Citric Acid and its Intermediates Formed by Thermal Decomposition, *Chem. - A Eur. J.*, 25, 11963–11974.

Ma, Z., Ming, H., Huang, H., Liu, Y., and Kang, Z., 2012, One-step ultrasonic synthesis of fluorescent N-doped carbon dots from glucose and their visible-light sensitive photocatalytic ability, *New J. Chem.*, 36, 861–864.

Martindale, B.C.M., Hutton, G.A.M., Caputo, C.A., and Reisner, E., 2015, Solar Hydrogen Production Using Carbon Quantum Dots and a Molecular Nickel Catalyst, *J. Am. Chem. Soc.*, 137, 6018–6025.

Mei, S., Wei, X., Hu, Z., Wei, C., Su, D., Yang, D., Zhang, G., Zhang, W., and Guo, R., 2019, Amphipathic carbon dots with solvent-dependent optical properties and sensing application, *Opt. Mater. (Amst.)*, 89, 224–230.

Ogi, T., Aishima, K., Permatasari, F.A., Iskandar, F., Tanabe, E., and Okuyama, K., 2016, Kinetics of nitrogen-doped carbon dot formation: Via hydrothermal synthesis, *New J. Chem.*, 40, 5555–5561.

Papaioannou, N., Marinovic, A., Yoshizawa, N., Goode, A.E., Fay, M., Khlobystov, A., Titirici, M-M., and Sapelkin, A., 2018, Structure and solvents effects on the optical properties of sugar-derived carbon nanodots, *Sci. Rep.*, 8, 6559.

- Saikia, M., Hower, J.C., Das, T., Dutta, T., and Saikia, B.K., 2019, Feasibility study of preparation of carbon quantum dots from Pennsylvania anthracite and Kentucky bituminous coals, *Fuel*, 243, 433–440.
- Schneider, E.M., Bärtsch, A., Stark, W.J., and Grass, R.N., 2019, Safe One-Pot Synthesis of Fluorescent Carbon Quantum Dots from Lemon Juice for a Hands-On Experience of Nanotechnology, *J. Chem. Educ.*, 96, 540–545.
- Schneider, J., Reckmeier, C.J., Xiong, Y., Von Seckendorff, M., Susha, A.S., Kasak, P., and Rogach, A.L., 2017, Molecular fluorescence in citric acid-based carbon dots, *J. Phys. Chem. C*, 121, 2014–2022.
- Sharma, V., Saini, A.K., and Mobin, S.M., 2016, Erratum: Multicolour fluorescent carbon nanoparticle probes for live cell imaging and dual palladium and mercury sensors, 4 (2466-2476), *J. Mater. Chem. B*, 4, 6154.
- Sharma, V., Tiwari, P., and Mobin, S.M., 2017, Sustainable carbon-dots: Recent advances in green carbon dots for sensing and bioimaging, *J. Mater. Chem. B*, 5, 8904–8924.
- Shen, J., Zhu, Y., Chen, C., Yang, X., and Li, C., 2011, Facile preparation and upconversion luminescence of graphene quantum dots, *Chem. Commun.*, 47, 2580–2582.
- Shore, A., 2018, Retraction: Amino acid derived highly luminescent, heteroatom-doped carbon dots for label-free detection of  $\text{Cd}^{2+}/\text{Fe}^{3+}$ , cell imaging and enhanced antibacterial activity, *RSC Adv.*, 8, 39784.
- Stepanidenko, E.A., Arefina, I.A., Khavlyuk, P.D., Dubavik, A., Bogdanov, K. V., Bondarenko, D.P., Cherevko, S.A., Kundelev, E.V., Fedorov, A.V., Baranov, A.V., Maslov, V.G., Ushakova, E.V., and Rogach, A.L., 2020, Influence of the solvent environment on luminescent centers within carbon dots, *Nanoscale*, 12, 602–609.

- Sugiarti, S. and Darmawan, N., 2015, Synthesis of fluorescence carbon nanoparticles from ascorbic acid, *Indones. J. Chem.*, 15, 141–145.
- Sun, C., Xu, Q., Xie, Y., Ling, Y., Jiao, J., Zhu, H., Zhao, J., Liu, X., Hu, B., and Zhou, D., 2017, High-efficient one-pot synthesis of carbon quantum dots decorating Bi<sub>2</sub>MoO<sub>6</sub> nanosheets heterostructure with enhanced visible-light photocatalytic properties, *J. Alloys Compd.*, 723, 333–344.
- Wang, N., Liu, Z.X., Li, R.S., Zhang, H.Z., Huang, C.Z., and Wang, J., 2017, The aggregation induced emission quenching of graphene quantum dots for visualizing the dynamic invasions of cobalt(II) into living cells, *J. Mater. Chem. B*, 5, 6394–6399.
- Wang, R., Lu, K.Q., Tang, Z.R., and Xu, Y.J., 2017, Recent progress in carbon quantum dots: synthesis, properties and applications in photocatalysis, *J. Mater. Chem. A*, 5, 3717–3734.
- Wang, W., Wang, B., Embrechts, H., Damm, C., Cadranel, A., Strauss, V., Distaso, M., Hinterberger, V., Guldi, D.M., and Peukert, W., 2017, Shedding light on the effective fluorophore structure of high fluorescence quantum yield carbon nanodots, *RSC Adv.*, 7, 24771–24780.
- Wang, Y. and Hu, A., 2014, Carbon quantum dots: Synthesis, properties and applications, *J. Mater. Chem. C*, 2, 6921–6939.
- Wei, X., Mei, S., Yang, D., Zhang, G., Xie, F., Zhang, W., and Guo, R., 2019, Surface States Induced Photoluminescence Enhancement of Nitrogen-Doped Carbon Dots Via Post-Treatments, *Nanoscale Res. Lett.*, 14, .
- Xia, C., Zhu, S., Feng, T., Yang, M., and Yang, B., 2019, Evolution and Synthesis of Carbon Dots: From Carbon Dots to Carbonized Polymer Dots, *Adv. Sci.*, 6, .
- Xiao, L., Wang, Y., Huang, Y., Wong, T., and Sun, H., 2017, Self-trapped exciton emission from carbon dots investigated by polarization anisotropy of

photoluminescence and photoexcitation, *Nanoscale*, 9, 12637–12646.

Zhang, F., Feng, X., Zhang, Y., Yan, L., Yang, Y., and Liu, X., 2016, Photoluminescent carbon quantum dots as a directly film-forming phosphor towards white LEDs, *Nanoscale*, 8, 8618–8632.

Zhang, R. and Chen, W., 2014, Biosensors and Bioelectronics Nitrogen-doped carbon quantum dots: Facile synthesis and application as a “turn-off” fluorescent probe for detection of  $Hg^{2+}$  ions, *Biosens. Bioelectron.*, 55, 83–90.

Zhang, R. and Chen, W., 2013, Nitrogen-doped carbon quantum dots: Facile synthesis and application as a “turn-off” fluorescent probe for detection of  $Hg^{2+}$  ions, *Biosens. Bioelectron.*, 55, 83–90.

Zhang, Y. and He, J., 2015, Facile synthesis of S, N co-doped carbon dots and investigation of their photoluminescence properties, *Phys. Chem. Chem. Phys.*, 17, 20154–20159.

Zhang, Z., Zheng, T., Li, X., Xu, J., and Zeng, H., 2016, Progress of Carbon Quantum Dots in Photocatalysis Applications, *Part. Part. Syst. Charact.*, 33, 457–472.

Zhao, D., Liu, X., Zhang, Z., Zhang, R., Liao, L., Xiao, X., and Cheng, H., 2019, Synthesis of multicolor carbon dots based on solvent control and its application in the detection of crystal violet, *Nanomaterials*, 9, .

Zhou, L., Qiao, M., Zhang, L., Sun, L., Zhang, Y., and Liu, W., 2019, Green and efficient synthesis of carbon quantum dots and their luminescent properties, *J. Lumin.*, 206, 158–163.

Zhou, M., Zhou, Z., Gong, A., Zhang, Y., and Li, Q., 2015, Synthesis of highly photoluminescent carbon dots via citric acid and Tris for iron(III) ions sensors and bioimaging, *Talanta*, 143, 107–113.

Zhu, J., Bai, X., Bai, J., Pan, G., Zhu, Y., Zhai, Y., Shao, H., Chen, X., Dong, B.,

Zhang, H., and Song, H., 2018, Emitting color tunable carbon dots by adjusting solvent towards light-emitting devices, *Nanotechnology*, 29, 085705.

Zhuo, C., 2009, Synthesis of carbon nanotubes from waste polyethylene plastics, *ProQuest Diss. Theses*,.