



UNIVERSITAS
GADJAH MADA

Perbandingan Nutrition Risk Index (NRI), Nutritional Risk Screening-2002 (NRS 2002), dan Simple Nutrition Screening Tool (SNST), Terhadap Subjective Global Assessment (SGA) pada Pasien Bedah di

RSUP Dr. Sardjito

AMALIA SARAH S, Dr. Susetyowati, DCN., M.Kes.; Dr. dr. Adeodatus Yuda H., SpB-KBD

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

DAFTAR PUSTAKA

- Alberda, C., Graf, A. and Mccargar, L. (2006) 'Malnutrition : Etiology , consequences , and assessment of a patient at risk', *Clin Gastroentero*, 20(3), pp. 419–439. doi: 10.1016/j.bpg.2006.01.006.
- Almatsier, S. (2002) *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama.
- Almeida, A. I. et al. (2012) 'Nutritional risk screening in surgery: Valid, feasible, easy!', *Clinical Nutrition*. Elsevier Ltd, 31(2), pp. 206–211. doi: 10.1016/j.clnu.2011.10.003.
- Álvarez-Hernández, J. et al. (2012) 'Prevalence and costs of malnutrition in hospitalized patients: the PREDyCES®Study', *Nutrición Hospitalaria*. Sociedad Española de Nutrición Parenteral y Enteral (SENPE), 27(4), pp. 1049–1059. doi: 10.3305/nh.2012.27.4.5986.
- Andini, R., Susetyowati, S. and Sulistyoningrum, D. C. (2017) 'Studi komparasi beberapa metode skrining penilaian status gizi pada pasien dewasa rawat inap rumah sakit', *Jurnal Gizi Klinik Indonesia*, 14(2), p. 64. doi: 10.22146/ijcn.22066.
- Andonovska, B. et al. (2016) 'Malnutrition in the surgical patients', *Sanamed*, 11(3), pp. 229–237. doi: 10.5937/sanamed1603229A.
- Apipuddin, A., Marlany, H. and Nandang, A. (2017) 'Penatalaksanaan Persiapan Pasien Preoperatif Di Rumah Sakit Umum Daerah Kabupaten Ciamis', *Jurnal Ilmiah Kesehatan Keperawatan*, Volume 13(Nomor 1), p. Halaman 35-41. Available at: ejournal.stikesmuhgombong.ac.id/index.php/JIKK/article/view/190%0A%0A.
- Arends, J. et al. (2017) 'ESPEN expert group recommendations for action against cancer-related malnutrition', *Clinical Nutrition*. Elsevier Ltd, 36(5), pp. 1187–1196. doi: 10.1016/j.clnu.2017.06.017.
- Arends, Jann et al. (2017) 'ESPEN guidelines on nutrition in cancer patients', *Clinical Nutrition*. Elsevier Ltd, 36(1), pp. 11–48. doi: 10.1016/j.clnu.2016.07.015.
- Baradero, M., Dayrit, M. W. and Siswadi, Y. (2009) *Prinsip dan Praktik Keperawatan Perioperatif*. 1st edn. Jakarta: EGC. Available at: <https://books.google.co.id/books?id=7C6a2aaZV60C&printsec=frontcover&hl=id#v=onepage&q&f=false>.
- Barge-Caballero, E. et al. (2017) 'Prognostic Value of the Nutritional Risk Index in Heart Transplant Recipients', *Revista Espanola de Cardiologia*, 70(8), pp. 639–645. doi: 10.1016/j.recesp.2016.11.015.
- Barker, L. A., Gout, B. S. and Crowe, T. C. (2011) 'Hospital malnutrition: Prevalence, identification and impact on patients and the healthcare system', *International Journal of Environmental Research and Public Health*, 8(2), pp. 514–527. doi: 10.3390/ijerph8020514.



http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=58061&obyek_id=4 (Accessed: 3 February 2019).

Blössner, M. and Onis, M. De (2005) 'Malnutrition: quantifying the health impact at national and local levels', *World Health Organization - Environmental Burden Disease Series*, 12(12), p. 43. doi: 10.1371/journal.pone.0107040.

Budiningsari, R. D. and Hadi, H. (2004) 'PENGARUH PERUBAHAN STATUS GIZI PASIEN DEWASA TERHADAP LAMA RAWAT INAP DAN BIAYA RUMAH SAKIT', *JURNAL GIZI KLINIK INDONESIA*, 1, pp. 35–44.

Burgos, R. et al. (2012) 'Prevalencia De Malnutrición Y Sus Factores Etiológicos en Hospitales', *Nutricion Hospitalaria*, 27(2), pp. 469–476. doi: 10.3305/nh.2012.27.2.5510.

Cerantola, Y. et al. (2011) 'Immunonutrition in gastrointestinal surgery', *British Journal of Surgery*, 98(1), pp. 37–48. doi: 10.1002/bjs.7273.

D.N. Baron (1990) *Kapita Selekta Patologi Klinik (Alih Bahasa)*. Jakarta: EGC.

Detsky, A. S. et al. (1987) 'What is Subjective Global Assessment of Nutritional Status?', *Journal of Parenteral and Enteral Nutrition*, 5(1), pp. 359–365. doi: 10.1142/9789814489072_0004.

Faramarzi, E. et al. (2013) 'Validation of nutritional risk index method against patient-generated subjective global assessment in screening malnutrition in colorectal cancer patients', *Chinese Journal of Cancer Research*, 25(5), pp. 544–548. doi: 10.3978/j.issn.1000-9604.2013.10.04.

Faza, F. (2016) *PERBANDINGAN SIMPLE NUTRITION SCREENING TOOL DAN NUTRITIONAL RISK SCREENING 2002 DENGAN SUBJECTIVE GLOBAL ASSESSMENT DAN DIALYSIS MALNUTRITION SCORE PADA PASIEN PENYAKIT GINJAL KRONIK DENGAN HEMODIALISIS DI RSUP DR. SARDJITO YOGYAKARTA*. Universitas Gadjah Mada.

Gallagher, A. et al. (1996) 'Malnutrition and clinical outcomes.pdf', *Journal of the American Dietetic Association*, 96(4), pp. 361–369.

Gandy, J. W., Madden, A. and Holdsworth, H. (2014) *Gizi dan Dietetika*. Jakarta: EGC.

Genc, V., Bu, A. and Sonyu, P. (2006) 'Preoperative Nutritional Risk Assessment in Predicting Postoperative Outcome in Patients Undergoing Major Surgery', 47(February), pp. 378–390. doi: 10.1007/s00268-005-0163-1.

Gibson, R. S. (2005) 'Assesment of Protein Status', in *Principles of Nutritional Assessment*. New



Handaya, A. Y. (2017) *Deteksi Dini & Atasi 31 Penyakit Bedah Saluran Cerna (DIGESTIF)*.

Yogyakarta: Rapha Publishing.

Hartono, A. (2006) *Terapi Gizi dan Diet Rumah Sakit*. 2nd edn. Jakarta: Penerbit Buku

Kedokteran

EGC.

Available

at:

<https://books.google.co.id/books?id=7MPTur8qDZgC&printsec=frontcover&hl=id#v=onepage&q&f=false>.

Hill, G. L. (2000) *Buku Ajar Nutrisi Bedah (Disorders of Nutrition and Metabolism in Clinical Surgery: Understanding and Management) (Alih Bahasa)*. Jakarta: Farmedia.

I G A Kusumayanti, Hamam Hadi, S. (2004) 'Faktor-Faktor Yang Mempengaruhi Kejadian Malnutrisi Pasien Dewasa Di Ruang Rawat Inap Rumah Sakit', *Jurnal Gizi Klinik Indonesia*, 1(1), pp. 9–17.

IJA, M. and dr. Ahmad Mahmudi, S. B. (2009) 'Pengaruh status gizi pasien bedah mayor pre operasi terhadap penyembuhan luka dan lama rawat inap pasca operasi di RSUP Dr. Sardjito Yogyakarta'. Universitas Gadjah Mada.

Indriasari, B. R. W. (2002) *Pengaruh kecukupan asupan gizi rumah sakit terhadap status gizi pulang pasien anak di bangsal rawat inap*. Universitas Gadjah Mada.

Istanti, R. (2003) *Indeks Risiko Gizi (Nutritional Risk Index)*. Media Diet. ASDI.

Jones, C. H., Wolfenden, R. C. and Wells, L. M. (2004) 'Is subjective global assessment a reliable measure of nutritional status in hemodialysis?', *Journal of Renal Nutrition*, 14(1), pp. 26–30. doi: 10.1053/j.jrn.2003.09.006.

Jones, J. M. (2004) 'Validity of nutritional screening and assessment tools', *Nutrition*, 20(3), pp. 312–317. doi: 10.1016/j.nut.2003.11.005.

de Jong, W. and Heerdjan, A. S. (2005) *Kanker, Apakah Itu?* Jakarta: Penerbit Arcan.

Karateke, F. et al. (2013) 'Evaluation of Nutritional Risk Screening-2002 and Subjective Global Assessment for general surgery patients: A prospective study', *Journal of the Pakistan Medical Association*, 63(11), pp. 1405–1408.

Karnadihardja, W. (2007) *Perioperative Care of Critically Ill Surgical Patient*. Yogyakarta.

Kemenkes RI (2013) *PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 78 TAHUN 2013 TENTANG PEDOMAN PELAYANAN GIZI RUMAH SAKIT*. Jakarta.
Available at: [https://peraturan.bkpm.go.id/jdih/userfiles/batang/PMK No. 78 ttg PGRS.pdf](https://peraturan.bkpm.go.id/jdih/userfiles/batang/PMK%20No.%2078%20ttg%20PGRS.pdf)
(Accessed: 28 December 2018).

Kondrup, J. et al. (2003) 'Nutritional risk screening (NRS 2002): A new method based on an analysis of controlled clinical trials', *Clinical Nutrition*, 22(3), pp. 321–336. doi:



- Kyle, U. G. et al. (2004) 'Is Nutritional Depletion by Nutritional Risk Index Associated with Increased Length of Hospital Stay? A Population-Based Study', *Journal of Parenteral and Enteral Nutrition*, 28(2), pp. 99–104. doi: 10.1177/014860710402800299.
- Kyle, U. G. et al. (2006) 'Comparison of tools for nutritional assessment and screening at hospital admission: A population study', *Clinical Nutrition*, 25(3), pp. 409–417. doi: 10.1016/j.clnu.2005.11.001.
- Leandro-Merhi, V. A. and de Aquino, J. L. B. (2014) 'Determinants of malnutrition and post-operative complications in hospitalized surgical patients', *Journal of Health, Population and Nutrition*, 32(3), pp. 400–410.
- Lieffers, J. R. et al. (2012) 'Sarcopenia is associated with postoperative infection and delayed recovery from colorectal cancer resection surgery', *British Journal of Cancer*. Nature Publishing Group, 107(6), pp. 931–936. doi: 10.1038/bjc.2012.350.
- Loh, K. W. et al. (2012) 'Unintentional weight loss is the most important indicator of malnutrition among surgical cancer patients', *Netherlands Journal of Medicine*, 70(8), pp. 365–369.
- Mardalena, I. et al. (2017) 'Booklet Nutrisi Meningkatkan Asupan Makan dan Kadar Albumin pada Pasien Bedah yang Berisiko Malnutrisi', 5(1), pp. 76–81.
- Maryani, E., Prawirohartono, E. P. and Nugroho, S. (2016) 'Faktor Prediktor Malnutrisi Rumah Sakit pada Anak', *Sari Pediatri*, 18(4), pp. 278–284. doi: <http://dx.doi.org/10.14238/sp18.4.2016.278-84>.
- Mayasari, M. (2014) 'PERBANDINGAN ANTARA SIMPLE NUTRITIONAL SCREENING TOOL (SNST) DENGAN MINI NUTRITIONAL ASSESSMENT- SHORT FORM (MNA-SF) TERHADAP ANTROPOMETRI DAN BIOKIMIA PASIEN LANJUT USIA DI RSUP DR. SARDJITO YOGYAKARTA'. Universitas Gadjah Mada.
- Mohammed, F. A. (2014) 'Prediction of Malnutrition Using Modified Subjective Global Assessment-Dialysis Malnutrition Score in Patients on Chronic Hemodialysis', *Journal of Community Medicine & Health Education*, 04(03), pp. 1–8. doi: 10.4172/2161-0711.1000291.
- Moore, M. and Oswari, L. (1993) *Buku Pedoman Terapi Diet dan Nutrisi (Alih Bahasa)*. 2nd edn. Jakarta: Penerbit Hypocrates.
- Nuraini, A. (2019) 'PERBANDINGAN SIMPLE NUTRITION SCREENING TOOL (SNST), NUTRITION RISK SCREENING 2002 (NRS 2002), DAN ROYAL MARSDEN NUTRITION SCREENING TOOL (RMNST) TERHADAP PATIENT GENERATED-SUBJECTIVE GLOBAL ASSESSMENT (PG-SGA) PADA PASIEN KANKER RAWAT INAP RSUP DR.



- Ozkalkanli, M. Y. et al. (2009) 'Comparison of tools for nutrition assessment and screening for predicting the development of complications in orthopedic surgery', *Nutrition in Clinical Practice*, 24(2), pp. 274–280. doi: 10.1177/0884533609332087.
- Peng, P. D. et al. (2011) 'Sarcopenia negatively impacts short-term outcomes in patients undergoing hepatic resection for colorectal liver metastasis', *Hpb*. Elsevier Masson SAS, 13(7), pp. 439–446. doi: 10.1111/j.1477-2574.2011.00301.x.
- Pham, N. V et al. (2006) 'Application of subjective global assessment as a screening tool for malnutrition in surgical patients in Vietnam', *Clinical Nutrition*, 25(1), pp. 102–108. doi: 10.1016/j.clnu.2005.09.002.
- Pokharel, N., Katwal, G. and Adhikari, S. K. (2019) 'Comparison of preoperative Nutritional Risk Index and Body Mass Index for predicting immediate postoperative outcomes following major gastrointestinal surgery: Cohort-study', *Annals of Medicine and Surgery*. Elsevier, 48(August), pp. 53–58. doi: 10.1016/j.amsu.2019.10.011.
- Prasad, N. et al. (2016) 'Validity of nutrition risk index as a malnutrition screening tool compared with subjective global assessment in end-stage renal disease patients on peritoneal dialysis', *Indian Journal of Nephrology*. Medknow Publications, 26(1), pp. 27–32. doi: 10.4103/0971-4065.158449.
- Raslan, M. et al. (2011) 'Complementarity of Subjective Global Assessment (SGA) and Nutritional Risk Screening 2002 (NRS 2002) for predicting poor clinical outcomes in hospitalized patients', *Clinical Nutrition*. Elsevier Ltd, 30(1), pp. 49–53. doi: 10.1016/j.clnu.2010.07.002.
- Rasmussen, H. H., Holst, M. and Kondrup, J. (2010) 'Measuring nutritional risk in hospitals', *Clinical Epidemiology*, 2(1), pp. 209–216. doi: 10.2147/CLEP.S11265.
- Reisinger, K. W. et al. (2015) 'Functional compromise reflected by sarcopenia, frailty, and nutritional depletion predicts adverse postoperative outcome after colorectal cancer surgery', *Annals of Surgery*, 261(2), pp. 345–352. doi: 10.1097/SLA.0000000000000628.
- Rodriguez-Tadeo, A. et al. (2012) 'Malnutrition risk factors among the elderly from the us-Mexico Border: The "one thousand" study', *Journal of Nutrition, Health and Aging*, 16(5), pp. 426–431. doi: 10.1007/s12603-011-0349-1.
- Said, S., A. Taslim, N. and Bahar, B. (2016) 'Hubungan IMT dan Kadar Albumin berhubungan dengan Penyembuhan Luka', *Jurnal Keperawatan Padjadjaran*, v4(n1), pp. 60–69. doi: 10.24198/jkp.v4n1.6.
- Said, S., Taslim, N. A. and Bahar, B. (2013) *Gizi dan Penyembuhan Luka*. Makassar: Indonesia Academic Publishing.



Sarasati, R. M. (2019) PERBANDINGAN ANTARA NUTRITION RISK SCREENING 2002, SIMPLE NUTRITION SCREENING TOOL, DAN NUTRISCORE TERHADAP PENILAIAN ANTROPOMETRI DAN BIOKIMIA PADA PASIEN KANKER RAWAT INAP DI RSUP DR. SARDJITO YOGYAKARTA'. Universitas Gadjah Mada.

Sastroasmoro, S. and Ismael, S. (2014) *Dasar-Dasar Metodologi Penelitian Klinis*. 5th edn. Jakarta: Sagung Seto.

Schenker, S. (2003) 'Undernutrition in the UK', (898651), pp. 87–120.

Sharma, D., Yadav, U. B. and Sharma, P. (2009) 'The concept of sensitivity and specificity in relation to two types of errors and its application in medical research.', *Journal of Reliability and Statistical Studies*, 2(2), pp. 53–58.

Shikora, S. A. and Blackburn, G. L. (1991) 'Nutritional consequences of major gastrointestinal surgery: Patient outcome and starvation', *Surgical Clinics of North America*. Elsevier Masson SAS, 71(3), pp. 509–521. doi: 10.1016/S0039-6109(16)45430-7.

Sidiartha, I. G. L. (2012) 'Insidens Malnutrisi Rumah Sakit pada Anak di rumah Sakit Umum Pusat Sanglah Denpasar', *Medicina*, 43(6), pp. 15–18.

Sjamsuhidajat, R. and Jong, W. de (2005) *Buku Ajar Ilmu Bedah Edisi 2*. 2nd edn. Jakarta: Penerbit Buku Kedokteran EGC.

Skipper, A. and Ferguson, M. (2015) 'Nutrition Screening Tools : An Analysis of the Evidence Nutrition Screening Tools: An Analysis of the Evidence', (November 2011). doi: 10.1177/0148607111414023.

Sorensen, J. et al. (2008) 'EuroOOPS : An international , multicentre study to implement nutritional risk screening and evaluate clinical outcome *', pp. 340–349. doi: 10.1016/j.clnu.2008.03.012.

Steiber, A. L. et al. (2004) 'Subjective Global Assessment in chronic kidney disease: A review', *Journal of Renal Nutrition*, 14(4), pp. 191–200. doi: 10.1053/j.jrn.2004.08.004.

Supariasa, I. D. N., Bakri, B. and Fajar, I. (2001) *Penilaian Status Gizi*. Edited by P. B. K. IGC. Jakarta.

Susetyowati et al. (2014) 'Development, validation and reliability of the simple nutrition screening tool (SNST) for adult hospital patient in Indonesia', *Pakistan Journal of Nutrition*, 13(3), pp. 157–163. doi: 10.3923/pjn.2014.157.163.

Susetyowati (2014) *Penerapan Skrining Gizi di Rumah Sakit*. Yogyakarta: UGM Press.

Susetyowati et al. (2018) 'Comparison of Nutrition Screening and Assessment Parameters in Predicting Length of Hospital Stay', *Journal of Nutritional Medicine and Diet Care*, 4(1), pp. 1–9. doi: 10.23937/2572-3278.1510030.



Susetyowati, Ija, M. and Makhmudi, A. (2010) 'Status gizi pasien bedah mayor preoperasi berpengaruh terhadap penyembuhan luka dan lama rawat inap pascaoperasi di RSUP Dr Sardjito Yogyakarta', *GIZI KLINIK INDONESIA*, 7(1), pp. 1–7.

Tambayong, J. (2000) *Patofisiologi Untuk Keperawatan*. Jakarta: Penerbit Buku Kedokteran EGC.

Thieme, R. D. et al. (2013) 'Nutritional risk index is predictor of postoperative complications in operations of digestive system or abdominal wall?', *Arquivos brasileiros de cirurgia digestiva: ABCD = Brazilian archives of digestive surgery*, 26(4), pp. 286–292. doi: 10.1590/S0102-67202013000400007.

Tsaousi, G. et al. (2014) 'Prognostic indices of poor nutritional status and their impact on prolonged hospital stay in a Greek university hospital.', *BioMed research international*. Hindawi, 2014, p. 924270. doi: 10.1155/2014/924270.

Van Venrooij, L. M. W. et al. (2008) 'Preoperative unintended weight loss and low body mass index in relation to complications and length of stay after cardiac surgery', *American Journal of Clinical Nutrition*, 87(6), pp. 1656–1661. doi: 10.1093/ajcn/87.6.1656.

Veterans Affair Total Parenteral Nutrition Cooperative Study Group (1991) 'Perioperative Total Parenteral Nutrition in Surgical Patients', *New England Journal of Medicine*, 329(14), pp. 977–986. doi: 10.1056/NEJM199309303291401.

Weimann, A. et al. (2017) 'ESPEN guideline: Clinical nutrition in surgery', *Clinical Nutrition*. Elsevier Ltd, 36(3), pp. 623–650. doi: 10.1016/j.clnu.2017.02.013.

Widayanti, R., Effendy, C. and Akhmad (2006) 'Gambaran Status Gizi Pasien Pra dan Pasca Operasi di RS Dr. Sardjito, Yogyakarta', *Jurnal Ilmu Keperawatan*, 01(01), pp. 14–21.

Zhu, W., Zeng, N. and Wang, N. (2010) 'Sensitivity , Specificity , Accuracy , Associated Confidence Interval and ROC Analysis with Practical SAS ® Implementations K & L consulting services , Inc , Fort Washington , PA Octagon Research Solutions , Wayne', *NESUG : Health Care and Life Sciences*, pp. 1–9.

Zou, K. H., O'Malley, A. J. and Mauri, L. (2007) 'Receiver-operating characteristic analysis for evaluating diagnostic tests and predictive models', *Circulation*, 115(5), pp. 654–657. doi: 10.1161/CIRCULATIONAHA.105.594929.