

DAFTAR PUSTAKA

- Alang, N., & Kelly, C. R. (2015). Weight Gain After Fecal Microbiota Transplantation. *Open Forum Infectious Diseases*, 2(1). <https://doi.org/10.1093/ofid/ofv004>
- Alauddin, M., Shirakawa, H., Koseki, T., Kijima, N., Ardiansyah, Budijanto, S., ... Komai, M. (2016). Fermented rice bran supplementation mitigates metabolic syndrome in stroke-prone spontaneously hypertensive rats. *BMC Complementary and Alternative Medicine*, 16. <https://doi.org/10.1186/s12906-016-1427-z>
- American Diabetes Association. (2014). Standards of Medical Care in Diabetes--2014. *Diabetes Care*, 37(Supplement_1), S14–S80. <https://doi.org/10.2337/dc14-S014>
- Ardiansyah, Shirakawa, H., Koseki, T., Ohinata, K., Hashizume, K., & Komai, M. (2006). Rice Bran Fractions Improve Blood Pressure, Lipid Profile, and Glucose Metabolism in Stroke-Prone Spontaneously Hypertensive Rats. *Journal of Agricultural and Food Chemistry*, 54(5), 1914–1920. <https://doi.org/10.1021/jf052561l>
- Arifin, W. N., & Zahiruddin, W. M. (2017). Sample Size Calculation in Animal Studies Using Resource Equation Approach. *The Malaysian Journal of Medical Sciences : MJMS*, 24(5), 101–105. <https://doi.org/10.21315/mjms2017.24.5.11>
- Bajaj, S., & Khan, A. (2012). Antioxidants and diabetes. *Indian Journal of Endocrinology and Metabolism*, 16(Suppl 2), S267–S271. <https://doi.org/10.4103/2230-8210.104057>
- Benabbou, T. A., Karam, H. Z., & Karam, N.-E. (2019). Effect Oral Administration Ampicillin on the Ecological Balance of rat Enterococcal gut Microbiota. *Current Microbiology*, 76(3), 329–337. <https://doi.org/10.1007/s00284-019-01635-6>
- Boonloh, K., Kukongviriyapan, V., Kongyingyoes, B., Kukongviriyapan, U., Thawornchinsombut, S., & Pannangpetch, P. (2015). Rice Bran Protein Hydrolysates Improve Insulin Resistance and Decrease Pro-inflammatory Cytokine Gene Expression in Rats Fed a High Carbohydrate-High Fat Diet. *Nutrients*, 7(8), 6313–6329. <https://doi.org/10.3390/nu7085292>
- Boursi, B., Mamtani, R., Haynes, K., & Yang, Y.-X. (2015). The effect of past antibiotic exposure on diabetes risk. *European Journal of Endocrinology*, 172(6), 639–648. <https://doi.org/10.1530/EJE-14-1163>
- Cani, P. D., Bibiloni, R., Knauf, C., Waget, A., Neyrinck, A. M., Delzenne, N. M., & Burcelin, R. (2008). Changes in Gut Microbiota Control Metabolic Endotoxemia-Induced Inflammation in High-Fat Diet-Induced Obesity and Diabetes in Mice. *Diabetes*, 57(6), 1470–1481. <https://doi.org/10.2337/db07-1403>
- Cani, P. D., Osto, M., Geurts, L., & Everard, A. (2012). Involvement of gut microbiota in the development of low-grade inflammation and type 2

- diabetes associated with obesity. *Gut Microbes*, 3(4), 279–288. <https://doi.org/10.4161/gmic.19625>
- Carvalho, B. M., Guadagnini, D., Tsukumo, D. M. L., Schenka, A. A., Latuf-Filho, P., Vassallo, J., ... Saad, M. J. A. (2012). Modulation of gut microbiota by antibiotics improves insulin signalling in high-fat fed mice. *Diabetologia*, 55(10), 2823–2834. <https://doi.org/10.1007/s00125-012-2648-4>
- Cheng, H.-H., Huang, H.-Y., Chen, Y.-Y., Huang, C.-L., Chang, C.-J., Chen, H.-L., & Lai, M.-H. (2010). Ameliorative Effects of Stabilized Rice Bran on Type 2 Diabetes Patients. *Annals of Nutrition and Metabolism*, 56(1), 45–51. <https://doi.org/10.1159/000265850>
- Cho, I., Yamanishi, S., Cox, L., Methé, B. A., Zavadil, J., Li, K., ... Blaser, M. J. (2012). Antibiotics in early life alter the murine colonic microbiome and adiposity. *Nature*, 488(7413), 621–626. <https://doi.org/10.1038/nature11400>
- Choi, J., Paik, D.-J., Kwon, D. Y., & Park, Y. (2014). Dietary supplementation with rice bran fermented with *Lentinus edodes* increases interferon- γ activity without causing adverse effects: a randomized, double-blind, placebo-controlled, parallel-group study. *Nutrition Journal*, 13(1), 35. <https://doi.org/10.1186/1475-2891-13-35>
- Colantonio, A. G., Werner, S. L., & Brown, M. (2019). The Effects of Prebiotics and Substances with Prebiotic Properties on Metabolic and Inflammatory Biomarkers in Individuals with Type 2 Diabetes Mellitus: A Systematic Review. *Journal of the Academy of Nutrition and Dietetics*, S2212267218313418. <https://doi.org/10.1016/j.jand.2018.12.013>
- Cox, L. M., & Blaser, M. J. (2015). Antibiotics in early life and obesity. *Nature Reviews. Endocrinology*, 11(3), 182–190. <https://doi.org/10.1038/nrendo.2014.210>
- den Besten, G., van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D.-J., & Bakker, B. M. (2013). The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *Journal of Lipid Research*, 54(9), 2325–2340. <https://doi.org/10.1194/jlr.R036012>
- Fallahzadeh, H., Ostovarfar, M., & Lotfi, M. H. (2019). Population attributable risk of risk factors for type 2 diabetes; Bayesian methods. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 13(2), 1365–1368. <https://doi.org/10.1016/j.dsx.2019.01.015>
- Fatimah, R. N. (2015). Diabetes melitus tipe 2. *Jurnal Majority*, 4(5).
- Fei, N., & Zhao, L. (2013). An opportunistic pathogen isolated from the gut of an obese human causes obesity in germfree mice. *The ISME Journal*, 7(4), 880–884. <https://doi.org/10.1038/ismej.2012.153>
- Fernandes, R., Viana, S. D., Nunes, S., & Reis, F. (2019). Diabetic gut microbiota disbiosis as an inflammaging and immunosenescence condition that fosters progression of retinopathy and nephropathy. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1865(7), 1876–1897. <https://doi.org/10.1016/j.bbadis.2018.09.032>

- Fitri, W., & Agus, W. (2019). Sifat Organoleptik dan Indeks Glikemik Snack Bar Berbahan Bekatul dan Kacang Merah (Doctoral dissertation, Poltekkes Kemenkes Yogyakarta). Retrieved from <http://eprints.poltekkesjogja.ac.id/1102/4/4.%20Chapter2.doc.pdf.pdf>
- Gul, K., Yousuf, B., Singh, A. K., Singh, P., & Wani, A. A. (2015). Rice bran: Nutritional values and its emerging potential for development of functional food—A review. *Bioactive Carbohydrates and Dietary Fibre*, 6(1), 24–30. <https://doi.org/10.1016/j.bcdf.2015.06.002>
- Han, J.-L., & Lin, H.-L. (2014). Intestinal microbiota and type 2 diabetes: From mechanism insights to therapeutic perspective. *World Journal of Gastroenterology*, 20(47), 17737–17745. <https://doi.org/10.3748/wjg.v20.i47.17737>
- Hartstra, A. V., Bouter, K. E. C., Bäckhed, F., & Nieuwdorp, M. (2015). Insights Into the Role of the Microbiome in Obesity and Type 2 Diabetes. *Diabetes Care*, 38(1), 159–165. <https://doi.org/10.2337/dc14-0769>
- Huang, Y.-P., & Lai, H.-M. (2016). Bioactive compounds and antioxidative activity of colored rice bran. *Journal of Food and Drug Analysis*, 24(3), 564–574. <https://doi.org/10.1016/j.jfda.2016.01.004>
- International Diabetes Federation (IDF). (2017). *IDF Diabetes Atlas Eighth Edition 2017*.
- Janarny, G., & Gunathilake, K. D. P. P. (2020). Changes in rice bran bioactives, their bioactivity, bioaccessibility and bioavailability with solid-state fermentation by *Rhizopus oryzae*. *Biocatalysis and Agricultural Biotechnology*, 23, 101510. <https://doi.org/10.1016/j.bcab.2020.101510>
- Jess, T. (2014). Microbiota, Antibiotics, and Obesity. *New England Journal of Medicine*, 371(26), 2526–2528. <https://doi.org/10.1056/NEJMcibr1409799>
- Kemenkes. (2018). *Hasil Risesdas 2018*. Retrieved from http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Risesdas%202018.pdf
- Kim, H.-Y., Kim, J.-H., Yang, S.-B., Hong, S.-G., Lee, S.-A., Hwang, S.-J., ... Park, M.-H. (2007). A Polysaccharide Extracted from Rice Bran Fermented with *Lentinus edodes* Enhances Natural Killer Cell Activity and Exhibits Anticancer Effects. *Journal of Medicinal Food*, 10(1), 25–31. <https://doi.org/10.1089/jmf.2006.116>
- Kim, K. M., Yu, K. W., Kang, D. H., & Suh, H. J. (2002). Anti-stress and anti-fatigue effect of fermented rice bran. *Phytotherapy Research*, 16(7), 700–702. <https://doi.org/10.1002/ptr.1019>
- Kim, S. M., Rico, C. W., Lee, S. C., & Kang, M. Y. (2010). Modulatory Effect of Rice Bran and Phytic Acid on Glucose Metabolism in High Fat-Fed C57BL/6N Mice. *Journal of Clinical Biochemistry and Nutrition*, 47(1), 12. <https://doi.org/10.3164/jcbrn.09-124>
- Leclercq, I. A., Da Silva Morais, A., Schroyen, B., Van Hul, N., & Geerts, A. (2007). Insulin resistance in hepatocytes and sinusoidal liver cells: Mechanisms

- and consequences. *Journal of Hepatology*, 47(1), 142–156. <https://doi.org/10.1016/j.jhep.2007.04.002>
- Lee, W. J., Lattimer, L. D. N., Stephen, S., Borum, M. L., & Doman, D. B. (2015). Fecal Microbiota Transplantation: A Review of Emerging Indications Beyond Relapsing Clostridium difficile Toxin Colitis. *Gastroenterology & Hepatology*, 11(1), 24–32.
- Limtrakul, P., Yodkeeree, S., Pitchakarn, P., & Punfa, W. (2016). Anti-inflammatory effects of proanthocyanidin-rich red rice extract via suppression of MAPK, AP-1 and NF- κ B pathways in Raw 264.7 macrophages. *Nutrition Research and Practice*, 10(3), 251–258. <https://doi.org/10.4162/nrp.2016.10.3.251>
- Lücke, F.-K., Fritz, V., Tannhäuser, K., & Arya, A. (2019). Controlled fermentation of rapeseed presscake by Rhizopus, and its effect on some components with relevance to human nutrition. *Food Research International*, 120, 726–732. <https://doi.org/10.1016/j.foodres.2018.11.031>
- Masuzaki, H., Kozuka, C., Okamoto, S., Yonamine, M., Tanaka, H., & Shimabukuro, M. (2019). Brown rice-specific γ -oryzanol as a promising prophylactic avenue to protect against diabetes mellitus and obesity in humans. *Journal of Diabetes Investigation*, 10(1), 18–25. <https://doi.org/10.1111/jdi.12892>
- Nair, A. B., & Jacob, S. (2016). A simple practice guide for dose conversion between animals and human. *Journal of Basic and Clinical Pharmacy*, 7(2), 27–31. <https://doi.org/10.4103/0976-0105.177703>
- Nemoto, H., Ikata, K., Arimochi, H., Iwasaki, T., Ohnishi, Y., Kuwahara, T., & Kataoka, K. (2011). Effects of fermented brown rice on the intestinal environments in healthy adult. *The Journal of Medical Investigation*, 58(3,4), 235–245. <https://doi.org/10.2152/jmi.58.235>
- Nurrahma, B. A., Suryajayanti, M. F., Dewi, A. L., Khairia, Z., Kusuma, R. J., & Suyoto, P. S. T. (2018). Fermented rice bran extract improves dyslipidemia in rodents. *Nutrition & Food Science*, 48(2), 375–383. <https://doi.org/10.1108/NFS-08-2017-0167>
- Owolabi, I. O., Dat-arun, P., Takahashi Yupanqui, C., & Wichienchot, S. (2020). Gut microbiota metabolism of functional carbohydrates and phenolic compounds from soaked and germinated purple rice. *Journal of Functional Foods*, 66, 103787. <https://doi.org/10.1016/j.jff.2020.103787>
- Perkeni. (2015). *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*. Retrieved from <https://pbperkeni.or.id/wp-content/uploads/2019/01/4.-Konsensus-Pengelolaan-dan-Pencegahan-Diabetes-melitus-tipe-2-di-Indonesia-PERKENI-2015.pdf>
- Pinasthika, N. P., Arbiyanti, R., Utami, T. S., & Hermansyah, H. (2018). Effect of medium and incubation time on production of AA, DHA and EPA from *Aspergillus oryzae* by solid state fermentation. *IOP Conference Series: Earth and Environmental Science*, 105, 012104. <https://doi.org/10.1088/1755-1315/105/1/012104>

- Poletto, G., Raddatz, G. C., Cichoski, A. J., Zepka, L. Q., Lopes, E. J., Barin, J. S., ... de Menezes, C. R. (2019). Study of viability and storage stability of *Lactobacillus acidophilus* when encapsulated with the prebiotics rice bran, inulin and Hi-maize. *Food Hydrocolloids*, 95, 238–244. <https://doi.org/10.1016/j.foodhyd.2019.04.049>
- Prasad, C. N., Mohan, S., Banerji, A., & Gopalakrishnapillai, A. (2009). Kaempferitrin inhibits GLUT4 translocation and glucose uptake in 3T3-L1 adipocytes. *Biochemical and Biophysical Research Communications*, 380, 39–43. <https://doi.org/10.1016/j.bbrc.2009.01.008>
- Reijnders, D., Goossens, G. H., Hermes, G. D. A., Neis, E. P. J. G., van der Beek, C. M., Most, J., Holst, J. J., Lenaerts, K., Kootte, R. S., Nieuwdorp, M., Groen, A. K., Olde Damink, S. W. M., Boekschoten, M. V., Smidt, H., Zoetendal, E. G., Dejong, C. H. C., & Blaak, E. E. (2016). Effects of Gut Microbiota Manipulation by Antibiotics on Host Metabolism in Obese Humans: A Randomized Double-Blind Placebo-Controlled Trial. *Cell Metabolism*, 24(1), 63–74. <https://doi.org/10.1016/j.cmet.2016.06.016>
- Ridaura, V. K., Faith, J. J., Rey, F. E., Cheng, J., Duncan, A. E., Kau, A. L., Griffin, N. W., Lombard, V., Henrissat, B., Bain, J. R., Muehlbauer, M. J., Ilkayeva, O., Semenkovich, C. F., Funai, K., Hayashi, D. K., Lyle, B. J., Martini, M. C., Ursell, L. K., Clemente, J. C., ... Gordon, J. I. (2013). Gut Microbiota from Twins Discordant for Obesity Modulate Metabolism in Mice. *Science*, 341(6150). <https://doi.org/10.1126/science.1241214>
- Saji, N., Francis, N., Schwarz, L. J., Blanchard, C. L., & Santhakumar, A. B. (2019). Rice Bran Derived Bioactive Compounds Modulate Risk Factors of Cardiovascular Disease and Type 2 Diabetes Mellitus: An Updated Review. *Nutrients*, 11(11), 2736. <https://doi.org/10.3390/nu11112736>
- Schmidt, C. G., Gonçalves, L. M., Prietto, L., Hackbart, H. S., & Furlong, E. B. (2014). Antioxidant activity and enzyme inhibition of phenolic acids from fermented rice bran with fungus *Rizhopus oryzae*. *Food Chemistry*, 146, 371–377. <https://doi.org/10.1016/j.foodchem.2013.09.101>
- Sharma, S., & Tripathi, P. (2019). Gut microbiome and type 2 diabetes: where we are and where to go? *The Journal of Nutritional Biochemistry*, 63, 101–108. <https://doi.org/10.1016/j.jnutbio.2018.10.003>
- Shibayama, J., Kuda, T., Shikano, A., Fukunaga, M., Takahashi, H., Kimura, B., & Ishizaki, S. (2018). Effects of rice bran and fermented rice bran suspensions on caecal microbiota in dextran sodium sulphate-induced inflammatory bowel disease model mice. *Food Bioscience*, 25, 8–14. <https://doi.org/10.1016/j.fbio.2018.07.002>
- Sivamaruthi, B., Kesika, P., & Chaiyasut, C. (2018). A comprehensive review on anti-diabetic property of rice bran. *Asian Pacific Journal of Tropical Biomedicine*, 8(1), 79. <https://doi.org/10.4103/2221-1691.221142>
- Suez, J., Shapiro, H., & Elinav, E. (2016). Role of the microbiome in the normal and aberrant glycemic response. *Clinical Nutrition Experimental*, 6, 59–73. <https://doi.org/10.1016/j.yclnex.2016.01.001>

- Thaiss, C. A., Itav, S., Rothschild, D., Meijer, M. T., Levy, M., Moresi, C., Dohnalová, L., Braverman, S., Rozin, S., Malitsky, S., Dori-Bachash, M., Kuperman, Y., Biton, I., Gertler, A., Harmelin, A., Shapiro, H., Halpern, Z., Aharoni, A., Segal, E., & Elinav, E. (2016). Persistent microbiome alterations modulate the rate of post-dieting weight regain. *Nature*, 540(7634), 544–551. <https://doi.org/10.1038/nature20796>
- Vargas, C. G., da Silva Junior, J. D., Rabelo, T. K., Moreira, J. C. F., Gelain, D. P., Rodrigues, E., ... Flôres, S. H. (2018). Bioactive compounds and protective effect of red and black rice brans extracts in human neuron-like cells (SH-SY5Y). *Food Research International*, 113, 57–64. <https://doi.org/10.1016/j.foodres.2018.06.069>
- Vong, W. C., Hua, X. Y., & Liu, S.-Q. (2018). Solid-state fermentation with *Rhizopus oligosporus* and *Yarrowia lipolytica* improved nutritional and flavour properties of okara. *LWT*, 90, 316–322. <https://doi.org/10.1016/j.lwt.2017.12.050>
- Vrieze, A., Holleman, F., Zoetendal, E. G., de Vos, W. M., Hoekstra, J. B. L., & Nieuwdorp, M. (2010). The environment within: How gut microbiota may influence metabolism and body composition. *Diabetologia*, 53(4), 606–613. <https://doi.org/10.1007/s00125-010-1662-7>
- Wahyuningrum, I., & Zubaidah, E. (2016). *Pengaruh Angkak dengan Penambahan Bekatul Terhadap Penurunan Profil Lipid Tikus Wistar Jantan Hiperkolesterolemia*. 4(1), 10.
- Wilcox, G. (2005). Insulin and Insulin Resistance. *Clinical Biochemist Reviews*, 26(2), 19–39.
- World Health Organization, & International Diabetes Federation. (2006). *Definition and diagnosis of diabetes mellitus and intermediate hyperglycaemia: report of a WHO/IDF consultation*. Retrieved from http://www.who.int/diabetes/publications/diagnosis_diabetes2006/en/