

DAFTAR PUSTAKA

- Aziz, I., Tafdila M. A., Nurbayti S., Adhani L., dan Permata W., 2019, *Upgrading Crude Biodiesel dari Minyak Sawit Bekas menggunakan Katalis H-Zeolit, Jurnal Kimia Valensi*, 5(1), 79-86.
- Bian, Z., Meng. X., Tao. M., Lv. Y., and Xin, Z., 2016, Uniform Ni Particle on Amino-functionalized SBA-16 with Excellent Activiy and Stability for Syngas Methanation, *Journal of Molecular Catalysis A: Chemical*, 417, 184-191.
- Böjrk, E. M., 2017, Synthesizing and Characterizing Mesoporous Silica SBA-15: A HandsOn Laboratory Experiment for Undergraduates Using Various Instrumental Techniques, *J. Chem. Educ*, 94, 91-94.
- Budyanto, R., Setyawan, D., dan Andarini, N., 2018, Aktivitas dan Selektivitas Katalis Ni/H5NZA terhadap Hidrorengkah Metil Oleat menjadi Senyawa Hidrokarbon Fraksi Pendek, *J. Kimia Riset*, 3(1), 58-70.
- Chen, R. C. dan Wang, W. C., 2019, The production of renewable aviation fuel from waste cooking oil. Part I: Bio-alkane conversion through hydro-processing of oil, *Renewable Energy*, 135, 819-835.
- Chauvel, A. dan Lefebvre, G., 1989, *Petrochemical Processes, I. Synthesis-Gas Derivatives and Major Hydrocarbons*, Editions Technip Paris.
- Daryoso, K., Wahyuni, S., dan Saputro S. H., 2012, Uji Aktivitas Katalis Ni-Mo/Zeolit pada Reaksi Hidrorengkah Fraksi Sampah Plastik (Polietilen), *Indo. J. Chem. Sci.*, 1(1), 50-54.
- Ginting, R. V. L. B. R., Trisunaryanti, W., dan Armunanto, R., 2017, Hidrorengkah Alfa-Selulosa menggunakan Katalis Mordenit dan Co/MOR serta Studi Kinetika Pembentukan Produk Cair, Skripsi, Departemen FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Gopalakrishnan, S., Ubaidullah, J., Shanmugasundaram, P., Yuvaraj, K., and Tamilarasu, T., 2017, Production of Biodiesel from Used Cooking Oil, *I. J. Innovative Research in Science & Technology*, 015, 90-95.
- Hauli, L., Wijaya, K., and Syoufian, A., 2020, Fuel Production from LDPE-based Plasric Waste over Chromium Supported on Sulfated Zirconia, *Indones. J. Chem*, 20(2), 422-429.

- Jang, M. s., Phan, T. N., Chung, I. S., Lee, I.-G., Park, Y.-K., and Ko, C. H., 2018, Metallic nickel supported on mesoporous silica as catalyst for hydrodeoxygenation: effect of pore size and structure, *Research on Chemical Intermediates*, 44(6), 3723-3735.
- Jiang, Z., Zheng, X., and Easa, S. M., 2017, Evaluation of physical, rheological, and structural properties of vulcanized EVA/SBS modified bitumen, *Journal of Applied Polymer Science*, 13(21), 1-10
- Jimmy, Gunardi, I., Aushaf, F., Pamungkas, G., dan Roesyadi, A., 2018, Karakterisasi Katalis Fe-Co/HZM-5 untuk Reaksi Fischer-Tropsch, *Jurnal Teknik Kimia*, 13(1), 5-10.
- Kandel, K., Frederickson, C., Smith, E.A., Lee, Y.J., and Slowing, I.I., 2013, Bifunctional adsorbent-catalytic nanoparticles for the refining of renewable feedstocks, *ACS Catal.*, 3, 2750–2758.
- Kurnia, J., Jangam, S.V., Akhtar, S., Sasmito, A. P., and Mujumdar, S. A., 2016, Advances in biofuel production from oil palm and palm oil processing wastes: a review, *J. Biofuel Res*, 9, 323-356.
- Kusumastuti, H., Trisunaryanti, W., Falah I.I., and Marsuki, M.F., 2018, Synthesis of Mesoporous Silica-Alumina from Lapindo Mud as a Support of Ni and Mo Metals Catalysts for Hydrocracking of Pyrolyzed α -Cellulose, *Rasayan Journal of Chemistry*, 11(2), 522-530.
- Liu, W., Yan, X., Chen, J., Feng, Y., and Xue, Q., 2013, Novel and High-performance Asymmetric Micro-supercapacitors based on Graphene Quantum Dots and Polyaniline Nanofibers, *Nanoscale*, 5, 6053-6062.
- Liu, T., Liu, Y., Wu, S., Xue, J., Wu, Y., Li, Y., and Kang, X., 2018, Restaurants Behaviour, Awareness, and Willingness to Submit Waste Cooking Oil for Biofuel Production in Beijing, *J. Cleaner. Prod.*, 204, 636-642.
- Mahardika, I. B. P., Trisunaryanti., W., Triyono, Wijaya, D. P., dan Dewi. K., 2017, Transesterification of Used Cooking Oil Using CaO/MCM-41 Catalyst Synthesized from Lapindo Mud by Sonochemical Method, *Indones. J. Chem*, 17(3), 509-515.
- Mampuru, M. B., Nkazi, D. B., dan Mukaya, H. E., 2019, Hydrocracking of Waste Cooking Oil into Biogasoline in the Presence of a Bi-Functional Ni-Mo/Alumina Catalyst. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*: 1-12.

- Martínez-Edo, G., Balmori, A., Pontón, I., Martí del Río, A., and Sánchez-García, D., 2018, Functionalized Ordered Mesoporous Silicas (MCM-41): Synthesis and Applications in Catalysis, *J. Catalysts*, 8, 617.
- Meller, E., Gutkin, V., Aizenshtat, Z., and Sasson, Y., 2016, Catalytic Hydrocracking -Hydrogenation of Castor Oil Fatty Acid Methyl Esters over Nickel Substituted Polyoxometalate Catalyst, *Chemistry Select*, 1, 6396-6405.
- Nanda, S., Rana, R., Hunter, H. N., Fang, Z., Dalai, A. J., and Kozinski, J. A., 2019, Hydrothermal Catalytic Processing of Waste Cooking Oil for Hydrogen-rich Syngas Production, *Chem. Eng. Sci*, 195, 935-945.
- Nasri, R., Subagyono, R. D. J., dan Gunawan, R., 2017, Sintesis Silika Mesopori SBA-15 dari Abu dan Jagung (*Zea Mays L*) Synthesis of Mesopory Silica SBA-15 from Corn Leaves Ash (*Zea Mays L*), *J. Kimia Mulawarman*, 15(1), 60-64.
- Nikolopoulos, I., Kogkos, G., Kordouli, E., Bourikas, K., Kordulis, C., and Lycourghiotis, A., 2020, Waste cooking oil transformation into third generation green diesel catalyzed by nickel – Alumina catalysts, *J. Molecular Catalyst*, 482, 110697.
- Nugrahaningtyas, K. D., Trisunaryanti, W., Triyono, Nugroho, Widjonarko, D. M., Yusnani, A., and Mulyani, 2009, Preparation and Characterization the Non-Sulfided Metal Catalyst: Ni/USY and NiMo/USY, *Indones. J. Chem*, 9(2), 177-183.
- Ochoa-Hernández, C., Yang, Y., Pizzaro, P., De La Peña O'Shea, V. A., Coronando, J. M., and Serrano, D. P., 2013, Hydrocarbon production through hydrotreating of methyl esters over Ni and Co supported on SBA-15 and Al-SBA-15, *Catal. Today*, 210, 81-88.
- Ortiz, H.I.M, Mercado, Y.P., Silva, J. A. M., Maldonado, Y. O., Castruita, G., and Cerda, L. A. G., 2014, Functionalization with Amine-containing Organosilane of Mesoporous Silica MCM-41 and MCM-48 Obtained at Room Temperature, *Ceram. Int.*, 40, 9701-9707.
- Rahadianti, E. S., Yerizam, and Martha, 2018, Biodiesel Production from Waste Cooking Oil, *Indones. J. Fundam. Appl. Chem*, 3(3), 77-82.
- Rahayu, F. I., Nuryanto R., dan Suyati, L., 2013, Pengaruh Diameter Kanal Pelet Katalis Zeolit Aktif dan Ni-Zeolit terhadap Pirolisis Limbah Batang Pohon Sagu (*Metroxylon sp.*), *J. KSA*, 16, 33-37.

- Sági, D., Solymosi, P., Holló, A., Varga, Z., and Hanscók, J., 2018, Waste Polypropylene and Waste Cooking Oil as Feedstocks for an Alternative Component Containing Diesel Fuel Production, *J. Energy Fuels*, 32, 3519–3525.
- Saraswathi, P. and Makeswari, M., 2017, Preparation and Characterization of Alumina and Silica Modified Chitosan, *Rasayan Journal of Chemistry*, 10(3), 759-765.
- Sari, D. K., Agus, S., dan Dewi, H., 2017, Uji Biofuel Hasil Perengkahan Metil Ester dari Limbah Cair Pabrik Minyak Kelapa Sawit dengan Katalis MoNi/HZ, *Alotrop*, 1(2), 127-131.
- Singho, N. D. and Johan, M. R., 2012, Complex impedance spectroscopy study of silica nanoparticles via sol-gel method, *International Journal of Electrochemical Science*, 7, 5604-5615.
- Strle, D., Štefane, B., Trifkovič, M., Miden, M. V., Zupanič, I. E., and Muševič, I., 2017, Chemical Selectivity and Sensitivity of a 16-Channel Electronic Nose for Trace Vapour Detection, *Sensors*, 17, 2845.
- Sumbogo, M. S. D. dan Elfi, N., 2017, Bio-Gasoline Synthesis Through Catalytic Cracking of Waste Cooking Oil Over Bayah Natural Zeolite as Catalyst, *Jurnal Energi dan Lingkungan*, 13(1), 29-34.
- Sunarminto, B. H., 2015, *Pertanian Terpadu untuk Mendukung Kedaulatan Pangan Nasional*, Gadjah Mada University Press, Yogyakarta.
- Suroso, S., 2016, Efektifitas Pemanfaatan Minyak Sawit Bekas (Minyak Jelantah) Menjadi Biosolar Sebagai Bahan Bakar Alternatif Dikota Surakarta, *J. Autindo*, 1(3).
- Suseno, A., Wijya, K., Trisunaryanti, W., and Roto, 2018, Synthesis and Characterization of Ni-Cu Doped Zirconia-Pillared Bentonite, *Orient. J. Chem.*, 34(3), 1-5.
- Sutarno, Arryanto. Y., and Wigati, S., 2003, The influence of Si/Al Mole reaction of Precursor Solution on The Structural Properties of MCM-41 from Fly Ash, *Indones. J. Chem*, 3, 126-134.
- Talib, N. B., Triwahyono, S., Jalil, A. A., Mamat, C. R., Salamun, N., Fatah, N. A. A., Sidik, S. M., and Teh, L. P., 2016, Utilization of a Cost Effective Lapindo Mud Catalyst Derived from Eruption Waste for Transesterification of Waste Oil, *J. Energy Conversion and Management*, 108, 411-421.

- Trisunaryanti, W., Triwahyuni, E., dan Sudiono, S., 2005, Preparasi Modifikasi dan Karakterisasi Katalis Ni-Mo/Zeolit Alam dan Mo-Ni/Zeolit Alam, *Teknoin*, 10(4), 269-282.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakternya*, Cetakan pertama Universitas Gadjah Mada Press, Yogyakarta.
- Trisunaryanti, W., 2018, *Material Katalis dan Karakternya*, Cetakan kedua Universitas Gadjah Mada Press, Yogyakarta.
- Trisunaryanti, W., Suarsih, E., Triyono, and Falah, I. I., 2019, Well-dispersed Nickel Nanoparticle on The External and Internal Surface of SBA-15 for Hydrocracking of Pyrolyzed α -cellulose, *RSC Adv.*, 9, 1230-1237.
- Trisunaryanti, W., Syofian, A., and Purwono, S., 2013, Characterization and Modification of Indonesia Natural Zeolite for Hydrocracking of Waste Lubricant Oil into Liquid Fuel Fraction, *J. Chem. Eng.*, 7, 175-180.
- Triyono, T., Koiri, H. M., Trisunaryanti, W., and Dewo, K., 2015, Synthesis of NH_2 /MCM-41 Catalyst using Silica of Sidoarjo Mud and Their Characterization for palm Oil Transesterification, *IOSR-JAC.*, 8(8), 50-56.
- Ulfindrayani, I. F., Fanani, N., A'yuni, Q., Ikhlas, N., Lumban, B., Gaol, dan Lestari, D., 2019, Pengaruh Perbedaan Preparasi Lumpur Lapindo terhadap Kandungan Senyawanya, *Prosding*, 235-239.
- Upare, D. P., Park, S., Kim, J., Lee, D., and Lee, J., 2016, Cobalt Promoted Mo/Brta Zeolite for Selective Hydrocracking of Tetralin and Pyrolysis Fuel Oil into Monocyclic Aromatic Hydrocarbons, *J.Ind.Eng.Chem.*, 35, 99-107.
- Zhao, H., dan Han, H., 2020, Synthesis and Characterization of Functionalized SBA-15 Silica through Template Removal, *Journal of Solid State Chemistry*, 282, 1-7.