



REFERENCES

- Abe, T., Ujiie, T., Sasahara, T. (2004). Varietal differences in free amino acid and sugar concentrations in immature seeds of soybean under raw and boiling treatments. *J. Jpn. Soc. Food Sci.* 51, 172–176.
- Ahmad, M.S., Siddiqui, M.W., (2015). Factors affecting postharvest quality of fresh fruits. Practical approaches for developing countries. *Postharvest Quality Assurance of Fruits*. Springer, Berlin, Germany.
- Akimoto, K. and S. Kuroda. 1981. Quality of green soybeans packaged in perforated PE/PP film. *Engei Gakkai Zasshi* 50:100-07.
- Bates, R. P.; Matthews, R. F. (1975). Ascorbic acid and α -carotene in soybeans as influenced by maturity, sprouting, processing and storage. *Proc. Fl. State Hortic. Soc.* 88, 266-271.
- Bates RP, Knapp EW, Araujo PE (1997). Protein quality of Green mature, dry matter and sprout soybeans. *J. Food Sci*; 42 (1):271-272.
- Beaudry, R.M., (2000). Responses of horticultural commodities to low oxy- gen: limits to the expanded use of modified atmosphere packaging. *Hort. Technol.* 10, 491–500.
- Botton, A., Tonutti, P., Ruperti, B. (2019). Biology and Biochemistry of Ethylene. In Elhadi Yahia and Armando Carrillo-Lopez (Ed.), *Postharvest Physiology and Biochemistry of Fruits and Vegetables* 1st Edition (pp.105-106). Doi: <https://doi.org/10.1016/B978-0-12-813278-4.00001-4>
- Chiba Y. (1991). Postharvest Processing, Marketing and Quality Degradation of vegetable soybean in Japan. Shanmugasundaram, S. (ed.). Vegetable soybean: research needs for production and quality improvement. Proceeding of workshop, Kenting, Taiwan, Asian Vegetable Research and Development Center, publication n.91-346, p.108-112
- Cömert, E. D., Mogol, B. A., & Gökmən, V. (2020). Relationship between color and antioxidant capacity of fruits and vegetables. *Current Research in Food Science*, 2, 1–10. <https://doi.org/https://doi.org/10.1016/j.ccrfs.2019.11.001>



- Czaikoski, K., Carrão-Panizzi, M. C., da Silva, J. B., & Ida, E. I. (2012). Effects of storage time and temperature on the characteristics of vegetable-type soybean grain minimally processed. *Brazilian Archives of Biology and Technology*, 55(4), 491–496. <https://doi.org/10.1590/S1516-89132012000400002>

de la Rosa, L. A., Alvarez-Parrilla, E., & Gonzalez-Aguilar, G. A. (2009). Fruit and Vegetable Phytochemicals: Chemistry, Nutritional Value and Stability. Retrieved from <https://books.google.co.jp/books?id=mZLVqEzHcE8C>

DeLong, J. M. (2017). *Storage* (B. Thomas, B. G. Murray, & D. J. B. T.-E. of A. P. S. (Second E. Murphy, eds.). <https://doi.org/https://doi.org/10.1016/B978-0-12-394807-6.00011-3>

Díaz-Pérez, J. C. (2019). *Chapter 8 - Transpiration* (E. M. B. T.-P. P. and B. of F. and V. Yahia, ed.). Postharvest Physiology and Biochemistry of Fruits and Vegetables 1st Edition. (pp.157-173). <https://doi.org/https://doi.org/10.1016/B978-0-12-813278-4.00008-7>

ECHEVERRÍA, G., GRAELL, J., LARA, I., LÓPEZ, M. and PUY, J. (2008), PANEL CONSONANCE IN THE SENSORY EVALUATION OF APPLE ATTRIBUTES: INFLUENCE OF MEALINESS ON SWEETNESS PERCEPTION. *Journal of Sensory Studies*, 23: 656-670. doi:[10.1111/j.1745-459X.2008.00178.x](https://doi.org/10.1111/j.1745-459X.2008.00178.x)

Guo, L., Ma, Y., Sun, D. W., & Wang, P. (2008). Effects of controlled freezing-point storage at 0 °C on quality of green bean as compared with cold and room-temperature storages. *Journal of Food Engineering*, 86(1), 25–29. <https://doi.org/10.1016/j.jfoodeng.2007.09.005>

Japan Government Statistics, e-Stat (2014). Edamame production statistics by harvest season. Retrieved from <https://www.e-stat.go.jp/>

Japan Government Statistics, e-Stat (2018). Edamame production statistics by prefecture. Retrieved from <https://www.e-stat.go.jp/>

Johnson, L. A., White, P. J., & Galloway, R. (2008). Soybeans: Chemistry, Production, Processing, and Utilization. In *Soybeans: Chemistry, Production, Processing, and Utilization*. <https://doi.org/10.1016/C2015-0-02416-9>

Kader, A. A. (1986). Biochemical and physiological basis for effects of controlled



- and modified atmospheres on fruits and vegetables. *Food Technol.* 40(50):00-100, 102-104
- Kader, A. A. (1987). Respiration and gas exchange of vegetables. In "Postharvest Physiology of Vegetables," ed. J. Weichman. Marcel Dekker, Inc., New York.
- Kader, A. A., Zagory, D., and Kerbel, E.L. (1989). Modified atmosphere packaging of fruits and vegetables. *CRC Crit. Rev. Food Sci. Nutr.* 28:1-30.
- Kader, A.A. (Ed.), (2002). Postharvest Technology of Horticultural Crops. third ed. University of California, Agriculture and Natural Resources, Publication 3311, 535 p.
- Kader, A.A., Saltveit, M.E., (2003). Respiration and gas exchange. In: Bartz, J.A., Brecht, J.K. (Eds.), Postharvest Physiology and Pathology of Vegetables. Marcel Dekker, Inc, New Yrok, pp. 730. ISBN: 0-8247-0687-0.
- Kassinee, S., Matsui, T., & Okuda, N. (2004). Changes in acid invertase activity and sugar distribution during postharvest senescence in vegetable soybean. *Asian Journal of Plant Sciences*, 3(4), 433e438.
- Kementerian Pertanian Republik Indonesia. "Mentan SYL Ajak Pelaku Usaha Lipat Gandakan Ekspor Edamame asal Jember". (2020). Retrieved 4 October 2020, from <https://www.pertanian.go.id/home/?show=news&act=view&id=4148>
- Kim, C. (2017). Role of Steam Blanching and Vacuum Packaging on the Physical and Microbiological Quality of Fresh Vegetable Soybean (Edamame) During Storage. *Austin Food Sciences*, 2(1).
<https://doi.org/10.26420/austinfoodsci.2017.1029>
- Konovsky, J., Lumpkin, T. A., & Mcclary, D. (1994). Edamame:the Vegetable Soybean. 1988(Gotoh 1984), 1–9.
- Kumar, S., Kumar, R., Pal, A., & Chopra, D. S. (2019). *Chapter 16 - Enzymes* (E. M. B. T.-P. P. and B. of F. and V. Yahia, ed.). Postharvest Physiology and Biochemistry of Fruits and Vegetables 1st Edition
<https://doi.org/https://doi.org/10.1016/B978-0-12-813278-4.00016-6>
- Kurniasanti, S. A., Sumarwan, U., Kurniawan, B. P. Y. (2014). Analisis dan Model Strategi Peningkatan Daya Saing Produk Edamame Beku. *Jurnal Manajemen & Bisnis*, Vol. 11 No. 3, November 2014.



- Li, Y. S., Du, M., Zhang, Q. Y., Wang, G. H., Hashemi, M., Liu, X. B. (2012). Greater differences exist in seed protein, oil, total soluble sugar and sucrose content of vegetable soybean genotypes [Glycine max (L.) Merrill] in Northeast China. *Australian Journal of Crop Science*. 6(12):1681-1686.
- Liu, K.(2004). Chemistry, Processing Effects, Health Benefits, and Functional Foods and Ingredients. Champaign, IL: AOCS Press: 52-72.
- Liu, K. (1996). Immature soybeans: direct use for food. INFORM (AOCS) 7(11):1217-23.
- Makino, Y., Soga, N., Oshita, S., Kawagoe, Y., & Tanaka, A. (2008). Stimulation of γ - aminobutyric acid production in vine-ripe tomato (*Lycopersicon esculentum* Mill.) fruits under modified atmospheres. *Journal of Agricultural and Food Chemistry*, 56, 7189–7193.
- Makino, Y., Nishizaka, A., Yoshimura, M., Sotome, I., Kawai, K., & Akihiro, T. (2020). Influence of low O₂ and high CO₂ environment on changes in metabolite concentrations in harvested vegetable soybeans. *Food Chemistry*, 317(February), 126380. <https://doi.org/10.1016/j.foodchem.2020.126380>
- Mangaraj, S., Goswami, T.K. & Mahajan, P.V. (2009). Applications of Plastic Films for Modified Atmosphere Packaging of Fruits and Vegetables: A Review. *Food Eng. Rev.* 1, 133, <https://doi.org/10.1007/s12393-009-9007-3>
- Mangaraj, S., & Goswami, T. K. (2009). Modified Atmosphere Packaging of Fruits and Vegetables. Global Science Books, 1–31. <https://doi.org/10.17660/actahortic.1989.258.14>
- Maruthi, J. & Paramesh, R.. (2016). Effect of integrated nutrient management on seed quality of vegetable soybean [Glycine max (L.) Merrill] cv. Karune. *Legume Research - An International Journal*. 39. 10.18805/lr.v0i0F.9381.
- Masuda, R. (1991). Quality requirement and improvement of vegetable soybean. p. 92–102. In: S. Shanmugasundaram (ed.), Vegetable soybean: Research needs for production and quality improvement. Asian Vegetable Res. Dev. Center, Taiwan.
- NARO, JIRCAS. (2016). An Overview of Legume Cultivation in Japan. Retrieved



from

<https://www.jircas.go.jp/sites/default/files/publication/proceedings/2016-session-11.pdf>

Pemerintah Kabupaten Buleleng. Edamame Asal Indonesia Mampu Kuasai Pasar Ekspor 13 Negara. (2020). Retrieved 2 October 2020, from <https://www.bulelengkab.go.id/detail/artikel/edamame-asal-indonesia-mampu-kuasai-pasar-ekspor-13-negara-17>

Potter N.N., Hotchkiss J.H. (1995) Vegetables and Fruits. In: Food Science. Food Science Text Series. Springer, Boston, MA.
https://doi.org/10.1007/978-1-4615-4985-7_18

Saldivar, X., Wang, Y. J., Chen, P., & Mauromoustakos, A. (2010). Effects of blanching and storage conditions on soluble sugar contents in vegetable soybean. LWT - Food Science and Technology, 43(9), 1368–1372.
<https://doi.org/10.1016/j.lwt.2010.04.017>

Saltveit, M. E. (2019). *Chapter 4 - Respiratory Metabolism* (E. M. B. T.-P. P. and B. of F. and V. Yahia, ed.). Postharvest Physiology and Biochemistry of Fruits and Vegetables 1st Edition (pp.73-91).
<https://doi.org/https://doi.org/10.1016/B978-0-12-813278-4.00004-X>

Santana, A. C., Carrão-Panizzi, M. C., Mandarino, J. M. G., Leite, R. S., da Silva, J. B., & Ida, E. I. (2012). Evaluation of the shelf-life of vegetable-type soybean pods. Brazilian Archives of Biology and Technology, 55(4), 591–595.
<https://doi.org/10.1590/S1516-89132012000400015>

Sañudo-Barajas, J. A., Lipan, L., Cano-Lamadrid, M., de la Rocha, R. V., Noguera-Artiaga, L., Sánchez-Rodríguez, L., ... Hernández, F. (2019). *Chapter 14 - Texture* (E. M. B. T.-P. P. and B. of F. and V. Yahia, ed.). Postharvest Physiology and Biochemistry of Fruits and Vegetables 1st Edition (pp.293-314). <https://doi.org/https://doi.org/10.1016/B978-0-12-813278-4.00014-2>

Serrano, M., Martínez-Romero, D., Guillén, F., Castillo, S., & Valero, D. (2006). Maintenance of broccoli quality and functional properties during cold storage as affected by modified atmosphere packaging. Postharvest Biology and Technology, 39(1), 61–68. <https://doi.org/10.1016/j.postharvbio.2005.08.004>



- Shanmugasundaram, S., S.T. Cheng, M.T. Huang, and M. R. Yan.(1991). Varietal improvement of vegetable soybean in Taiwan. In S. Shanmugasundaram (ed.) Vegetable soybean: research needs for production and quality improvement. Asian Vegetable Research and Development Center, Taiwan.
- Simonne, A. H., Weaver, D. B., & Wei, C. i. (2000). Immature soybean seeds as a vegetable or snack food: Acceptability by American consumers. Innovative Food Science and Emerging Technologies, 1(4), 289–296. [https://doi.org/10.1016/S1466-8564\(00\)00021-7](https://doi.org/10.1016/S1466-8564(00)00021-7)
- Singh, G. (2010). The Soybean: Botany, Production, and Use. In CABI. <https://doi.org/10.1016/j.cj.2018.03.006>
- Solovchenko, A., Yahia, E. M., & Chen, C. (2019). *Chapter 11 - Pigments* (E. M. B. T.-P. P. and B. of F. and V. Yahia, ed.). Postharvest Physiology and Biochemistry of Fruits and Vegetables 1st Edition. <https://doi.org/https://doi.org/10.1016/B978-0-12-813278-4.00011-7>
- Song, J. Y., An, G. H., & Kim, C. J. (2003). Color, texture, nutrient contents, and sensory values of vegetable soybeans [Glycine max (L.) Merrill] as affected by blanching. Food Chemistry, 83(1), 69–74. [https://doi.org/10.1016/S0308-8146\(03\)00049-9](https://doi.org/10.1016/S0308-8146(03)00049-9)
- Song, J., Liu, C., Li, D., & Gu, Z. (2013). Evaluation of sugar, free amino acid, and organic acid compositions of different varieties of vegetable soybean (Glycine max [L.] Merr). Industrial Crops and Products, 50, 743–749. <https://doi.org/10.1016/j.indcrop.2013.08.064>
- Song, J., Liu, C., Li, D., & Gu, Z. (2016). Postharvest changes in physicochemical characteristics and free amino acids content of immature vegetable soya bean (Glycine max L.) grains. International Journal of Food Science and Technology, 51(2), 461–469. <https://doi.org/10.1111/ijfs.13004>
- Streeter, J. G., & Thompson, J. F. (1972). Anaerobic accumulation of γ -aminobutyric acid and alanine in radish leaves (*Raphanus sativus* L.). Plant Physiology, 49, 572–578.
- Sugimoto, M., Goto, H., Otomo, K., Ito, M., Onuma, H., Suzuki, A., ... Soga, T. (2010). Metabolomic profiles and sensory attributes of edamame under



- various storage duration and temperature conditions. *Journal of Agricultural and Food Chemistry*, 58(14), 8418–8425. <https://doi.org/10.1021/jf101471d>
- Sui, H., Chen, L., Han, X. X., Zhang, X., Wang, X., & Zhao, B. (2017). Quantitative Determination of Total Amino Acids Based on Surface-Enhanced Raman Scattering and Ninhydrin Derivatization. *Analytical sciences : the international journal of the Japan Society for Analytical Chemistry*, 33(1), 53–57. <https://doi.org/10.2116/analsci.33.53>
- Sun, Y., & Li, W. (2017). Effects the mechanism of micro-vacuum storage on broccoli chlorophyll degradation and builds prediction model of chlorophyll content based on the color parameter changes. *Scientia Horticulturae*, 224(May), 206–214. <https://doi.org/10.1016/j.scienta.2017.06.040>
- USDA, NRCS. (2006). *The PLANTS Database*. *Glycine max* (L.) Merr. Soybean. Retrieved(<https://plants.usda.gov/core/profile?symbol=GLMA4>). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.
- Ustun, D., Candir, E., Ozdemir, A. E., Kamiloglu, O., Soylu, E. M., & Dilbaz, R. (2012). Effects of modified atmosphere packaging and ethanol vapor treatment on the chemical composition of “Red Globe” table grapes during storage. *Postharvest Biology and Technology*, 68, 8–15. <https://doi.org/10.1016/j.postharvbio.2012.01.006>
- Vallarino, J. G & Sonia, O. (2019). *Chapter 10 – Organic Acids* (E. M. B. T.-P. P. and B. of F. and V. Yahia, ed.). Postharvest Physiology and Biochemistry of Fruits and Vegetables 1st Edition. (pp.207-224). <https://doi.org/https://doi.org/10.1016/B978-0-12-813278-4.00008-7>
- Wang, N. S. (n.d.). Amino Acid Assay by Ninhydrin Colorimetric Method. Retrieved from <https://user.eng.umd.edu/~nsw/ench485/lab3a.htm#Comments>
- Wang, Z.Q., Senga, E.F.B., Wang, D.Y., (2005). Vegetable soy bean (*Glycine max* [L.] Merrill) from production to processing. *Outlook Agric.* 34, 167–172
- Wang, H. W., Makino, Y., Inoue, J., Maejima, K., Funayama-Noguchi, S., Yamada, T., & Noguchi, K. (2017). Influence of a modified atmosphere on the induction and activity of respiratory enzymes in broccoli florets during the early stage



- of postharvest storage. In Journal of Agricultural and Food Chemistry (Vol. 65). <https://doi.org/10.1021/acs.jafc.7b02318>
- Xu, Y. (2017). Textural and Microbiological Qualities of Vegetable Soybean (Edamame) Affected by Blanching and Storage Conditions. Journal of Food Processing & Technology, 03(07). <https://doi.org/10.4172/2157-7110.1000165>
- Yahia, E. M. (2019). (E. M. B. T.-P. P. and B. of F. and V. Yahia, ed.). Postharvest Physiology and Biochemistry of Fruits and Vegetables 1st Edition. <https://doi.org/https://doi.org/10.1016/B978-0-12-813278-4.00001-4>
- Yanagisawa, Y., Akazawa, T., Abe, T., & Sasahara, T. (1997). Changes in Free Amino Acid and Kjeldahl N Concentrations in Seeds from Vegetable-Type and Grain-Type Soybean Cultivars during the Cropping Season. Journal of Agricultural and Food Chemistry, 45(5), 1720–1724. <https://doi.org/10.1021/jf960594i>
- Zeipin,a, S., Alsin,, I., & Lepse, L. (2017). Insight in edamame yield and quality parameters: A review. Research for Rural Development, 2, 40–44. <https://doi.org/10.22616/rrd.23.2017.047>