

DAFTAR PUSTAKA

- Ardiansyah, A., & Hidayatama, O. (2013). Rancang Bangun Prototipe Elevator Menggunakan Microcontroller Arduino ATMEGA 328P. *Jurnal Teknologi Elektro*, 4(3), 100–112.
- Arnold, D., Kassar, D., & Kissel, J. T. (2014). This article has been accepted for publication and undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process which may lead to differences between this version and the Version of Record. Please see *The Laryngoscope*, 2–31. <https://doi.org/10.1002/acr.22212>
- Ayad, M. M., Salahuddin, N., & Minisy, I. M. (2014). Detection of some volatile organic compounds with chitosan-coated quartz crystal microbalance. *Designed Monomers and Polymers*, 17(8), 795–802. <https://doi.org/10.1080/15685551.2014.918019>
- Battal, D., Akgönüllü, S., Yalcin, M. S., Yavuz, H., & Denizli, A. (2018). Molecularly imprinted polymer based quartz crystal microbalance sensor system for sensitive and label-free detection of synthetic cannabinoids in urine. *Biosensors and Bioelectronics*, 111(March), 10–17. <https://doi.org/10.1016/j.bios.2018.03.055>
- Cao, Z., Guo, J., Fan, X., Xu, J., Fan, Z., & Du, B. (2011). Detection of heavy metal ions in aqueous solution by P(MBTVBC-co-VIM)-coated QCM sensor. *Sensors and Actuators, B: Chemical*, 157(1), 34–41. <https://doi.org/10.1016/j.snb.2011.03.023>
- Carré, A., & Empey, C. (2016). Review of Spinal Muscular Atrophy (SMA) for Prenatal and Pediatric Genetic Counselors. *Journal of Genetic Counseling*, 25(1), 32–43. <https://doi.org/10.1007/s10897-015-9859-z>
- Chen, J. Y., Penn, L. S., & Xi, J. (2018). Quartz crystal microbalance: Sensing cell-substrate adhesion and beyond. *Biosensors and Bioelectronics*, 99(August 2017), 593–602. <https://doi.org/10.1016/j.bios.2017.08.032>
- Diltemiz, S. E., Keçili, R., Ersöz, A., & Say, R. (2017). Molecular imprinting technology in Quartz Crystal Microbalance (QCM) sensors. *Sensors (Switzerland)*, 17(3). <https://doi.org/10.3390/s17030454>
- Eissa, S., Alshehri, N., Abduljabbar, M., Abdel, A. M., & Dasouki, M. (2018). Biosensors and Bioelectronics Carbon nano fi ber-based multiplexed immunosensor for the detection of survival motor neuron 1 , cystic fi brosis transmembrane conductance regulator and Duchenne Muscular Dystrophy proteins. *Biosensors and Bioelectronic*, 117(May), 84–90. <https://doi.org/10.1016/j.bios.2018.05.048>
- Eissa, S., Alshehri, N., Rahman, A. M. A., Dasouki, M., Salah, K. M. A., & Zourob, M. (2018). Electrochemical immunosensors for the detection of survival motor neuron (SMN) protein using different carbon nanomaterials-modified electrodes. *Biosensors and Bioelectronics*, 101(October 2017), 282–289. <https://doi.org/10.1016/j.bios.2017.10.015>
- Eun, A. J. C., Huang, L., Chew, F. T., Li, S. F. Y., & Wong, S. M. (2002). Detection of two orchid viruses using quartz crystal microbalance (QCM) immunosensors. *Journal of Virological Methods*, 99(1–2), 71–79. [https://doi.org/10.1016/S0166-0934\(01\)00382-2](https://doi.org/10.1016/S0166-0934(01)00382-2)

- Fendri, A., Kartika, Juslam, Sk., R., & Mulyadi. (2019). *Implementasi Mini CNC Router 3 Axis untuk Pembuatan Huruf dan Gambar Berbasis*. 3(1), 95–102.
- Finkel, R. S., Chiriboga, C. A., Vajsar, J., Day, J. W., Montes, J., Vivo, D. C. De, Yamashita, M., Rigo, F., Hung, G., Schneider, E., Norris, D. A., Xia, S., Bennett, C. F., & Bishop, K. M. (2016). Treatment of infantile-onset spinal muscular atrophy with nusinersen : a phase 2 , open-label , dose-escalation study. *The Lancet*, 6736(16), 2–11. [https://doi.org/10.1016/S0140-6736\(16\)31408-8](https://doi.org/10.1016/S0140-6736(16)31408-8)
- Fuadzi, A. A., Santosa, I., & Wilis, G. R. (2018). Instrumen Kendali Mesin Cnc Portable Berbasis Microcontroller Arduino Dan Modul Cnc Shield. *1st Mechanical Engineering National Convergence, 2018*, 87–96.
- Hsieh-Li, H. M., Chang, J. G., Jong, Y. J., Wu, M. H., Wang, N. M., Tsai, C. H., & Li, H. (2000). A mouse model for spinal muscular atrophy. *Nature Genetics*, 24(1), 66–70. <https://doi.org/10.1038/71709>
- Jaffe, H. L., Rosenblum, F. M., & Daniels, W. (1990). Polyvinyl Acetate Emulsions for Adhesives. *Handbook of Adhesives*, 381–400. https://doi.org/10.1007/978-1-4613-0671-9_21
- Jha, S. K., & Hayashi, K. (2015). Polyacrylic acid polymer and aldehydes template molecule based MIPs coated QCM sensors for detection of pattern aldehydes in body odor. *Sensors and Actuators, B: Chemical*, 206, 471–487. <https://doi.org/10.1016/j.snb.2014.09.102>
- Jin, X., Jin, X., Liu, X., Chen, L., Jiang, J., Shen, G., & Yu, R. (2009). Biocatalyzed deposition amplification for detection of aflatoxin B1 based on quartz crystal microbalance. *Analytica Chimica Acta*, 645(1–2), 92–97. <https://doi.org/10.1016/j.aca.2009.04.041>
- Jodelka, F. M., Ebert, A. D., Duelli, D. M., & Hastings, M. L. (2010). A feedback loop regulates splicing of the spinal muscular atrophy-modifying gene, SMN2. *Human Molecular Genetics*, 19(24), 4906–4917. <https://doi.org/10.1093/hmg/ddq425>
- Karczmarczyk, A., Haupt, K., & Feller, K. H. (2017). Development of a QCM-D biosensor for Ochratoxin A detection in red wine. *Talanta*, 166(November 2016), 193–197. <https://doi.org/10.1016/j.talanta.2017.01.054>
- Kobayashi, D. T., Olson, R. J., Sly, L., Swanson, C. J., Chung, B., Naryshkin, N., Narasimhan, J., Bhattacharyya, A., Mullenix, M., & Chen, K. S. (2011). *Utility of Survival Motor Neuron ELISA for Spinal Muscular Atrophy Clinical and Preclinical Analyses*. 6(8). <https://doi.org/10.1371/journal.pone.0024269>
- Kotsuki, K., Tanaka, H., Obata, S., Stauss, S., Terashima, K., & Saiki, K. (2014). The importance of spinning speed in fabrication of spin-coated organic thin film transistors: Film morphology and field effect mobility. *Applied Physics Letters*, 104(23). <https://doi.org/10.1063/1.4883216>
- Lawrence, C. J. (1988). The mechanics of spin coating of polymer films. *Physics of Fluids*, 31(10), 2786–2795. <https://doi.org/10.1063/1.866986>
- Lefebvre, S., Bürglen, L., Reboullet, S., Clermont, O., Burllet, P., Viollet, L., Benichou, B., Cruaud, C., Millasseau, P., Zeviani, M., Le Paslier, D., Frézal, J., Cohen, D., Weissenbach, J., Munnich, A., & Melki, J. (1995).

- Identification and characterization of a spinal muscular atrophy-determining gene. *Cell*, 80(1), 155–165. [https://doi.org/10.1016/0092-8674\(95\)90460-3](https://doi.org/10.1016/0092-8674(95)90460-3)
- Markowitz, J. A., Singh, P., & Darras, B. T. (2012). Spinal muscular atrophy: A clinical and research update. *Pediatric Neurology*, 46(1), 1–12. <https://doi.org/10.1016/j.pediatrneurol.2011.09.001>
- McAndrew, P. E., Parsons, D. W., Simard, L. R., Rochette, C., Ray, P. N., Mendell, J. R., Prior, T. W., & Burghes, A. H. M. (1997). Identification of proximal spinal muscular atrophy carriers and patients by analysis of SMN(T) and SMN(C) gene copy number. *American Journal of Human Genetics*, 60(6), 1411–1422. <https://doi.org/10.1086/515465>
- Mohajerani, E., Farajollahi, F., Mahzoon, R., & Bagheri, S. (2007). Morphological and thickness analysis for PMMA spin coated films. *Journal of Optoelectronics and Advanced Materials*, 9(12), 3901–3906.
- Morris, A. S. (2001). *Measurement and Instrumentation Principles*.
- Na, J. Y., Kang, B., Sin, D. H., Cho, K., & Park, Y. D. (2015). Understanding solidification of polythiophene thin films during spin-coating: Effects of spin-coating time and processing additives. *Scientific Reports*, 5(April), 1–14. <https://doi.org/10.1038/srep13288>
- Nugroho, D. B., Triyana, K., Rianjanu, A., As'ari, A. H., Kusumaatmaja, A., Roto, R., Suryana, R., & Wasisto, H. S. (2019). A highly sensitive safrole sensor based on polyvinyl acetate (PVAc) nanofiber-coated QCM. *Scientific Reports*, 9(1), 1–12. <https://doi.org/10.1038/s41598-019-51851-0>
- Nurputra, D. K., Lai, P. S., Harahap, N. I. F., Morikawa, S., Yamamoto, T., Nishimura, N., Kubo, Y., Takeuchi, A., Saito, T., Takeshima, Y., Tohyama, Y., Tay, S. K. H., Low, P. S., Saito, K., & Nishio, H. (2013). Spinal muscular atrophy: From gene discovery to clinical trials. *Annals of Human Genetics*, 77(5), 435–463. <https://doi.org/10.1111/ahg.12031>
- Okahata, Y., & Furusawa, H. (2004). Quartz-crystal microbalance. *Tanpakushitsu Kakusan Koso. Protein, Nucleic Acid, Enzyme*, 49(11 Suppl), 1754–1758. https://doi.org/10.1007/978-981-10-6156-1_83
- Otsuki, N., Arakawa, R., Kaneko, K., Aoki, R., Arakawa, M., & Saito, K. (2018). A new biomarker candidate for spinal muscular atrophy: Identification of a peripheral blood cell population capable of monitoring the level of survival motor neuron protein. *PLoS ONE*, 13(8), 1–20. <https://doi.org/10.1371/journal.pone.0201764>
- Park, H. J., & Lee, S. S. (2019). QCM sensing of miR-21 by formation of microRNA-DNA hybrid duplexes and intercalation on surface-functionalized pyrene. *Analyst*, 144(23), 6936–6943. <https://doi.org/10.1039/c9an01645g>
- Pratiwi, R. A., Akbar, M. A., & Sakti, S. P. (2020). Flow rate influence of the peristaltic-based pumps on the QCM sensor. *Journal of Physics: Conference Series*, 1465(1). <https://doi.org/10.1088/1742-6596/1465/1/012003>
- Prior, T. W., Snyder, P. J., Rink, B. D., Pearl, D. K., Pyatt, R. E., Mihal, D. C., Conlan, T., Schmalz, B., Montgomery, L., Ziegler, K., Noonan, C., Hashimoto, S., & Garner, S. (2010). Newborn and carrier screening for spinal muscular atrophy. *American Journal of Medical Genetics, Part A*, 152(7), 1608–1616. <https://doi.org/10.1002/ajmg.a.33474>

- Rianjanu, A., Hasanah, S. A., Nugroho, D. B., Kusumaatmaja, A., Roto, R., & Triyana, K. (2019). Polyvinyl acetate film-based quartz crystal microbalance for the detection of benzene, toluene, and xylene vapors in air. *Chemosensors*, 7(2). <https://doi.org/10.3390/chemosensors7020020>
- Saputri, Z. N. (2014). Aplikasi Pengenalan Suara Sebagai Pengendali Peralatan Listrik Berbasis Arduino Uno. *Aplikasi Pengenalan Suara Sebagai Pengendali Peralatan Listrik Berbasis Arduino Uno*, 1(1), 8.
- Schrank, B., Götz, R., Gunnensen, J. M., Ure, J. M., Toyka, K. V., Smith, A. G., & Sendtner, M. (1997). Inactivation of the survival motor neuron gene, a candidate gene for human spinal muscular atrophy, leads to massive cell death in early mouse embryos. *Proceedings of the National Academy of Sciences of the United States of America*, 94(18), 9920–9925. <https://doi.org/10.1073/pnas.94.18.9920>
- Scriven, L. E. (1988). Physics and Applications of DIP Coating and Spin Coating. *MRS Proceedings*, 121, 717–729. <https://doi.org/10.1557/proc-121-717>
- Shen, D., Kang, Q., Wang, Y. E., Hu, Q., & Du, J. (2008). New cut angle quartz crystal microbalance with low frequency-temperature coefficients in an aqueous phase. *Talanta*, 76(4), 803–808. <https://doi.org/10.1016/j.talanta.2008.04.028>
- Steinkellner, H., Etzler, J., Gmeiner, B. M., & Laccone, F. (2015a). *Detection of Survival Motor Neuron*. 13(3), 167–173. <https://doi.org/10.1089/adt.2015.635>
- Steinkellner, H., Etzler, J., Gmeiner, B. M., & Laccone, F. (2015b). Detection of survival motor neuron protein in buccal cells through electrochemiluminescence-based assay. *Assay and Drug Development Technologies*, 13(3), 167–173. <https://doi.org/10.1089/adt.2015.635>
- Triyana, K., Sembiring, A., Rianjanu, A., Hidayat, S. N., Riowirawan, R., Julian, T., Kusumaatmaja, A., Santoso, I., & Roto, R. (2018). Chitosan-based quartz crystal microbalance for alcohol sensing. *Electronics (Switzerland)*, 7(9), 1–11. <https://doi.org/10.3390/electronics7090181>
- Veerabhadraiah, A., Ramakrishna, S., Angadi, G., Venkatram, M., Kanivebagilu Ananthapadmanabha, V., Hebbale NarayanaRao, N. M., & Munishamaiah, K. (2017). Development of polyvinyl acetate thin films by electrospinning for sensor applications. *Applied Nanoscience (Switzerland)*, 7(7), 355–363. <https://doi.org/10.1007/s13204-017-0576-9>
- Zaworski, P., Von Herrmann, K. M., Taylor, S., Sunshine, S. S., Mccarthy, K., Risher, N., Newcomb, T., Weetall, M., Prior, T. W., Swoboda, K. J., Chen, K. S., & Paushkin, S. (2016). SMN Protein can be reliably measured in whole blood with an electrochemiluminescence (ECL) Immunoassay: Implications for clinical trials. *PLoS ONE*, 11(3), 1–18. <https://doi.org/10.1371/journal.pone.0150640>
- Zhao, Y., Hu, S., Wang, H., Yu, K., Guan, Y., Liu, X., Li, N., & Liu, F. (2017). DNA Dendrimer-Streptavidin Nanocomplex: An Efficient Signal Amplifier for Construction of Biosensing Platforms. *Analytical Chemistry*, 89(12), 6907–6914. <https://doi.org/10.1021/acs.analchem.7b01551>
- Zhao, Y., Wang, H., Tang, W., Hu, S., Li, N., & Liu, F. (2015). An in situ

assembly of a DNA-streptavidin dendrimer nanostructure: A new amplified quartz crystal microbalance platform for nucleic acid sensing. *Chemical Communications*, 51(53), 10660–10663. <https://doi.org/10.1039/c5cc03568f>

Zhou, L., Lu, P., Zhu, M., Li, B., Yang, P., & Cai, J. (2016). Silver nanocluster based sensitivity amplification of a quartz crystal microbalance gene sensor. *Microchimica Acta*, 183(2), 881–887. <https://doi.org/10.1007/s00604-015-1728-9>