



REFERENCES

- Aher, R.B., Wanare, G., Kawathekar, N., Kumar, R.R., Kaushik, N.K., Sahal, D., and Chauhan, V.S., 2011, Dibenzalidineacetone Analogues as Novel *Plasmodium falciparum* Inhibitors, *Bioorg. Med. Chem. Lett.*, 21, 3034-2036.
- Ahmad, A., Husain, A., Khan, S.A., Mujeeb, M., and Bhandari, A., 2016, Synthesis, Antimicrobial and Antitubercular Activities of Some Novel Pyrazoline Derivatives, *J. Saudi Chem Soc.*, 20, 577-584.
- Anonymous, Kementerian Kesehatan Republik Indonesia, Wilayah Indonesia Dominan Bebas Malaria, Jakarta: Kementerian Kesehatan Republik Indonesia; 2018. [Online] Available from: <http://sehatnegeriku.kemkes.go.id/baca/rilis-media/20180423/0625648/wilayah-indonesia-dominan-bebas-malaria/> [Accessed on September 19th 2020].
- Awasthi, S.K., Mishra, N., Kumar, B., Sharma, M., Bhattacharya, A., Mishra, L.C., and Bhasin, V.K., 2009, Potent Antimalarial Activity of Newly Synthesized Substituted Chalcone Analog In Vitro, *Med. Chem. Res.*, 18, 407-420
- Basco, L.K., 2007, *Field Application of In Vitro Assays for The Sensitivity of Human Malaria Parasites to Antimalarial Drugs*, World Health Organization, Geneva.
- Bian, Y.J., Li J.T., and Li, T.S., 2005, Reductive Coupling of Aromatic Aldehydes to Pinacols Using Active Manganese Under Ultrasound Irradiation, 44B(8), 1720-1723.
- Carlo, D., Mascolo, G., Izzo, N., and Capasso, A.A., 1999, Flavonoids: Old and New Aspects of a Class of Natural Therapeutic Drugs, *Life. Sci.*, 337-353.
- Chinappi, M., Via, A., Marcatili, P., and Tramontano, A., 2010, On the Mechanism of Chloroquine Resistance in *Plasmodium falciparum*, *PLoS ONE*, 5(11).
- Debora, J., Rinonce, H.T., Pudjohartono, M.F., Astari, P., Winata, M.G., dan Kasim, F., 2018, Prevalensi malaria di Asmat, Papua: Gambaran Situasi Terkini di Daerah Endemic Tinggi, *J. Community Empowerment Health*, 1(1), 11-19.
- Detsi, A., Majdalani, M., Kontogiorgis, C.A., Hadjipavlou-Litina, D., and Kefalas, P., 2009, Natural and synthetic 2'-hydroxy-chalcones and aurones: Synthesis, characterization and evaluation of the antioxidant and soybean lipoxygenase inhibitory activity, *Bioorg. Med Chem.*, 17(23).
- Einhorn, C., Einhorn, J., and Luche, J.L., 1989, Sonochemistry - The Use of Ultrasonic Waves in Synthetic Organic Chemistry, *Syn.*, 11, 787-813.



- Elyazar, I.R.F., Gething P.W., and Patil, A.P, Ragoyah, H., Sariwati, E., Palupi, N.W., Tarmizi, S.N., Kusriastuti, R., Baird, J.K., and Hay, S.I., 2012, *Plasmodium vivax* Malaria Endemicity in Indonesia in 2010, *PLos ONE*, 7(5), e37e25.
- Fidock, D.A., Nomura, T., Talley A.K., Cooper, R.A., Dzekunov, S.M., Ferdig, M.T., Ursos, L.M.B., Sidhu, A.B.S., Naude, K.W., Deitsch, K.W., Su, X., Wootton, J.C., Roepe, P.D., and Wellemes, T.E., 2016, Mutations in the *P. falciparum* Digestive Vacuole Transmembrane Protein PfCRT and Evidence for Their Role in Chloroquine Resistance, *Mol. Cell.* 6, 861–871.
- Fuentes, A., Marinas, J.M., Sinisterra, J.V., 1987, Catalyzed synthesis of chalcones under interfacial solid-liquid condition with ultrasound, *Tetrahedr. Lett.*, 42, 7953-7955.
- Ghosh, R., Das, N., and Jain, A., 2010, Improves Synthesis of Chalcones and Pyrazolines under Ultrasonic Irradiation, *Indian J. Chem.*, 49B(03), 351-355.
- Go, M., Wu, X., and Liu, X., 2005, Chalcones: An Update on Cytotoxic and Chemoprotective Properties, *Current. Med. Chem.*, 12(4), 483-499.
- Hughes, J.P., Rees, S.S., Kalindjian, S.B., and Philpott, K.L., 2011, Principles of Early Drug Discovery, *Br. J. Pharmacol.*, 162, 1239–1249.
- Insuasty, B., Montoya, A., Becerra, D., Quiroga, J., Abonia, R., Robledo, S., Velez, I.D., Upequi, Y., Nogueras, M., and Cobo, J., 2013, Synthesis of Novel Analogs of 2-pyrazoline Obtained from [(7-chloroquinolin-4-yl)amino]chalcones and Hydrazine as Potential Antitumor and Antimalarial Agents, *Eur. J. Med. Chem.*, 67, 252-262.
- Jayapal, M.P., Prasad, K.S., and Sreedhar, N.Y., 2010, Synthesis and Characterization of 2,5-Dihydroxy Substituted Chalcones Using $\text{SOCl}_2/\text{EtOH}$, *Int. J. Pharm. Sci.*, 1, 361-366.
- Jarag, K.J., Pinjari, D.V., Pandit, A.B., and Shankarling, G.S., 2011, Synthesis of Chalcone [(3-(4-fluorophenyl)-1-(4-methoxyphenyl)prop-2-en-1-one]): Advantage of Sonochemical Method Over Conventional Method, *Ultrason. Sonochem.*, 18, 617-623.
- Kharatmol, G.M., and Jagdale, D.M., 2017, Eco-friendly Synthesis of Pyrazoline Derivatives, *J. Pharm. Clin. Res.*, 9(4), 302-308.
- Korgaokar, S.S., Patel, P.H., Shah, M.J., and Parekh, H.H., 1996, Studies on Pyrazoline: Preparation and Antimicrobial Activity of 3-3'(*P*-chlorophenylsulphonamidophenyl)-5 aryl- 1*H*/acetyl pyrazolines, *Indian J. Pharm. Sci.*, 58(6), 222-225.



- Kumar, R., Mohanakrishnan, D., Sharma, A., Kaushik, N.K., Kalia, K., Sinha, A.K., and Sahal, D., 2010, Reinvestigation of Structure-Activity Relationship of Methoxylated Chalcones as Antimalarials: Synthesis and Evaluation of 2,4,5-Trimethoxy Substituted Patterns as Lead Candidates Derived from Abundantly Available Natural β -Asarone, *Eur. J. Med. Chem.*, 45, 5292–5301.
- Kumar, A., Varadaraj, B.G., and Singla, R.K., 2013, Synthesis and Evaluation of Antioxidant Activity of Novel 3,5-Disubstituted-2-Pyrazolines, *Bull. Fac. Pharm. Cairo. Univ.*, 51(2), 167-173.
- Liu, M., Wilairat, P., Croft, S. L., TAn, A. L. C., and Go, M. L., 2003, Structure-activity Relationship of Antileshmanial and Antimalarial Chalcones, *Bioorg. Med. Chem.*, 11(13), 2729-2738.
- Mason, T.J., and Peters, D., 2011, *Practical sonochemistry*, Horwood Publishing Limited, Cambridge.
- Millet, J., Alibert, S., Madamet, M.T., Rogier, C., Rouvier, C.S., Bigot, P., Mosnier, J., Baret, E, Barbe, J., Parzy, D., and Pradines, B., 2004, Polymorphism in Plasmodium falciparum Drug Transporter Proteins and Reversal of in Vitro Chloroquine Resistance by a 9,10-Dihydroethanoanthracene Derivative, *Antimicrob. Agents Chemother.*, 48(12), 4869-4872.
- Mishra, N., Arora, P., Kumar, B., Mishra, L.C., Bhattacharya, A., Awasthi, S.K., and Bhasin, V.K., 2008, Synthesis of Novel Substituted 1,3-diaryl Propenone Derivatives and Their Antimalarial Activity *in Vitro*. *Eur. J. Med. Chem.*, 43(7), 1530–1535.
- Mirino, R., Studi Faktor Lingkungan Rumah dan Perilaku Masyarakat yang Berhubungan dengan Kejadian Malaria di Kecamatan Agats Kabupaten Asmat Papua 2009, *Thesis*, Universitas Diponegoro, Semarang.
- Nauduri, D., and Reddy, G.B.S., 1998, Antibacterials and antimycotics: Part 1: Synthesis and activity of 2-pyrazoline Derivatives, *Chem. Pharm. Bull.*, 46(8), 1254-1260.
- Ni, L., Meng, C.Q., and Sikorski, J.A., 2004, Recent Advances in Therapeutic Chalcones, *Expert Opin. Ther. Pat.*, 14, 1669-1691.
- Nielsen, A.T., and Houlihan, W.J., 1968, *The Aldol Condensation* In: Adams, R., Blatt, A.H., Boekelheide, V., Cairns, T.L., Cram, D.J., House, H.O., Eds., *Organic Reactions*, Wiley, New York.
- Noedl, H., Wongsrichanalai, C., and Wernsdorfer, W.H., 2003, Malaria Drug sensitivity Testing: New Assays, New Perspectives, *Trends Parasitol.*, 19(4), 175-181.



Nowakowska, Z., 2007, A Review of Anti-infective and Anti-inflammatory Chalcones. *Eur. J. Med. Chem.*, 42(2), 125–137.

Patil, M.N., and Pandit, A.B., 2007, Cavitation - A novel Technique for Making Stable Nano-Suspensions, *Ultrason. Sonochem.*, 14, 519-530.

Pokhrel, N., Vabbina, P.K., and Pala, N., 2016, Sonochemistry: Science and Engineering, *Ultrason. Chem.*, 29, 104-128.

Rahmawati, E., Hadi., U.K., dan Soviana, S., Keanekaragaman Jenis dan Perilaku Menggigit Vektor Malaria (*Anopheles Spp.*) Di Desa Lifuleo, Kecamatan Kupang Barat, Kabupaten Kupang, Nusa Tenggara Timur, *Indonesian J. Entom.*, 11(2), 53-64.

Rieckmann, K.H., McNamara, J.V., Frischer, H., Stockert, T.A., Carson, P.E., and Powell, R.D., 1968, Effects of Chloroquine, Quinine, and Cycloguanil upon The Maturation of Asexual Erythrocytic Forms of Two Strains of Plasmodium Falciparum In Vitro., *Am. J. Trop. Med. Hyg.*, 17, 661–671.

Sharma, N., Mohanakrishnan, D., and Shard, A., 2012, Stilbene-Chalcone Hybrids: Design, Synthesis, and Evaluation as A New Class of Antimalarial Scaffolds that Trigger Cell Death Through Stage Specific Apoptosis, *J. Med. Chem.*, 55, 297–311.

Shimokoriyama, M., 1962, *Flavanones, Chalcones, and Aurones*, Geissma TA (Ed.) The MacMillan Company, New York, 286-313.

Sid, A., Messai, A., Parlak, C., Kazancı, N., Luneau, D., Keşan, G., and Ramasami, P., 2016, [1-Formyl-3-phenyl-5-(4-isopropylphenyl)-2-pyrazoline]: Synthesis, Characterization, Antimicrobial Activity and DFT Studies. *J. Mol. Structure.*, 1121, 46–53.

Singh, P., Negi, J.S., Pant, G.J., and Rawat, M.S.M., 2010, 5-(3-Nitrophenyl)-3-phenyl-4,5-dihydro-1H-pyrazole-1-carbaldehyde, *Molbank*, Department of Chemistry, HNB Garhwal University, India.

Sinha, S., Sarma, P., Sehgal, R., and Medhi, B, 2017, Development in Assay Methods for *in Vitro* Antimalarial Drug Efficacy Testing: A Systematic Review, *Front. Pharmacol.*, 8, 754.

Sivakumar, P.M., Ganesan, S., Veluchamy, P., and Doble, M., 2010, Novel Chalcones and 1,3,5-triphenyl-2-pyrazoline Derivatives as Antibacterial Agents, *Chem. Biol. Drug.*, 76(5), 407-411.

Suma, A.A.T., Wahyuningsih, T.D., and Mustofa, 2019, Efficient Synthesis of Chloro Chalcones Under Ultrasound Irradiation, Their Anticancer Activities and Molecular Docking Studies, *Rasayan J. Chem.*, 12, 502–510.



- Stefanes, N. M., Toigo, J., Maioral, M.F., Jacques, A.V., Delatore, L.D.C., Perondi, M., Ribeiro, A.A.B., Bigolin, A., Pirath, M.S., Duarte, B.F., Nunes, R.J., and Silva, M .C.S., 2019, Synthesis of novel Pyrazoline Derivatives and The Evaluation of Death Mechanisms Involved in Their Antileukemic Activity, *Bioorgan. Med. Chem.*, 27, 375-382.
- Susanti, E., Matsjeh, S., Mustofa, and Wahyuningsih, T.D., 2014, Improved Synthesis of 2',6'-Dihydroxy-3,4-Dimethoxy Chalcone by Grinding Technique to Synthesize 5-Hydroxy-3',4'-Dimethoxy Flavone, *Indones. J. Chem.*, 14, 174–178.
- Suslick, K. and Price, G., 1999, Application of Ultrasound to Materials Chemistry, *Annu. Rev. Mater. Sci.*, 29, 295-326.
- Suslick, K., 1988, *Ultrasound: Its Chemical Physical and Biological Effects*, VCH Publishers, New York, 1988.
- Syahri, J., 2017, Desain dan Sintesis Senyawa Antimalaria dari Turunan Kalkon, *Disertasi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Udupi, R.H., Kushnoor, A.S., and Bhat, A.R., 1998, Synthesis and Biological Evaluation of Certain Pyrazoline Derivatives of 2-[6-methoxy naphthyl]-propionic acid (naproxen), *Indian J. Het. Chem.*, 8(1), 63-66.
- Vanangamudi, G., Subramanian, M., Jayanthi, P., Arulkumaran R., Kamalakkannan, D., and Thirunarayanan, G., 2016, IR and NMR spectral studies of some 2-hydroxyl-1-naphthyl chalcones: Assessment od substituent effects, *Arabian J. Chem.*, 9(1), S717-S724.
- Wanare, G., Aher, R., and Kawathekar, N., 2010, Synthesis of Novel α -pyranochalcones and Pyrazoline Derivatives as *Plasmodium falciparum* Growth Inhibitors, *Bioorg. Med. Chem. Lett.*, 20, 4675–4678.
- Wilson, M.E., Kantele, A., and Jokiranta, T.S., 2011, Review of Cases with The Emerging Fifth Human Malaria Parasite *Plasmodium knowlesi*, *Clin. Infect. Dis.*, 52, 1356-1362.
- Zhang, X., Abrahan, C., Colquhoun, T.A., and Liu, C.-J., 2017, A Proteolytic Regulator Controlling Chalcone Synthase Stability and Flavonoid Biosynthesis in Arabidopsis, *Plant Cell*, 29(5), 1157–1174.