

DAFTAR PUSTAKA

- Abduo, J., (2012) Safety of increasing vertical dimension of occlusion. *QI*. 43(5): 369-370.
- Alhaji, M., Khalifa, N., dan Amran, A., (2016) Eye-rima oris distance and its relation to the vertical dimension of occlusion measured by two methods: anthropometric study in a sample of yemeni dental student. *Eur. J. Dent.* 10(1): 30.
- Amiruddin, A. dan Thalib, B., (2019) Vertical Dimension Measurement Directly on the Face and Indirectly by Cephalometric Analysis. *Makassar Dent J.* 8(1): 27-32
- Ayoub, W. dan Rashid, R., (2017) Novel technique to determine vertical dimension of occlusion from interpupillary distance in kashmiri population. *IJESC*. 7(9):14955-14956.
- Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia, 2013, (RISKESDAS) Riset Kesehatan Dasar, Jakarta.
- Bajunaid, S. O., Baras, B., Alhathlol, N., dan Al Ghamdi, A., (2017) Evaluating the reliability of facial and hand measurements in determining the vertical dimension of occlusion. *IJ*. 5(1): 1-11.
- Barbosa, J. M., Gill, G. G., & Caramês, J. M. (2017) Do not let the Spanish “s” misguide you. *The J Prost Dent*, 118(5): 686-688.
- Basnet, B. B., Parajuli, P. K., Singh, R. K., Suwal, P., Shrestha, P., dan Baral, D., (2015) An anthropometric study to evaluate the correlation between the occlusal vertical dimension and length of the thumb. *CCID*. 7(1): 33.
- Brar, A., Mattoo, K. A., Singh, Y., Singh, M., Khurana, P. R. S., dan Singh, M., (2014) Clinical reliability of different facial measurements in determining vertical dimension of occlusion in dentulous and edentulous subjects. *IJOPRD*. 4(3): 68.
- Calamita, M., Coachman, C., Sesma, N., dan Kois, J., (2019) Occlusal vertical dimension: treatment planning decisions and management considerations. *Int J Esthet Dent*. 14(2): 166-181.
- Chairani, C. N., dan Rahmi, E., (2016) Korelasi antara dimensi vertikal oklusi

dengan panjang jari kelingking pada sub-ra deutro melayu. *Maj Ked Gi Ind.* 2(3): 155-163.

Dahlan, M. S., (2010) *Besar sampel dan cara pengambilan sampel*. Jakarta Salemba Medika. pp. 76-77

Dipoyono, H. M., (2004) Penggunaan ukuran sepertiga wajah pada penentuan dimensi vertikal resposisi (dvr) perawatan gigi tiruan lengkap. *MIKGI.* 6.

Falatehan, N., dan Gandhanya, R., (2018) One visit relining procedure in patient with loss of vertical dimension. *Sci Dent J.* 2(3): 115-119.

Fathonah, D.T., Dipoyono, H.M., dan Indrastuti, M., (2015) Pengaruh lama adaptasi bicara pemakai gigi tiruan lengkap resin akrilik terhadap kualitas suara pengucapan huruf /S/ (Observasi Klinis). *J Ked Gi.* 6(3): 271-277.

Garcia, R. C. M. R., Oliveira, V. M. B., & Del Bel Cury, A. A., (2003) Short term evaluation of interocclusal distance during speech after new removable prosthesis insertion. *Journal of Applied Oral Science.* 11(3): 216-222.

Hajimahmoudi, M., Bahrami, M., dan Nozarpoor, S., (2018) Comparative evaluation of the inter-occlusal-distance and closest speaking space in different angle's occlusion classes. *Dent Adv Res.* 3(10): 150.

Hussain, S., Yazdane, N., (2019) Correlation of the vertical dimension of occlusion with anthropometric measurement of index finger. *JPDA.* 28(3): 108-112.

Ladda, R., Bhandari, A. J., Kasat, V. O., dan Angadi, G. S., (2013) A new technique to determine vertical dimension of occlusion from anthropometric measurements of fingers. *IJDR.* 24(3): 316.

Majeed, M. I., Haralur, S. B., Khan, M. F., Al Ahmari, M. A., Al Shahrani, N. F., dan Shaik, S., (2018) An anthropometric study of cranio-facial measurements and their correlation with vertical dimension of occlusion among saudi arabian subpopulations. *Open Access Maced J Med Sci.* 6(4): 680.

Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G., dan Prisma Group. (2009) Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS med.* 6(7): e1000097

Nagpal, A., Parkash, H., Bhargava, A., dan Chittaranjan, B., (2014) Reliability of different facial measurements for determination of vertical dimension of occlusion in edentulous using accepted facial dimensions recorded from dentulous subjects. *J Indian Prosthodont Soc.* 14(3): 233-242.

- Nallaswamy, D., Ramalingam, K., dan Bhat, V., (2017) *Textbook of prosthodontics*. New Delhi: JP Medical Ltd.
- Negucioiu, M., dan Popa, D., (2016) Development of phonetic tests in order to improve the functional impression technique in total edentation. (*ASRJETS*). 16(1): 243-250.
- Nurung, M., Dharmautama, M., Jubhari, E. H., dan Erwansyah, E., (2014) Perbandingan antara teknik two dot dengan analisis sefalometri pada pengukuran dimensi vertikal oklusi. *Dentofas*. 13(3): 141-4.
- Orthlieb, J. D., Laurent, M., dan Laplanche, O., (2000) Cephalometric estimation of vertical dimension of occlusion. *Journal of oral rehabilitation*. 27(9), 802-807.
- Ozka, Y.K., (2017) *Complete denture prosthodontics*. Switzerland: Springer.
- Prakash, V., dan Gupta, R., (2017) *Concise prosthodontics-e book: prep manual for undergraduates*. 2nd edition. New Delhi: Elsevier Health Sciences.
- Rahman, A. H. (2009) Analysis of the relation between lip length, free way space, closest speaking space, arch size concerning palatal-depth relativity. *MDJ*. 6(2): 152-8.
- Raj, N., Meshram, A., Mulay, S., dan Jethlia, H., (2013) Review on methods of recording vertical relation. *Journal of Evolution of Medical and Dental Sciences*. 2(12): 1779-1785.
- Ranggarajan, V., dan Padmanabhan, T.V., (2017) *Textbook of prosthodontics*. New Delhi: Elsevier. pp. 119.
- Rizkillah, M. N., Isnaeni, R. S., dan Fadilah, R. P. N., (2019) Pengaruh kehilangan gigi posterior terhadap kualitas hidup pada kelompok usia 45-65 tahun. *Padjadjaran J Dent Res Student*. 3(1): 7-12.
- Rizzatti, A., Ceruti, P., Mussano, F., Erovigni, F., & Preti, G. (2007) A new clinical method for evaluating the closest speaking space in dentulous and edentulous subjects: a pilot study. *Int J of Prosth*. 20(3).
- Rupesh, P. L., Subhas, S., Salangundi, B., KM regish, dan Poonacha, V. U. P., (2012) Leonardo da vinci's divine proportion in establishing vertical dimension. *J Ulto Dent Res*. 1(2): 1-7.
- Şakar, O., Bural, C., Sülün, T., Öztaş, E., & Marşan, G., (2013) Evaluation of the closest speaking space in different dental and skeletal occlusions. *The Journal of prosthetic dentistry*. 109(4), 222-226.

- Schierano, G., Mozzati, M., Bassi, F., & Preti, G, (2001) Influence of the thickness of the resin palatal vault on the closest speaking space with complete dentures. *Journal of oral rehabilitation*. 28(10), 903-908.
- Senjaya, A.A., (2016) Gigi lansia. *Jurnal Skala Husada*. 13(1):72-80.
- Souza, R. F. D., Compagnoni, M. A., Leles, C. R., dan Sadalla, K. B. D. F. (2005) Association between the speaking space of/s/sound and incisal overlaps in dentate and edentate subjects. *Journal of Applied Oral Science*, 13(4): 413-417.
- Souza, R. F. D., dan Compagnoni, M. A., (2004) Relation between speaking space of the/s/sound and freeway space in dentate and edentate subjects. *Brazilian oral research*. 18(4), 333-337.
- Souza, R. F., Marra, J., Pero, A. C., & Compagnoni, M. A., (2007) Effect of denture fabrication and wear on closest speaking space and interocclusal distance during deglutition. *J Prosthet Dent*. 97(6): 381-388.
- Tanaka, H. (1973) Speech patterns of edentulous patients and morphology of the palate in relation to phonetics. *J Prosthet Dent*. 29(1): 16-28.
- Teguh, S., Kusdhany, L. S., dan Koesmaningati, H., (2017) Facial and Hand Landmark Measurements for Making Accurate Occlusal Vertical Dimension Determinations. *Journal Int Dent Med Res*. 10: 696-700.
- The Glossary of Prosthodontic Terms. (2017) *J Prosthet Dent*. 9th ed. 117(5S): e1-e105
- Uppal, S., Gupta, N. K., Tandan, A., Dwivedi, R., Gupta, S., dan Kumar, S., (2013) Comparative evaluation of vertical dimension at rest before extraction after extraction and after rehabilitation with complete denture—a cephalometric study. *Elsevier*. 3(2): 73-77.
- Veeraiyan, D.N., (2017) *Textbook of prosthodontics*. 2nd ed. Daryaganj: Jaypee Brothers Medical Publishers. pp. 213-215
- Wahjuni, S. dan Mandanie, S. A., (2017) Fabrication of combined prothesis with castable extracoronar attachments (laboratory procedure). *Jur Ked Gi*. 01: 75 – 81.
- Wirahadikusumah, A., Koesmaningati, H., dan Fardaniah, S., (2011) Digital photo analysis as a predictor of physiological vertical dimension. *J Dent I*. 18(2): 38-44.

Wiro, W., dan Habar, I. D., (2017) Cephalometric analysis for accurately determining the vertical dimension (case report). *J Dentomaxillofac Sci.* 2(1): 41-44.

Zahra, A. F., Soesetijo, A., dan Djati, F. K., (2019) Perbandingan dimensi vertikal oklusal sebelum dan setelah insersi gigi tiruan lengkap dengan metode niswonger dan radiografi sefalometri. *J Ked Gi Unpad.* 31(1): 47-53.