

DAFTAR PUSTAKA

- Agale, S. V. (2013). Chronic Leg Ulcers: Epidemiology, Aetiopathogenesis, and Management. *Ulcers*, 2013, 1–9. <https://doi.org/10.1155/2013/413604>
- Alexiadou, K., & Doupis, J. (2012). Management of diabetic foot ulcers. In *Diabetes Therapy*. <https://doi.org/10.1007/s13300-012-0004-9>
- Alosaimi, F. D., Labani, R., Almasoud, N., Alhelali, N., Althawadi, L., & Aljahani, D. M. (2019). Associations of foot ulceration with quality of life and psychosocial determinants among patients with diabetes; A case-control study. *Journal of Foot and Ankle Research*, 12(1), 1–11. <https://doi.org/10.1186/s13047-019-0367-5>
- Alrub, A. A., Hyassat, D., Khader, Y. S., Bani-Mustafa, R., Younes, N., & Ajlouni, K. (2019). Factors associated with health-related quality of life among Jordanian patients with diabetic foot ulcer. *Journal of Diabetes Research*, 2019. <https://doi.org/10.1155/2019/4706720>
- Anderson, K., & Hamm, R. L. (2012). Factors that impair wound healing. In *Journal of the American College of Clinical Wound Specialists*. <https://doi.org/10.1016/j.jccw.2014.03.001>
- Armstrong, D. G., Boulton, A. J. M., & Bus, S. A. (2017). Diabetic foot ulcers and their recurrence. *New England Journal of Medicine*, 376(24), 2367–2375. <https://doi.org/10.1056/NEJMr1615439>
- Asharib A. M., Arshad, S., Arshad, S., & Abbas, H. (2020). The Quality of Life in Patients with Diabetic Foot Ulcers. *Journal of Diabetes & Metabolism*, 11(2), 1–2. <https://doi.org/10.35248/2155-6156.20.11.e101>
- Aumiller, W. D., & Dollahite, H. A. (2015). Pathogenesis and management of diabetic foot ulcers. *Journal of the American Academy of Physician Assistants*, 28(5), 28–34. <https://doi.org/10.1097/01.JAA.0000464276.44117.b1>
- Barr, D. A., Irvine, S., Ritchie, N. D., Mccutcheon, J., & Seaton, R. A. (2013). Risk of venous thromboembolism in patients treated for bacterial infection in the community with outpatient parenteral antimicrobial therapy. *An International Journal of Medicine*, 107(December), 207–211. <https://doi.org/10.1093/qjmed/hct239>
- Borji, M., Otaghi, M., & Kazembeigi, S. (2017). The impact of Orem's self-care model on the quality of life in patients with type II diabetes. *Biomedical and Pharmacology Journal*, 10(1), 213–220. <https://doi.org/10.13005/bpj/1100>
- Bowling, J. E., Ii, J. S. L., & Owens, A. D. (2013). Outpatient Parenteral Antimicrobial Therapy. *Hospital Medicine Clinics*, 2(1), e45–e56. <https://doi.org/10.1016/j.ehmc.2012.07.002>
- Bradbury, S., & Price, P. (2011). The impact of diabetic foot ulcer pain on patient quality of life. *Wounds UK*.
- Briganti, C. P., Silva, M. T., Almeida, J. V. de, & Bergamaschi, C. de C. (2019). Association between diabetes mellitus and depressive symptoms in the Brazilian population. *Revista de Saude Publica*. <https://doi.org/10.11606/S1518-8787.2019053000608>
- Chapman, A. L. N., Dixon, S., Andrews, D., Lillie, P. J., Bazaz, R., & Patchett, J. D. (2009). Clinical efficacy and cost-effectiveness of outpatient parenteral

- antibiotic therapy (OPAT): A UK perspective. *Journal of Antimicrobial Chemotherapy*, 64(6), 1316–1324. <https://doi.org/10.1093/jac/dkp343>
- Chapman, A. L. N., Seaton, R. A., Cooper, M. A., Hedderwick, S., Goodall, V., & Reed, C. (2012). Good practice recommendations for outpatient parenteral antimicrobial therapy (OPAT) in adults in the UK : a consensus statement. *Journal of Antimicrobial Chemotherapy*, 67(January), 1053–1062. <https://doi.org/10.1093/jac/dks003>
- Chapman, A. L. N., Seaton, R. A., Cooper, M. A., Hedderwick, S., Goodall, V., Reed, C., Sanderson, F., Nathwani, D., Chapman, A., Seaton, A., Nathwani, D., Reed, C., Goodall, V., Mallinson, R., Bergin, C., Gallacher, D., Torok, E., Cooper, M., Lessing, A., ... Orłowski, A. (2012). Good practice recommendations for outpatient parenteral antimicrobial therapy (OPAT) in adults in the UK: A consensus statement. *Journal of Antimicrobial Chemotherapy*, 67(5), 1053–1062. <https://doi.org/10.1093/jac/dks003>
- Clayton, W., & Elasy, T. A. (2009). A review of the pathophysiology, classification, and treatment of foot ulcers in diabetic patients. In *Clinical Diabetes*. <https://doi.org/10.2337/diaclin.27.2.52>
- Durojaiye, O. C., Bell, H., Andrews, D., Ntziora, F., & Cartwright, K. (2018). Clinical efficacy, cost analysis and patient acceptability of outpatient parenteral antibiotic therapy (OPAT): a decade of Sheffield (UK) OPAT service. *International Journal of Antimicrobial Agents*, 51(1), 26–32. <https://doi.org/10.1016/j.ijantimicag.2017.03.016>
- Gabriel, L., & Bariot-Mathiot, A. (2014). Hospitalization stay and costs attributable to *Clostridium difficile* infection: a critical review. *Journal of Hospital Infection*. <https://doi.org/10.1016/j.jhin.2014.04.011>
- Ghobadi, A., Sarbarzeh, P. A., Jalilian, M., Abdi, A., & Manouchehri, S. (2020). Evaluation of factors affecting the severity of diabetic foot ulcer in patients with diabetes referred to a diabetes centre in Kermanshah. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 13, 693–703. <https://doi.org/10.2147/DMSO.S242431>
- Goodfellow, A. F., Wai, A. O., Frighetto, L., Marra, C. A., Ferreira, B. M., Chase, M. L., Nicol, R. E., Leong, C. A., Tomlinson, S., & Jewesson, P. J. (2015). *Quality-of-Life Assessment in an Outpatient Parenteral Antibiotic Program Result* : 36, 1851–1855.
- Gunes, A., Eren, M., Karakas, E., Demir, M., Aslan, H., & Sabuncu, T. (2017). Relation With Mean Platelet Volume and Diabetic Foot Ulcers. *Acta Medica*, 33(6), 401. <https://doi.org/10.19193/0393-6384>
- Guo, S., & DiPietro, L. A. (2010). Factors Affecting Wound Healing REVIEW. *Journal of Dental Research*.
- Hidayati, A. R., Gondodiputro, S., & Rahmiati, L. (2018). Elderly Profile of Quality of Life Using WHOQOL-BREF Indonesian Version : A Community-Dwelling. *Althea Medical Journal*, 5(2), 105–110.
- Kalaivani, V. (2014). Evaluation of diabetic foot complications according to Amit Jain's classification. *Journal of Clinical and Diagnostic Research*, 8(12), NC07–NC09. <https://doi.org/10.7860/JCDR/2014/10391.5303>
- Keller, S. C., Williams, D., Levering, M., & Cosgrove, S. E. (2018). Health-related

- quality of life in outpatient parenteral antimicrobial therapy. *Open Forum Infectious Diseases*, 5(7), 1–4. <https://doi.org/10.1093/ofid/ofy143>
- Khanolkar, M. P., Bain, S. C., & Stephens, J. W. (2008). The diabetic foot. In *QJM*. <https://doi.org/10.1093/qjmed/hcn027>
- Kruse, I., & Edelman, S. (2006). Evaluation and treatment of diabetic foot ulcers. *Clinical Diabetes*, 24(2), 91–93. <https://doi.org/10.2337/diaclin.24.2.91>
- Lins, L., & Carvalho, F. M. (2016). SF-36 total score as a single measure of health-related quality of life: Scoping review. *SAGE Open Medicine*, 4, 205031211667172. <https://doi.org/10.1177/2050312116671725>
- Lipsky, B. A., Berendt, A. R., Cornia, P. B., Pile, J. C., Peters, E. J. G., Armstrong, D. G., Deery, H. G., Embil, J. M., Joseph, W. S., Karchmer, A. W., Pinzur, M. S., & Senneville, E. (2012). 2012 infectious diseases society of America clinical practice guideline for the diagnosis and treatment of diabetic foot infections. *Clinical Infectious Diseases*, 54(12), 132–173. <https://doi.org/10.1093/cid/cis346>
- Macioch, T., Sobol, E., Krakowiecki, A., Mrozikiewicz-Rakowska, B., Kasproicz, M., & Hermanowski, T. (2017). Health related quality of life in patients with diabetic foot ulceration - translation and Polish adaptation of Diabetic Foot Ulcer Scale short form. *Health and Quality of Life Outcomes*. <https://doi.org/10.1186/s12955-017-0587-y>
- Mackintosh, C. L., White, H. A., & Seaton, R. A. (2011). Outpatient parenteral antibiotic therapy (OPAT) for bone and joint infections: Experience from a UK teaching hospital-based service. *Journal of Antimicrobial Chemotherapy*, 66(2), 408–415. <https://doi.org/10.1093/jac/dkq445>
- Maraqqa, N. F., & Rathore, M. H. (2010). Pediatric Outpatient Parenteral Antimicrobial Therapy: An Update. *Advances in Pediatrics*, 57(1), 219–245. <https://doi.org/10.1016/j.yapd.2010.09.002>
- Matthews, P. C., Conlon, C. P., Berendt, A. R., Kayley, J., Jefferies, L., Atkins, B. L., Byren, I., Radcliffe, O., Nhs, H., Hospital, J. R., Way, H., Ox, O., Pavilion, T., Road, T., Thames, G., & Rg, B. (2007). Outpatient parenteral antimicrobial therapy (OPAT): is it safe for selected patients to self-administer at home ? A retrospective analysis of a large cohort over 13 years. *Journal of Antimicrobial Chemotherapy*, 60(June), 356–362. <https://doi.org/10.1093/jac/dkm210>
- Morgenstern, M., Erichsen, C., Von Rüden, C., Metsemakers, W. J., Kates, S. L., Moriarty, T. F., & Hungerer, S. (2016). Staphylococcal orthopaedic device-related infections in older patients. *Injury*, 47(7), 1427–1434. <https://doi.org/10.1016/j.injury.2016.04.027>
- Muldoon, E., Allison, M. ., Gallagher, D., Syndman, D. R., & Bergin, C. (2014). Outpatient parenteral antimicrobial therapy (OPAT) in the republic of Ireland: results of a national survey. *The European Journal of Clinical Microbiology & Infectious Diseases*, 32(11), 1465–1470. <https://doi.org/10.1007/s10096-013-1899-4>. Outpatient
- Nathwani, D., Raman, G., Sulham, K., Gavaghan, M., & Menon, V. (2014). Clinical and economic consequences of hospital-acquired resistant and multidrug-resistant *Pseudomonas aeruginosa* infections : a systematic review

- and meta-analysis. *Antimicrobial Resistance and Infection Control*, 32(3), 3–14.
- Okonkwo, U. A., & Dipietro, L. A. (2017). Diabetes and wound angiogenesis. In *International Journal of Molecular Sciences*. <https://doi.org/10.3390/ijms18071419>
- Paladino, J. A., & Poretz, D. (2010). Outpatient Parenteral Antimicrobial Therapy Today. *Clinical Infe*, 51(Suppl 2), S198–S206. <https://doi.org/10.1086/653520>
- Patel, S., Abrahamson, E., Goldring, S., Green, H., Wickens, H., & Laundry, M. (2015). Good practice recommendations for paediatric outpatient parenteral antibiotic therapy (p-OPAT) in the UK: a consensus statement. *Journal of Antimicrobial Chemotherapy*, 70(October 2014), 360–373. <https://doi.org/10.1093/jac/dku401>
- Pemayun, T. G. D., & Naibaho, R. M. (2017). Clinical profile and outcome of diabetic foot ulcer, a view from tertiary care hospital in Semarang, Indonesia. *Diabetic Foot and Ankle*. <https://doi.org/10.1080/2000625X.2017.1312974>
- PERKENI. (2011). Konsensus DM Tipe 2 Indonesia Tahun 2011. In *PERKENI*.
- Prompers, L., Schaper, N., Apelqvist, J., Edmonds, M., Jude, E., Mauricio, D., Uccioli, L., Urbancic, V., Bakker, K., Holstein, P., Jirkovska, A., Piaggese, A., Ragnarson-Tennvall, G., Reike, H., Spraul, M., Van Acker, K., Van Baal, J., Van Merode, F., Ferreira, I., & Huijberts, M. (2008). Prediction of outcome in individuals with diabetic foot ulcers: Focus on the differences between individuals with and without peripheral arterial disease. The EURODIALE Study. *Diabetologia*. <https://doi.org/10.1007/s00125-008-0940-0>
- Psaltikidis, E. M., Silva, E. N. d., Bustorff-Silva, J. M., Moretti, M. L., & Resende, M. R. (2017). Economic evaluation of outpatient parenteral antimicrobial therapy: a systematic review. In *Expert Review of Pharmacoeconomics and Outcomes Research*. <https://doi.org/10.1080/14737167.2017.1360767>
- Rachmawati, Y., Perwitasari, D. A., & Adnan. (2014). Validasi Kuesioner Sf-36 Versi Indonesia Terhadap Pasien Hipertensi Di Puskesmas Yogyakarta. *Pharmacy*.
- Richard, J.-L. (2011). New insights in diabetic foot infection. *World Journal of Diabetes*, 2(2), 24. <https://doi.org/10.4239/wjd.v2.i2.24>
- Rietbergen, L., Kuiper, J. W. P., Walgrave, S., Hak, L., & Colen, S. (2016). Quality of life after staged revision for infected total hip arthroplasty: A systematic review. *HIP International*, 26(4), 311–318. <https://doi.org/10.5301/hipint.5000416>
- RISKESDAS. (2018). *Hasil Utama Riskesdas Tentang Prevalensi Diabetes Mellitus di Indonesia 2018*. Hasil Utama Riskesdas Tentang Prevalensi Diabetes Melitus Di Indonesia 2018.
- Rosyid, F. N., Dharmana, E., Suwondo, A., Heri Nugroho, K. H. S., & Sugiarto. (2018). The effect of bitter melon (*Momordica charantia* L.) leaves extract on TNF- α serum levels and diabetic foot ulcers improvement: Randomized controlled trial. *Biomedical and Pharmacology Journal*, 11(3), 1413–1421. <https://doi.org/10.13005/bpj/1505>
- Scott, G. (2013). The diabetic foot examination: A positive step in the prevention of diabetic foot ulcers and amputation. In *Osteopathic Family Physician*.

- <https://doi.org/10.1016/j.osfp.2012.08.002>
- Siersma, V., Thorsen, H., Holstein, P. E., Kars, M., Apelqvist, J., Jude, E. B., Piaggese, A., Bakker, K., Edmonds, M., Jirkovská, A., Mauricio, D., Reike, H., Spraul, M., Uccioli, L., Urbancic, V., van Acker, K., van Baal, J., & Schaper, N. C. (2017). Diabetic complications do not hamper improvement of health-related quality of life over the course of treatment of diabetic foot ulcers – the Eurodiale study. *Journal of Diabetes and Its Complications*, 31(7), 1145–1151. <https://doi.org/10.1016/j.jdiacomp.2017.04.008>
- Soelistijo, S. A., Novida, H., Rudijanto, A., Soewondo, P., Suastika, K., Manaf, A., Sanusi, H., Lindarto, D., Shahab, A., Pramono, B., Langi, Y. A., Purnamasari, D., Soetedjo, N. N., Saraswati, M. R., Dwipayana, M. P., Yuwono, A., Sasiarini, L., Sugiarto, Sucipto, K. W., & Zufry, H. (2015). Konsensus Pengendalian dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015. In *Perkeni*. <https://doi.org/10.1017/CBO9781107415324.004>
- Suleyman, G., Kenney, R., Zervos, M. J., & Weinmann, A. (2017). Safety and efficacy of outpatient parenteral antibiotic therapy in an academic infectious disease clinic. *Journal of Clinical Pharmacy and Therapeutics*, 42(1), 39–43. <https://doi.org/10.1111/jcpt.12465>
- Tice, A. D., Rehm, S. J., Dalovisio, J. R., Bradley, J. S., Martinelli, L. P., Graham, D. R., Gainer, R. B., Kunkel, M. J., Yancey, R. W., & Williams, D. N. (2004). Practice Guidelines for Outpatient Parenteral Antimicrobial Therapy. *Clinical Infectious Diseases*, 38, 1651–1672.
- Umaroh, N. (2016). *Evaluasi Pembentukan Biofilm Pada Bakteri Penyebab Ulkus Diabetik Di Poli Kaki Diabetes Rsup Dr. Sardjito Yogyakarta*. Gadjah Mada University.
- Wahyuni, A. (2016). Senam Kaki Diabetik Efektif Meningkatkan Ankle Brachial Index Pasien Diabetes Melitus Tipe 2. *Jurnal Ipteks Terapan*, 9(2), 155–164. <https://doi.org/10.22216/jit.2015.v9i2.231>
- WHO. (2020). WHO | WHOQOL: Measuring Quality of Life. In *Health statistics and information systems (WHO)*.
- Wiegand, P. N., Nathwani, D., Wilcox, M. H., Stephens, J., Shelbaya, A., & Haider, S. (2012). Clinical and economic burden of *Clostridium difficile* infection in Europe : a systematic review of healthcare-facility-acquired infection. *Journal of Hospital Infection*, 81(1), 1–14. <https://doi.org/10.1016/j.jhin.2012.02.004>
- Wilson, J. A., & Clark, J. J. (2004). Obesity: impediment to postsurgical wound healing. *Advances in Skin & Wound Care*, 17(8), 426–435. <https://doi.org/10.1097/00129334-200410000-00013>
- Wolter, J. M., Cagney, R. A., & McCormack, J. G. (2004). A randomised trial of home vs hospital intravenous antibiotic therapy in adults with infectious diseases. *Journal of Infection*, 48(3), 263–268. [https://doi.org/10.1016/S0163-4453\(03\)00135-X](https://doi.org/10.1016/S0163-4453(03)00135-X)
- World Health Organization. (2016). Global Report on Diabetes. *Isbn*. <https://doi.org/ISBN 978 92 4 156525 7>
- Wukich, D. K., Sambenedetto, T. L., Mota, N. M., Suder, N. C., & Rosario, B. L. (2016). Correlation of SF-36 and SF-12 Component Scores in Patients With Diabetic Foot Disease. *Journal of Foot and Ankle Surgery*, 55(4), 693–

696. <https://doi.org/10.1053/j.jfas.2015.12.009>

Zhang, Y., Yao, Z., Zhan, S., Yang, Z., Wei, D., Zhang, J., Li, J., & Kyaw, M. H. (2014). Disease burden of intensive care unit-acquired pneumonia in China: a systematic review and meta-analysis. *International Journal of Infectious Diseases*, 29, 84–90. <https://doi.org/10.1016/j.ijid.2014.05.030>