

DAFTAR PUSTAKA

- Aburjai, T. & Natsheh, F.M., 2003, Plants Used in Cosmetics, *Phytoterapy Research*, 17, 987 – 1000.
- Adhikari, D., Panthi, V.K., Pangen, R., Kim, H.J. & Park, J.W., 2017, Preparation, Characterization, and Biological Activities of Topical Anti-Aging Ingredients in a *Citrus junos* Callus Extract, *Molecules*, 22.
- Ahmad, J., Khan, I., Blundell, R., Azzopardi, J. & Mahomoodally, M.F., 2020, *Stevia rebaudiana* Bertoni.: An Updated Review of Its Health Benefits, Industrial Applications and Safety, *Trends in Food Science & Technology*, 100, 177 – 189.
- Almeida, I.F., Maleckova, J., Saffi, R., Monteiro, H., Goios, F., Amaral, M.H., Costa, C., Garrido, J., Silva, P., Pestana, N. & Bahia, M.F., 2015, Characterization of an Antioxidant Surfactant-Free Topical Formulation Containing *Castanea sativa* Leaf Extract, *Drug Development and Industrial Pharmacy*, 41 (1), 148 – 155.
- Alvarez-Roman, R., Silva-Flores, P.G., Galindo-Rodriguez, S.A., Huerta-Heredia, A.A., Vilegas, W. & Paniagua-Vega, D., 2019, Moisturizing and Antioxidant Evaluation of *Moringa oleifera* Leaf Extract in Topical Formulations by Biophysical Techniques, *South African Journal of Botany*, 000, 1 – 8.
- Amaral, G.P., Mizdal, C.R., Stefanello, S.T., Mendez, A.S.L., Puntel, R.L., Campos, M.M.A., Soares, F.A.A. & Fachineto, R., 2018, Antibacterial and Antioxidant Effects of *Rosmarinus officinalis* L. Extract and Its Fractions, *Journal of Traditional and Complementary Medicine*, 1 – 10.
- Anchisi, C., Maccioni, A.M., Sinico, C. & Valenti, D., 2001, Stability Studies of New Cosmetic Formulations with Vegetable Extracts as Functional Agents, *Farmaco*, 56, 427 – 431.
- Anonim, 1995, Farmakope Indonesia, Edisi IV, *Departemen Kesehatan Republik Indonesia*, Jakarta.
- Anonim, 2011., Integrated Taxonomic Information System, [Online], tersedia di https://www.itis.gov/servlet/SingleRpt/SingleRpt?search-topic=TSN&search_value=521671#null, diakses pada 31 Oktober 2019.
- Anonim, 2020, GBIF Backbone Taxonomy, tersedia di <https://www.gbif.org>, diakses pada 23 Mei 2020.
- Ansel, H.C., 1989, *Pengantar Bentuk Sediaan Farmasi, Edisi Keempat*, UI Press, Jakarta.
- Arshad, M., Pradhan, R.A., Zubair, M. & Ullah, A., 2020, Chapter 13 – Lipid-derived Renewable Amphiphilic Nanocarriers for Drug Delivery,

Biopolymer-based Formulations : Biomedical and Food Application,
Biopolymer-based Formulation, Elsevier Inc.

- Barbulova, A., Apone, F. & Colucci, G., 2014, Plant Cell Cultures as Source of Cosmetic Active Ingredients, *Cosmetics*, 1, 94 – 104.
- Btissam, R., Rajae, R., Amina, A., Brigitte, V. & Mohamed, NHIRI., 2015, *In Vitro* Study of Anti-glycation and Radical Scavenging Activities of the Essential Oils of Three Plants from Morocco: *Origanum compactum*, *Rosmarinus officinalis* and *Pelargonium asperum*, *Phcog Journal*, 7 (2), 124 – 136.
- Campanini, M.Z., Pinho-Ribeiro, F.A., Ivan, A.L.M., Ferreira, V.S., Vilela, F.M.P., Vicentini, F.T.M.C., Martinez, R.M., Zarpelon, A.C., Fonseca, M.J.V., Faria, T.J., Baracat, M.M., Verri Jr., W.A., Georgetti, S.R. & Casagrande, R., 2013, Efficacy of Topical Formulations Containing *Pimenta pseudocaryophyllus* Extract Against UVB-induced Oxidative Stress and Inflammation in Hairless Mice, *Journal of Photochemistry and Photobiology B: Biology*, 127, 153 – 160.
- Carbone, C., Martins-Gomes, C., Caddeo, C., Silva, A.M., Musumeci, T., Pignatello, R., Puglisi, G. & Souto, E.B., 2018, Mediterranean Essential Oils as Precious Matrix Components and Active Ingredients of Lipid Nanoparticles, *International Journal of Pharmaceutics*, 548, 217 – 226.
- Chandra, I., Singh, P., Bhattacharya, A., Singh, P., Javed, S. & Singhamahapatra, A., 2013, *In Vitro* Calus Induction, Regeneration and Micropropagation of *Solanum lycopersium*, *Int.J.Curr.Microbial.App.Sci*, 2 (12), 192 – 197.
- Chen, L., Hu, J.Y. & Wang, S.Q., 2012, The Role of Antioxidants in Photoprotection: A Critical Review, *Journal of the American Academy of Dermatology*, 67 (5), 1013 – 1023.
- Cherubim, D.J.L., Martins, C.V.B., Farina, L.O. & Lucca, R.A.S., 2019, Polyphenols as Natural Antioxidants in Cosmetics Applications, *Journal of Cosmetic Dermatology*, 00, 1 – 5.
- Chiu, A. & Kimball, A.B., 2003, Topical Vitamins, Minerals, and Botanical Ingredients as Modulators of Environmental and Chronological Skin Damage, *British Journal of Dermatology*, 149, 681 – 691.
- Claus, T., Palombini, S.V., Carbonera, F., Figueiredo, I.L., Matsushita, M. & Visentainer, J.V., 2015, Response Surface Methodology Applied in the Study of Emulsion Formulations in the Presence of Leaves of Rosemary (*Rosmarinus officinalis* L.) as a Source of Natural Antioxidants, *J.Braz.Chem.Soc.*, 26 (10), 2097 – 2104.
- Coimbra, M.C., Chagas, R.C.S., Vilela, M.S.P. & Castro, A.H.F., 2019, Growth, Morphology and Bioactive Phenolic Compounds Production in *Pyrostegia venusta* Calli, *Biocatalysis and Agricultural Biotechnology*, 18.

- Costa, R. & Santos, L., 2017, Delivery Systems for Cosmetics - From Manufacturing to the Skin of Natural Antioxidants, *Powder Technology*, 322, 402 – 416.
- Couto, J., Figueirinha, A., Batista, M.T., Paranhos, A., Nunes, C., Goncalves, L.M., Marto, J., Fitas, M., Pinto, P., Ribeiro, H.M. & Pina, M.E., 2020, *Fragaria vesca* L. Extract: A Promising Cosmetic Ingredient with Antioxidant Properties, *Antioxodants*, 9, 154.
- Efferth, T., 2019, Biotechnology Applications of Plant Callus Cultures, *Engineering*, 5, 50 – 59.
- Ezzat, S.M., Salama, M.M., ElMeshha, A.N., Teaima, M.H. & Rashad, L.A., 2016, HPLC–DAD–MS/MS Profiling of Standardized Rosemary Extract and Enhancement of Its Anti-wrinkle Activity by Encapsulation in Elastic Nanovesicles, *Arch. Pharm. Res.*, 39, 912 – 925.
- Fu, X., Wu, X., Djekidel, M.N. & Zhang, Y., 2019, Myc and Dnmt1 Impede the Pluripotent to Totipotent State Transition in Embryonic Stem Cells, *Nat Cell Biol*, 21 (7), 835 – 844.
- Fuller, B.B., 2010, Antioxidants and Anti-inflammatories, *Cosmetic Dermatology: Products and Procedures*, 281 – 284, John Wiley & Sons Ltd., UK.
- George, S., Tourniaire, F., Gautier, H., Goupy, P., Rock, E., Caris-Veyrat, S., 2011, changes in The Contents of Carotenoids, Phenolic Compounds, and Vitamin C During Technical Processing and Lyophilisation of Red and Yellow Tomatoes, *Food Chemistry*, 124, 1603 – 1611.
- Georgiev, V., Slavov, A., Vasilela, I., & Pavlov, A., 2018, Plant Cell Culture as Emerging Technology for Production of Active Cosmetic Ingredients *Eng. Life Sci.*, 18, 779 – 798.
- Ghosh, D., Mondal, S. & Ramakrishna, K., 2019, A Topical Ointment Formulation Containing Leaves Extract of *Aegialitis rotundifolia* Roxb., Accelerates Excision, Icsision, and Burn Wound Healing in Rats, *Wound Medicine*, 26.
- Giri, L., Dhyani, P., Rawat, S., Bhatt, I.D., Nandi, S.K., Rawal, R.S. & Pande, V., 2012, *In Vitro* Production of Phenolic Compounds and Antioxidant Activity in Callus Suspension Cultures of *Habenaria edgeworthii*: A Rare Himalayan Medicinal Orchid, *Industrial Crops and Products*, 39, 1 – 6.
- Giudice, R.D., Petruk, G., Raiola, A., Barone, A., Monti, D.M. & Rigano, M.M., 2016, Carotenoids in Fresh and Processed Tomato (*Solanum lycopersicum*) Fruits Protect Cells from Oxidative Stress Injury, *J Sci Food Agric*, 97, 1616 – 1623.
- Grabkowska, R., Matkowski, A., Grzegorzczuk-Karolak, I. & Wysokinska, H., 2016, Callus Cultures of *Harpagophytum procumbens* (Burch) DC. ex

- Meisn.; Production of Secondary Metabolites and Antioxidant Activity, *South African Journal of Botany*, 103, 41 – 48.
- Ha, T.V.A., Kim, S., Choi, Y., Kwak, H., Lee, S.J., Wen, J., Oey, I. & Ko, S., 2015, Antioxidant Activity and Bioaccessibility of Size-different Nanoemulsions for Lycopene-enriched Tomato Extract, *Food Chemistry*, 115 – 121.
- Hana, C.A., 2016, Analisis Kandungan Senyawa Dominan dan Protein dalam Sel Punca (Stem Cells) Tanaman Tomat (*Solanum lycopersium* L.) serta Uji Aktivitas Antioksidan, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Hariprasath, L., Jegadeesh, R., Arjun, P. & Raaman, N., 2015, *In Vitro* Propagation of *Senecio candicand* DC and Comparative Antioxidant Properties of Aqueous Extracts of the *In Vivo* Plant and *In Vitro* Derived Callus, *South African Journal of Botany*, 98, 134 – 141.
- Hassani, F.V., Shirani, K. & Hosseinzadeh, H., 2016, Rosemary (*Rosmarinus officinalis*) as a Potential Therapeutic Plant in Metabolic Syndrome: A Review, *Naunyn-Schmiedeberg's Arch Pharmacol*.
- Ikeuchi, M., Sugimoto, K. & Iwase, A., 2013, Plant Callus: Mechanisms of Induction and Repression, *The Plant Cell*, 25, 3159 – 3137.
- Karadag, A.E., Dermici, B., Caskurlu, A., Dermici, F., Okur, M.E., Orak, D., Sipahi, H. & Baser, K.H.C., 2019, *In Vitro* Antibacterial, Antioxidant, Anti-inflammatory and Analgesic Evaluation of *Rosmarinus officinalis* L. Flower Extract Fractions, *South African Journal of Botany*, 125, 214 – 220.
- Kim, I., Yang, M., Lee, O. & Kang, S., 2011, The Antioxidant Activity and the Bioactive Compound Content of *Stevia rebaudiana* Water Extracts, *LWT – Food Science and Technology*, 44, 1328 – 1332.
- Kontogianni, V.G., Tomic, G., Nikolic, I., Nerantzaki, A.A., Sayyad, N., Stosic-Grujicic, S., Stojanovic, I., Gerothanassis, I.P. & Tzakos, A.G., 2013, Phytochemical Profile of *Rosmarinus officinalis* and *Salvia officinalis* Extracts and Correlation to Their Antioxidant and Anti-proliferative Activity, *Food Chemistry*, 136, 120 – 129.
- Li, H., Deng, Z., Liu, R., Loewen, S. & Tsao, R., 2014, Bioaccessibility, *In Vitro* Antioxidant Activities and *In Vivo* Anti-inflammatory Activities of a Purple Tomato (*Solanum lycopersicum* L.), *Food Chemistry*, 159, 353 – 360.
- Lv, X., Liu, T., Ma, H., Tian, Y., Li, L., Li, Z., Gao, M., Zhang, J. & Tang, Z., 2017, Preparation of Essential Oil-Based Microemulsions for Improving the Solubility, pH Stability, Photostability, and Skin Permeation of Quercetin, *AAPS PharmSciTech*.
- Mambro, V.M.D. & Fonseca, M.J.V., 2005, Assays of Physical Stability and Antioxidant Activity of a Topical Formulation Added with Different Plant

Extracts, *Journal of Pharmaceutical and Biomedical Analysis*, 37, 287 – 295.

Mishra, B., Patel, B.B. & Tiwari, S., 2010, Colloidal Nanocarriers: A Review on Formulation Technology, Types and Applications Toward Targeted Drug Delivery, *Nanomedicine: Nanotechnology, Biology, and Medicine*, 6, 9 – 24.

Montenegro, L., 2014, Nanocarriers for Skin Delivery of Cosmetic Antioxidants, *Journal of Pharmacy & Pharmacognosy Research*, 2 (4), 73 – 92.

Moore, J., Yousef, M. & Tsiani, E., 2016, Anticancer Effects of Rosemary (*Rosmarinus officinalis* L.) Extract and Rosemary Extract Polyphenols, *Nutrients*, 8, 731.

Morus, M., Baran, M., Rost-Roszkowska, M. & Skotnicka-Graca, U., 2014, Plant Stem Cells as Innovation in Cosmetics, *Acta Poloniae Pharmaceutica-Drug Research*, Vol. 71 No.5, 701-707.

Myint, K.Z., Wu, K., Xia, Y., Fan, Y., Shen, J., Zhang, P. & Gu, J., 2020, Polyphenols from *Stevia rebaudiana* (Bertoni) Leaves and Their Functional Properties, *Journal of Food Science*.

Nagula, R.L. & Wairkar, S., 2019, Recent Advances in Topical Delivery of Flavonoid: A Review, *Journal of Controlled Release*, 296, 190 – 201.

Neha, K., Haider, Md.R., Pathak, A. & Yar, M.S., 2019, Medicinal Prospects of Antioxidants: A Review, *European Journal of Medicinal Chemistry*, 178, 687 – 704.

Nie, J., Li, R., Wang, Y., Tan, J., Tang, S. & Jiang, Z., 2019, Antioxidant Activity Evaluation of Rosemary Ethanol Extract and Their Cellular Antioxidant Activity Toward HeLa Cells, *Journal of Food Biochemistry*.

Pacifico, S., Piccolella, S., Nocera, P., Tranquillo, E., Poggetto, F.D. & Catauro, M., 2019, New Insights into Phenol and Polyphenol Composition of *Stevia rebaudiana* Leaves, *Journal of Pharmaceutical and Biomedical Analysis*, 163, 45 – 57.

Perez-Mendoza, M.B., Llorens-Escobar, L., Vanegas-Espinoza, P.E., Cifuentes, A., Ibanez, E. & Villar-Martinez, A.A.D., 2019, Chemical Characterization of Leaves and Calli Extracts of *Rosmarinus officinalis* by UHPLC-MS, *Electrophoresis*, 00, 1 – 8.

Pubchem, 2020, National Center for Biotechnology Information, PubChem Database, Lycopene, CID=446925, <https://pubchem.ncbi.nlm.nih.gov/compound/lycopene>, diakses pada 19 Juni 2020.

Pubchem, 2020, National Center for Biotechnology Information, PubChem Database, Rosmarinic acid, CID=5281792,

<https://pubchem.ncbi.nlm.nih.gov/compound/5281792>, diakses pada 19 Juni 2020.

- Pubchem, 2020, National Center for Biotechnology Information, PubChem Database, Carnosic acid, CID=65126, <https://pubchem.ncbi.nlm.nih.gov/compound/65126>, diakses pada 19 Juni 2020.
- Rehman, A.U., Akram, S., Seralin, A., Vandamme, T. & Anton, N., 2020, Chapter 21 – Lipid Nanocarriers : Formulation, Properties, and Application, *Smart Nanocontainers*, Elsevier Inc.
- Risaliti, L., Kehagia, A., Daoulzi, E., Lazari, D., Bergonzi, M.C., Vergkizi-Nikolakaki, S., Hadjipavlou-Litina, D. & Bilia, A.R., 2019, Liposomes Loaded with *Salvia triloba* and *Rosmarinus officinalis* Essential Oils: *In Vitro* Assessment of Antioxidant, Antiinflammatory and Antibacterial Activities, *Journal of Drug Delivery Science and Technology*, 51, 493 – 498.
- Santos-Gomes, P.C., Seabra, R.M., Andrade, P.B. & Fernandes-Ferreira, M., 2003, Determination of Phenolic Antioxidant Compounds Produced by Calli and Cell Suspensions of Sage (*Salvia officinalis* L.), *Journal of Plant Physiology*, 160, 1025 – 1032.
- Shivanna, N., Naika, M., Khanum, F. & Kaul, V.K., 2013, Antioxidant, Anti-diabetic and Renal Protective Properties of *Stevia rebaudiana*, *Journal of Diabetes and Its Complications*, 27, 103 – 113.
- Shukla, S., Mehta, A., Bajpai, V.K. & Shukla, S., 2009, *In Vitro* Antioxidant Activity and Total Phenolic Content of Ethanolic Leaf Extract of *Stevia rebaudiana* Bert., *Food and Chemical Toxicology*, 47, 2338 – 2343.
- Shukla, S., Mehta, A., Mehta, P. & Bajpai, V.K., 2012, Antioxidant Ability and Total Phenolic Content of Aqueous Leaf Extract of *Stevia rebaudiana* Bert., *Experimental and Toxicologic Pathology*, 64, 807 – 811.
- Silva, G.C., Salvador, M.J. & Bottoli, C.B.G., 2020, Towards the Cosmetic Application of *Passiflora coccinea* (Aubl.): Antioxidant Activity and Photo Protective Capacity of the Methanolic and Glycolic Leaf Extracts, *Brazilian Journal of Pharmaceutical Sciences*, 56.
- Sohail, M., Naveed, A., Abdul, R., Gulfishan, Khan, H.M.S., & Khan, H., 2018, An Approach to Enhanced Stability: Formulation and Characterization of *Solanum lycopersicum* Derived Lycopene Based Topical Emulgel, *Saudi Pharmaceutical Journal*.
- Stajcic, S., Cetkovic, G., Canadanovic-Brunet, J., Djilas, S., Mandic, A. & Cetojevic-Simin, D., 2015, Tomato Waste: Carotenoids Content, Antioxidant and Cell Growth Activities, *Food Chemistry*, 172, 225 – 232.

- Sy, C., Gleize, B., Dangles, O., Landrier, J., Veyrat, C.C. & Borel, P., 2012, Effects of Physicochemical Properties of Carotenoids on Their Bioaccessibility, Intestinal Cell Uptake, and Blood and Tissue Concentrations, *Mol.Nutr.Food.Res*, 00, 1 – 13.
- Tadhani, M.B., Patel, V.H. & Rema, S., 2007, *In Vitro* Antioxidant Activities of *Stevia rebaudiana* Leaves and Callus, *Journal of Food Composition and Analysis*, 20, 323 – 329.
- Tito, A., Carola, A., Bimonte, A., Barbulova, A., Arciello, S., Laurantiis, F., Monoli, I., Hill, J., Gibertoni, S., Colucci, G. & Apone, F., 2011, A Tomato Stem Cell Extract, Containing Antioxidant Compounds A Metal Chelating Factors, Protects Skin Cells From Heavy Metal-Induced Damages, *International Journal of Cosmetics Science*, 33, 543 – 552.
- Vinardell, M.P. & Mitjans, M., 2015, Nanocarriers for Delivery of Antioxidants on the Skin, *Cosmetics*, 2, 342 – 354.
- Weber, S.U., Lodge, J.K., Saliou, C. & Packer, L., 2009, Antioxidants, Handbook of Cosmetic Science and Technology, 3rd Edition, 301 – 310, *Informa Healthcare USA Inc.*, New York.
- Yesil-Celiktas, O., Girgin, G., Orhan, H., Wichers, H.J., Bedir, E. & Vardar-Sukan, F., 2007, Screening of Free Radical Scavenging Capacity and Antioxidant Activities of *Rosmarinus officinalis* Extracts with Focus on Location and Harvesting Times, *Eur Food Res Technol*, 224, 443 – 451.
- Yesil-Celiktas, O., Nartop, P., Gurel, A., Bedir, E. & Vardar-Sukan, F., 2007, Determination of Phenolic Content and Antioxidant Activity of Extracts Obtained from *Rosmarinus officinalis*’ Calli, *Journal of Plant Physiology*, 164, 1536 – 1542.