

## DAFTAR PUSTAKA

- Abdin, E., Chong, S.A., Seow, E., Peh, C.X., Tan, J.H., Liu, J., dkk., 2019. A comparison of the reliability and validity of SF-6D, EQ-5D and HUI3 utility measures in patients with schizophrenia and patients with depression in Singapore. *Psychiatry Research*, **274**: 400–408.
- AL-Jumaih, A., Al-Onazi, K., Binsalih, S., Hejaili, F., dan Al-Sayyari, A., 2011. A study of quality of life and its determinants among hemodialysis patients using the KDQOL-SF instrument in one center in Saudi Arabia. *Arab Journal of Nephrology and Transplantation*, **4**: 125–130.
- Andayani, T.M., 2013. *Farmakoekonomi Prinsip Dan Metodologi*, I. ed. Bursa Ilmu, Yogyakarta.
- Andayani, T.M., Kristina, S.A., Endarti, D., Haris, R.N.H., dan Rahmawati, A., 2020. Translation, Cultural Adaptation, and Validation of Short-Form 6D on the General Population in Indonesia. *Value in Health Regional Issues*, **21**: 205–210.
- Anees, M., Batool, S., Imtiaz, M., dan Ibrahim, M., 2018. Socio-economic factors affecting quality of life of Hemodialysis patients and its effects on mortality. *Pakistan Journal of Medical Sciences*, **34**: .
- Astor, B.C., Muntner, P., Levin, A., Eustace, J.A., dan Coresh, J., 2002. Association of kidney function with anemia: the Third National Health and Nutrition Examination Survey (1988-1994). *Archives of Internal Medicine*, **162**: 1401–1408.
- Avramovic, M. dan Stefanovic, V., 2012. Health-Related Quality of Life in Different Stages of Renal Failure: HRQoL IN PATIENTS WITH RENAL FAILURE. *Artificial Organs*, **36**: 581–589.
- Azmandian, J., Abbasi, M.R., Pourfarziani, V., Nasiri, A.A., Ossareh, S., Ezzatzadegan Jahromi, S., dkk., 2018. Comparing Therapeutic Efficacy and Safety of Epoetin Beta and Epoetin Alfa in the Treatment of Anemia in End-Stage Renal Disease Hemodialysis Patients. *American Journal of Nephrology*, **48**: 251–259.
- Badan Penelitian dan Pengembangan Kesehatan, 2019. 'Laporan Nasional RISKESDAS 2018', . Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan, Jakarta.
- Baernholdt, M., Hinton, I., Yan, G., Rose, K., dan Mattos, M., 2012. Factors associated with quality of life in older adults in the United States. *Quality of Life Research*, **21**: 527–534.
- Bello, A.K., Alrukhaimi, M., Ashuntantang, G.E., Basnet, S., Rotter, R.C., Douthat, W.G., dkk., 2017. Complications of chronic kidney disease: current state,

- knowledge gaps, and strategy for action. *Kidney International Supplements*, **7**: 122–129.
- Brazier, J., Roberts, J., dan Deverill, M., 2002. The estimation of a preference-based measure of health from the SF-36. *Journal of Health Economics*, **21**: 271–292.
- Cha, J. dan Han, D., 2020. Health-Related Quality of Life Based on Comorbidities Among Patients with End-Stage Renal Disease. *Osong Public Health and Research Perspectives*, **11**: 194–200.
- Chiang, C.-K., Peng, Y.-S., Chiang, S.-S., Yang, C.-S., He, Y.-H., Hung, K.-Y., dkk., 2004. Health-Related Quality of Life of Hemodialysis Patients in Taiwan: A Multicenter Study. *Blood Purification*, **22**: 490–498.
- Chisholm-Burns, M.A., Schwinghammer, T.L., Wells, B.G., Malone, P.M., Kolesar, J.M., dan DiPiro, J.T., 2016. *Pharmacotherapy: Principles & Practice: Fourth Edition* 1663.
- Clement, F.M., Klarenbach, S., Tonelli, M., Johnson, J.A., dan Manns, B.J., 2009. The impact of selecting a high hemoglobin target level on health-related quality of life for patients with chronic kidney disease: a systematic review and meta-analysis. *Archives of Internal Medicine*, **169**: 1104–1112.
- Collister, D., Komenda, P., Hiebert, B., Gunasekara, R., Xu, Y., Eng, F., dkk., 2016. The Effect of Erythropoietin-Stimulating Agents on Health-Related Quality of Life in Anemia of Chronic Kidney Disease: A Systematic Review and Meta-analysis. *Annals of Internal Medicine*, **164**: 472–478.
- Davison, S.N., Jhangri, G.S., dan Feeny, D.H., 2009. Comparing the Health Utilities Index Mark 3 (HUI3) with the Short Form-36 Preference-Based SF-6D in Chronic Kidney Disease. *Value in Health*, **12**: 340–345.
- Eknoyan, G., Lameire, N., Eckardt, K.-U., dan Kasiske, B.L., 2012. KDIGO Clinical Practice Guideline for Anemia in Chronic Kidney Disease. *OFFICIAL JOURNAL OF THE INTERNATIONAL SOCIETY OF NEPHROLOGY*, **2**: .
- Endris, B., Fikreyesus, M., dan Amare, T., 2018. Prevalence of depression and associated factors among haemodialysis patients at government and private hospitals in Addis Ababa. *African Journal of Nephrology*, **21**: .
- Fernandez, H. dan Singh, A.K., 2015. Chapter 51 - Management of Anemia in Chronic Kidney Disease, dalam: Kimmel, P.L. dan Rosenberg, M.E. (Editor), *Chronic Renal Disease*. Academic Press, San Diego, hal. 624–633.
- Finkelstein, F.O., Story, K., Firanek, C., Mendelssohn, D., Barre, P., Takano, T., dkk., 2009. Health-Related Quality of Life and Hemoglobin Levels in Chronic Kidney Disease Patients. *Clinical Journal of the American Society of Nephrology*, **4**: 33–38.
- Foley, R.N., Curtis, B.M., dan Parfrey, P.S., 2009. Erythropoietin Therapy, Hemoglobin Targets, and Quality of Life in Healthy Hemodialysis Patients:

- A Randomized Trial. *Clinical Journal of the American Society of Nephrology*, **4**: 726–733.
- Freburger, J.K., Ellis, A.R., Wang, L., Butler, A.M., Kshirsagar, A.V., Winkelmayer, W.C., dkk., 2016. Comparative Effectiveness of Iron and Erythropoiesis-Stimulating Agent Dosing on Health-Related Quality of Life in Patients Receiving Hemodialysis. *American Journal of Kidney Diseases*, **67**: 271–282.
- Gundle, K.R., Cizik, A.M., Punt, S.E.W., Conrad, E.U., dan Davidson, D.J., 2014. Validation of the SF-6D Health State Utilities Measure in Lower Extremity Sarcoma. *Sarcoma*, **2014**: 1–4.
- Hahn, D., Esezobor, C.I., Elserafy, N., Webster, A.C., dan Hodson, E.M., 2017. Short-acting erythropoiesis-stimulating agents for anaemia in predialysis patients. *The Cochrane Database of Systematic Reviews*, **1**: CD011690.
- Halbesma, N., Brantsma, A.H., Bakker, S.J.L., Jansen, D.F., Stolk, R.P., De Zeeuw, D., dkk., 2008. Gender differences in predictors of the decline of renal function in the general population. *Kidney International*, **74**: 505–512.
- Halim, L.A., Brinks, V., Jiskoot, W., Romeijn, S., Haselberg, R., Burns, C., dkk., 2016. Quality and Batch-to-Batch Consistency of Original and Biosimilar Epoetin Products. *Journal of Pharmaceutical Sciences*, **105**: 542–550.
- Harford, R., Clark, M.J., Norris, K.C., dan Yan, G., 2014. Relationship Between Age and Timely Placement of Vascular Access In Incident Patients on Hemodialysis. *Nephrology Nursing Journal: Journal of the American Nephrology Nurses' Association*, **41**: 507–511, 518.
- Hecking, M., Bieber, B.A., Ethier, J., Kautzky-Willer, A., Sunder-Plassmann, G., Säemann, M.D., dkk., 2014. Sex-Specific Differences in Hemodialysis Prevalence and Practices and the Male-to-Female Mortality Rate: The Dialysis Outcomes and Practice Patterns Study (DOPPS). *PLoS Medicine*, **11**: e1001750.
- Hidayati, A., Mufliha, F.N., dan Faridah, I.N., 2016. KUALITAS HIDUP MAHASISWA PROFESI APOTEKER DENGAN HEALTH RELATED QUALITY OF LIFE (HRQOL) SF-6D DI FAKULTAS FARMASI UNIVERSITAS AHMAD DAHLAN YOGYAKARTA **13**: 9.
- Hörl, W.H., 2013. Differentiating Factors Between Erythropoiesis-Stimulating Agents: An Update to Selection for Anaemia of Chronic Kidney Disease. *Drugs*, **73**: 117–130.
- J., S., L., H., M., A.T., dan F., I., 2017. Quality Of Life Of Chronic Kidney Disease Patients With Routine Hemodialysis In General Hospitals In Sleman Yogyakarta. *International Journal of Pharmacy and Pharmaceutical Sciences*, **9**: 213.
- Johansson, J.E., Wersäll, P., Brandberg, Y., Andersson, S.O., Nordström, L., dan EPO-Study Group, 2001. Efficacy of epoetin beta on hemoglobin, quality of

- life, and transfusion needs in patients with anemia due to hormone-refractory prostate cancer--a randomized study. *Scandinavian Journal of Urology and Nephrology*, **35**: 288–294.
- Jones, M., Ibels, L., Schenkel, B., dan Zagari, M., 2004. Impact of epoetin alfa on clinical end points in patients with chronic renal failure: A meta-analysis. *Kidney International*, **65**: 757–767.
- Kalsoom, U., 2019. Gender role in anxiety, depression and quality of life in chronic kidney disease patients. *Pakistan Journal of Medical Sciences*, **36**: .
- Karimi, M. dan Brazier, J., 2016. Health, Health-Related Quality of Life, and Quality of Life: What is the Difference? *PharmacoEconomics*, **34**: 645–649.
- Katadi, S., 2019. 'Hubungan Kepatuhan Pengobatan Terhadap Outcome Klinik Dan Kualitas Hidup Pasien Diabetes Melitus Tipe 2 Yang Diukur Dengan Short-Form 6 Dimension (SF-6D)', *Tesis*, Universitas Gadjah Mada, Fakultas Farmasi.
- Keown, P.A., Churchill, D.N., Poulin-Costello, M., Lei, L., Gantotti, S., Agodoa, I., dkk., 2010. Dialysis patients treated with Epoetin alfa show improved anemia symptoms: A new analysis of the Canadian Erythropoietin Study Group trial. *Hemodialysis International*, **14**: 168–173.
- Kharroubi, S.A., Brazier, J.E., Roberts, J., dan O'Hagan, A., 2007. Modelling SF-6D health state preference data using a nonparametric Bayesian method. *Journal of Health Economics*, **26**: 597–612.
- Kimberlin, C.L. dan Winterstein, A.G., 2008. Validity and reliability of measurement instruments used in research. *American Journal of Health-System Pharmacy*, **65**: 2276–2284.
- Koda-Kimble, M.A. dan Alldredge, B.K. (Editor), 2013. *Applied Therapeutics: The Clinical Use of Drugs*, 10th ed. ed. Wolters Kluwer/Lippincott Williams & Wilkins, Philadelphia.
- Kraus, M.A., Fluck, R.J., Weinhandl, E.D., Kansal, S., Copland, M., Komenda, P., dkk., 2016. Intensive Hemodialysis and Health-Related Quality of Life. *American Journal of Kidney Diseases*, **68**: S33–S42.
- Kularatna, S., Senanayake, S., Gunawardena, N., dan Graves, N., 2019. Comparison of the EQ-5D 3L and the SF-6D (SF-36) contemporaneous utility scores in patients with chronic kidney disease in Sri Lanka: a cross-sectional survey. *BMJ Open*, **9**: e024854.
- Kusek, J.W., Greene, P., Wang, S.-R., Beck, G., West, D., Jamerson, K., dkk., 2002. Cross-sectional study of health-related quality of life in African Americans with chronic renal insufficiency: The African American Study of Kidney Disease and Hypertension Trial. *American Journal of Kidney Diseases*, **39**: 513–524.

- Lam, C.L.K., Brazier, J., dan McGhee, S.M., 2008. Valuation of the SF-6D Health States Is Feasible, Acceptable, Reliable, and Valid in a Chinese Population. *Value in Health*, **11**: 295–303.
- Lee, B.B., King, M.T., Simpson, J.M., Haran, M.J., Stockler, M.R., Marial, O., dkk., 2008. Validity, responsiveness, and minimal important difference for the SF-6D health utility scale in a spinal cord injured population. *Value in Health: The Journal of the International Society for Pharmacoeconomics and Outcomes Research*, **11**: 680–688.
- Lemos, C.F., Rodrigues, M.P., dan Veiga, J.R.P., 2015. Family income is associated with quality of life in patients with chronic kidney disease in the pre-dialysis phase: a cross sectional study. *Health and Quality of Life Outcomes*, **13**: 202.
- Loughnan, A., Ali, G.R., dan Abeygunasekara, S.C., 2011. Comparison of the Therapeutic Efficacy of Epoetin Beta and Epoetin Alfa in Maintenance Phase Hemodialysis Patients. *Renal Failure*, **33**: 373–375.
- Martínez, Y.V., Prado-Aguilar, C.A., Rascón-Pacheco, R.A., dan Valdivia-Martínez, J.J., 2008. Quality of life associated with treatment adherence in patients with type 2 diabetes: a cross-sectional study. *BMC health services research*, **8**: 164.
- Megari, K., 2013. Quality of Life in Chronic Disease Patients. *Health Psychology Research*, **1**: .
- Morsch, C.M., Gonçalves, L.F., dan Barros, E., 2006. Health-related quality of life among haemodialysis patients--relationship with clinical indicators, morbidity and mortality. *Journal of Clinical Nursing*, **15**: 498–504.
- Mujais, S.K., Story, K., Brouillette, J., Takano, T., Soroka, S., Franek, C., dkk., 2009. Health-related Quality of Life in CKD Patients: Correlates and Evolution over Time. *Clinical Journal of the American Society of Nephrology*, **4**: 1293–1301.
- Murtisiwi, L., 2015. 'Perbandingan Kualitas Hidup Pasien yang Menjalani Hemodialisis dengan Terapi Epoetin Alfa dan Epoetin Beta di RS PKU Muhammadiyah Yogyakarta', , *Tesis*, . Universitas Gadjah Mada, Perpustakaan Pusat UGM.
- Nayana, S.A., Balasubramanian, T., Nathaliya, P.M., Nimsha Hussain, P., Mohammed Salim, K.T., dan Muhammed Lubab, P., 2017. A cross sectional study on assessment of health related quality of life among end stage renal disease patients undergoing hemodialysis. *Clinical Epidemiology and Global Health*, **5**: 148–153.
- Ostrvica, E., Mesic, E., Ostrvica, D., Delic, J., Delic-Custendil, S., dan Hukic, F., 2010. Effectiveness of treating the renal anemia in chronic hemodialyzed patients by epoietin alpha and beta. *Medicinski Arhiv*, **64**: 4–6.

- Palmer, S.C., Saglimbene, V., Mavridis, D., Salanti, G., Craig, J.C., Tonelli, M., dkk., 2014. Erythropoiesis-stimulating agents for anaemia in adults with chronic kidney disease: a network meta-analysis. *Cochrane Database of Systematic Reviews*, .
- Pan, C.-W., Wu, Y., Zhou, H.-J., Xu, B.-X., dan Wang, P., 2018. Health-Related Quality of Life and Its Factors of Hemodialysis Patients in Suzhou, China. *Blood Purification*, **45**: 327–333.
- Petrou, S. dan Hockley, C., 2005. An investigation into the empirical validity of the EQ-5D and SF-6D based on hypothetical preferences in a general population. *Health Economics*, **14**: 1169–1189.
- Poder, T.G. dan Gandji, E.W., 2016. SF6D VALUE SETS: A SYSTEMATIC REVIEW. *Value in Health*, **19**: A282.
- Puspitasari, C.E., 2016. 'penilaian Kelelahan Dan Kualitas Hidup Pasien Hemodialisis Rutin Dengan Anemia Menggunakan FACIT-Fatigue Scale Dan KDQoL-SF36 Di Rumah Sakit UGM Dan RSUP Dr. SARDJITO Yogyakarta', *Tesis*. Universitas Gadjah Mada, Perpustakaan Pusat UGM.
- Ribeiro, S., Costa, E., Belo, L., Reis, F., dan Silva, A.S.-, 2013. rhEPO for the Treatment of Erythropoietin Resistant Anemia in Hemodialysis Patients – Risks and Benefits. *Hemodialysis*, .
- Ryu, S.-R., Park, S.K., Jung, J.Y., Kim, Y.H., Oh, Y.K., Yoo, T.H., dkk., 2017. The Prevalence and Management of Anemia in Chronic Kidney Disease Patients: Result from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). *Journal of Korean Medical Science*, **32**: 249.
- Saad, M., El-Douaihy, Y., Moussaly, E., Rondla, C., Boumitri, C., Daoud, M., dkk., 2015. Predictors of quality of life in patients with end-stage renal disease on hemodialysis. *International Journal of Nephrology and Renovascular Disease*, 119.
- Saban, K.L., Stroupe, K.T., Bryant, F.B., Reda, D.J., Browning, M.M., dan Hynes, D.M., 2008. Comparison of Health-Related Quality of Life Measures for Chronic Renal Failure: Quality of Well-Being Scale, Short-Form-6d, and the Kidney Disease Quality of Life Instrument. *Quality of Life Research*, **17**: 1103–1115.
- Sakaguchi, Y., Hamano, T., Wada, A., dan Masakane, I., 2019. Types of Erythropoietin-Stimulating Agents and Mortality among Patients Undergoing Hemodialysis. *Journal of the American Society of Nephrology*, **30**: 1037–1048.
- Salifu, M., 2008. Erythropoietin stimulating agents in the management of anemia of chronic kidney disease. *Patient Preference and Adherence*, 195.

- Schieppati, A. dan Remuzzi, G., 2005. Chronic renal diseases as a public health problem: Epidemiology, social, and economic implications. *Kidney International*, **68**: S7–S10.
- Seliger, S.L., Zhan, M., Hsu, V.D., Walker, L.D., dan Fink, J.C., 2008. Chronic Kidney Disease Adversely Influences Patient Safety. *Journal of the American Society of Nephrology*, **19**: 2414–2419.
- Sihombing, J.P., 2019. 'cost-Effectiveness Analysis Eritropoetin Alfa Dibandingkan Dengan Eritropoetin Beta Pada Pengobatan Anemia Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis Rutin', , *Disertasi*, , Disertasi. Universitas Gadjah Mada, Fakultas Farmasi.
- Soleymanian, T., Kokabeh, Z., Ramaghi, R., Mahjoub, A., dan Argani, H., 2016. Clinical outcomes and quality of life in hemodialysis diabetic patients versus non-diabetics. *Journal of Nephropathology*, **6**: 81–89.
- Srinivasan, R., Fredy, I.C., Chandrashekar, S., Saravanan, J., Mohanta, G.P., dan Manna, P.K., 2016. Assessment of erythropoietin for treatment of anemia in chronic kidney failure- ESRD patients. *Biomedicine & Pharmacotherapy*, **82**: 44–48.
- Stauffer, M.E. dan Fan, T., 2014. Prevalence of Anemia in Chronic Kidney Disease in the United States. *PLoS ONE*, **9**: .
- Storring, P.L., Tiplady, R.J., Gaines Das, R., dan Stenning, B., 1998. Epoetin alpha and beta in their erythropoietin isoform compositions and biological properties. *British Journal of Haematology*, **100**: 79–89.
- Tang, E., Bansal, A., Novak, M., dan Mucsi, I., 2018. Patient-Reported Outcomes in Patients with Chronic Kidney Disease and Kidney Transplant—Part 1. *Frontiers in Medicine*, **4**: 254.
- Thaweethamcharoen, T., Noparatayaporn, P., Sritippayawan, S., dan Aiyasanon, N., 2019. Comparison of EQ-5D-5L, VAS, and SF-6D in Thai Patients on Peritoneal Dialysis. *Value in Health Regional Issues*, **18**: 59–64.
- Thaweethamcharoen, T., Sakulbumrungsil, R., Nopmaneejumruslers, C., dan Vasuvattakul, S., 2014. Cost-Utility Analysis of Erythropoietin for Anemia Treatment in Thai End-Stage Renal Disease Patients with Hemodialysis. *Value in Health Regional Issues*, **3**: 44–49.
- Thaweethamcharoen, T., Sakulbumrungsil, R., Vasuvattakul, S., dan Nopmaneejumruslers, C., 2010. PUK5 Comparison Of SF-6D, EQ-5D And VAS In Hemodialysis Thai Patient. *Value in Health*, **13**: A567.
- Turkmen, K., Yazici, R., Solak, Y., Guney, I., Altintepe, L., Yeksan, M., dkk., 2012. Health-related quality of life, sleep quality, and depression in peritoneal dialysis and hemodialysis patients. *Hemodialysis International. International Symposium on Home Hemodialysis*, **16**: 198–206.
- van Loon, I.N., Bots, M.L., Boereboom, F.T.J., Grooteman, M.P.C., Blankestijn, P.J., van den Dorpel, M.A., dkk., 2017. Quality of life as indicator of poor

outcome in hemodialysis: relation with mortality in different age groups. *BMC Nephrology*, **18**: 217.

- Waller, D.G. dan Sampson, A.P., 2018. 47 - Anaemia and haematopoietic colony-stimulating factors, dalam: Waller, D.G. dan Sampson, A.P. (Editor), *Medical Pharmacology and Therapeutics (Fifth Edition)*. Elsevier, hal. 537–545.
- Webster, A.C., Nagler, E.V., Morton, R.L., dan Masson, P., 2017. Chronic Kidney Disease. *The Lancet*, **389**: 1238–1252.
- Wyld, M.L.R., Chadban, S.J., dan Morton, R.L., 2016. Improving Our Understanding of Quality of Life in CKD. *American Journal of Kidney Diseases*, **67**: 820–821.
- Yang, F., Griva, K., Lau, T., Vathsala, A., Lee, E., Ng, H.J., dkk., 2015. Health-related quality of life of Asian patients with end-stage renal disease (ESRD) in Singapore. *Quality of Life Research*, **24**: 2163–2171.
- Yang, Fan, Lau, T., Lee, E., Vathsala, A., Chia, K.S., dan Luo, N., 2015a. Comparison of the preference-based EQ-5D-5L and SF-6D in patients with end-stage renal disease (ESRD). *The European Journal of Health Economics*, **16**: 1019–1026.
- Yang, Fan, Lau, T., Lee, E., Vathsala, A., Chia, K.S., dan Luo, N., 2015b. Comparison of the preference-based EQ-5D-5L and SF-6D in patients with end-stage renal disease (ESRD). *The European journal of health economics: HEPAC: health economics in prevention and care*, **16**: 1019–1026.
- Zimbudzi, E., Lo, C., Ranasinha, S., Gallagher, M., Fulcher, G., Kerr, P.G., dkk., 2016. Predictors of Health-Related Quality of Life in Patients with Co-Morbid Diabetes and Chronic Kidney Disease. *PLOS ONE*, **11**: e0168491.