

DAFTAR PUSTAKA

- Anderson, D., Hir, Y., Marasteanu, M., Planche, J.-P., Martin, D., & Gauthier, G. (2001). Evaluation of Fatigue Criteria for Asphalt Binders. *Transportation Research Record*, 1766, 48–56. <https://doi.org/10.3141/1766-07>
- Canestrari, F., Ferrotti, G., Lu, X., Millien, A., Partl, M., Petit, C., Phelipot-Mardel , A., Piber, H., & Raab, C. (2013). *Mechanical Testing of Interlayer Bonding in Asphalt Pavements* (Vol. 9, pp. 303–360). https://doi.org/10.1007/978-94-007-5104-0_6
- Cho, S., Lee, K. “Caleb,” Mahboub, K. C., Jeon, J., & Kim, Y. R. (2019). Evaluation of fatigue cracking performance in a debonded asphalt pavement. *International Journal of Pavement Research and Technology*, 12(4), 388–395. <https://doi.org/10.1007/s42947-019-0046-8>
- Du, J. C. (2015). Evaluation of asphalt pavement layer bonding stress. *Journal of Civil Engineering and Management*, 21(5), 571–577. <https://doi.org/10.3846/13923730.2014.890664>
- International, S., Products, O., Hague, T., International, S., Products, O., & Hague, T. (1998). *BISAR 3.0 User Manual*. May.
- Mehta, Y. (2008). *Preventing Interlayer Bonding Failures in Asphalt Pavement*. 0092, 2.
- Mohammad, L. N., Elseifi, M. A., Das, R., & Cao, W. (2018). Validation of the Louisiana Interlayer Shear Strength Test for Tack Coat. In *Validation of the Louisiana Interlayer Shear Strength Test for Tack Coat*. <https://doi.org/10.17226/25458>
- Nonde, L. (2014). *Effect of Vertical and Horizontal Load on Pavement Interface Shear Stress*. 3(10), 1295–1299.
- Raab, C., Partl, M. N., & El Halim, A. E. H. O. A. (2009). Evaluation of interlayer shear bond devices for asphalt pavements. *Baltic Journal of Road and Bridge Engineering*, 4(4), 186–195. <https://doi.org/10.3846/1822-427X.2009.4.186-195>
- Slippage cracking. (2020). In *Pavement Interactive*. <https://pavementinteractive.org/reference-desk/pavement-management/pavement-distresses/slippage-cracking/>
- Tashman, L., Nam, K., & Papagiannakis, A. T. (2006). Evaluation of the influence of tack coat construction factors on the bond strength between pavement layers. *Washington State Department of Transportation*, September 2015. <https://doi.org/10.13140/RG.2.1.4757.5522>
- Vaitkus, A., Zilioniene, D., Paulauskait , S., Tuminien , F., &  ili t , L. (2011). Research and Assessment of Asphalt Layers Bonding. *The Baltic Journal of Road and Bridge Engineering*, 6, 210–218. <https://doi.org/10.3846/bjrbe.2011.27>
- Wang, H., Xu, G., Wang, Z., & Bennert, T. (2017). Flexible Pavement Interface Bonding: Theoretical Analysis and Shear-Strength Measurement. *Journal of Testing and Evaluation*, 46(1), 20160288. <https://doi.org/10.1520/jte20160288>
- West, R., Zhang, J., & Moore, J. (2005). *Evaluation of bond strength between pavement layers*.
- Anderson, D., Hir, Y., Marasteanu, M., Planche, J.-P., Martin, D., & Gauthier, G. (2001). Evaluation of Fatigue Criteria for Asphalt Binders. *Transportation Research Record*, 1766, 48–56. <https://doi.org/10.3141/1766-07>
- Atkins, Harold N. 1983. Highway Materials, Soils dan Concrete, Second Edition, Reston: Reston Publishing Company.

- Asphalt Institute. (1989). *Asphalt Handbook, 1989 ed. Manual Series 4 (MS-4)*. Lexington, KY: Asphalt Institute.
- Asphalt Institute. (2009). *A Basic Asphalt Emulsion Manual, 4th ed. Manual Series 19*. Lexington, KY: Asphalt Institute.
- Asphalt Institute. (Manual Series 22). *Construction of Hot Mix Asphalt Pavements, 2nd ed.* Lexington, KY.: Asphalt Institute.
- ASTM. (2003). *ASTM D2995-99 Standard Practice for Estimating Application Rate of Bituminous Distributors*. West Conshohocken, PA: Annual Book of ASTM Standards 2003, Section 4: Construction, Volume 04.03. ASTM.
- ASTM. (2004). *ASTM D8-02: Standard Terminology Relating to Materials for Roads and Pavements. Vol. 04.03: Annual Book of ASTM Standards*. West Conshohocken, PA,,: ASTM International.
- Buchanan, S. a. (2004). *Field Tack coat Evaluator (ATACKerTM). Final report. FHWA/MS-DOT-RD-04-168. Mississippi State University, Mississippi Department of Transportation*. Mississippi: Federal Highway Administration.
- California Department of Transportation. (2003). *Paint Binder (Tack Coat) Guidelines*. Sacramento: Construction Procedure Bulletin 03-1.
- Canestrari, F. a. (2005). Temperature Effects on the Shear Behavior of *Tack coat Emulsions Used in Flexible Pavements. International Journal of Pavement Engineering, Vol. 6, No.1, March*, 39–46.
- Canestrari, F., Ferrotti, G., Lu, X., Millien, A., Partl, M., Petit, C., Phelipot-Mardelé, A., Piber, H., & Raab, C. (2013). *Mechanical Testing of Interlayer Bonding in Asphalt Pavements* (Vol. 9, pp. 303–360). https://doi.org/10.1007/978-94-007-5104-0_6
- Chaignon, F. a.-C. (November 2001). *Characterization Tests on Bond Coats: Worldwide Study, Impact, Tests, Recommendations*. Toronto: Canadian Technical Asphalt Association.
- Cho, S., Lee, K. “Caleb,” Mahboub, K. C., Jeon, J., & Kim, Y. R. (2019). Evaluation of fatigue cracking performance in a debonded asphalt pavement. *International Journal of Pavement Research and Technology*, 12(4), 388–395. <https://doi.org/10.1007/s42947-019-0046-8>
- Direktorat Jendral Bina Marga. (2018), *Spesifikasi Umum Direktorat Jenderal Bina Marga Edisi 2018 Divisi 6*. Kementrian Pekerjaan Umum Indonesia.
- De Jong, D. P. (1973). *Computer Program Bisar Layered Systems under Normal and Tangential Loads. External Report AMSR.0006.73*. Amsterdam: Konin Klijke Shell-Laboratorium.
- Departemen Pekerjaan Umum, Direktorat Jendral Bina Marga 2018, *Petunjuk Pelaksanaan Lapis Aspal Beton (LASTON) untuk jalan raya SKBI-2.4.26.1987*, Badan Penerbit PU Jakarta.

- Hachiya, Y. a. (1997). Effect of *Tack coat* on Bonding Characteristics at Interface Between Asphalt Concrete Layers. *Proceeding of the 8th International Conference on Asphalt Pavements*, pp. 349–362.
- International, S., Products, O., Hague, T., International, S., Products, O., & Hague, T. (1998). *BISAR 3.0 User Manual*. May.
- Kulkarni, M. B. (2005). *Effect of Tack and Prime Coats, and Baghouse Fines on Composite Asphalt Pavements*. Raleigh: PhD dissertation, North Carolina State University.
- Leng, Z. e. (2008). Interface Bonding Between Hot-Mix Asphalt and Various Portland Cement Concrete Surfaces: Laboratory Assessment. *Transportation Research Record: Journal of the Transportation Research Board*, No. 2057, 46–53.
- Marasteanu, M. O. (2006). Rheological Characterization of Asphalt Emulsions . *Residues Journal of Materials in Civil Engineering*. Vol. 18, No. 3, 398–407.
- McGhee, K. K. (2009). *Bond Expectations for Milled Surfaces and Typical Tack coat Materials Used in Virginia*. VTRC 09-R21. Richmond: Virginia Transportation Research Council, Charlottesville, and Virginia Department of Transportation.
- Mehta, Y. (2008). *Preventing Interlayer Bonding Failures in Asphalt Pavement*. 0092, 2. *Interlayer Shear Strength Test for Tack Coat*. <https://doi.org/10.17226/25458>
- Mentang, S. S. (2014). Kajian Pengaruh Air Terhadap Kekuatan Geser *tack coat* Pada Perkerasan Lentur. *Jurnal Ilmiah Media Engineering*, Vol.4 No.4, ISSN: 2087-9334.
- Mohammad, L. N., Elseifi, M. A., Das, R., & Cao, W. (2018). Validation of the Louisiana Interlayer Shear Strength Test for Tack Coat. In *Validation of the Louisiana Interlayer Shear Strength Test for Tack Coat*. <https://doi.org/10.17226/25458>
- Mohammad, L. e. (2008). Worldwide State of Practice on the Use of Tack Coats: A Survey. *Journal of the Association of Asphalt Paving Technologists*, Vol. 77.
- Mohammad, L. M. (2012). *NCHRP Report 712: Optimization of Tack coat for HMA Placement*. Washington, D.C: Transportation Research Board of the National Academies of Sciences, Engineering, and Medicine.
- Mohammad, L. N. (1998). Evaluation of Bond Strength of *Tack coat* Materials in Field: Development of Pull-Off Test Device and Methodology. . *Transportation Research Record: Journal of the Transportation Research Board*, No. 1616, pp. 6–12.
- Mohammad, L. N. (2002). Influence of Asphalt *Tack coat* Materials on Interface Shear Strength. *Transportation Research Record: Journal of the Transportation Research Board*, No. 1789, 56–65.
- Mohammad, L.N., Raqib, M.A., and Huang, B, (2002), “Influence of Bituminous Tack Coat Materials on *Interface* Shear Strength,” *Transportation Research Record*:

- Journal of the Transportation Research Board, No. 1789, pp. 56-65, Washington, D.C., Transportation Research Board of the National Academies.
- Molenaar A.A.A., Heerkens, J.C.P., and Veroeven, J.H.M., (1986), "Effects of Stress Absorbing Membrane Interlayers." *Asphalt Paving Technology*, Vol.55, Proceedings of the Association of Asphalt Paving Technologies.
- National Stone Association. (1991). *Aggregate Handbook*. Washington, D.C.: National Stone Association.
- Nonde, L. (2014). *Effect of Vertical and Horizontal Load on Pavement Interface Shear Stress*. 3(10), 1295–1299.
- Paul, H. R. (1998). Friction Testing of *Tack coat* Surfaces. *Transportation Research Record: Journal of the Transportation Research Board*, No. 1616, pp. 6–12.
- Raab, C. a. (2004.). Interlayer Shear Performance: Experience with Different Pavement Structures. *3rd Eurasphalt and Eurobitume Congress, Vienna, Austria*,.
- Raab, C., Partl, M. N., & El Halim, A. E. H. O. A. (2009). Evaluation of interlayer shear bond devices for asphalt pavements. *Baltic Journal of Road and Bridge Engineering*, 4(4), 186–195. <https://doi.org/10.3846/1822-427X.2009.4.186-195>
- Roberts, F. L. (1996). *Hot Mix Asphalt Materials, Mixture Design, Construction*, 2nd ed. Lanham, MD,: NAPA Education Foundation.
- Roberts, F.L., Kandhal, P.S., Brown, E.R., Lee, D., and Kennedy, T.W. 1996. *Hot Mix Asphalt Materials, Mixture Design, Construction*, 2nd Edition, Lanham, Maryland, National Asphalt Pavement Association and Research Education Foundation.
- Roffe, J.-C. a. (2002). Characterization Tests on Bond Coats: Worldwide Study, ImPact, Tests, Recommendations. *3rd International Conference on Bituminous Mixtures and Pavements, Thessaloniki, Greece*, p. 315.
- Sangiorgi, C. A. (2002). Laboratory Assessment of Bond Condition Using the Leutner Shear Test. *3rd International Conference on Bituminous Mixtures and Pavements, Thessaloniki, Greece*, 315–324.
- Santagata, E. a. (1994). *Tensile and Shear Tests of Interfaces in Asphalt Mixes: A New Retrospective on Their Failure Criteria*.
- Sihombing, R. A. (2014). Pengaruh Temperatur Terhadap Daya Rekat Tack Coat. *Jurnal; Jalan- Jembatan, Volume 31 No.1*.
- Slippage cracking. (2020). In *Pavement Interactive*. <https://pavementinteractive.org/reference-desk/pavement-management/pavement-distresses/slippage-cracking/>
- Tashman, L. K. (2006). *Evaluation of the Influence of Tack coat Construction Factors on the Bond Strength Between Pavement Layers. WA-RD 645.1*. Olympia: Washington State Department of Transportation.

- U.S. Army Corps of Engineers. (2000). *Hot-Mix Asphalt Paving Handbook 2000. AC 150/5370-14A*. Washington, D.C.: U.S. Army Corps of Engineers.
- Vaitkus, A., Zilioniene, D., Paulauskaitė, S., Tuminienė, F., & Žiliūtė, L. (2011). Research and Assessment of Asphalt Layers Bonding. *The Baltic Journal of Road and Bridge Engineering*, 6, 210–218. <https://doi.org/10.3846/bjrbe.2011.27>
- Wang, H., Xu, G., Wang, Z., & Bennert, T. (2017). Flexible Pavement Interface Bonding: Theoretical Analysis and Shear-Strength Measurement. *Journal of Testing and Evaluation*, 46(1), 20160288. <https://doi.org/10.1520/jte20160288>
- West, R. J. (2005). *Evaluation of Bond Strength Between Pavement Layers. NCAT Report.05–08*. National Center for Asphalt Technology.
- Yulianto, (2002), Kuat Geser Aspal Cair Dan Aspal Emulsi Sebagai *Tack coat* Antara Wearing Course Dan Binder Course, Tesis. Yogyakarta: Universitas Gadjah Mada.