

DAFTAR PUSTAKA

- Agnihotri, N., Mishra, R., Goda, C., & Arora, M. (2012). Microencapsulation—a novel approach in drug delivery: a review. *Indo Global Journal of Pharmaceutical Sciences*, 2(1), 1-20.
- Akhirini, N., Sri-Harimurti, S., Sasmito, E. (2020). *Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam* [Tesis]. Universitas Gadjah Mada. Yogyakarta.
- Alakomi, H. L., Skyttä, E., Saarela, M., Mattila-Sandholm, T., Latva-Kala, K., & Helander, I. M. (2000). Lactic acid permeabilizes gram-negative bacteria by disrupting the outer membrane. *Applied and environmental microbiology*, 66(5), 2001-2005. Doi:10.1128/AEM.66.5.2001-2005.2000.
- Anal, A. K., & Singh, H. (2007). Recent advances in microencapsulation of probiotics for industrial applications and targeted delivery. *Trends in food science & technology*, 18(5), 240-251. Doi: 10.1016/j.tifs.2007.01.004.
- Azevedo, N. F., Bragança, S. M., Simões, L. C., Cerqueira, L., Almeida, C., Keevil, C. W., & Vieira, M. J. (2012). Proposal for a method to estimate nutrient shock effects in bacteria. *BMC research notes*, 5(1), 1-6.
- Bansode SS, Banarjee SK, Gaikwad DD, Jadhav SL, and Thorat RM. Microencapsulation: A Review. *International Journal of Pharmaceutical Sciences Review and Research*. 2010.1(2).38-43
- Behboudi-Jobbehdar, S., Soukoulis, C., Yonekura, L., & Fisk, I. (2013). Optimization of spray-drying process conditions for the production of maximally viable microencapsulated *L. acidophilus* NCIMB 701748. *Drying Technology*, 31(11), 1274-1283.
- Burgain, J., Gaiani, C., Linder, M., & Scher, J. (2011). Encapsulation of probiotic living cells: From laboratory scale to industrial applications. *Journal of Food Engineering*, 104(4), 467–483. Doi: 10.1016/j.jfoodeng.2010.12.031.
- Carmona, P. A. O., Tonon, R. V., da Cunha, R. L., & Hubinger, M. D. (2013). Influence of Emulsion Properties on the Microencapsulation of Orange Essential Oil by Pengeringan semprot. *Journal of Colloid Science and Biotechnology*, 2(2), 130–139. Doi: 10.1166/jcsb.2013.1042.
- Córdoba, A. L., Deladino, L., & Martino, M. (2014). Release of yerba mate antioxidants from corn starch-alginate capsules as affected by structure. *Carbohydrate Polymers*, 99, 150–157. Doi: 10.1016/j.carbpol.2013.08.026.
- Dave, R. I., & Shah, N. P. (1997). Viability of yoghurt and probiotic bacteria in

yoghurts made from commercial starter cultures. *International Dairy Journal*, 7(1), 31-41.

Del Piano, M., Carmagnola, S., Ballarè, M., Sartori, M., Orsello, M., Balzarini, M., & Mogna, L. (2011). Is microencapsulation the future of probiotic preparations? The increased efficacy of gastro-protected probiotics. *Gut Microbes*, 2(2), 120-123. Doi: 10.4161/gmic.2.2.15784.

Demers, M. N. (2000), *Fundamentals of Geographic Information Systems*, 2nd edn, John Wiley & Sons. New York.

Djaeni, M., Prasetyaningrum, A., & Mahayana, A. (2012). Pengeringan Karaginan dari Rumput Laut *Eucheuma cottonii* pada *Spray Dryer* Menggunakan Udara yang Didehumidifikasi dengan Zeolit Alam. *Majalah Ilmiah Momentum*, 8(2).

Dumbrepatil, A., Adsul, M., Chaudhari, S., Khire, J., & Gokhale, D. (2008). Utilization of molasses sugar for lactic acid production by *Lactobacillus delbrueckii subsp. delbrueckii* mutant Uc-3 in batch fermentation. *Applied and Environmental Microbiology*, 74(1), 333-335. Doi: 10.1128/AEM.01595-07.

FAO & WHO. (2002). *Guidelines for the Evaluation of Probiotics in Food*. 1-11. https://www.who.int/foodsafety/fs_management/en/probiotic_guidelines.pdf.

FAO/WHO. (2001). Report of a joint FAO/WHO expert consultation on evaluation of health and nutritional properties of probiotics in food including powder milk with live lactic acid bacteria. Canada: World Health Organization and Food and Agriculture Organization of the United Nations.

Florenzia. (2014). *Pengaruh Penambahan Isomalt dan Lama Penyimpanan terhadap Ketahanan Lactobacillus acidophilus Fnc 0051 Terimobil dalam Gel Alginat pada Asam Lambung dan Garam Empedu Secara In Vitro*. Universitas Katolik Widya Mandala Surabaya, Surabaya.

Fessenden RJ, Fessenden JS. 2005. *Kimia Organik edisi ketiga*. Jakarta (ID) : Erlangga.

Frazier, W. C., & Westhoff, D. C. (1998). Food microbiology 4th ed. *International Edition McGraw Hill*, 440-441.

Gao, A., & Martos, P. (2019). Log Transformation and the Effect on Estimation, Implication, and Interpretation of Mean and Measurement Uncertainty in Microbial Enumeration. *Journal of AOAC International*, 102(1), 233-238.v.

Harahap, H. (2003). *Karya ilmiah produksi alkohol*. Progam Studi Teknik Kimia Fakultas Teknik Universitas Sumatera Utara.

Harmayani, E., Rahayu, E. S., & Utami, T. (2001). Ketahanan dan viabilitas probiotik bakteri asam laktat selama proses pembuatan kultur kering dengan metode freeze dan pengeringan semprot [Survival and Viability of Lactid Acid Bacteria Probiotic during production of Dried Culture Using Freeze and Pengeringan semprot. *Jurnal Teknologi dan Industri Pangan*, 12(2), 126-126.

Hidayat, Nur., Masdiana CP., dan Sri H. 2006. Mikrobiologi Industri. Penerbit Andi. Yogyakarta

Hidayat, S. C. M., Harimurti, S., & Yusiati, L. M. (2016). Pengaruh suplementasi probiotik bakteri asam laktat terhadap histomorfologi usus dan performan puyuh jantan. *Buletin Peternakan*, 40(2), 101–106. Doi: 10.21059/buletinpeternak.v40i2.9072.

Hodge, J. C., & Osman, E. M. (1976). Carbohydrates, principles of food science, Part I. *Food chemistry*, 97-200.

Homayouni, A., Azizi, A., Ehsani, M. R., Yarmand, M. S., & Razavi, S. H. (2008). Effect of microencapsulation and resistant starch on the probiotic survival and sensory properties of synbiotic ice cream. *Food Chemistry*, 111(1), 50–55. Doi: 10.1016/j.foodchem.2008.03.036.

Indratiningsih, W., Salasia, S. I. O., & Wahyuni, E. (2004). Produksi yoghurt shiitake (Yoshitake) sebagai pangan kesehatan berbasis susu. *Jurnal Teknologi dan Industri Pangan*, 15(1), 54-60.

Imagi, J., Muraya, K., Yamashita, D., Adachi, S., & Matsuno, R. (1992). Retarded oxidation of liquid lipids entrapped in matrixes of saccharides or proteins. *Bioscience, biotechnology, and biochemistry*, 56(8), 1236-1240.

Istiyani, K. (2008). *Mikroenkapsulasi Insulin untuk Sediaan Oral Menggunakan Metode Emulsifikasi dengan Penyulut Natrium Alginat dan Kitosan*. Universitas Indonesia. Depok.

Jamekhorshid, A., Sadrameli, S. M., & Farid, M. (2014). A review of microencapsulation methods of phase change materials (PCMs) as a thermal energy storage (TES) medium. *Renewable and Sustainable Energy Reviews*, 31, 531-542.

Junaidi, L., Hutajulu, T. F., Sudiby, A., Lestari, N & Aviana, T. (2018). Pengaruh Konsentrasi KOH dan Waktu Alkalisasi Serta Umur Panen *Kappaphycus alvarezii* Terhadap Karakteristik Mutu Karagenan Murni. *Journal of Agrobased Industry*, 35(1):20-28.

Kailasapathy, K. (2002). Microencapsulation of probiotic bacteria: technology and potential applications. *Current issues in intestinal microbiology*, 3(2),

39.

Kementerian Pertanian. (2017). Peraturan Menteri Pertanian nomor 14/permentan/pk.350/5/2017 tentang Klasifikasi Obat Hewan.

Kolanowski, W., Ziolkowski, M., Weißbrodt, J., Kunz, B., & Laufenberg, G. (2006). Microencapsulation of fish oil by pengeringan semprot--impact on oxidative stability. Part 1. *European Food Research and Technology*, 222(3-4), 336-342. Doi : 10.1007/s00217-005-0111-1.

Kompiang, I. P. (2002). Effect of *Saccaromyces cerevisiae* and sea yeast as a feed additive probiotic on the performance of poultry. *JITV*, 7(1), 18-21.

Krasaekoopt, W., Bhandari, B., & Deeth, H. (2003). Evaluation of encapsulation techniques of probiotics for yoghurt. *International Dairy Journal*, 13(1), 3–13. Doi: 10.1016/S0958-6946(02)00155-3.

Kucukasik, F., Kazak, H., Gubey, D., Finore, I., Poli, A., Yenigun, O., Nicolaus, B., and Oner, E.T. (2010). Molasses as fermentation substrate for levan production by *Halomonas* sp., *Appl. Microbiol. Biotechnol.*

Kumalasari, I. D., Harmayani, E., Lestari, L. A., Raharjo, S., Asmara, W., Nishi, K., & Sugahara, T. (2012). Evaluation of immunostimulatory effect of the arrowroot (*Maranta arundinacea*. L) in vitro and in vivo. *Cytotechnology*, 64(2), 131-137.

Kunaepah, U. (2008). *The Effect Of Fermentation Duration And Glucose Concentration On Antibacterial Activity, Total Polyphenol And Chemical Quality Of Kidney Bean Milk Kefir*. Doctoral dissertation. Program Pasca Sarjana Universitas Diponegoro.

Kusumaningati, M. A., Nurhatika, S., & Muhibuddin, A. (2013). Pengaruh Konsentrasi Inokulum Bakteri *Zymomonas mobilis* dan Lama Fermentasi Pada Produksi Etanol dari Sampah Sayur dan Buah Pasar Wonokromo Surabaya. *Jurnal Sains dan Seni ITS*, 2(2), E218-E223.

Lian, W. C., Hsiao, H. C., & Chou, C. C. (2003). Viability of microencapsulated bifidobacteria in simulated gastric juice and bile solution. *International Journal of Food Microbiology*, 86(3), 293-301.

Liliana, S. C., & Vladimir, V. C. (2013). Probiotic encapsulation. *African Journal of Microbiology Research*, 7(40), 4743–4753. Doi: 10.5897/ajmr2013.5718.

Mandal, S., Puniya, A. K., & Singh, K. (2006). Effect of alginate concentrations on survival of microencapsulated *Lactobacillus casei* NCDC-298. *International Dairy Journal*, 16(10), 1190-1195.

Manin, F. (2012). Potensi *Lactobacillus acidophilus* dan *Lactobacillus fermentum*

dari saluran pencernaan ayam buras asal lahan gambut sebagai sumber probiotik. *Jurnal Ilmiah Ilmu-Ilmu Peternakan*, 221-228.

Melville, T.H. and C. Russel. (1975). *Microbiology for Dental Students*. 2nd ed. London.

Miller, G. L. (1959). Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical chemistry*, 31(3), 426-428.

Mohammadi, R., Sohrabvandi, S., & Mohammad Mortazavian, A. (2012). The starter culture characteristics of probiotic microorganisms in fermented milks. *Engineering in Life Sciences*, 12(4), 399-409.

Mortazavian, A., Razavi, S. H., Ehsani, M. R., & Sohrabvandi, S. (2007). *Principles and methods of microencapsulation of probiotic microorganisms*. University of Terhan, Iran.

Mountzouris, K. C., Tsitsrikos, P., Palamidi, I., Arvaniti, A., Mohnl, M., Schatzmayr, G., & Fegeros, K. (2010). Effects of probiotic inclusion levels in broiler nutrition on growth performance, nutrient digestibility, plasma immunoglobulins, and cecal microflora composition. *Poultry science*, 89(1), 58-67.

Mulvihill, D. M., & Gufferty, M. (1997). Food proteins and lipids. *Production of Whey Protein Enriched Product*, 77-78.

Muttaqin, A. (2005). Mempelajari pembuatan pelet probiotik bakteri asam laktat untuk suplemen pakan ternak ayam. *Skripsi. Jurusan Teknologi Pangan dan Hasil Pertanian Fakultas Teknologi Pertanian. Universitas Gadjah Mada, Yogyakarta*.

Mutukumira, A. N., Ang, J., & Lee, S. J. (2014). Viability and properties of spray-dried *Lactobacillus casei*-01. In *Proceedings of the International Conference on Beneficial Microbes, Penang, Malaysia*.

Myllärinen, P., Partanen, R., Seppälä, J., & Forssell, P. (2002). Effect of glycerol on behaviour of amylose and amylopectin films. *Carbohydrate Polymers*, 50(4), 355-361.

Pan, M., Zhou, X., & Chen, M. (2013). Cellulose nanowhiskers isolation and properties from acid hydrolysis combined with high pressure homogenization. *BioResources*, 8(1), 933-943.

Pelczar Jr, M. J., Chan, E. C. S., & Krieg, N. R. (2005). *Microbiologia: conceitos e aplicações*. Pearson Makron Books.

Pendyal, B., Johns, M. M., Marshall, W. E., Ahmedna, M., & Rao, R. M. (1999). *l* [(lrlO / Od ' r Removal of sugar colorants by granular activated carbons

made from binders and agricultural by-products. 69, 45–51.

Picot, A., & Lacroix, C. 2004. Encapsulation of bifidobacteria in whey protein-based microcapsules and survival in simulated gastrointestinal conditions and in yoghurt. *International dairy journal*, 14(6), 505-515.

Prabowo, A. (2011). Pengawetan Dedak Padi dengan cara fermentasi. <http://sumsl.litbang.deptan.go.id/index.php/component/content/article/53-it-1/206-dedak-padi>, 6. Diakses 13 Agustus 2020.

Pradipta, M. S. I., Harimurti, S., & Hadisaputro, W. (2017). Microencapsulation of indigenous poultry lactic acid bacteria probiotic on the competitive exclusion against Salmonella enteritidis and Escherichia coli in vitro. *Buletin Peternakan*, 41(2), 134-141.

Pradipta, M. S. I., Harimurti, S., & Widodo, W. (2019). Feed Supplementation with Encapsulated Indigenous Probiotic Lactic Acid Bacteria Increased Broiler Chicken Performance. *ASEAN Journal on Science and Technology for Development*, 36(1), 29–34. Doi: 10.29037/ajstd.569.

Prado, F. C., Parada, J. L., Pandey, A., & Soccol, C. R. (2008). Trends in non-dairy probiotic beverages. *Food Research International*, 41(2), 111–123. Doi: 10.1016/j.foodres.2007.10.010.

Reusser, F. (1963). Stability and degeneration of microbial cultures on repeated transfer. *In Advances in Applied Microbiology* (Vol. 5, pp. 189-215). Academic Press.

Richardson, P. H., Jeffcoat, R., & Shi, Y. C. (2000). High-amylose starches: from biosynthesis to their use as food ingredients. *MRS Bulletin*, 25(12), 20–24. Doi: 10.1557/mrs2000.249.

Rini, I. (2000). *Modifikasi proses pembuatan tepung agar-agar dengan menggunakan pengering semprot (Spray Dryer) dan Pengering Drum (Drum Dryer)* [Skripsi]. Institut Pertanian Bogor.

Rizqiati, H., Jenie, B. S. L., Nurhidayat, N., & Nurwitri, C. (2008). Survival of Lactobacillus plantarum Encapsulated with Skim Milk and Arabic Gum after Pengeringan semprot and Its Viability during Storage. *Animal Production*, 10(3).

Rokka, S., & Rantamäki, P. (2010). Protecting probiotic bacteria by microencapsulation: Challenges for industrial applications. *European Food Research and Technology*, 231(1), 1–12. Doi: 10.1007/s00217-010-1246-2.

Rossanieltha, Z., & Zubaidah, E. (2015). Studi Viabilitas Probiotik Pada Velva Pisang Ambon Selama Penyimpanan Beku. *Jurnal Pangan dan Agroindustri*, 3(4).

- Said, E. G. (1987). *Bioindustri Penerapan Teknologi Fermentasi*. PAU Bioteknologi IPB. Bogor.
- Sandoval-Castilla, O., Lobato-Calleros, C., García-Galindo, H. S., Alvarez-Ramírez, J., & Vernon-Carter, E. J. (2010). Textural properties of alginate–pectin beads and survivability of entrapped *Lb. casei* in simulated gastrointestinal conditions and in yoghurt. *Food Research International*, 43(1), 111-117.
- Sarmiento, B., Ribeiro, A. J., Veiga, F., Ferreira, D. C., & Neufeld, R. J. (2007). Insulin-loaded nanoparticles are prepared by alginate ionotropic pre-gelation followed by chitosan polyelectrolyte complexation. *Journal of Nanoscience and Nanotechnology*, 7(8), 2833–2841. Doi: 10.1166/jnn.2007.609.
- Sebayang, F. (2006). Pembuatan Etanol dari Molase Secara Fermentasi Menggunakan Sel *Saccharomyces cerevisiae* yang Terimobilisasi pada Kalsium Alginat. *Jurnal Teknologi Proses Media Publikasi Karya Ilmiah Teknik Kimia*, 5(2), 75–80.
- Sheu, T. Y., & Marshall, R. T. (1993). Microentrapment of lactobacilli in calcium alginate gels. *Journal of Food Science*, 58(3), 557-561.
- Smith, I.E., 1993, "*Prinsip Bioteknologi*", Terjemahan oleh V.F. Sumo, B.Sumantri, dan Subono, Gramedia Pustaka Utama, Jakarta
- Soeharsono, L. A., Safitri, R., Sjojfan, O., Abdullah, S., Rostika, R., Lengkey, H. A., & Mushawwir, A. (2010). *Probiotik Basis Ilmiah, Aplikasi, dan Aspek Praktis*. Penerbit Widya Padjadjaran. Bandung.
- Sri-Harimurti, S., Nasroedin, E. S., Nasroedin, N., & Kurniasih, K. (2007). Lactic Acid Bacteria Isolated from the Gastro-Intestinal Tract of Chicken: Potential Use as Probiotic. *Animal Production*, 9(2).
- Sri-Harimurti, S., & Rahayu, E. S. (2009). Morfologi usus ayam broiler yang disuplementasi dengan probiotik strain tunggal dan campuran. *Agritech*, 29(3), 179-183.
- Sri-Harimurti, S., Ariyadi, B., Akhirini, N., & Pradipta, M. S. I. (2019). Growth of probiotics for poultry in glucose yeast pepton media, production of biomass, viability and stability after encapsulation with pengeringan semprot. In *IOP Conference Series: Earth and Environmental Science*, 387. IOP Publishing.
- Sudarmadji, S. (1989). *Proses Mikrobiologi Pangan. Kursus Singkat Fermentasi Pangan*. Yogyakarta.
- Sugiyono. (2004). *Kimia Pangan*. Fakultas Teknik Universitas Negeri Yogyakarta. <http://staff.uny.ac.id/sites/default/files/pendidikan/ir-sugiyono-mkes/buku-kimia-pangan.pdf>. Diakses 11 Agustus 2020.

- Sultana, K., Godward, G., Reynolds, N., Arumugaswamy, R., Peiris, P., & Kailasapathy, K. (2000). Encapsulation of probiotic bacteria with alginate–starch and evaluation of survival in simulated gastrointestinal conditions and in yoghurt. *International journal of food microbiology*, 62(1-2), 47-55.
- Sumarsih, S. (2003). *Mikrobiologi dasar*. UPN veteran. Yogyakarta.
- Suprihatin, D. S. P. (2010). Pembuatan asam laktat dari limbah kubis. *Makalah SEMNAS Ketahanan Pangan dan Energi*, Teknik Kimia Soebardjo Brotohartandjono, Surabaya.
- Suwedo, H. (1994). Teori dan Prosedur: Pengujian Mutu Susu dan Hasil Olahannya. *Liberty: Yogyakarta*.
- Talwalkar, A., & Kailasapathy, K. (2004). A review of oxygen toxicity in probiotic yogurts: influence on the survival of probiotic bacteria and protective techniques. *Comprehensive Reviews in Food Science and Food Safety*, 3(3), 117-124.
- Tamime, A. Y., & Robinson, R. (1989). *Yoghurt and Science*. Oxford: Pergamon Press.
- Tensiska, T., Sumanti, D. M., & Pratamawati, A. (2008). Stabilitas Pigmen Antosianin Kubis Merah (*Brassica Oleraceae* Var *Capitata* Lf *Rubra* (L.) Thell) Terenkapsulasi Pada Minuman Ringan Yang Dipasteurisasi. *Bionatura*, 12(1), 218254.
- Terpou, A., Papadaki, A., Lappa, I. K., Kachrimanidou, V., Bosnea, L. A., & Kopsahelis, N. (2019). Probiotics in food systems: Significance and emerging strategies towards improved viability and delivery of enhanced beneficial value. *Nutrients*, 11(7), 1591.
- Thomas, K.C., Hynes, S.H., Ingledew, W.M. (1996). Practical and theoretical considerations in the production of high concentrations of alcohol by fermentation. *Process Biochemistry*, 31(4), 321- 331.
- Todar, K. (2020). *Todar's online textbook of bacteriology*. University of Wisconsin-Madison Department of Bacteriology.
- Toldrá, F., & Reig, M. (2011). Innovations for healthier processed meats. *Trends in Food Science & Technology*, 22(9), 517-522.
- Trisna, W. N. (2012). Identifikasi Molekuler dan Pengaruh Pemberian Probiotik Bakteri Asam Laktat (BAL) Asal Dadih dari Kabupaten Sijunjung Terhadap Kadar Kolesterol Daging Pada Itik Pitalah Sumber Daya Genetik Sumatera Barat. <http://pasca.unand.ac.id>. Diakses 13 Agustus 2020.
- Utami, F. (2015). Pengaruh Suhu Terhadap Daya Tahan Hidup Bakteri pada

Sediaan Probiotik. In Repository UINIJ.
<http://repository.uinjkt.ac.id/dspace/handle/123456789/26436>. Diakses 11
Agustus 2020.

Vidianty, M. (2015). *Uji potensi immunomodulator dari Bakteri Asam Laktat sebagai kandidat probiotik pada mencit Balb/C yang diinduksi oleh antigen SRBC= Evaluation of immunomodulatory effect from Lactic Acid Bacteria as a candidate for probiotics in Balb/C mice that induced by antigen SRBC. Bachelor thesis*. Universitas Pelita Harapan.

Vidra, A., Tóth, A. J., & Németh, Á. (2017). Lactic acid production from cane molasses. *Waste Treatment and Recovery*, 2(1), 13-16.

Wee, Y. J., Kim, J. N., Yun, J. S., & Ryu, H. W. (2004). Utilization of sugar molasses for economical L (+)-lactic acid production by batch fermentation of *Enterococcus faecalis*. *Enzyme and Microbial Technology*, 35(6-7), 568-573.

Winarno, F. G. (1993). *Pangan: Gizi, Teknologi dan Konsumen*. Gramedia Pustaka Utama.

Young, S. L., Sarda, X., & Rosenberg, M. (1993). Microencapsulating Properties of Whey Proteins. 2. Combination of Whey Proteins with Carbohydrates. *Journal of Dairy Science*, 76(10), 2878–2885. Doi: 10.3168/jds.S0022-0302(93)77626-2.

Yulinery, T., & Nurhidayat, N. (2012). Analisis viabilitas probiotik *Lactobacillus* terenkapsulasi dalam penyalut dekstrin dan jus markisa (*Passiflora edulis*). *Jurnal Teknologi Lingkungan*, 13(1), 109-121.