

DAFTAR PUSTAKA

- Agnihotri, N., Mishra, R., Goda, C., and Arora, M. (2012). Microencapsulation- A Novel Approach in Drug Delivery - A Review. *Indo Global Journal of Pharmaceutical Sciences*, 2(1): 1-20.
- Amrita, K., Dabur, R. S. & Kapoor, C. M. (1999). Application of microencapsulation technology in dairy industry. *Indian Food Industry*, 18, 57–64.
- Anal, A. K., and Singh, H. (2007). Recent Advances in Microencapsulation of Probiotics for Industrial Applications and Targeted Delivery. *Trends in Food Science & Technology*, 18(5): 240–251.
- Ardianto, A. (2011). *Enkapsulasi Lactobacillus acidophilus casei Dengan Teknik Ekstruksi sebagai Starter Untuk Pembuatan Dadih Susu Sapi*. IPB.
- Astutiningrum, O.P., Akhirini, N., Sri-Harimurti. (2020). *Viability of Probiotic Lactic Acid Microencapsulated with Maltodextrin in the Simulated Gastric Juice and Bile Salt* [Conference Presentation]. IOP Conference Series: Earth and Environmental Science.
- Ayama, H., Sumpavapol, P., and Chanthachum, S. (2014). Effect of Encapsulation of Selected Probiotic Cell on Survival in Simulated Gastrointestinal Tract Condition. *Songklanakarin Journal of Science and Technology*, 36 (3): 291-299.
- Azeredo, H.M.C. (2005). Encapsulação: aplicação à tecnologia de alimentos. *Alimentos e Nutrição*, 16(1): 89-97.
- Berninger, T., Lopez, O.G., Bejarano, A., Preininger, C., Sessitsct, A. (2018). Maintenance and Assessment of Cell Viability in Formulation of Non-Sporulating Bacterial Inoculant. *Microbial Biotechnology*, 11(2): 277-301.
- Bidarkar, V.K., Swain, P.S., Ray, S., Dominic, G. (2014). Probiotics: Potential Alternative to Antibiotics in Ruminant Feeding. *Trend in Veterinary and Animal Sciences*, 1: 01-04.
- Bilang, M., Tahir, M., Haedar, D. (2018). Mempelajari Viabilitas Enkapsulasi Sel Probiotik (*Lactobacillus plantarum* dan *Streptococcus thermophilus*) pada Es Krim. *Canrea Journal: Food Technology, Nutritions, and Culinary Journal*, 1(1): 41-52.
- Bosnea, L. A., Moschakis, T., and Biliaderis, C. G. (2014). Complex Coacervation as a Novel Microencapsulation Technique to Improve Viability of Probiotics Under Different Stresses. *Food Bioprocess Technol*, 7: 2767-2781.

- Bosnea, L. A., Moschakis, T., and Biliaderis, C. G. (2017). Microencapsulated Cells of *Lactobacillus paracasei* subsp. *paracasei* in Biopolymer Complex Coacervates and Their Function in a Yogurt Matrix. *Food Funct*, 8(2): 554-562.
- Bove, P., Russo, P., Capozzi, V., Gallone, A., Spano, G., and Fiocco, D. (2013). *Lactobacillus plantarum* Passage Through an Oro-gastro-intestinal Tract Simulator: Carrier Matrix Effect and Transcriptional Analysis of Genes Associated to Stress and Probiosis. *Microbiological Research*, 168: 351-359.
- Brinques, G. B., Ayub, M. A. Z. (2011). Effect of Microencapsulation on Survival of *Lactobacillus plantarum* in Simulated Gastrointestinal Conditions, Refrigeration, and Yogurt. *Journal of Food Engineering*, 103: 123-128.
- Burgain, J., Gaiani, C., Linder, M., Scher, J., (2011). Encapsulation of Probiotic Living Cells: From Laboratory Scale to Industrial Applications. *Journal of Food Engineering*, 104: 467-483.
- Cabello-Olmo, M., Oneca, M., Torre, P., Diaz, J.V., Encio, I.J., Barajas, M., and Arana, M. (2020). Influence of Storage Temperature and Packaging on Bacteria and Yeast Viability in a Plant-Based Fermented Food. *Foods*, 9(3): 302.
- Cahyanti, A.N. (2011). Viabilitas Probiotik *Lactobacillus casei* pada Yogurt Susu Kambing Selama Penyimpanan Beku. *Jurnal Teknologi Pertanian*, 12 (3): 176-180.
- Cakir-Fuller, E. (2015). Enhanced Heat Stability of High Protein Emulsion Systems Provided by Microparticulated Whey Proteins. *Food Hydrocolloids*, 47: 41-50.
- Charalampopoulos, D., Wang, R., Pandiella, S.S., and Webb, C. (2002). Application Of Cereals And Cereal Component In Functional Food : a Review. *International journal of microbiology*, 79:131-141.
- Chaikhram, P., Rattanasena, P., and Chunthanom, P. (2018). Survival of *Lactobacillus casei* 01 in Probiotic-supplemented Mamao (*Antidesma bunius*) Juice Powder During Storage. *International Food Research Journal*, 25 (5): 2149-2156.
- Chavarri, M., Maranon, I., and Carmen, M. (2012). Encapsulation Technology to Protect Probiotic Bacteria. In Probiotics. InTech.
- Coelho, L. F., de Lima, Rodovalho, Bernardo, and Contiero. (2011). Lactic Acid Production by New *Lactobacillus plantarum* LMISM6 Grown in Molasses: Optimization of Medium Composition. *Brazilian Journal of Chemical Engineering*, Vol. 28, No. 01, pp. 27-36.

- Corona-Hernandez, R.I., Alvarez-Parrilla, E., Lizardi-Mendoza, J., Islas-Rubio, A.R., de la Rosa, L.A., and Wall-Medrano, A. (2013). Structural Stability and Viability of Microencapsulated Probiotic Bacteria: A Review. *Comprehensive Reviews in Food Science and Food Safety*, Vol.12: 614-628.
- Deasy, P. (1987). Microencapsulation and Related Drug Process. Dalam G. Effendi. Teknik Mikroenkapsulasi Provitamin A dari Minyak Sawit Merah dengan Metode Koaservasi Kompleks. Skripsi. Fakultas Teknologi pertanian, IPB. Bogor.
- Dehkordi, S.S., Alemzadeh, I., Vaziri, A.S., Vossoughi, A. (2020). Optimization of Alginate –Whey Protein Isolate Microcapsules for Survivability and Release Behavior of Probiotic Bacteria. *Applied Biochemistry and Biotechnology*, 190: 182-196.
- Ding W.K. and Shah N. P. (2008). Survival of Free and Microencapsulated probiotic Bacteria in Orange and Apple Juices. *International Food Research Journal*, 15 (2): 219-232.
- Ding W. K. and Shah N. P. (2007). Acid, bile, and heat tolerance of free and microencapsulated probiotic bacteria. *Journal of Food Science*, 72 (9): M446–M450.
- Dolly, P., Anisapharvin, A., Joseph, G.S., and Anandharamakrishnan, C. (2011). Microencapsulation of *Lactobacillus plantarum* (Mtcc 5422) by Spray-Freeze-Drying Method and Evaluation of Survival in Simulated Gastrointestinal Conditions. *Journal of Microencapsulation*, 568-574.
- Dong, Z., Wang, Q. and Du, Y. (2006). Alginate/gelatin Blend Films and Their Properties for Drug Controlled Release. *Journal of Membran Science*, 280: 37-44.
- Dziezak, J. D. (1988). Microencapsulation and Encapsulated Ingredients. *Food Technology*, 4: 136-159.
- FAO/WHO. (2002). Guidelines For The Evaluation Of Probiotics In Food. Report Of A Joint FAO/WHO Working Group On Drafting Guidelines For The Evaluation Of Probiotics In Food. London Ontario, Canada: World Health Organization.
- FAO/WHO. (2003). Standard for Fermented Milks. In CODEX STAN 243. FAO/WHO.
- FAO/WHO. (2006). Probiotic in Food: Health and Nutritional Properties and Guidelines for Evaluation. FAO Food and Nutrition Paper, 85.

- Franca, M.B., Panek, A.D., Eleutherio, E.C.A. (2007). Oxidative Stress and Its Effects During Dehydration. *Comparative Biochemistry and Physiology*, Part A 146: 621–631.
- Gardjito, M., Sari, T. F. K. (2006). Pengaruh Penambahan Asam Sitrat dalam Pembuatan Manisan Kering Labu Kuning (*Cucurbita maxima*) Terhadap Sifat-sifat Produknya. *Jurnal Teknologi Pertanian*, 1(2): 81-85.
- Gbassi, G.K. and Vandamme, T. (2012). Probiotic Encapsulation Technology: From Microncapsulation to Release into The Gut. *Pharmaceutics*, 4: 149-163.
- Goh, C.H., Heng, P.W.S., Chan, L.W. (2012). Cross-linker and Non-gelling Na⁺ Effects on Multi-functional Alginate Dressings. *Carbohydrate Polymers*, 87: 1796–1802.
- Gudmund, S.B. (2006). Alginates, in food polysaccharides and their applications. CRC Press. 289-334.
- Hansen, S.L., Allan-Wojtas, P.M., Jin, Y.L., and Paulson, A.T. (2002). Survival of Ca-alginate Microencapsulated Bifidobacterium spp. In Milk and Simulated Gastrointestinal Conditions. *Food Microbiology*, 19: 35-45.
- Hansen, J.M., Go, Young-Mi., and Jones, D.P. (2006). Nuclear and Mitochondrial Compartmentation of Oxidative Stress and Redox Signaling. *Annual Review of Pharmacology and Toxicology*, 46: 215-234.
- Harmayani, E., Ngatirah, Rahayu, E.S., Utami, T. (2001). Ketahanan dan Viabilitas Probiotik Bakteri Asam Laktat Selama Proses Pembuatan Kultur Kering dengan Metode Freeze and Spray Drying. *Jurnal Teknologi dan Industri Pangan*, Vol XII, No.2, 126-132.
- Hidayah, Nur. (2016, October 17-18). *Perbandingan Berbagai Teknik Mikroenkapsulasi Pakan dalam Menghasilkan Daging Sapi Sehat* [Conference Presentation]. Seminar Nasional dan Gelar Produk, Bengkulu, Indonesia.
- Jadhav, K., Sharma, K.S., Katoch, S., Sharma, V.K., Mane, B.G. (2015). Probiotics on Broiler Poultry Feeds: A Review. *International Journal of Animal and Veterinary Sciences*, 02: 04-16.
- Kamala, K. and Kumar, V.P. (2018). Food Products and Food Contamination. In *Microbial Contamination and Food Degradation*, Chapter 1, Elsevier Inc.
- Kandansamy, K. and Somasundaram, P.D. (2012). Microencapsulation of Colors by Spray Drying – A Review. *International Journal of Food Engineering*, Vol. 8: Iss. 2, Article 1.

- Korbekandi, H., Mortazavian, A.M., Iravani, S. (2011). Technology And Stability Of Probiotic In Survival of *Lactobacillus casei* 01 in Probiotic-Supplemented Mamao (*Antidesma Bunius*) Juice Powder During Storage. Chaikam, P., Rattanasena, P., and Chunthanom, P. (2018). *International Food Research Journal*, 25 (5): 2149-2156.
- Kundu, S., Panda, T., Majumdar, S. K., Guha, B., and Bandyopadhyay, K. K. (1984). Pretreatment of Indian Cane Molasses for Increased Production of Citric Acid. *Biotechnology and Bioengineering*, Vol. XXVI, Pp. 1114-1 121.
- Kurniawan, B.R. (2013). Stabilitas Resep Racikan yang Berpotensi Mengalami Inkompabilitas Farmasetika yang Disimpan pada Wadah Tertutup Baik. *Calyptra: Jurnal Ilmiah Mahasiswa Universitas Surabaya*, Vol.2 No.2.
- Li, X., Chen, W., Jiang, J., Feng, Y., Yin, Y., and Liu, Y. (2019). Fuctionaity of Dairy Proteins and Vegetable Proteins in Nutritional Supplement Powders: A Review. *International Food Research Journal*, 26(6): 1651-1664.
- Lian, W-C., Hsiao, H-C., and Chou, C-C. (2002). Survival of *Bifidobacteria* After Spray-drying. *International Journal of Food Microbiology*, 74: 79 – 86.
- Louesdon, S., Charlot-Rougé, S., Tourdot-Maréchal, R., Bouix, M., & Béal, C. (2015). Membrane fatty acid composition and fluidity are involved in the resistance to freezing of *Lactobacillus buchneri* R1102 and *Bifidobacterium longum* R0175. *Microbial Biotechnology*, 8(2), 311– 318.
- Maciel, G.M., Chaves, K.S., Grosso, C.R.F., and Gigante, M.L. (2014). Microencapsulation of *Lactobacillus acidophilus* La-5 by Spray-drying Using Sweet Whey and Skim Milk as Encapsulating Materials. *Journal of Dairy Science*, 97: 1991-1998.
- Madene, A., Jacquot, M., Scher, J., and Desobry, S. (2006). Flavour Encapsulation and Controlled Release – A Review. *International Journal of Food Science and Technoogy*, 41: 1-21.
- Mahmoud M., Abdallah N.A., El-Shafei, K., and Tawfik, N.F. (2020). Survivability of Alginate-microencapsulated *Lactobacillus plantarum* During Storage, Simulated Food Processing and Gastrointestinal Conditions. *Heliyon*, 6: 1-14.
- Maier, R.M. (2009). *Bacterial Growth*. In: *Environmental Microbiology 2nd Edition* (Eds: R.M. Maier, I.L. Pepper, and C.P. Gerba). Academic Press is an imprint of Elsevier. Burlington USA. pp 37-54.
- Master, K. (1997). *Spray dryer*. Baker, CGJ Industrial Drying for Foods. 1st ed. London: Academic and Profesional.

- Mbye, M., Baig, M.A., Abu-Qamar, S.F., El-Tarabily, K.A., Obaid, R.S., Osaili, T.M., Al-Nabulsi, A.A., Turner, M.S., Shah, N.P., Ayyash, M.M. (2020). Updates on Understanding of Probiotic Lactic Acid Bacteria Responses to Environmental Stresses and Highlights on Proteomic Analyses. *Comprehensive Reviews in Food Science and Food Safety*, 19: 1110-1124.
- Meng, X.C., Stanton, C., Fitzgerald, G.F., Daly, C., and Ross, R.P. (2008). Anhydrobiotics: The Challenges Of Drying Probiotic Cultures. *Food Chemistry*, 106: 1406–1416.
- Michida, H., Tamalampudi, S., Pandiella, S. S., Webb, C., Fukuda, H., and Kondo, A. (2006). Effect of Cereal Extracts and Cereal Fiber on Viability of *Lactobacillus plantarum* under Gastrointestinal Tract Conditions. *Biochemical Engineering Journal*, 28:73-78.
- Mortazavian A, Razavi SH, Ehsani MR, Sohrabvandi S. (2007). Principles and methods of microencapsulation of probiotic microorganisms. *Iranian Journal of Biotechnology*, 5: 1–18.
- Murti, T.W., Robiyti, E., Jundi, H.L., Ramadhani, F., Rustamadji, B., and Suranindyah, Y.Y. (2016). Development of Fermented Mare's Milk Using Mixed Probiotic Cultures. *Media Peternakan*, 39(1):9-13.
- Mutukumira, A. N., J. Ang, and S. J. Lee. (2014). Viability and properties of spray-dried *Lactobacillus casei*-01. *Proceedings of International Conference on Beneficial Microbes, Penang, Malaysia*, 243-247.
- Nag, A., and Das, S. (2013). Improving Ambient Temperature Stability of Probiotics with Stress Adaptation and Fluidized Bed Drying. *Journal of Functional Food*, 5: 170-177.
- Nag, A., Han, K. S., and Singh, H. (2011). Microencapsulation of Probiotic Bacteria using pH-induced Gelation of Sodium Caseinate and Gellan Gum. *International Dairy Journal*, 21: 247-253.
- Oliveira, A.C., Moretti, T.S., Boschini, C., Baliero, J.C.C., Freitas, L.A.P., Freitas, O., Favaro-Trindade, C.S. (2007). Microencapsulation of *B. lactis* (BI 01) and *L. acidophilus* (LAC 4) by Complex Coacervation Followed by Spouted-Bed Drying. *Drying Technology*, 25: 1687-1693.
- Oliveira, R.A.D., Maciel Filho, R., and Vaz Rossell, C. E. (2016). High Lactic Acid Production from Molasses and Hydrolyzed Sugarcane Bagasse. *Chemical Engineering Transaction*, 50: 307-312.
- Ortega, V.V.R. (2017). *Comparative Viability of Spray Dried Lactobacilli Affected by Different Protective Agents and Storage Conditions* [Master Thesis, Louisiana State University]. Digital Commons.

https://digitalcommons.lsu.edu/cgi/viewcontent.cgi?article=5482&context=gradschool_theses

- Ozkan, G., Franco, P., Marco, I. D., Xiao, J., and Capanoglu, E. (2019). A Review of Microencapsulation Methods for Food, Antioxidants: Principles, Advantages, Drawbacks, and Application. *J. Food Chemistry*, 272: 494-506.
- Park D., Maga J. A. (2006). Identification of key volatiles responsible for odor quality differences in popped popcorn of selected hybrids. *Food Chemistry*, 99(3): 538-545.
- Pato, U., & Surono, I. S. (2013). Bile and acid tolerance of lactic acid bacteria isolated from tempoyak and their probiotic potential. *International Journal of Agricultural Technology*, 9(7), 1849– 1862.
- Pradipta, M.S.I., Sri-Harimurti, dan Widodo. (2017). Pengaruh Mikroenkapsulasi Probiotik Bakteri Asam Laktat Indigenous Unggas Terhadap Kemampuan Eksklusi Kompetitif pada *Salmonella enteritidis* dan *Eschericia coli* secara In Vitro. *Buletin Peternakan*, 41(2): 134-141.
- Pradipta, M.S.I. (2018). Pengaruh Mikroenkapsulasi Probiotik Bakteri Asam Laktat Indigenous Unggas Menggunakan Bahan Penyalut Maltodekstrin Terhadap Viabilitas selama Pemanasan. *Journal of Livestock Science and Production*, Vol. 02, No. 01, pp. 73-78.
- Prado, F.C., Parada, J.L., Pandey, A., Soccol, C.R. (2008). Trends In Non-Dairy Probiotic Beverages. *Food Research Internatioal*, 41:111–123.
- Purwandhani, S. N., Rahayu, E. S. (2003). Isolasi dan Seleksi *Lactobacillus* yang Berpotensi sebagai Agensia Probiotik. *Agritech*, 23(2): 67-74.
- Rajput, I. R., Khaskheli, M., Kaleri, H. A., Fazlani, S.A., Devi, K., and Khaskheli, G.B. (2009). Determination of Total, Viable Cells and Enterobacteraceae in Categorized Milk Powder. *Pakistan Journal of Nutrition*, 8 (9): 1493-1496.
- Ratnayake, W. S., & Jackson, D. S. (2003). Starch: Sources and Processing. *Encyclopedia of Food Sciences and Nutrition*, 5567–5572.
- Ravindran, V. (2013). Feed Enzymes: The Science, Practice, and Metabolic Realities. *Journal of Applied Poultry Research*, 22:628-636.
- Reineccius, G. A. (2004). The Spray Drying of Food Flavors. *Drying Technology*, 22(6), 1289–1324.
- Rickard, J.E., Asaoka, M. And Blanshard, J.M.V. (1991). The Physicochemical Properties Of Cassava Starch. *Trop. Sci.* 31, 189– 207.

- Rolfe, M.D., Rice, C.J., Lucchini, S., Pin, C., Thompson, A., Cameron, A.D.S., Alston, M., Stringer, M.F., Betts, R.P., Baranyl, J., Peck, M.W., Hinton, J.C.D. (2012). Lag Phase is a Distinct Growth Phase That Prepares Bacteria for Exponential Growth and Involves Transient Metal Accumulation. *Journal of Bacteriology*, 194(3): 686-701.
- Rosen R. M. (2006). Delivery system handbook for personal care and cosmetic products. Technology, applications and formulations. New York: William Andrew.
- Rosliza, R., Nik, W.B.W. (2010). Improvement of Corrosion Resistance of AA6061 Alloy by Tapioca Starch in Seawater. *Current Applied Physics*, 10: 221-229.
- Samedi, L., Charles, A. L. (2019). Viability of 4 Probiotic Bacteria Microencapsulated with Arrowroot Starch in the Simulated Gastrointestinal Tract (GIT) and Yoghurt. *Journal of Foods*, 8:175.
- Sanders, M.E., Merenstein, D., Merrifield, C.A., and Hutkins, R. (2018). Probiotics for Human Use. *Nutrition Bulletin*, 43: 212-225.
- Savadogo, A., Ouattara, C. A. T., Bassole, I. H. N., and Traose, S. A. (2006). Bacteriocins and Lactic Acid Bacteria – A Minireview. *African Journal of Biotechnology*, 5(9): 678-683.
- Setiarto, R.H.B., Kusumaningrum, H.D., Jenie, B.S.L., dan Khusniati, T. (2018). Pengembangan Teknologi Mikroenkapsulasi Bakteri Probiotik dan Manfaatnya untuk Kesehatan. *Jurnal Veteriner*, 19(4): 1-17.
- Shi, L.-E., Li, Z.-H., Li, D.-T., Xu, M., Chen, H.-Y., Zhang, Z.-L. and Tang, Z.-X. (2013). Encapsulation Of Probiotic *Lactobacillus bulgaricus* In Alginate–Milk Microspheres And Evaluation Of The Survival In Simulated Gastrointestinal Conditions. *J Food Eng.*, 117: 99–104.
- Sly, L.I. (1983). Preservation of microbial culture. In Fahy, P.C. and G.J.Persley (Eds.). Plant Bacterial Diseases. A Diagnostic Guide. Academic Press. Sidney. p. 275-298. Smidsrod and Skjakbraek, 1990.
- Sowmya, L., Deepika, S., and Atluri. (2013). Quality Assessment of Drinking Water from Kondiba an Agency Area, Andhra Pradesh. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* Vol. 4, pp. 190-199.
- Srifiana, Yudi. (2013). *Mikroenkapsulasi Ketoprofen dengan Metode Koaservasi Menggunakan Pragelatinisasi Pati Singkong dan Metode Semprot Kering Menggunakan Pragelatinisasi Pati Singkong Ftalat Sebagai Eksipien Penyalut* [Master Theses, Universitas Indonesia]. Research Gate. https://www.researchgate.net/profile/Arry_Yanuar/publication/272026141_Mikroenkapsulasi_Ketoprofen_dengan_Metode_Koaservasi_dan_Semprot

[Kering Menggunakan Pregelatinisasi Pati Singkong Ftalat sebagai Ekspien Penyalut/links/57216cd208aea92aff8b2d44/Mikroenkapsulasi-Ketoprofen-dengan-Metode-Koaservasi-dan-Semprot-Kering-Menggunakan-Pregelatinisasi-Pati-Singkong-Ftalat-sebagai-Eksipien-Penyalt.pdf](#)

- Sri-Harimurti. (2011). *Probiotik Bakteri Asam Laktat Indigenous : Pengaruhnya Terhadap Ekspresi Biologis pada Ayam Broiler (Probiotic Indigenous Lactic Acid Bacteria: Its Effect on Biological Expression in Broiler Chickens)* [Doctoral Dissertasion, UGM].
- Sri-Harimurti, Ariyadi, B., dan Wihandoyo. (2018). Produksi Mikroenkapsulasi Probiotik Bakteri Asam Laktat Indigenous Ayam Kampung dan Kemampuannya untuk Meningkatkan Respon Imun serta Kesehatan Usus Ayam. Laporan Akhir. Universitas Gadjah Mada Yogyakarta.
- Sri-Harimurti and Hadisaputro, W. (2015). Probiotics in Poultry. In M.-T. Liang (ed.) *Beneficial Microorganisms in Agriculture, Aquaculture and Other Areas, Microbiology Monographs 29*. pp 1-19. Springer International Publishing Switzerland. ISBN: 978-3-319-23183-9.
- Sri-Harimurti, Nasroedin, Rahayu, E.S., and Kurniasih. (2010, October 19-22). *Effect of Indigenous Lactic Acid Bacteria Probiotics on Broiler Performance* [Seminar Presentation]. The 5th International Seminar on Tropical Animal Production, Yogyakarta, Indonesia.
- Sri-Harimurti, E.S. Rahayu, Nasroedin, dan Kurniasih. (2007). Bakteri asam laktat dari intestin ayam sebagai agensia probiotik. *Animal Production*, 9: 82-91.
- Suave J. (2006). Microencapsulação: inovação em diferentes áreas. *Revista Saúde e Ambiente*, 7 (2): 12-20.
- Sultana, K., Godward, G., Reynolds, N., Arumugaswamy, R., Peiris, P., and Kailasapathy, K. (2000). Encapsulation of Probiotic Bacteria with Alginate-Starch and Evaluation of Survival in Simulated Gastrointestinal Conditions and in Yoghurt. *Journal Food Microbiology*, 62 (1-2): 47-55.
- Swinnen, I.A.M, Bernaerts, K., Dens, E.J.J., Geeraerd, A.H., and Impe J.F.V. (2004). Predictive modelling of the microbial lag phase: a review. *International Journal of Food Microbiology*, 94: 137 – 159.
- Teng, Z., Xu, R., and Wang, Q. (2015). Beta-Lactoglobulin-Based Encapsulating Systems As Emerging Bioavailability Enhancers For Nutraceuticals: A Review. *RSC Adv.*, 35138–35154.
- Tiyaboonchai, W. (2003). Chitosan Nanoparticles : A Promising System for Drug Delivery. *Naresuan University J.*, 11 (3): 51-66

- Toldrá F., Reig M. (2011). Innovations for healthier processed meats. *Trends in Food Science & Technology*, 22(9): 517- 522.
- Umer, H., Nigam, H., Tamboli, A. (2011). Microencapsulation: Process, technique and applications. *Int. J. Res. Pharm. Biomed. Sci.* 2(2); 474-481.
- Vogl, J., Ostermann, M. (2006). On The Measurement of The Moisture Content in Different Matrix Materials. *Accreditation Quality Assurance*, 11: 356-362.
- Volk, Wesley A. dan Wheeler, Margaret F. (1993). *Mikrobiologi Dasar*. Erlangga.
- Wong S. W. (2009). Characterising the release of flavour compounds from chewing gum through HS SPME analysis and mathematical modeling. *Food Chemistry*, 114 (3): 852-858.
- Young, S. L., Sarda, X., and Rosenberg, M. (1993). Microencapsulating Properties of Whey Proteins 2. Combination of Whey Proteins with Carbohydrates. *J. Dairy Science*, 76: 2878-2885.
- Yuniastuti, Ari. (2014). *Probiotik (Dalam Perspektif Kesehatan)*. Unnes Press.
- Zain, J.F. (2020). *Mikroenkapsulasi Probiotik Bakteri Asam Laktat Dengan Penyalut Whey, Pati Jagung Tinggi Amilosa, dan Alginat Menggunakan Metode Pengeringan Semprot* [Skripsi Departemen Teknologi Pangan dan Hasil Pertanian UGM].
- Zanjani, M.A.K., Tarzi, BG., Sharifan, A., and Mohammadi, N. (2014). Microencapsulation of Probiotics by Calcium Alginate-gelatinized Starch with Chitosan Coating and Evaluation of Survival in Simulated Human Gastro-intestinal Condition. *Iranian Journal of Pharmaceutical Research*, 13 (3): 843-852.