

DAFTAR PUSTAKA

- Ågren, J. (2004). The analytical continuation bias in geoid determination using potential coefficients and terrestrial gravity data. *Journal of Geodesy*, 78(4–5), 314–332. <https://doi.org/10.1007/s00190-004-0395-0>
- Badan Informasi Geospasial. (2013). *Peraturan Kepala Badan Informasi Geospasial No. 15 Tahun 2013 Tentang Sistem Referensi Geospasial Indonesia 2013*.
- Bajracharya, S., & Sideris, M. G. (2007). Density effects on Rudzki, RTM and Airy-Heiskanen reductions in gravimetric geoid determination. *International Association of Geodesy Symposia*, 130, 397–402. https://doi.org/10.1007/978-3-540-49350-1_58
- Banerjee, P., Foulger, G. R., Satyaprakash, & Dabral, C. P. (1999). Geoid undulation modelling and interpretation at Ladak, NW Himalaya using GPS and levelling data. *Journal of Geodesy*, 73(2), 79–86. <https://doi.org/10.1007/s001900050221>
- Baraniuk, R. G. (1999). WIENER FILTERING. In *Retrieved from Wiener Filtering*. Rice University.
- Bucha, B., Hirt, C., Yang, M., Kuhn, M., & Rexer, M. (2019). Residual terrain modelling (RTM) in terms of the cap-modified spectral technique: RTM from a new perspective. *Journal of Geodesy*, 93(10), 2089–2108. <https://doi.org/10.1007/s00190-019-01303-4>
- D.Ghilani, C. (2010). ADJUSTMENT COMPUTATIONS Spatial Data Analysis. In *John Wiley & Sons* (5th ed.). Canada: Inc., Hoboken, New Jersey.
- Daemi, A., Kodamana, H., & Huang, B. (2019). Gaussian process modelling with Gaussian mixture likelihood. *Journal of Process Control*, 81, 209–220. <https://doi.org/10.1016/j.jprocont.2019.06.007>
- Drewes, H., Kuglitsch, F., Adám, J., & Rózsa, S. (2012). The geodesist's handbook 2012. *Journal of Geodesy*, 90(10), 907–1205. <https://doi.org/10.1007/s00190-016-0948-z>
- Eshagh, M. (2009). Complementary studies in Satellite Gravity Gradiometry. *Royal Institute of Technology*, (June).
- Forsberg, R., Olesen, A., Bastos, L., Gidskehaug, A., Meyer, U., & Timmen, L.

- (2000). Airborne geoid determination. *Earth, Planets and Space*, 52(10), 863–866. <https://doi.org/10.1186/BF03352296>
- Forsberg, R., & Olesen, A. V. (2014). *Geoid model of the Philippines from airborne and surface gravity*. 1–12.
- Forsberg, R., Olesen, A. V., & Einarsson, I. (2015). Airborne gravimetry for geoid determination with Lacoste Romberg and Chekan gravimeters. *Gyroscopy and Navigation*, 6(4), 265–270. <https://doi.org/10.1134/S2075108715040069>
- Forsberg, René. (2002). Downward continuation of airborne gravity data - an Arctic case study. *Gravity and Geoid 2002 - 3rd Meeting of the IGGC*, 51–56.
- Forsberg, Rene, & Olesen, A. V. (2003). *AIRBORNE GRAVITY SURVEY OF FOXE BASIN, NUNAVUT, 2002*. Copenhagen NV, Denmark.
- Forsberg, Rene, & Sideris, M. G. (1976). Geoid computations by the multi-band spherical FFT approach. *Australian Surveyor*, 28(2), 124. <https://doi.org/10.1080/00050326.1976.10440875>
- Forsberg, Rene, & Tscherning, C. C. (2008). *An overview manual for the GRAVSOFT Geodetic Gravity Field Modelling Programs* (hal. 1–75). hal. 1–75. Denmark.
- Hájková, J. (2011). Local geoid determination based on airborne gravity data. *Studia Geophysica et Geodaetica*, 55(3), 515–528. <https://doi.org/10.1007/s11200-011-0031-4>
- Heliani, L. S., Fukuda, Y., & Takemoto, S. (2004). Simulation of the Indonesian land gravity data using a digital terrain model data. *Earth, Planets and Space*, 56(1), 15–24. <https://doi.org/10.1186/BF03352487>
- Hsiao, Y. S., & Hwang, C. (2010). Topography-assisted downward continuation of airborne gravity: An application for geoid determination in Taiwan. *Terrestrial, Atmospheric and Oceanic Sciences*, 21(4), 627–637. [https://doi.org/10.3319/TAO.2009.07.09.01\(T\)](https://doi.org/10.3319/TAO.2009.07.09.01(T))
- Hwang, C., Hsiao, Y. S., & Shih, H. C. (2006). Data reduction in scalar airborne gravimetry: Theory, software and case study in Taiwan. *Computers and Geosciences*, 32(10), 1573–1584. <https://doi.org/10.1016/j.cageo.2006.02.015>
- Hwang, C., Hsiao, Y. S., Shih, H. C., Yang, M., Chen, K. H., Forsberg, R., & Olesen, A. V. (2007). Geodetic and geophysical results from a Taiwan airborne

- gravity survey: Data reduction and accuracy assessment. *Journal of Geophysical Research: Solid Earth*, 112(4), 1–14.
<https://doi.org/10.1029/2005JB004220>
- James R. Smith, J. W. and S. (1997). *Introduction : The History and Surgery* (Vol. 1).
<https://doi.org/10.1007/978-1-4471-6587-3>
- Jamil, H., Kadir, M., Forsberg, R., Olesen, A., Isa, M. N., Rasidi, S., ... Aman, S. (2017). Airborne geoid mapping of land and sea areas of East Malaysia. *Journal of Geodetic Science*, 7(1), 84–93. <https://doi.org/10.1515/jogs-2017-0010>
- Jekeli, C., Yang, H. J., & Kwon, J. H. (2013). Geoid determination in South Korea from a combination of terrestrial and airborne gravity anomaly data. *Journal of the Korean Society of Surveying Geodesy Photogrammetry and Cartography*, 31(6 PART 2), 567–576. <https://doi.org/10.7848/ksgpc.2013.31.6-2.567>
- Kiamehr, R., & Sjöberg, L. E. (2005). Effect of the SRTM global DEM on the determination of a high-resolution geoid model: A case study in Iran. *Journal of Geodesy*, 79(9), 540–551. <https://doi.org/10.1007/s00190-005-0006-8>
- Klees, R., & Prutkin, I. (2010). The combination of GNSS-levelling data and gravimetric (quasi-) geoid heights in the presence of noise. *Journal of Geodesy*, 84(12), 731–749. <https://doi.org/10.1007/s00190-010-0406-2>
- Knödel, K., Lange, G., & Voigt, H.-J. (2007). *Environmental Geology Handbook of Field Methods and Case Studies* (B. FÜR, G. UND, & ROHSTOFFE, Ed.). GERMANY: Springer-Verlag Berlin Heidelberg.
- Kudus, I., Brotopuspito, K. S., & Suyanto, I. (2009). PEMODELAN STRUKTUR BATUAN SBDIMEN PAI}A BASIN UTARA DAN SELATAN SELAT MAKASSAR BERDASARKAN AFTOMALI GRAYITASI LOKAL. *The 34th HAGI Annual Covention, Exhibition and 2* Geophysics Education Symposium*, 13–16. Yogyakarta.
- Li, Y. (2000). Airborne Gravimetry for Geoid Determination. THE UNIVERSITY OF CALGARY.
- Li, Y. C., & Sideris, M. G. (1994). Improved gravimetric terrain corrections. *Geophysical Journal International*, 119, 740–752.
<https://doi.org/10.1111/j.1365-246X.1994.tb04013.x>
- Liu, X., Sun, Z., Xu, K., & Ouyang, M. (2017). Downward continuation of airborne

- gravimetry data based on Poisson integral iteration method. *Geodesy and Geodynamics*, 8(4), 273–277. <https://doi.org/10.1016/j.geog.2017.03.009>
- MacDougall, D. W. (2012). *Newton's Gravity: An Introductory Guide to the Mechanics of the Universe*. <https://doi.org/10.1007/978-1-4614-5444-1>
- Mallick, K., Vasanthi, A., & Sharma, K. K. (2012). *Bouguer Gravity Regional and Residual Separation: Application to Geology and Environment* (K. Mallick, A. Vasanthi, & K. K. Sharma, Ed.). India: Springer India - Capital Publishing Company, New Delhi, India.
- Maschinen, B., Investition, A., Beschaffungen, G., Ersatzbeschaffungen, B., & Mittelherkunft, S. (2001). *Some Investigations on Local Geoid Determination from Airborne Gravity Data*. (403).
- Novák, P., & Heck, B. (2002). Downward continuation and geoid determination based on band-limited airborne gravity data. *Journal of Geodesy*, 76(5), 269–278. <https://doi.org/10.1007/s00190-002-0252-y>
- Nozaki, K. (2006). The generalized Bouguer anomaly. *Earth, Planets and Space*, 58(3), 287–303. <https://doi.org/10.1186/BF03351925>
- Odera, P. A., & Fukuda, Y. (2015). Recovery of orthometric heights from ellipsoidal heights using offsets method over Japan. *Earth, Planets and Space*, 67(1). <https://doi.org/10.1186/s40623-015-0306-z>
- Odera, P. A., Fukuda, Y., & Kuroishi, Y. (2012). A high-resolution gravimetric geoid model for Japan from EGM2008 and local gravity data. *Earth, Planets and Space*, 64(5), 361–368. <https://doi.org/10.5047/eps.2011.11.004>
- Omang, O. C. D., & Forsberg, R. (2000). How to handle topography in practical geoid determination: Three examples. *Journal of Geodesy*, 74(6), 458–466. <https://doi.org/10.1007/s001900000107>
- Pahlevi, A., Pangastuti, D., Sofia, N., & Adolfontje. (2015). Determination of Gravimetric Geoid Model in Sulawesi – Indonesia. *Arisauna Pahlevi*, (May), 17–21.
- Pavlis, N. K., Holmes, S. A., Kenyon, S. C., & Factor, J. K. (2012). The development and evaluation of the Earth Gravitational Model 2008 (EGM2008). *Journal of Geophysical Research: Solid Earth*, 117(4), 1–38. <https://doi.org/10.1029/2011JB008916>

- Sans`o, F., & Sideris, M. G. (2013). Geoid Determination Theory and Methods. In B. P. Blondel, G. J. Reitner, G. K. St`uwe, P. M.H. Trauth, & M. D. Yuen (Ed.), *Springer*. <https://doi.org/10.1007/978-3-540-74700-0>
- Serpas, J. G., & Jekeli, C. (2005). *Local geoid determination from airborne vector gravimetry*. 577–587. <https://doi.org/10.1007/s00190-004-0416-z>
- Sideris, M G. (1990). The use of FFT techniques in physical geodesy. *Geophysical Journal International*, 100, 485–514. <https://doi.org/DOI: 10.1111/j.1365-246X.1990.tb00701>
- Sideris, Michael G. (2011). GEOID, COMPUTATIONAL METHOD. In H. K. Gupta (Ed.), *Encyclopedia of Solid Earth Geophysics* (hal. 366–371). India: Springer Science+Business Media B.V. 2011.
- Sjöberg, L. E. (2005). A discussion on the approximations made in the practical implementation of the remove-compute-restore technique in regional geoid modelling. *Journal of Geodesy*, 78(11–12), 645–653. <https://doi.org/10.1007/s00190-004-0430-1>
- Sjöberg, L. E. (2007). The topographic bias by analytical continuation in physical geodesy. *Journal of Geodesy*, 81, 345–350. <https://doi.org/10.1007/s00190-006-0112-2>
- Srinivas, N., Tiwari, V. M., Tarial, J. S., Prajapati, S., Meshram, A. E., Singh, B., & Nagarajan, B. (2012). Gravimetric geoid of a part of south India and its comparison with global geopotential models and GPS-levelling data. *Journal of Earth System Science*, 121(4), 1025–1032. <https://doi.org/10.1007/s12040-012-0205-7>
- Tocho, C., Font, G., & Sideris, M. G. (2007). A new high-precision gravimetric geoid model for Argentina. *International Association of Geodesy Symposia*, 130, 416–423. https://doi.org/10.1007/978-3-540-49350-1_61
- Torge, W. (2001). *Geodesy* (3 ed.). Berlin, Germany: Walter de Gruyter .
- Vaniček, P., Sun, W., Ong, P., Martinec, Z., Najafi, M., Vajda, P., & Ter Horst, B. (1996). Downward continuation of Helmert’s gravity. *Journal of Geodesy*, 71(1), 21–34. <https://doi.org/10.1007/s001900050072>
- Wang, J., Meng, X., & Zhou, Z. (2018). A Constrained Scheme for High Precision Downward Continuation of Potential Field Data. *Pure and Applied Geophysics*,

175(10), 3511–3523. <https://doi.org/10.1007/s00024-018-1861-6>

Wellenhopf, H. & Moritz, H. (2005). *Physical Geodesy*. Austria:Springer-Verlag
Wien.

Yun, H. S. (1999). Precision geoid determination by spherical FFT in and around the
Korean peninsula. *Earth, Planets and Space*, 51(1), 13–18.
<https://doi.org/10.1186/BF03352204>

Zhao, Q., Strykowski, G., Li, J., Pan, X., & Xu, X. (2017). Evaluation and
comparison of the processing methods of airborne gravimetry concerning the
errors effects on downward continuation results: Case studies in Louisiana
(USA) and the Tibetan Plateau (China). *Sensors (Switzerland)*, 17(6).
<https://doi.org/10.3390/s17061205>