

### DAFTAR PUSTAKA

- [1] A. K. Mahmood, "Factors Influencing Academic Performance of Students in Blended and Traditional Domains," *Int. J. Emerg. Technol. Learn.*, vol. 13, pp. 170–187, 2018, doi: <https://doi.org/10.3991/ijet.v13i02.8031> Ahmed.
- [2] M. H. A. Samad, Z. A. Aziz, and M. H. M. Isa, "Indoor environmental quality (IEQ) of school classrooms: Case study in Malaysia," *AIP Conf. Proc.*, vol. 1892, 2017, doi: 10.1063/1.5005784.
- [3] Sam Kubba, *LEED v4 Practices, Certification, and Accreditation Handbook*, Second. Butterworth-Heinemann, 2016.
- [4] A. Merabtine, C. Maalouf, A. Al, W. Hawila, N. Martaj, and G. Polidori, "Building energy audit, thermal comfort, and IAQ 2 assessment of a school building: a case study," *Build. Environ.*, 2018, doi: 10.1016/j.buildenv.2018.09.015.
- [5] R. M. S. F. Almeida, V. P. de Freitas, and J. M. P. Q. Delgado, *School buildings rehabilitation -Indoor environmental quality and Enclosure optimization*. 2015.
- [6] C. K. Saha *et al.*, "The effect of external wind speed and direction on sampling point concentrations , air change rate and emissions from a naturally ventilated dairy building," *Biosyst. Eng.*, vol. 114, no. 3, pp. 267–278, 2012, doi: 10.1016/j.biosystemseng.2012.12.002.
- [7] Y. Xie *et al.*, "Evaluation of a multi-nodal thermal regulation model for assessment of outdoor thermal comfort : Sensitivity to wind speed and solar radiation," *Build. Environ.*, vol. 132, no. September 2017, pp. 45–56, 2018, doi: 10.1016/j.buildenv.2018.01.025.
- [8] W. A. Dunn *et al.*, "ASHRAE STANDARD Thermal Environmental Conditions for Human Occupancy," vol. 2004, 2004.
- [9] S. Pan *et al.*, "A study on influential factors of occupant window-opening behavior in an office building in China," vol. 133, no. February, pp. 41–50, 2018, doi: 10.1016/j.buildenv.2018.02.008.
- [10] D. Sembroiz, S. Ricciardi, and D. Careglio, *A Novel Cloud-Based IoT Architecture for Smart Building Automation*, 1st ed. Elsevier Inc., 2017.
- [11] P. R. Davis, *Monitoring and control of thermal energy storage systems*. Woodhead Publishing Limited, 2015.
- [12] World Meteorological Organization, "General," in *Measurement of Meteorological Variables*, vol. 53, no. 9, 2008, pp. 1689–1699.
- [13] D. LE GOURIÈRES, "The Wind," in *Wind Power Plants: Theory and Design*, 1982, pp. 1–29.

- [14] A. T. Andreola, M. J. Daniel Senter, E. L. Todero, and G. Cardoso, “Low cost data acquisition system for wind prospecting,” *2016 12th IEEE Int. Conf. Ind. Appl. INDUSCON 2016*, 2017, doi: 10.1109/INDUSCON.2016.7874463.
- [15] E. B. Hani, “Data Acquisition for Wind Turbine Design and Analysis using Arduino,” *Adv. Robot. Autom.*, vol. 06, no. 03, pp. 3–7, 2017, doi: 10.4172/2168-9695.1000180.
- [16] M. A. B. L. Kong, “Universidad de zamboanga weather station: Monitoring on wind speed and wind direction,” *Int. J. Appl. Eng. Res.*, vol. 12, no. 24, pp. 14914–14926, 2017.
- [17] M. K. Mishu, M. Shakeri, J. Pasupuleti, M. R. Amin, S. K. Tiong, and N. Amin, “Microcontroller Based Portable Anemometer for Wind Monitoring System,” *Int. J. Recent Technol. Eng.*, vol. 8, no. 4, pp. 6262–6267, 2019, doi: 10.35940/ijrte.d5105.118419.
- [18] A. C. Domínguez-Brito, J. Cabrera-Gámez, M. Viera-Pérez, E. Rodríguez-Barrera, and L. Hernández-Calvento, “A DIY low-cost wireless wind data acquisition system used to study an arid coastal foredune,” *Sensors (Switzerland)*, vol. 20, no. 4, pp. 1–31, 2020, doi: 10.3390/s20041064.
- [19] World Meteorological Organization, “Measurement of Surface Wind,” in *Guide to Meteorological Instruments and Methods of Observation*, 7th ed., Geneva: World Meteorological Organization, 2008.
- [20] D. Camuffo, “Measuring Wind and Indoor Air Motions,” in *Microclimate for Cultural Heritage*, 2019, pp. 483–511.
- [21] J. Jia Jiang *et al.*, “An accurate ultrasonic wind speed and direction measuring method by combining time-difference and phase-difference measurement using coded pulses combination,” *Appl. Acoust.*, vol. 159, p. 107093, 2020, doi: 10.1016/j.apacoust.2019.107093.
- [22] K. Xie and K. Wang, “Measurement of wind speed and direction with ultrasonic sensor using FPGA,” *Energy Procedia*, vol. 12, pp. 837–843, 2011, doi: 10.1016/j.egypro.2011.10.110.
- [23] H. Lau, “Ultrasonic Anemometer (Wind Speed and Direction),” 2012. <https://www.dl1glh.de/ultrasonic-anemometer.html> (accessed Oct. 10, 2020).
- [24] D. Fernandes, L. Gomes, and A. Costa, “Wind speed and direction measurement based on time of flight ultrasonic anemometer,” *IEEE Int. Symp. Ind. Electron.*, pp. 1417–1422, 2017, doi: 10.1109/ISIE.2017.8001453.
- [25] Louis E. Frenzel Jr, *Handbook of Serial communications Interface: A comprehensive compendium of serial digital input/output (I/O) standards*. 2016.

- [26] F. Blasinger and M. Schleicher, *Digital Interfaces and Bus System Communication*, vol. 53, no. 9. 2013.
- [27] S. P. Gimenez, *8051 microcontrollers: Fundamental concepts, hardware, software and applications in electronics*. 2018.
- [28] J. Systems, “Microprocessor vs Microcomputer vs Microcontroller.” <https://jayconsystems.com/blog/microprocessor-vs-microcontroller-vs-microcomputer>.
- [29] J. Crisp, *Introduction to Microprocessors and Microcontrollers*, 2nd ed. Oxford: Elsevier, 2004.
- [30] C. Coronel and S. Morris, *Database Systems Design, Implementation, & Management*, 13th ed. 2017.