



## DAFTAR PUSTAKA

- Balica, S. F., Wright, N. G., & van der Meulen, F. (2012). A flood vulnerability index for coastal cities and its use in assessing climate change impacts. In *Natural Hazards* (Vol. 64). <https://doi.org/10.1007/s11069-012-0234-1>
- Beven, K. J., & Kirkby, M. J. (1979). A physically based, variable contributing area model of basin hydrology. *Hydrological Sciences Bulletin*, 24(1), 43–69. <https://doi.org/10.1080/02626667909491834>
- BIG. (2010). Spesifikasi penyajian peta rupa bumi – Bagian 4: Skala 1:250.000; SNI 6502.2:2010 (Simbul). *Lama xxxx*, 1–45.
- BNPB. (2012). Peraturan Kepala Badan Nasional Penanggulangan Bencana Nomor 02 Tahun 2012 Tentang Pedoman Umum Pengkajian Risiko Bencana. *Peraturan Kepala Badan Nasional Penanggulangan Bencana*, 1–67. Diambil dari <https://www.bnrb.go.id/uploads/24/peraturan-kepala/2012/perka-2-tahun-2012-tentang-pedoman-umum-pengkajian-resiko-bencana.pdf>
- BNPB. (2017). Daftar Informasi Bencana Indonesia. Diambil 4 Desember 2019, dari [http://bnrb.cloud/dibi/xdibi\\_list](http://bnrb.cloud/dibi/xdibi_list)
- Bock, M., & Köthe, R. (2008). Predicting The Depth Of Hydromorphic Soil Characteristics Influenced By Ground Water. *SAGA-Second Out*, 19.
- Brodu, N. (2017). Super-Resolving Multiresolution Images With Band-Independent Geometry of Multispectral Pixels. *IEEE Transactions on Geoscience and Remote Sensing*, 55(8), 4610–4617. <https://doi.org/10.1109/TGRS.2017.2694881>
- Chandra, R. K., & Supriharjo, R. D. (2013). Mitigasi Bencana Banjir Rob di Jakarta Utara. *Jurnal Teknik Pomits*, 2(1), 25–30.
- Du, Y., Zhang, Y., Ling, F., Wang, Q., Li, W., & Li, X. (2016). Water bodies' mapping from Sentinel-2 imagery with Modified Normalized Difference Water Index at 10-m spatial resolution produced by sharpening the swir band. *Remote Sensing*, 8(4). <https://doi.org/10.3390/rs8040354>
- EOS, E. O. system. (2015). SENTINEL-2. Diambil 30 Desember 2019, dari <https://eos.com/sentinel-2/>
- ESA. (2015a). Sentinel-2 Data Products. Diambil 30 Desember 2019, dari <https://sentinel.esa.int/web/sentinel/missions/sentinel-2/data-products>
- ESA. (2015b). Sentinel-2 MSI Product Types. Diambil dari <https://sentinel.esa.int/web/sentinel/user-guides/sentinel-2-msi/product-types>
- ESA. (2015c). Sentinel Mission Home. Diambil 30 Desember 2019, dari <https://sentinel.esa.int/web/sentinel/missions>



- Feld, N. E. U. (1991). Harmonic Tidal Analyses of. *international hydrographic Reviewhydrographic Review*, 68.
- Graham, S. (1999). Remote Sensing. Diambil 4 Desember 2019, dari <https://earthobservatory.nasa.gov/features/RemoteSensing>
- Istiarto. (2015). Lecture notes: Tidal harmonic analysis. Diambil 29 Maret 2020, dari <https://istiarto.staff.ugm.ac.id/index.php/2015/10/program-aplikasi-pasang-surut/>
- Jong, S. M. de, Meer, F. D. van der, & Clevers, J. G. P. . (2004). *Remote Sensing Image Analysis: Including the Spatial Domain Chapter 1*. <https://doi.org/10.1007/978-1-4020-2560-0>
- Kauth, R. J., & Thomas, G. S. (1976). *Tasselled Cap - a Graphic Description of the Spectral-Temporal Development of Agricultural Crops As Seen By Landsat*. 41–51.
- Lanaras, C., Bioucas-Dias, J., Baltsavias, E., & Schindler, K. (2017). Super-Resolution of Multispectral Multiresolution Images from a Single Sensor. *IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops, 2017-July(i)*, 1505–1513. <https://doi.org/10.1109/CVPRW.2017.194>
- Lillesand, T. M., Kiefer, R. M., & Chipman, J. W. (2015). *REMOTE SENSING AND IMAGE INTERPRETATION Seventh Edition* (7 ed.). United States: Wiley.
- Marfai, M. A., Pratomoatmojo, N. A., Hidayatullah, T., Nirwansyah, A. W., & Gomareuzzaman, M. (2011). *Model Kerentanan Wilayah Pesisir Berdasarkan Perubahan Garis Pantai dan Banjir Pasang (Studi Kasus : Wilayah Pesisir Pekalongan)*.
- McMaster, K. J. (2002). Effects of digital elevation model resolution on derived stream network positions. *Water Resources Research*, 38(4), 13-1-13-18. <https://doi.org/10.1029/2000wr000150>
- Nedkov, R. (2017). Orthogonal transformation of segmented images from the satellite sentinel-2. *Comptes Rendus de L'Academie Bulgare des Sciences*, 70(5), 687–692.
- Olaya, V. (2004). A gentle introduction to SAGA GIS. *The SAGA User Group eV, Gottingen, Germany*, 216. Diambil dari <http://sourceforge.net/projects/saga-gis/files/SAGA - Documentation/>
- Pickering, M. D., Horsburgh, K. J., Blundell, J. R., Hirschi, J. J. M., Nicholls, R. J., Verlaan, M., & Wells, N. C. (2017). The impact of future sea-level rise on the global tides. *Continental Shelf Research*, 142(September 2016), 50–68. <https://doi.org/10.1016/j.csr.2017.02.004>
- Planchon, O., & Darboux, F. (2002). A fast, simple and versatile algorithm to fill the depressions of digital elevation models. *Catena*, 46(2–3), 159–176. [https://doi.org/10.1016/S0341-8162\(01\)00164-3](https://doi.org/10.1016/S0341-8162(01)00164-3)



Pradana, gilang aji. (2019). *Sebaran spasial dan temporal genangan banjir rob di kota pekalongan menggunakan citra satelit landsat 8 oleh gilang aji pradana.*

Riadi, B., Barus, B., Widiyatmaka, Yanuar, M. J. P., & Pramudya, B. (2018). Identification and delineation of areas flood hazard using high accuracy of DEM data. *IOP Conference Series: Earth and Environmental Science*, 149(1). <https://doi.org/10.1088/1755-1315/149/1/012035>

Riadi, Bambang, Barus, B., Widiyatmaka, Yanuar, M., & Pramudya, B. (2018). Identification of flood area in the coastal region using remote sensing in Karawang Regency, West Java. *IOP Conference Series: Earth and Environmental Science*, 162(1). <https://doi.org/10.1088/1755-1315/162/1/012042>

Rimba, A., Setiawati, M., Sambah, A., & Miura, F. (2017). Physical Flood Vulnerability Mapping Applying Geospatial Techniques in Okazaki City, Aichi Prefecture, Japan. *Urban Science*, 1(1), 7. <https://doi.org/10.3390/urbansci1010007>

Saaty, R. W. (1987). The analytic hierarchy process-what it is and how it is used. *Mathematical Modelling*, 9(3–5), 161–176. [https://doi.org/10.1016/0270-0255\(87\)90473-8](https://doi.org/10.1016/0270-0255(87)90473-8)

Safuan, A. (2016). Banjir Rob Ganggu Perekonomian Pekalongan. Diambil 4 Desember 2019, dari <https://mediaindonesia.com/read/detail/50431-banjir-rob-ganggu-perekonomian-pekalongan>

Schmidt, F., & Persson, A. (2003). Comparison of DEM data capture and topographic wetness indices. *Precision Agriculture*, 4(2), 179–192. <https://doi.org/10.1023/A:1024509322709>

Supriyadi, E., Siswanto, S., & Pranowo, W. S. (2019). Karakteristik Pasang Surut Di Perairan Pameungpeuk, Belitung, Dan Sarmi Berdasarkan Metode Admiralty. *Jurnal Meteorologi dan Geofisika*, 19(1), 29. <https://doi.org/10.31172/jmg.v19i1.518>

Susanto, B. (2018). 1.363,13 Hektar Wilayah Kota Pekalongan Terendam Air Rob. Diambil 4 Desember 2019, dari <https://jateng.tribunnews.com/2018/05/28/136313-hektar-wilayah-kota-pekalongan-terendam-air-rob>

Sutrisno, D., Rahadiati, A., Rudiaستuti, A. W., Dewi, R. S., & Munawaroh. (2020). Urban coastal flood-prone mapping under the combined impact of tidal wave and heavy rainfall: A proposal to the existing national standard. *ISPRS International Journal of Geo-Information*, 9(9). <https://doi.org/10.3390/ijgi9090525>

Toz, G., & Erdogan, M. (2008). Dem ( Digital Elevation Model ) Production and Accuracy Modeling of Dems From 1 : 35 . 000 Scale Aerial Photographs. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 37, 755–780. Diambil dari [www.isprs.org/proceedings/XXXVII/congress/1\\_pdf/133.pdf](http://www.isprs.org/proceedings/XXXVII/congress/1_pdf/133.pdf)



UNIVERSITAS  
GADJAH MADA

Kajian Daerah Rentan Banjir Rob Kota Pekalongan Menggunakan Tasseled Cap Transformation dan Topographic Wetness Index  
NATASYA SAFETYANI, Dr. Ir. Harintaka, S.T., M.T., IPM.  
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wahyudi SI. (2007). *Tingkat Pengaruh Elevasi Pasang Laut Terhadap Banjir Dan Rob Di Kawasan Kaligawe Semarang*. 1(1), 27–34.

Wang, J., Li, L., Hao, Z., & Gourley, J. J. (2011). Stream guiding algorithm for deriving flow direction from DEM and location of main streams. *IAHS-AISH Publication*, 346(July), 198–205.

Wichmann, V. (2012). Channel Network. Diambil 28 Mei 2020, dari SourceForge Forum website: <https://sourceforge.net/p/saga-gis/discussion/354013/thread/1426f9e5/>

Wittke, S., Yu, X., Karjalainen, M., Hyyppä, J., & Puttonen, E. (2019). Comparison of two-dimensional multitemporal Sentinel-2 data with three-dimensional remote sensing data sources for forest inventory parameter estimation over a boreal forest. *International Journal of Applied Earth Observation and Geoinformation*, 76(October 2018), 167–178. <https://doi.org/10.1016/j.jag.2018.11.009>

Zhang, W., & Montgomery, D. R. (1994). Digital elevation model grid size, landscape representation, and hydrologic simulations. *WATER RESOURCES RESEARCH*, 30(4), 1019–1028.