

DAFTAR PUSTAKA

- Abdel–Megeid, A.A., Atiia, E.A., Elmarasy, S.E. dan Ibrahim, A.M. (2008) Effect of Different Types of Fish on Rats Suffering from Diabetes. *Nutrition and Health*. England, 19(4): 257–271.
- Amiruddin, M.A., Danes, V.R., Lintong, F. (2015) Analisa Hasil Pengukuran Tekanan Darah antara Posisi Duduk dan Posisi Berdiri pada Mahasiswa Semester VII (Tujuh) TA. 2014/2015 Fakultas Kedokteran Universitas Sam Ratulangi. *Jurnal e-Biomedik (eBm)*, 3(1).
- Arifin, W.N. dan Zahiruddin, W.M. (2017) Sample Size Calculation in Animal Studies Using Resource Equation Approach. *Malays J Med Sci.*, 24(5): 101–105.
- Astawan, M., Mita W., Tadashi Y., Kazuhiro Y., Tadahiro T. dan Akio M. (1995) Effects of Angiotensin I-Converting Enzyme Inhibitory Substances Derived from Indonesia Died-salted Fish on Blood Pressure of Rats. *Bioscience, Biotechnology, Biochemistry*, 59(3): 425–429.
- Babu, PD., Bhakyaraj, R. dan Vidhyalakshmi R. (2009) A low cost nutritious “Tempe” – A Review. *World Journal Dairy Food Sci*, 4(1): 22–27.
- Badan POM (2005) Peraturan Kepala Badan Pengawasan Obat dan Makanan tentang Ketentuan Pokok Pengawasan Obat dan Makanan Republik Indonesia. Jakarta: *Badan Pengawasan Obat dan Makanan Republik Indonesia 2005*.
- Badan Pusat Statistik Indonesia (2019) Statistik Perusahaan Perikanan 2018: Statistics of Fishery Establishment 2018. Jakarta: *Badan Pusat Statistik Republik Indonesia, Oktober 2019*.
- Baehaki, A., S.D. Lestari dan A.R. Romadhoni (2015) Hidrolisis protein ikan patin menggunakan enzim papain dan aktivitas antioksidan hidrolisatnya. *Jurnal Pengolahan Hasil Perairan*, 18(30): 230–239.
- Barbeau, T.R. (2004) Cardiovascular physiology. *Florence, Francis Marion University*.

- Bennett, P. (2008) Epidemiology of Type 2 DM. In Le Roith et al, Diabetes Mellitus a Fundamental and Clinical Text. Philadelphia: Lippincott William dan Wilkin S, 43(1): 544–7.
- Berdanier, C.D., Dwyer, J. dan Feldman, E.B. (2006) *Handbook of nutrition and food. Second Edition*. New York (USA): CRC Press.
- Berg, J., M., Tymoczko, J. dan Stryer, L. (2002) Proteases: Facilitating a Difficult Reaction. *Biochemistry. 5th ed.*, New York: W H Freeman, Section 9.1.
- Bhattacharya, S. (2015) Reactive Oxygen Species and Cellular Defense System. Springer India, New Delhi: *Free Radicals in Human Health and Disease*, 17–29.
- Byun, H. dan Kim, S. (2001) Purification and characterization of angiotensin I converting enzyme (ACE) inhibitory peptides from Alaska pollack (*Theragra chalcogramma*) skin. *Process Biochemistry*, 36: 1155–1162.
- Cahyadi, W. (2007) *Kedelai: Khasiat dan Teknologi*. Jakarta: Bumi Aksara.
- Charoenphun, N., B. Cheirsilp, N. Sirinupong dan W. Youravong (2013) Calcium-binding peptides derived from tilapia (*Oreochromis niloticus*) protein hydrolysate. *European Food Research and Technology*, 236: 57–63.
- Cheung, B.M.C. dan Li, C. (2012) Diabetes and Hypertension: is There a Common Metabolic Pathway. *PMC*, 14(2): 160–166.
- Cohn J.N., Quyyumi A.A., Hollenberg N.K., Jamerson K.A. (2001) Surrogate markers for cardiovascular disease - functional markers. *Circulation* 109(IV): 31–46.
- Corwin E.J. (2009) Pankreas dan Diabetes Melitus. Dalam Elizabeth J. Corwin. Editor: *Buku Saku Patofisiologi. Edisi 3*. Jakarta: EGC, 621–627 .
- Daliri, E.B.M., Oh, D.H. dan Lee, B.H. (2017) Bioactive Peptides. *Foods*. Editor: M. Hayes. MDPI, 6(5): 32.
- Daochai dan Sroykham (2011) Non-invasive blood pressure measurement: Auscultatory method versus oscillometric method Noninvasive Blood

Pressure Measurement: Auscultatory method versus Oscillometric method. *Biomedical Engineering International Conferense, January*.

Deliani (2008) *Pengaruh Lama Fermentasi terhadap Kadar Protein, Lemak, Komposisi Asam Lemak dan Asam Fitat pada Pembuatan Tempe*. Medan: USU-Press.

Depkes RI (2005) *Pharmaceutical Care untuk Penyakit Diabetes Mellitus*. Jakarta: *Direktorat Jenderal Bina Kefarmasian dan Alat Kesehatan Departemen Kesehatan Republik Indonesia 2005*.

Dorothy, I.S. dan W.R. (2012) *Animal Models in Diabetes Research*. *Animal Models in Diabetes Research*, 933: 219–228.

Fakih, T.M. dan Dewi, M.L. (2020) Identifikasi Mekanisme Molekuler Senyawa Bioaktif Peptida Laut sebagai Kandidat Inhibitor Angiotensin-I Converting Enzyme (ACE). *Jurnal Sains Farmasi dan Klinis*, 7(1): 76–82 .

Faradilla, R.H.F. dan Riyanti, E. (2012) Potensi Pemanfaatan Kacang Hijau dan Tauge dalam Olahan Pangan. *Pangan*, 31(2): 197–208.

Fatimah, N.R. (2015) Artikel Review: DM Tipe 2. *Medical Journal of Lambung University*, 4(5).

Fatriyawan, A.Z., Mahdi, C., Aulanni'am, A. Wuragil, D.K. (2016) The Ethalonic Extracts Therapy of Ceremai Leaves (*Phyllanthus acidus* (L.) Skeels) on Malondialdehyde (MDA) Levels and Histopathology of Hepar of Hypercholesterolemic Rats. *International Journal of Chem Tech Research*, 9(4): 509–512.

Febrisiantosa, A., Bagus P.P., Irma I.A. dan Yantyati W. (2013) Karakterisasi fisik, kimia, mikrobiologi whey kefir dan aktivitasnya terhadap penghambatan angiotensin converting enzyme (ACE). *J. Teknol. dan Industri Pangan* 24(2): 147–153.

Fitrianto, H., Syaiful, A. dan Husnil, K. (2014) Penggunaan obat antihipertensi pada pasien hipertensi esensial di poliklinik ginjal hipertensi RSUP DR. M. Djamil Tahun 2011. *Jurnal Kesehatan Andalas*, 3(1): 45–48.

- Ghasemi, A., Khalifi, S., Jedi, S. (2014) Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (Review). *Acta Physiologica Hungarica*, 101(4): 408–420.
- Green L.A. (2003) JNC 7 Express: New thinking in hypertension treatment. *Am Fam Physician*, 68(2): 228.
- Guyton A.C. (1994) *Fisiologi Manusia dan Mekanisme Penyakit*. Jakarta: EGC Penerbit Buku Kedokteran, 734-736.
- Hackett, E. dan Natasha J. (2009) Clinical Fokus: Type 2 Diabetes Pathophysiology and Clinical Feature. *Clinical Pharmasit*, Vol. 1.
- Hermanto, S. (2016) *Virtual screening* peptida bioaktif antihipertensi dari hidrolisat kasein susu kambing etawa. *Journal of Chemistry*, 5(2): 45–54.
- Hernandez–Ledesma, B., Amigo, L., Ramos, L., Mercedes dan Recio I. (2004) Angiotensin Converting Enzyme Inhibitory Activity in Commercial Fermented Products. Formation of Peptides under Simulated Gastrointestinal Digestion. *Journal of Agricultural and Food Chemistry*, 52 : 1504–1510.
- Hirota, T., Ohki, K., Kawagishi, R., Kajimoto, Y., Mizuno, S., Nakamura, Y., Kitakaze, M. (2007) Casein hydrolysate containing the antihypertensive tripeptides Val-Pro-Pro and Ile-Pro-Pro improves vascular endothelial function independent of blood pressure-lowering effects: contribution of the inhibitory action of Angiotensin-Converting Enzyme. *Hypertens Res* 30: 489–496.
- Hong, H.J., Loh, S.H., Yen, M.H. (2000) Suppression of The Development of Hypertension By The Inhibitor of Indcible Nitric Oxide Synthase. 131(3): 631–637.
- Hordur, G., Kristinsson. dan Barbara, A.R. (2000) Fish Protein Hydrolysates. Production, Biochemical, and Functional Properties, *Critical Reviews in Food Science and Nutrition*, 40(1): 43-81.
- Hsiao, Nai-Wan. Chenb, Y., Kuan, Y.C., Lee, Y.C., Lee, S.K., Chan, H.H., Kao, C.H. Purification and Characterization of An Aspartic Protease from the

Rhizopus oryzae Protease Extract, Peptidase R. *Electronic Journal of Biotechnology*, 17: 89–94.

Hsueh W.A., Jackson S., Law R.E. (2001) Control of vascular cell proliferation and migration by PPAR- α a new approach to the macrovascular complication of diabetes. *Diabetes Care*, 24: 392–7.

Huang, Shih-Li, Chia-Ling, J., Kit-Pan, H. dan Kuo-Chiang, H. (2012) Dipeptidyl-Peptidase IV Inhibitory Activity of Peptidase Derived from Tuna Cooking Juice Hydrolysates. *Peptides*, 35: 114-121.

Husna, F., Suyatna, F.D., Arozal, W., Purwaningsih, E.H. (2019) Model Hewan Coba pada Penelitian Diabetes. *Pharmaceutical Sciences and Research*, 6(3): 131–141.

Ikasari, L. dan Mitchell, D.A. (1994) Protease production by Rhizopus oligosporus in solid-state fermentation. *World Journal of Microbiology & Biotechnology*, 10(3): 320–324.

International Diabetes Federation (2014) *Diabetes in Indonesia*. Brussel: 2014.

International Diabetes Federation (2017) *IDF Diabetes Atlas Eight Edition*. Brusses, Belgium: International Diabetes Federation.

Jia-Shin, L., Shuo-Kang, L., Yeh, C., Wei-De, L. dan Chao-Hung, K. (2011) Purification and Characterization of a Novel Extracellular Tripeptidyl Peptidase from *Rhizopus oligosporus*. *Journal of Agricultural and Food Chemistry*, 59: 11330–11337.

Junod, A., Lambert, A.E., Stauffacher, W., Renold, A.E. (1969) Diabetogenic action of streptozotocin: relationship of dose to metabolic response. *J. Clin. Invest*, 48: 2129.

Kaplan, J.R. dan Wagner, J.D. (2006) Type 2 diabetes-an introduction to the development and use of animal models. *ILAR Journal / National Research Council, Institute of Laboratory Animal Resources*, 47(3): 181–185.

- Karnila, R., Made, A., Tutik, W. (2011) Potensi Ekstrak, Hidrolisat dan Isolat Protein Teripang Pasir (*Holothuria Scabra* J.) untuk Menurunkan Kadar Glukosa Darah dan Memperbaiki Profil Sel Beta Pankreas Tikus DM. *Laporan Penelitian Hibah Bersaing Bidang Kesehatan: Universitas Riau*.
- Kementrian Kelautan dan Perikanan Republik Indonesia (2018) Refleksi 2018 dan Outlook 2019. *Kementrian Kelautan dan Perikanan Republik Indonesia: Jakarta, 17 Desember 2018*.
- Kirk R.E. dan Othmer D.F. (1953) *Encyclopedia of Chemical Technology*. New York. The Interscience Publ. Inc, 11.
- Kitts D.D. dan Weiler K. (2003) Bioactive Proteins and Peptides from Food Sources. Applications of Bioprocesses used in Isolation and Recovery. *Current Pharmaceutical Design Journal*, 9: 1309–1323.
- Kurniawati, Irma Tri. Estiasih, Teti. (2015). Efek Antihipertensi Senyawa Bioaktif Dioscorin Pada Umbi-Umbian Keluarga Dioscorea: Kajian Pustaka. *Jurnal Pangan dan Agroindustri*, 3(2): 402–406.
- Lemone, P., Karen M.B., Gerene B. (2015) *Buku ajar Keperawatan Medikal Bedah*. Jakarta: EGC.
- Lenzen S. (2008) The Mechanism of Alloxan and Streptozotocin induced Diabetes. *J. Med. Draf.* 11: YN1123.2.
- Liang, X.M., Otani, H., Zhou, Q., Tone, Y., Fujii, R., Mune, M., Yukawa, S. dan Akizawa, T. (2007) Various Dietary Protein Intakes and Progression of Renal Failure In Spontaneuosly Hipercholesterolemic Lmai Rats. *Nephron. Experimental Nephrology*, 105(4): e98–10.
- López-Ptín, C. dan Bond, J.S. (2008) Proteases: Multifunctional enzymes in life and disease. *Journal Biology Chemistry*, 283: 30433–30437.
- Lordan, S., Ross, R.P., Stanton, C. (2011) Marine bioactives as functional food ingredients: Potential to reduce the incidence of chronic diseases. *Marine Drugs* 9(6): 1056–100.

- Madigan, M.T. dan Martinko, J.M. (2006) *Brock Biology of Microorganisms 11th* ed. Pearson Education: New Jersey.
- Mahdiana, R. (2010) *Mencegah Penyakit Kronis Sejak Dini*. Yogyakarta: Tora Book.
- Masiello, P. (2006) Animal models of type 2 diabetes with reduced pancreatic beta-cell mass. *Int. J. Biochem. Cell. Biol*, 38: 873–893.
- Masiello, P., Bergamini, E. (1977) Nicotinamide and streptozotocin diabetes in the rat. Factors influencing the effectiveness of the protection. *Experientia*, 33: 1246–1247.
- Masiello, P., Broca, C., Gross, R., Roye, M., Manteghetti, M., Hillaire-Buys, D. (1998) Experimental NIDDM: Development of a New Model in Adult Rats Administered Streptozotocin and Nicotinamide. *Diabetes*, 47: 224–229.
- Maurer, K.J. dan Quimby, F.W. (2015) chapter 34 - Animal Models in Biomedical Research. *Laboratory Animal Medicine: Third Edition (Third Edit)*. Elsevier Inc.
- Modesti A., Bertolozzi I., Gamberi T. (2005) Hyperglycemia Activates JAK2 Signaling Pathway in Human Failing Myocytes Via Angiotensin II Mediated Oxidative Stress. *Diabetes*, 394–401.
- Nakamura Y., Yamamoto N., Sakai K., Okubo A., Yamazaki S. dan Takano T. (1995) Purification and Characterization of Angiotensin I-Converting Enzyme Inhibitors from Sour Milk. *Journal of Dairy Science*, 78: 777–783.
- Nasution, Nur Azizah, Nurilmala, Mala, dan Abdullah, Asadatun (2019) Hidrolisat Kuda Laut (*Hippocampus kuda*) dan Uji Aktivitas Antiinflamasi dengan Metode Penghambatan Denaturasi Protein. *Jurnal Perikanan Universitas Gadjah Mada*, 21(1): 47–51.
- Ngo, D.H., Wijesekara, I., Vo, T.S., Ta, Q.V., Kim, S.K. (2011) Marine food-derived functional ingredients as potential antioksidan in the food industry: an overview. *Food Research International*.

- Nirmagustina, D.E. dan Chandra, U.W. (2014) Potensi susu kedelai asam (soygart) kaya bioaktif peptida sebagai antimikroba. *Jurnal Penelitian Pertanian Terapan*, 14(3): 158–166.
- Nugroho, S.W., Fauziyah, K.R., Sajuthi, D., Darusman, H.S. (2018) Profil Tekanan Darah Normal Tikus Putih (*Rattus norvegicus*) Galur Wistar dan Sprague-Dawley. *Acta Veterinaria Indonesiana*, 6(2): 32–37.
- Nurdini, A.L., Nuraida, L., Suwanto, A. dan Suliantari. (2015) Microbial growth dynamics during tempe fermentation in two different home industries. *International Food Research Journal*, 22(4): 1668–1674.
- Nurhayati, Tati, Salamah, Ella, Hidayat, Taufik. (2007) Karakteristik Hidrolisat Protein Ikan Selar (*Caranx leptolepis*) yang Diproses Secara Enzimatis. *Buletin Teknologi Hasil Perikanan*, 10(1): 23–34.
- Nurhidayati, H.R., Djunaidi. (2017) Studi Protein Ikan Kembung Segar dan Ikan Kembung Asin (*Rastrelliger Spp*) di Pasar Bungur Kabupaten Bungo Provinsi Jambi. *Jurnal Pengelolaan Sumber Daya Perairan*, 1(1).
- Pandya, K.G., Patel, M.R., Lau-Cam, C.A. (2010) Comparative study of the binding characteristics to and inhibitory potencies towards PARP and in vivo antidiabetogenic potencies of taurine, 3-aminobenzamide and nicotinamide. *J. Biomed. Sci.* 17 Suppl 1: S16.
- Perez, E., Paula, J., Nilda de, F.S.S., Jane, S.R.C., Nélío, J, de A., Renato, R.S. dan Eber, A.A.M. (2012) Bioactive Peptides: Synthesis, Properties, and Applications in the Packaging and Preservation of Food", *Comprehensive Reviews in Food Science and Food Safety*. Blackwell Publishing Inc, 11(2): 187–204.
- PERKENI (2015) Pengelolaan dan Pencegahan DM Tipe 2 di Indonesia. Jakarta: PERKENI
- Prastari, C., Yasni, S., Nurilmala, M. (2017) Karakteristik Protein Ikan Gabus yang Berpotensi sebagai Antihiperglikemik. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(2): 413–423.

- Pujiastuti, D.Y. Amin, M.N.G., Alamsjah, M.A. dan Hsu, J.L. (2019) Marine Organisms as Potential Sources of Bioactive Peptides that Inhibit the Activity of Angiotensin I-Converting Enzyme: A Review. Multidisciplinary Digital Publishing Institute. *Molecules*, 24: 2541.
- Puspitaningrum, Yeni Tri, Efendi, Erfan, dan Siswono, Tri Agus (2014) Analisis *In Vivo* Aktivitas Antihipertensi dari Protein Biji Melinjo (*Gnetum gnemon*) Terhidrolisis. e-Jurnal Pustaka Kesehatan, 2(2): 327–331.
- Putra, I.D.G.I.P., Wirawati, I.A.P., Mahartini, N.N. (2019) Hubungan kadar gula darah dengan hipertensi pada pasien diabetes mellitus tipe 2 di RSUP Sanglah. *Intisari Sains Medis*, 10(3): 796–799.
- Rauf, A., Irfan, M., Nadeem, M., Ahmed, I. dan Iqbal, H.M.N. (2010) Optimization of growth conditions for acidic protease production from *Rhizopus oligosporus* through solid state fermentation of sunflower meal. *World Academy Science Engineering Technology*, 4: 12–26.
- Rees, D.A. dan Alcolado, J.C. (2005) Animal models of diabetes mellitus. *Diabetic Medicine : A Journal of the British Diabetic Association*, 22(4): 359–370.
- Revees, Philip, G., Forrest, H., Nielsen, George, C. dan Fahey, Jr. (1993) AIN-93 Purified Diets for Laboratory Rodents: Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76A Rodent Diet. *Journal of Nutrition*, June 25, 2011
- RISKESDAS (2013) *Laporan Hasil Riset Kesehatan Dasar 2013*. Jakarta: Kemenkes RI.
- RISKESDAS (2018) *Laporan Hasil Riset Kesehatan Dasar 2018*. Jakarta: Kemenkes RI.
- Riyadi, P.H. (2018) Peptida Bioaktif untuk Penurunan Tekanan Darah dari Hidrolisa Limbah Perikanan : Kajian Pustaka. *J. Peng. & Biotek. Hasil Pi*, 7(1).

- Rumiyati, Hakim, A.R., Winarti, A.D., Septia, D.N. (2016) Uji Antihipertensi Kombinasi Ekstrak Herba Seledri, Daun Kumis Kucing dan Buah Mengkudu pada Tikus Galur Sprague Dawley Normal dan Hipertensi. *Traditional Medicine Journal*, 21(3): 149–156.
- Sadikin, M. (2002) *Biokimia Enzim*. Jakarta: Widya Medika.
- Sánchez, A. dan Vázquez, A. (2017) Bioactive peptides: A review, *Food Quality and Safety*, 1(1): 29–46.
- Saputra, N.T., Suartha, I.N., Dharmayudha, A.A.G.O. (2018) Agen Diabetagonik Streptozotocin untuk Membuat Tikus Putih Jantan Diabetes Mellitus. *Buletin Veteriner Udayana*, 10(2): 116–121.
- Sassen J.J., Carter, B.L., Hypertension. (2005) *Pharmacotherapy: A Pathophysiologic Approach*. Editor: Joseph Dipiro, Robert Talbert, Gary Yee, Gary Matzke, Barbara Wells, dan Michael Posey. *Edisi 8*. New York: Appleton and Lange, 186–217.
- Setyani, S., Nurdjanah S., Eliyana. (2017) Evaluasi Sifat Kimia Dan Sensori Tempe Kedelai-Jagung Dengan Berbagai Konsentrasi Ragi Raprima dan Berbagai Formulasi [The Evaluation of Chemical and Sensory Properties of Soybean-Corn Tempeh Fermented with Various Raprima Yeast Concentration and Formulation]. *Jurnal Teknologi Industri dan Hasil Pertanian*, 22(2).
- Steinkraus, K.H. (1983) *Handbook of Indigenous Fermented Food*. New York: Mercel Dekker.Inc.
- Stephanie, Purwadaria, T. (2013) Fermentasi substrat padat kulit singkong sebagai bahan pakan ternak unggas. *Wartazoa*, 23: 15–22.
- Steven J.A., Tommy (2019) Hipertensi Esensial: Diagnosis dan Tatalaksana Terbaru pada Dewasa. *Cermin Dunia Kedokteran*–274, 46(3).
- Subradante, Faisal, M.E., Anggraini, N.W. (2017) Peranan Stres Oksidatif pada Preeklampsia. 44(5): 353–355.

- Suhartono, M.T. (1989) *Enzim dan Bioteknologi*. Bogor: IPB Press.
- Susanto, E., Fahmi, A.S. (2012) Senyawa Fungsional dari Ikan: Aplikasinya dalam Pangan. *Jurnal Aplikasi Teknologi Pangan*, 1(4): 95–102.
- Szkudelski T. (2012) Streptozotocin-nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp. Biol. Med. (Maywood)* 237: 481–490.
- Tandra, H. (2009) *Kiss Diabetes Goodbye*. Surabaya: Jaring Pena.
- Tanto, C. dan Hustrini, N.M. (2014) Hipertensi. *Kapita Selekta Kedokteran. Essentials of Medicine, Edisi IV, II*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Teixeria L. (2011) Regular physical exercise training assists in preventing type 2 diabetes development: focus on its antioxidant and anti-inflammantory properties. *Biomedical Central Cardiovascular Diabetology*, 10(2): 1–15.
- Thariq A.S., Swastawati F., Surti, T. (2014) Pengaruh Perbedaan Konsentrasi Garam pada Peda Ikan Kembung (*Rastrelliger neglectus*) terhadap Kandungan Asam Glutamat Pemberi Rasa Gurih (Umami). *Jurnal Pengolahan dan Bioteknologi Hasil Perikanan*, 3(3): 104–111.
- Utami, N., Jumirah, Siagian, Albiner. (2013) Pengaruh Penggunaan Tempe sebagai Bahan Dasar Pembuatan Isian Burger Terhadap Komposisi Zat Gizi dan Daya Terimanya. *Jurnal Universitas Sumatera Utara: Gizi, Keseharan Reproduksi dan Epidemiologi*, 2(5).
- Utari, D.M., Rimbawan., Hadi, R., Muhilal. dan Purwastyastuti. (2010) Pengaruh Pengolahan Kedelai Menjadi Tempe dan Pemasakan Tempe Terhadap Kadar Isoflavon (*Effects Of Soybean Processing Becoming Tempeh And The Cooking Of Tempeh On Isoflavones Level*)/ PGM 2010, 33(2): 148–153.
- Webb, Jr. K.E. (1990) Intestinal Absorbption of Protein Hydrolysis Product: A Review. *Journal of Animal Science*, 68: 3011–3022.

- Wilcox, G. (2005) Insulin and Insulin Resistance. *Clinical Biochemistry Review*, Vol 26.
- Winta, A.E., Setiyorini, E., Wulandari, N.A. (2018) Hubungan Kadar Gula Darah dengan Tekanan Darah pada Lansia Penderita Diabetes Tipe 2. *Jurnal Ners dan Kebidanan*, 5(2): 163–171.
- Wu, J., Harrison, D.G. (2014) *Blood Pressure and Arterial Wall Mechanics in Cardiovascular Disease*. Springer London, London: 175 – 191.
- Yuhelma, Y.H. dan Nauli, F.A. (2013) Identifikasi dan Analisis Komplikasi Makrovaskuler dan Mikrovaskuler pada Pasien DM. *Program Studi Ilmu Keperawatan Universitas Riau*.
- Zhu, C-F., Zhang, W., Mu, B., Zhang, F., Lai, N., Zhou, J., Xu, A., Liu, J., Li, J., (2017) Effects of Marine Collagen Peptides on Glucose Metabolism and Insulin Resistance in Type 2 Diabetic Rats. *Journal Food Science Technology*, 54(8): 2260–2269.
- Zimecki, M. dan Kruzel, M.L. (2000) Systemic or Local co-administration of lactoferin with sensitizing dose of antigen enhance delayed type hypersensitivity in mice. *Immunology Letters*, 74: 183–188.