

DAFTAR PUSTAKA

- Ai, H. X., Wang, D. H., & Liao, W. H. (2006). Design and Modeling of a Magnetorheological Valve with Both Annular and Radial Flow Paths. *Journal of Intelligent Material Systems and Structures*, 17(4), 327–334. <https://doi.org/10.1177/1045389X06055283>
- Bahiuddin, I., Mazlan, S. A., Shapiai, M. I., Mohamad, N., & Imaduddin, F. (2018). A Model of Magnetorheological Grease using Machine Learning Method. *Key Engineering Materials*, 775, 191–197. <https://doi.org/10.4028/www.scientific.net/KEM.775.191>
- Boelter, R., & Janocha, H. (1997). Design rules for MR fluid actuators in different working modes. In L. P. Davis (Ed.), *Smart Structures and Materials 1997: Passive Damping and Isolation* (Vol. 3045, pp. 148–159). <https://doi.org/10.1117/12.274197>
- Carlson, J. D., & Jolly, M. R. (2000). MR fluid, foam and elastomer devices. *Mechatronics*, 10(4–5), 555–569.
- Chen, C., & Liao, W. (2012). A self-sensing magnetorheological damper with power generation. *Smart Materials and Structures*, 21(2), 025014. <https://doi.org/10.1088/0964-1726/21/2/025014>
- Choi, Y. T., Cho, J. U., Choi, S. B., & Wereley, N. M. (2005). Constitutive models of electrorheological and magnetorheological fluids using viscometers. *Smart Materials and Structures*, 14(5), 1025–1036. <https://doi.org/10.1088/0964-1726/14/5/041>
- de Vicente, J., Klingenberg, D. J., & Hidalgo-Alvarez, R. (2011). Magnetorheological fluids: a review. *Soft Matter*, 7(8), 3701. <https://doi.org/10.1039/c0sm01221a>
- Dogruoz, M. B., Wang, E. L., Gordaninejad, F., & Stipanovic, A. J. (2003). Augmenting Heat Transfer from Fail-Safe Magneto-Rheological Fluid Dampers Using Fins. *Journal of Intelligent Material Systems and Structures*, 14(2), 79–86. <https://doi.org/10.1177/1045389X03014002002>
- Ekreem, N. B. (2009). *An Investigation of Electromagnetic RIG-Oriented Strong*

Magnetic Fields. Dublin City University.

- Facey, W. B., Rosenfeld, N. C., Choi, Y.-T., Wereley, N. M., Choi, S. B., & Chen, P. (2005). Design and Testing of a Compact Magnetorheological Damper for High Impulsive Loads. *International Journal of Modern Physics B*, *19*(07n09), 1549–1555. <https://doi.org/10.1142/S0217979205030578>
- Farjoud, A., Ahmadian, M., Mahmoodi, N., Zhang, X., & Craft, M. (2011). Nonlinear modeling and testing of magneto-rheological fluids in low shear rate squeezing flows. *Smart Materials and Structures*, *20*(8), 085013. <https://doi.org/10.1088/0964-1726/20/8/085013>
- Genç, S., & Phulé, P. P. (2002). Rheological properties of magnetorheological fluids. *Smart Materials and Structures*, *11*(1), 140–146. <https://doi.org/10.1088/0964-1726/11/1/316>
- Goncalves, F. D., & Carlson, J. D. (2009). An alternate operation mode for MR fluids—magnetic gradient pinch. *Journal of Physics: Conference Series*, *149*, 012050. <https://doi.org/10.1088/1742-6596/149/1/012050>
- Gorodkin, S., Lukianovich, A., & Kordonski, W. (1998). Magnetorheological Throttle Valve in Passive Damping Systems. *Journal of Intelligent Material Systems and Structures*, *9*(8), 637–641. <https://doi.org/10.1177/1045389X9800900809>
- Grunwald, A., & Olabi, A. G. (2008). Design of magneto-rheological (MR) valve. *Sensors and Actuators A: Physical*, *148*(1), 211–223. <https://doi.org/10.1016/j.sna.2008.07.028>
- Ichwan, B., Mazlan, S. A., Imaduddin, F., Ubaidillah, Koga, T., & Idris, M. H. (2016). Development of a modular MR valve using meandering flow path structure. *Smart Materials and Structures*, *25*(3), 037001. <https://doi.org/10.1088/0964-1726/25/3/037001>
- Ido, Y., Yamaguchi, T., & Kiuchi, Y. (2011). Distribution of micrometer-size particles in magnetic fluids in the presence of steady uniform magnetic field. *Journal of Magnetism and Magnetic Materials*, *323*(10), 1283–1287. <https://doi.org/10.1016/j.jmmm.2010.11.022>
- Idris, M. H., Imaduddin, F., Ubaidillah, Mazlan, S. A., & Choi, S.-B. (2020). A

- Concentric Design of a Bypass Magnetorheological Fluid Damper with a Serpentine Flux Valve. *Actuators*, 9(1), 16. <https://doi.org/10.3390/act9010016>
- Imaduddin, F. (2015). *A Novel Magnetorheological Valve with Meandering Flow Path Structure*. Universiti Teknologi Malaysia.
- Imaduddin, F., Amri Mazlan, S., Azizi Abdul Rahman, M., Zamzuri, H., Ubaidillah, & Ichwan, B. (2014). A high performance magnetorheological valve with a meandering flow path. *Smart Materials and Structures*, 23(6), 065017. <https://doi.org/10.1088/0964-1726/23/6/065017>
- Imaduddin, F., Mazlan, S. A., Azizi, M., & Rahman, A. (2014). *A high performance magnetorheological valve with a meandering flow path*. 065017. <https://doi.org/10.1088/0964-1726/23/6/065017>
- Imaduddin, F., Mazlan, S. A., Ubaidillah, Idris, M. H., & Bahiuddin, I. (2017). Characterization and modeling of a new magnetorheological damper with meandering type valve using neuro-fuzzy. *Journal of King Saud University - Science*, 29(4), 468–477. <https://doi.org/10.1016/j.jksus.2017.08.012>
- Imaduddin, F., Mazlan, S. A., Zamzuri, H., & Yazid, I. I. M. (2015). Design and performance analysis of a compact magnetorheological valve with multiple annular and radial gaps. *Journal of Intelligent Material Systems and Structures*, 26(9), 1038–1049. <https://doi.org/10.1177/1045389X13508332>
- Jolly, M. R., Bender, J. W., & Carlson, J. D. (1999). Properties and Applications of Commercial Magnetorheological Fluids. *Journal of Intelligent Material Systems and Structures*, 10(1), 5–13. <https://doi.org/10.1177/1045389X9901000102>
- Kordonsky, W. I., Kolomentsev, A. V., Kuzmin, V. A., Luk'ianovich, A. V., Protasevich, N. A., Prokhorov, I. V., & Shulman, Z. P. (1994). *Magnetorheological valve and devices incorporating magnetorheological elements*.
- Lee, H.-S., & Choi, S.-B. (2000). Control and Response Characteristics of a Magneto-Rheological Fluid Damper for Passenger Vehicles. *Journal of Intelligent Material Systems and Structures*, 11(1), 80–87.

<https://doi.org/10.1106/412A-2GMA-BTUL-MALT>

- Lee, J. H. (1995). Combining multiple evidence from different properties of weighting schemes. *Proceedings of the 18th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval - SIGIR '95*, 180–188. <https://doi.org/10.1145/215206.215358>
- Lind, Douglas A., Marchal, William G., Wathen, S. A. (2012). *Statistical Techniques in Business & Economics* (15th ed.). McGraw-Hill/Irwin.
- Mao, M., Hu, W., Choi, Y.-T., & Wereley, N. M. (2007). A Magnetorheological Damper with Bifold Valves for Shock and Vibration Mitigation. *Journal of Intelligent Material Systems and Structures*, 18(12), 1227–1232. <https://doi.org/10.1177/1045389X07083131>
- Mazlan, S. A. bin. (2008). *The Behaviour of Magnetorheological Fluids in Squeeze Mode*. Dublin City University.
- Meeker, D. (2013). Improvised Open Boundary Conditions for Magnetic Finite Elements. *IEEE Transactions on Magnetics*, 49(10), 5243–5247. <https://doi.org/10.1109/TMAG.2013.2260348>
- Mughni, M. J. bin A. (2017). *The Behaviour of Magnetorheological Fluid Under Combination of Flow and Shear Modes*. Universiti Teknologi Malaysia.
- Nguyen, Q., Choi, S., & Wereley, N. M. (2008). Optimal design of magnetorheological valves via a finite element method considering control energy and a time constant. *Smart Materials and Structures*, 17(2), 025024. <https://doi.org/10.1088/0964-1726/17/2/025024>
- Nguyen, Q., Han, Y., Choi, S., & Wereley, N. M. (2007). Geometry optimization of MR valves constrained in a specific volume using the finite element method. *Smart Materials and Structures*, 16(6), 2242–2252. <https://doi.org/10.1088/0964-1726/16/6/027>
- Poynor, J. C., & Reinholtz, C. (2001). Innovative Designs for Magneto-Rheological Dampers. *Expedition*, 1–12.
- Rabinow, J. (1948). The Magnetic Fluid Clutch. *Transactions of the American Institute of Electrical Engineers*, 67(2), 1308–1315. <https://doi.org/10.1109/T-AIEE.1948.5059821>

- Sodeyama, H., Suzuki, K., & Sunakoda, K. (2004). Development of Large Capacity Semi-Active Seismic Damper Using Magneto-Rheological Fluid. *Journal of Pressure Vessel Technology*, 126(1), 105–109. <https://doi.org/10.1115/1.1634587>
- Susan-Resiga, D. (2009). A Rheological Model for Magneto-rheological Fluids. *Journal of Intelligent Material Systems and Structures*, 20(8), 1001–1010. <https://doi.org/10.1177/1045389X08100979>
- Wang, D. H., Ai, H. X., & Liao, W. H. (2009). A magnetorheological valve with both annular and radial fluid flow resistance gaps. *Smart Materials and Structures*, 18(11), 115001. <https://doi.org/10.1088/0964-1726/18/11/115001>
- Wang, D. H., & Liao, W. H. (2011). Magnetorheological fluid dampers: a review of parametric modelling. *Smart Materials and Structures*, 20(2), 023001. <https://doi.org/10.1088/0964-1726/20/2/023001>
- Wang, X., Gordaninejad, F., Hitchcock, G. H., Bangrakulur, K., Fuchs, A., Elkins, J., Evrensel, C. A., Dogruer, U., Ruan, S., Siino, M., & Kerns, M. Q. (2004). A new modular magnetorheological fluid valve for large-scale seismic applications. In K.-W. Wang (Ed.), *Smart Structures and Materials 2004: Damping and Isolation* (Vol. 5386, p. 226). <https://doi.org/10.1117/12.540275>
- Wereley, N. M., & Pang, L. (1998). Nondimensional analysis of semi-active electrorheological and magnetorheological dampers using approximate parallel plate models. *Smart Materials and Structures*, 7(5), 732–743. <https://doi.org/10.1088/0964-1726/7/5/015>
- Yazid, I. I. M., Mazlan, S. A., Zamzuri, H., Mughni, M. J., & Chuprat, S. (2013). Parameters Consideration in Designing a Magnetorheological Damper. *Key Engineering Materials*, 543, 487–490. <https://doi.org/10.4028/www.scientific.net/KEM.543.487>
- Yokota, S., Yoshida, K., & Kondoh, Y. (1999). A Pressure Control Valve Using MR Fluid. *Proceedings of the JFPS International Symposium on Fluid Power*, 1999(4), 377–380. <https://doi.org/10.5739/isfp.1999.377>
- Yoo, J., & Wereley, N. M. (2002). Design of a High-Efficiency Magnetorheological Valve. *Journal of Intelligent Material Systems and Structures*, 13(10), 679–

685. <https://doi.org/10.1177/1045389X02013010012>

Yoshida, K., Takahashi, H., Yokota, S., Kawachi, M., & Edamura, K. (2002). A bellows-driven motion control system using a magneto-rheological fluid. *Proceedings of the JFPS International Symposium on Fluid Power, 2002(5–2)*, 403–408. <https://doi.org/10.5739/isfp.2002.403>

Zhu, X., Jing, X., & Cheng, L. (2012). Magnetorheological fluid dampers: A review on structure design and analysis. *Journal of Intelligent Material Systems and Structures, 23(8)*, 839–873. <https://doi.org/10.1177/1045389X12436735>