

DAFTAR PUSTAKA

- [1] Menteri Riset Teknologi dan Pendidikan Tinggi Republik Indonesia, “Peraturan Menteri Riset, Teknologi, dan Pendidikan Tinggi Republik Indonesia Nomor 126 Tahun 2016 tentang Penerimaan Mahasiswa Baru Program Sarjana pada Perguruan Tinggi.” pp. 1–58, 2016, [Online]. Available: <https://jdih.ristekbrin.go.id/view-file/?id=f7156121-bc04-407d-99e8-1072494f2af9>.
- [2] Rektor Universitas Negeri Yogyakarta, “Peraturan Rektor Universitas Negeri Yogyakarta Nomor 27 Tahun 2017 tentang Prosedur Operasional Baku Penerimaan Mahasiswa Baru Universitas Negeri Yogyakarta Tahun 2018.” 2017, [Online]. Available: http://kumtala.uny.ac.id/Arsipe/PeraturanMenteri/PR_27_2017.pdf.
- [3] P. Li, F. Zhao, Y. Li, and Z. Zhu, “Law text classification using semi-supervised convolutional neural networks,” in *Proceedings of the 30th Chinese Control and Decision Conference*, 2018, pp. 309–313, doi: 10.1109/CCDC.2018.8407150.
- [4] V. Renganathan, “Text mining in biomedical domain with emphasis on document clustering,” *Healthc. Inform. Res.*, vol. 23, no. 3, pp. 141–146, 2017, doi: 10.4258/hir.2017.23.3.141.
- [5] D. Zelenika, J. Povh, and A. Dobrovoljc, “Document Categorization Based On OCR Technology : An Overview,” *Recent Adv. Inf. Sci.*, pp. 409–414, 2013.
- [6] R. Jing, “A Self-attention Based LSTM Network for Text Classification,” *J. Phys. Conf. Ser.*, vol. 1207, no. 1, 2019, doi: 10.1088/1742-6596/1207/1/012008.
- [7] A. Yenter and A. Verma, “Deep CNN-LSTM with combined kernels from multiple branches for IMDb review sentiment analysis,” in *2017 IEEE 8th Annual Ubiquitous Computing, Electronics and Mobile Communication Conference (UEMCON)*, Oct. 2017, pp. 540–546, doi: 10.1109/UEMCON.2017.8249013.
- [8] G. Liu and J. Guo, “Bidirectional LSTM with attention mechanism and convolutional layer for text classification,” *Neurocomputing*, vol. 337, pp. 325–338, 2019, doi: 10.1016/j.neucom.2019.01.078.
- [9] T. Chen, R. Xu, Y. He, and X. Wang, “Improving sentiment analysis via sentence type classification using BiLSTM-CRF and CNN,” *Expert Syst. Appl.*, vol. 72, pp. 221–230, 2017, doi: 10.1016/j.eswa.2016.10.065.

- [10] X. Niu, Y. Hou, and P. Wang, “Bi-Directional LSTM with Quantum Attention Mechanism for Sentence Modeling,” in *Conference Paper*, no. October, 2017, pp. 178–188.
- [11] W. Liu, P. Liu, Y. Yang, Y. Gao, and J. Yi, “An attention-based syntax-tree and tree-LSTM model for sentence summarization,” *Int. J. Performability Eng.*, vol. 13, no. 5, pp. 775–782, 2017, doi: 10.23940/ijpe.17.05.p20.775782.
- [12] J. Nowak, A. Taspinar, and R. Scherer, “LSTM recurrent neural networks for short text and sentiment classification,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 10246 LNAI, pp. 553–562, 2017, doi: 10.1007/978-3-319-59060-8_50.
- [13] Y. Kim, “Convolutional Neural Networks for Sentence Classification,” in *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, 2014, vol. 2017-Janua, pp. 1746–1751, doi: 10.3115/v1/D14-1181.
- [14] N. Kalchbrenner, E. Grefenstette, and P. Blunsom, “A Convolutional Neural Network for Modelling Sentences,” in *Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 2014, vol. 1, pp. 655–665, doi: 10.3115/v1/P14-1062.
- [15] G. Li and N. Li, “Customs classification for cross-border e-commerce based on text-image adaptive convolutional neural network,” *Electron. Commer. Res.*, vol. 19(4), pp. 799–800, Feb. 2019, doi: 10.1007/s10660-019-09334-x.
- [16] F. Zhu *et al.*, “Image-text dual neural network with decision strategy for small-sample image classification,” *Neurocomputing*, vol. 328, pp. 182–188, 2019, doi: 10.1016/j.neucom.2018.02.099.
- [17] M. M. Mirończuk and J. Protasiewicz, “A recent overview of the state-of-the-art elements of text classification,” *Expert Syst. Appl.*, vol. 106, pp. 36–54, 2018, doi: 10.1016/j.eswa.2018.03.058.
- [18] M. Haddoud, A. Mokhtari, T. Lecroq, and S. Abdeddaïm, “Combining supervised term-weighting metrics for SVM text classification with extended term representation,” *Knowl. Inf. Syst.*, vol. 49, no. 3, pp. 909–931, 2016, doi: 10.1007/s10115-016-0924-1.
- [19] S. Song, H. Huang, and T. Ruan, “Abstractive text summarization using LSTM-CNN based deep learning,” *Multimed. Tools Appl.*, vol. 78, no. 1, pp. 857–875, Jan. 2019, doi: 10.1007/s11042-018-5749-3.
- [20] M. Shen and H. Lei, “Improving OCR performance with background image elimination,” in *2015 12th International Conference on Fuzzy Systems and*

- Knowledge Discovery (FSKD)*, Aug. 2015, pp. 1566–1570, doi: 10.1109/FSKD.2015.7382178.
- [21] M. K. Ugale and M. S. Joshi, “Improving Optical Character Recognition for Low Resolution Images,” *IJCSN Int. J. Comput. Sci. Netw.*, vol. 6, no. 25, pp. 18–20, 2017.
 - [22] K. Taghva, T. A. Nartker, J. Borsack, S. Lumos, A. Condit, and R. Young, “Evaluating text categorization in the presence of OCR errors,” in *Proceedings of the 8th SPIE Conference on Document Recognition and Retrieval*, Dec. 2000, vol. 4307, pp. 68–74, doi: 10.1117/12.410861.
 - [23] K. Taghva, N. Thomas, and B. Julie, “Recognize, Categorize, and Retrieve,” in *Proc. of the Symposium on Document Image Understanding Technology*, 2001, pp. 227–232.
 - [24] K. Park and D.-H. Kim, “Accelerating Image Classification using Feature Map Similarity in Convolutional Neural Networks,” *Appl. Sci.*, vol. 9, no. 1, p. 108, 2018, doi: 10.3390/app9010108.
 - [25] P. Tang, X. Wang, B. Shi, X. Bai, W. Liu, and Z. Tu, “Deep FisherNet for Image Classification,” *IEEE Trans. Neural Networks Learn. Syst.*, vol. 30, no. 7, pp. 2244–2250, Jul. 2019, doi: 10.1109/TNNLS.2018.2874657.
 - [26] D. Yamakawa and N. Yoshiura, “Applying Tesseract-OCR to detection of image spam mails,” *14th Asia-Pacific Netw. Oper. Manag. Symp. “Management Big Data IoT Era”, APNOMS 2012 - Final Progr.*, vol. 1, 2012, doi: 10.1109/APNOMS.2012.6356068.
 - [27] J. Li, T. Huang, Y. Yang, and Q. Xu, “Detection and Recognition of Characters on the Surface of Metal Workpieces with Complex Background,” no. It nec, pp. 2236–2240, 2020, doi: 10.1109/itnec48623.2020.9085200.
 - [28] S. Dhiman and A. J. Singh, “Tesseract Vs Gocr A Comparative Study,” *Int. J. Recent Technol. Eng.*, no. 2, pp. 2277–3878, 2013, [Online]. Available: <http://code.google.com/p/tesseract-ocr>.
 - [29] J. Majumdar and R. Gupta, “An accuracy examination of OCR tools,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 8, no. 9 Special Issue 4, pp. 5–9, 2019, doi: 10.35940/ijitee.I1102.0789S419.
 - [30] P. Bojanowski, E. Grave, A. Joulin, and T. Mikolov, “Enriching Word Vectors with Subword Information,” *Trans. Assoc. Comput. Linguist.*, vol. 5, pp. 135–146, 2017, doi: 10.1162/tacl_a_00051.
 - [31] W. S. McCulloch and W. Pitts, “A logical calculus of the ideas immanent in nervous activity,” *Bull. Math. Biophys.*, vol. 5, pp. 115–133, 1943.

- [32] F. Rosenblatt, "The Perceptron - A Perceiving and Recognizing Automaton," *Report 85-460-1, Cornell Aeronautical Laboratory*. 1957.
- [33] Yoshua Bengio, Patrice Simard, and Paolo Frasconi, "Learning Long-term Dependencies with Gradient Descent is Difficult," *IEEE Transactions on Neural Network*, vol. 5, no. 2. p. 157, 2014, [Online]. Available: <http://www.dsi.unifi.it/~paolo/ps/tnn-94-gradient.pdf>.
- [34] S. Hochreiter and J. Schmidhuber, "Long Short-Term Memory," *Neural Comput.*, vol. 9, no. 8, pp. 1735–1780, 1997, doi: 10.1162/neco.1997.9.8.1735.
- [35] M. Schuster and K. K. Paliwal, "Bidirectional recurrent neural networks," *IEEE Trans. Signal Process.*, vol. 45, no. 11, pp. 2673–2681, 1997, doi: 10.1109/78.650093.
- [36] L. K. Halderman and C. Chiarello, "Framewise phoneme classification with bidirectional {LSTM} and other neural network architectures," *Neural Networks*, vol. 18, pp. 602–610, 2005.
- [37] Y. Lecun, L. Bottou, Y. Bengio, and P. Haffner, "Gradient-based learning applied to document recognition," *Proc. IEEE*, vol. 86, no. 11, pp. 2278–2324, 1998, doi: 10.1109/5.726791.
- [38] D. Han, Q. Liu, and W. Fan, "A new image classification method using CNN transfer learning and web data augmentation," *Expert Syst. Appl.*, vol. 95, pp. 43–56, 2018, doi: 10.1016/j.eswa.2017.11.028.
- [39] C. Goutte and E. Gaussier, "A Probabilistic Interpretation of Precision, Recall and F-Score, with Implication for Evaluation," *Lect. Notes Comput. Sci.*, vol. 3408, pp. 345–359, 2005, doi: 10.1007/978-3-540-31865-1_25.