

DAFTAR PUSTAKA

- Arseneault, L., Cannon, M., Fisher, H. L., Polanczyk, G., Moffitt, T. E., & Caspi, A. (2011). Childhood trauma and children's emerging psychotic symptoms: a genetically sensitive longitudinal cohort study. *American Journal of Psychiatry*, 168(1), 65-72.
- Bain, S. A., McGroarty, A., & Runcie, M. (2015). Coping strategies, self-esteem and levels of interrogative suggestibility. *Personality and Individual Differences*, 75, 85-89.
- Bartels-Velthuis, A. A., Van de Willige, G., Jenner, J. A., Wiersma, D., & Van Os, J. (2012). Auditory hallucinations in childhood: associations with adversity and delusional ideation. *Psychological medicine*, 42(3), 583-593.
- Byrne, B. M. (2010). *Structural equation modelling with AMOS: Basic concepts, applications and programming*. New York, NY: Routledge.
- Byron, R.A. & Byrne, D. (1991). *Social Psychology, Understanding Human Interaction, Sixth Edition*. Needham Heights: Allyn & Bacon.
- Cheung, G. W., & Resvold, R. B. (2002). Evaluating goodness of fit indexes for testing measurement invariance. *Structural Equation Modelling*, 9 (2), 233-255.
- Cohen, S., Gianaros, P. J., & Manuck, S. B. (2016). A stage model of stress and disease. *Perspectives on Psychological Science*, 11(4), 456-463.
- Crush, E., Arseneault, L., Danese, A., Jaffee, S. R., & Fisher, H. L. (2019). Using discordant twin methods to investigate an environmentally mediated pathway between social support and the reduced likelihood of adolescent psychotic experiences. *Psychological Medicine*, 1-8.
- Cunningham, E. G., Brandon, C. M., & Frydenberg, E. (2002). Enhancing coping resources in early adolescence through a school-based program teaching optimistic thinking skills. *Anxiety, Stress & Coping*, 15(4), 369-381.
- Davison, G.C., Neale, J.M., & Kring, A.M. (2010). *Psikologi Abnormal* (9th ed). Jakarta: PT Raja Grafindo Persada.
- Della. (2012). *Cognitive behavior therapy untuk meningkatkan self esteem pada mahasiswa Universitas Indonesia. (Unpublished Thesis)*. Jakarta: Fakultas Psikologi Universitas Indonesia.
- Dolphin, L., Dooley, B., Fitzgerald, A. (2015). Prevalence and correlates of psychotic like experiences in a nationally representative community sample of adolescents in Ireland. *Schizophr. Res.* 169 (1e3), 241e247. <https://doi.org/10.1016/j.schres.2015.09.005>.
- Escher, S., Romme, M., Buiks, A., Delespaul, D., & van Os, J. (2002). Independent course of childhood auditory hallucinations: A sequential 3-year follow-up study. *British Journal of Psychiatry*, 181, s10-s18.
- Eppelmann, L., Parzer, P., Lenzen, C., Bürger, A., Haffner, J., Resch, F., & Kaess, M. (2016). Stress, coping and emotional and behavioral problems among German high school students. *Mental Health & Prevention*, 4(2), 81-87.
- Ered, A., Gibson, L. E., Maxwell, S. D., Cooper, S., & Eelman, L. M. (2017). Coping as a mediator of stress and psychotic-like experiences. *European Psychiatry*, 43, 9-13.
- Ermel, J. A., Moran, E. K., Culbreth, A. J., & Barch, D. M. (2019). Psychotic like experiences as part of a continuum of psychosis: Associations with effort-based decision-making and reward responsivity. *Schizophrenia research*, 206, 307-312.

- Evans, G.J., Reid, G., Preston, P., Palmier-Claus, J., & Sellwood, W. (2015). Trauma and psychosis: the mediating role of self-concept clarity and dissociation. *Psychiatry Res.* 228(3):626–32. doi:10.1016/j.psychres.2015.04.053
- Fekih-Romdhane, F., Sassi, H., Ennaifer, S., Tira, S., & Cheour, M. (2020). Prevalence and correlates of psychotic like experiences in a large community sample of young adults in Tunisia. *Community mental health journal*, 1-13.
- Fonseca-Pedrero, E., Lemos-Giraldez, S., Paino, M., Sierra-Baigrie, S., Villazon-Garcia, U., Bobes, J., & Muniz, J. (2010). PW01-171-Coping strategies in adolescents with psychotic-like experiences. *European Psychiatry*, 25, 1592.
- Fonseca-Pedrero, E., Santaren-Rosell, M., Lemos-Giráldez, S., Paino, M., Sierra-Baigrie, S., & Muniz, J. (2011). Psychotic-like experiences in the adolescent general population. *Actas espanolas de psiquiatria*, 39(3), 155-162.
- Fowler, J.C., Allen, J.G., Oldham, J. M., & Frueh, B.C. (2013). Exposure to interpersonal trauma, attachment insecurity, and depression severity. *Journal of Affective Disorders* 149, 313–318
- Freire, T., & Ferreira, G. (2019). Do I need to be positive to be happy? Considering the role of self-esteem, life satisfaction, and psychological distress in Portuguese adolescents' subjective happiness. *Psychological Reports*. Advance online publication. <https://doi.org/10.1177/0033294119846064>
- Guindon, M.H. (2010). *Self Esteem Across The Lifespan: Issues and Intervention*. Newyork: Routledge
- Greenglass E, Fiksenbaum L, & Eaton J. (2006). The relationship between coping, social support, functional disability and depression in the elderly. *Journal of Anxiety, Stress, and Coping*, 19, 15–31.
- Greenglass, E. R. (2002). Proactive coping. In E. Frydenberg (Ed.). *Beyond coping: Meeting goals, vision, and challenges* (pp. 37-62). London: Oxford University Press.
- Greenglass, E. R., & Fiksenbaum, L. (2009). Proactive coping, positive affect, and well-being. *European Psychologist*, 14(1), 29–39. <https://doi.org/10.1027/1016-9040.14.1.29>
- Hayes, A. F. (2018). *Introduction to mediation, moderation, and conditional process analysis: A regression-based approach*. Guilford publications.
- Heatherton, T. F., & Wyland, C. L. (2003). Assessing self esteem. In S. J. Lopez, & C. R. Snyder, *Positive psychological assessment a handbook of models and Measure* (pp. 219-233). Washington DC: American Psychological Association.
- Hidayati, N. K. (2012). Pelatihan “SINERGI II” untuk meningkatkan kemampuan coping proaktif pada siswa remaja tengah. (*Unpublished Thesis*). Yogyakarta: Fakultas Psikologi Universitas Gadjah Mada.
- Holmes, T. H., & Rahe, R. H. (1967). The social readjustment rating scale. *Journal of Psychosomatic Research*, 11, 213–218.
- Horan, W. P., Ventura, J., Nuechterlein, K. H., Subotnik, K. L., Hwang, S. S., Mintz, J. (2005) Stressful life events in recent-onset schizophrenia: Reduced frequencies and altered subjective appraisals. *Schizophr Res.* 15:363–374.
- Hurlock, E.B. (2007). Psikologi perkembangan: Suatu pendekatan sepanjang rentang kehidupan (trans: Istiwidayanti et al., 5th ed). Jakarta: Erlangga.
- Jaya, E. S. (2017). Confirmatory factor analysis of the Indonesian version of Community Assessment of Psychic Experiences analisis faktor konfirmatoris dari Assesmen Komunitas terhadap Pengalaman Psikotik versi Indonesia, 21(1), 1–12. <https://doi.org/10.7454/mssh.v21i1.3495>



- Kang, M. J., Bang, M., Lee, S. Y., Lee, E., Yoo, S. W., & An, S. K. (2018). Coping styles in individuals at ultra-high risk for psychosis: Associations with cognitive appraisals. *Psychiatry Research*, 264 (June 2017), 162–168. <https://doi.org/10.1016/j.psychres.2018.03.079>
- Kaymaz, N., Drukker, M., Lieb, R., Wittchen, H. U., Werbeloff, N., Weiser, M., et al. (2012). Do subthreshold psychotic experiences predict clinical outcomes in unselected non-help-seeking population-based samples? A systematic review and meta-analysis, enriched with new results. *Psychological Medicine*, 42(11), 2239–2253.
- Kemenkes, R. I. (2018). Hasil utama RISKESDAS 2018. Online) http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Riskesdas_202018.
- Krabbendam, L., Myin-Germeys, I., Bak, M., Van, O. J. (2005). Explaining transitions over the hypothesized psychosis continuum. *Aust N Z J Psychiatry*. 39:180–186.
- Lane, A. M., Jones, L., & Stevens, M. J. (2002). Coping with failure: The effects of self-esteem and coping on changes in self-efficacy. *Journal of Sport Behavior*, 25(4), 331–345.
- Lin A, Wigman J, Nelson B, Vollebergh W, Van Os J, Baksheev G, et al. The relationship between coping and subclinical psychotic experiences in adolescents from the general population—a longitudinal study. *Psychol Med* 2011;41(12):2535–46.
- Luo, Y., Wang, H., (2009). Correlation research on psychological health impact on nursing students against stress, coping way and social support. *Nurse Educ. Today* 29 (1), 5–9.
- MacKinnon, D. P., Lockwood, C. M., Hoffman, J. M., West, S. G., & Sheets, V. (2002). A comparison of methods to test mediation and other intervening variable effects. *Psychological Methods*, 7, 83–104.
- Mayo, D., Corey, S., Kelly, L. H., Yohannes, S., Youngquist, A. L., Stuart, B. K., ... & Loewy, R. L. (2017). The role of trauma and stressful life events among individuals at clinical high risk for psychosis: a review. *Frontiers in psychiatry*, 8, 55.
- Morrison, A. P., Stewart, S. L. K., French, P., Bentall, R.P., Birchwood, M., Byrne, R., .. Dunn, G. (2013). Original Article Early Detection and intervention for people at high-risk of psychosis-2 (edie-2): trial rationale, design and baseline characteristics, (June 2010), 24–32. <https://doi.org/10.1111/j.1751-7893.2010.00254.x>
- Monks, F. J., Knoers, A. M. P., & Haditono, S. R. (2004). *Psikologi perkembangan: Pengantar dalam berbagai Bagianannya*. Yogyakarta: Gadjah Mada University Press.
- Myin-Germeys, I., van Os, J., Schwartz, J. E., Stone, A. A., & Delespaul, P. A. (2001). Emotional reactivity to daily life stress in psychosis. *Archives of general psychiatry*, 58(12), 1137–1144.
- Papalia, E. D. (2009). *Human development: Perkembangan manusia*. Jakarta: Salemba Humanika.
- Paterson, G., Power, K., Collin, P., Greirson, D., Yellowlees, A., & Park, K. (2011). A mediational model of self-esteem and social problem-solving in anorexia nervosa. *European Eating Disorders Review: The Journal of the Eating Disorders Association*, 19(2), 112–120.
- Phillips, L. J., Edwards, J., & McMurray, N. (2012). Comparison of experiences of stress and coping between young people at risk of psychosis and a non-clinical cohort, (July 2011), 69–88. <https://doi.org/10.1017/S1352465811000397>
- Phillips, L. J., Francey, S. M., Edwards, J., & McMurray, N. (2009). Strategies used by psychotic individuals to cope with life stress and symptoms of illness: a systematic review. *Anxiety, Stress, & Coping*, 22(4), 371–410.
- Pruessner, M., Iyer, S. N., Faridi, K., Joobar, R., & Malla, A. K. (2011). Stress and protective factors in individuals at ultra-high risk for psychosis, first episode psychosis and healthy controls. *Schizophrenia research*, 129(1), 29–35.

- Reeve, K.L., Shumaker, C.J., Yearwood, E.L., Crowell, N.A., Riley, J.B. (2013). Perceived stress and social support in undergraduate nursing students' educational experiences. *Nurse Educ. Today* 33 (4), 419–424.
- Robustelli, B. L., Newberry, R. E., Whisman, M. A., & Mittal, V. A. (2017). Social relationships in young adults at ultra high risk for psychosis. *Psychiatry research*, 247, 345–351.
- Rosenberg, M. (1965). *Society and the adolescent self-image*. Princeton, NJ: Princeton University Press.
- Santrock, J. W. (2007). *Perkembangan anak*. Jakarta: Erlangga, 1(2), 3.
- Sarwono, S. W. (2011). *Psikologi Remaja edisi revisi*. Jakarta: Rajawali Pers.
- Schmidt, S. J., Grunert, V. M., Schimmelmänn, B. G., Schultze-Lutter, F., & Michel, C. (2014). Differences in coping, self-efficacy, and external control beliefs between patients at-risk for psychosis and patients with first-episode psychosis. *Psychiatry research*, 219(1), 95–102.
- Schwarzer, R., Taubert, S. (2002). *Tenacious goal pursuits and striving toward personal growth*. New York: Oxford Press. pp. 19–36.
- Schwarzer, R. (2001). Stress, resources, and proactive coping. *International Association for Applied Psychology*, 50(3), 400–407
- Shakoor, S., Zavos, H. M. S., Haworth, C. M. A., McGuire, P., Cardno, A. G., Freeman, D., & Ronald, A. (2016). Association between stressful life events and psychotic experiences in adolescence: Evidence for gene–environment correlations. *British Journal of Psychiatry*, 208(06), 532–538. doi:10.1192/bjp.bp.114.159079
- Sündermann, O., Onwumere, J., Kane, F., Morgan, C., & Kuipers, E. (2014). Social networks and support in first-episode psychosis: exploring the role of loneliness and anxiety. *Social psychiatry and psychiatric epidemiology*, 49(3), 359–366.
- Tandon, N., Montrose, D., Shah, J., Rajarethinam, R. P., Diwadkar, V. A., & Keshavan, M. S. (2012). Early prodromal symptoms can predict future psychosis in familial high-risk youth. *Journal of Psychiatric Research*, 46(1), 105–110.
- Taylor, S. E., Peplau, L. A., & Sears, D. O. (2009). *Psikologi sosial*. Jakarta: Kencana Prenada Media Group.
- Thorne, K. J., Andrews, J. J. W., & Nordstokke, D. (2013). Relations among children's coping strategies and anxiety: The mediating role of coping efficacy. *The Journal of General Psychology*, 140(3), 204–223.
- van der Steen, Y., Gimpel-Drees, J., Lataster, T., Viechtbauer, W., Simons, C. J. P., Lardinois, M., ... & Myin-Germeys, I. (2017). Clinical high risk for psychosis: the association between momentary stress, affective and psychotic symptoms. *Acta Psychiatrica Scandinavica*, 136(1), 63–73.
- Van Os, J., Linscott, R. J., Myin-Germeys, I., Delespaul, P., & Krabbendam, L. J. P. M. (2009). A systematic review and meta-analysis of the psychosis continuum: evidence for a psychosis proneness–persistence–impairment model of psychotic disorder. *Psychological medicine*, 39(2), 179–195.
- Vass, V., Morrison, A. P., Law, H., Dudley, J., Taylor, P., Bennett, K. M., & Bentall, R. P. (2015). How stigma impacts on people with psychosis: The mediating effect of self-esteem and hopelessness on subjective recovery and psychotic experiences. *Psychiatry research*, 230(2), 487–495.
- Walker, E. F., Trotman, H. D., Pearce, B. D., Addington, J., Cadenhead, K. S., Cornblatt, B. A., ... Woods, S. W. (2013). Cortisol levels and risk for psychosis: Initial findings from the

- North American prodrome longitudinal study. *Biological Psychiatry*, 74(6), 410–417. <https://doi.org/https://doi.org/10.1016/j.biopsych.2013.02.016>
- Yanos, P.T., Knight, E.L, Bremer, L. (2003). A new measure of coping with symptoms for use with persons diagnosed with severe mental illness. *Psychiatr Rehabil J.* 27:168–176.
- Yung, A. R., Nelson, B., Baker, K., Buckby, J. A., Baksheev, G., & Cosgrave, E. M. (2009). Psychotic-like experiences in a community sample of adolescents: Implications for the continuum model of psychosis and prediction of schizophrenia. *Australian and New Zealand Journal of Psychiatry*, 43(2), 118–128.
- Yung, A. R., Phillips, L. J., Yuen, H. P., & McGorry, P. D. (2004). Risk factors for psychosis in an ultra high-risk group: psychopathology and clinical features. *Schizophrenia research*, 67(2-3), 131-142.
- Zabrina, S. P. & Subandi (2020). Peran bias kognitif, stressful life event, dukungan sosial terhadap psychotic like experience pada remaja. (*Unpublished Thesis*). Yogyakarta: Fakultas Psikologi Universitas Gadjah Mada.