KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG
TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akdag, B., Telci, E.A., Cavlak, U., 2013. Factors affecting cognitive function in older adults: A turkish sample. Int. J. Gerontol. 7, 137–141. https://doi.org/10.1016/j.ijge.2013.01.002

Al-moundhri, M.S., Burney, I.A., Rizivi, A., Ganguly, S.S., 2008. Measurement of circulating levels of VEGF-A , -C , and -D and their receptors , VEGFR-1 and -2 in gastric adenocarcinoma. Wprld J. Gastroenterol. 14, 3879–3883. https://doi.org/10.3748/wjg.14.3879

Alamy, M., Bengelloun, W.A., 2012. Malnutrition and brain development: An analysis of the effects of inadequate diet during different stages of life in rat. Neurosci. Biobehav. Rev. 36, 1463–1480. https://doi.org/10.1016/j.neubiorev.2012.03.009

Alexandrova, M.L., Danovska, M.P., 2016. Cognitive impairment one year after ischemic stroke : predictors and dynamics of significant determinants. Turkish J. Med. Sci. 46, 1366–1373. https://doi.org/10.3906/sag-1403-29

Alladi, S., Kaul, S., Mekala, S., 2010. Vascular cognitive impairment : Current concepts and Indian perspective. Ann. Indian Acad. Neurol. 13, 104–108. https://doi.org/10.4103/0972-2327.74254

Almodovar, C.R.D.E., Lambrechts, D., Mazzone, M., 2009. Role and Therapeutic Potential of VEGF in the Nervous System. Physiol. Rev. 89, 607–648. https://doi.org/10.1152/physrev.00031.2008.

Alonso, A., Larriva, A.P.A. de, 2016. Atrial Fibrillation, Cognitive Decline and Dementia. Eur. Cardiol. Rev. 11, 49–53. https://doi.org/10.15420/ecr.2016

Anonim, 2017. Routine Treatment [WWW Document]. NHS Shropsh. Community Heal. URL https://www.shropscommunityhealth.nhs.uk/routine-treatment (accessed 1.23.20).

Anonim, 2014. Diagnosis and classification of diabetes mellitus, Diabetes Care. https://doi.org/10.2337/dc14-S081

Anonim, 2011a. Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity, WHO. https://doi.org/2011

Anonim, 2011b. Medication Orders [WWW Document]. New Hampsh. Dep. Heal. Hum. Serv. URL https://www.dhhs.nh.gov/dcbcs/bds/nurses/documents/sectionIII.pdf (accessed 1.23.20).

Anonim, 2010. Elisa Technical Guide and Protocols. Thermo Fisher Scientific. https://doi.org/10.4028/www.scientific.net/AMM.597.421

Antzelevitch, C., Burashnikov, A., 2011. Overview of Basic Mechanisms of Cardiac Arrhythmia Charles. Card. Electrophysiol. Clin. 3, 23–45. https://doi.org/10.1016/j.ccep.2010.10.012.Overview

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Arihan, O., Wernly, B., Lichtenauer, M., Franz, M., Kabisch, B., Muessig, J., Masyuk, M., Lauten, A., Schulze, P.C., Hoppe, U.C., Kelm, M., Jung, C., 2018. Blood Urea Nitrogen (BUN) is independently associated with mortality in critically ill patients admitted to ICU. PLoS One 13, 1–10. https://doi.org/10.1371/journal.pone.0191697

Assem, M., Lando, M., Grissi, M., Kamel, S., Massy, Z.A., Chillon, J., Lucie, H., 2018. The Impact of Uremic Toxins on Cerebrovascular and Cognitive Disorders. Toxins (Basel). 10, 1–25. https://doi.org/10.3390/toxins10070303

Astuti, 2010. Hidup Bahagia Bersama Penderita Demensia. Pustaka Cendekia Press, Yogyakarta.

Bain, A., 2018. Antiplatelet use in practice. Br. J. Card. Nurs. 13, 272–278. https://doi.org/10.12968/bjca.2018.13.6.272

Bathina, S., Das, U.N., 2015. Brain-derived neurotrophic factor and its clinical Implications. Arch. Med. Sci. 11, 1164–1178. https://doi.org/10.5114/aoms.2015.56342

Beghe, C., Wilson, A., Ershler, W.B., 2004. Prevalence and Outcomes of Anemia in Geriatrics : A Systematic Review of the Literature. Am. J. Med. 12, 3–10. https://doi.org/10.1016/j.amjmed.2003.12.009

Begum, H., Li, B., Shui, G., Cazenave-Gassiot, A., Soong, R., Ong, R.T.H., Little, P., Teo, Y.Y., Wenk, M.R., 2016. Discovering and validating between-subject variations in plasma lipids in healthy subjects. Sci. Rep. 6, 1–9. https://doi.org/10.1038/srep19139

Billet, H.H., 1990. Hemoglobin and Hematocrit, in: Walker, H., Hall, W., Hurst, W. (Eds.), The History, Physical, and Laboratory Examinations. Butterworths, Boston, pp. 718–719. https://doi.org/10.1097/00000542-196707000-00028

Birk, D.M., Barbato, J., Mureebe, L., Chaer, R.A., Birk, D.M., Barbato, J., Mureebe, L., Chaer, R.A., 2009. Current Insights on the Biology and Clinical Aspects of VEGF Regulation. Vasc. Endovascular Surg. 42, 517–529. https://doi.org/10.1177/1538574408322755

Brien, J.T.O., Thomas, A., 2015. Vascular dementia. Lancet 386, 1698–1706. https://doi.org/10.1016/S0140-6736(15)00463-8

Bronas, U.G., Puzantian, H., Hannan, M., 2017. Cognitive impairment in chronic kidney disease: Vascular milieu and the potential therapeutic role of exercise. Biomed Res. Int. https://doi.org/10.1155/2017/2726369

Broome, L.J., Battle, C.E., Lawrence, M., Evans, P.A., Dennis, M.S., 2016. Cognitive Outcomes following Thrombolysis in Acute Ischemic Stroke: A Systematic Review. J. Stroke Cerebrovasc. Dis. 25, 2868–2875. https://doi.org/10.1016/j.jstrokecerebrovasdis.2016.07.048

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Brzezinski, W.A., 1990. Blood pressure, in: Walker, H., Hall, W., Hurst, J. (Eds.), The History, Physical, and Laboratory Examinations. Butterworths, Boston, pp. 95–97. https://doi.org/10.7748/ns.18.35.22.s25

Budni, J., Bellettini-Santos, T., Mina, F., Garcez, M.L., Zugno, A.I., 2015. The involvement of BDNF, NGF and GDNF in aging and Alzheimer's disease. Aging Dis. 6, 331–341. https://doi.org/10.14336/AD.2015.0825

Bugnicourt, J.M., Godefroy, O., Chillon, J.M., Choukroun, G., Massy, Z.A., 2013. Cognitive disorders and dementia in CKD: The neglected kidney-brain axis. J. Am. Soc. Nephrol. 24, 353–363. https://doi.org/10.1681/ASN.2012050536

Burton, L., Tyson, S.F., 2015. Screening for Cognitive Impairment after Stroke A Systematic Review of Psychometric Properties and Clinical Utility. J. Rehabil. Med. 47, 193–203.

Bus, B.A.A., Molendijk, M.L., Penninx, B.J.W.H., Buitelaar, J.K., Kenis, G., Prickaerts, J., Elzinga, B.M., Voshaar, R.C.O., 2011. Determinants of serum brain-derived neurotrophic factor. Psychoneuroendocrinology 36, 228–239. https://doi.org/10.1016/j.psyneuen. 2010.07.013

Caplan, L., 2009. Caplan's Stroke, 4th ed. Elsevier Saunders, Philadelphia.

Caraceni, P., Tufoni, M., Bonavita, M.E., 2013. Clinical use of albumin. Blood Transfus. 11, 18–25. https://doi.org/10.2450/2013.005s

Cardoso, S., Correia, S.C., Santos, R.X., Carvalho, C., Candeias, E., Duarte, A.I., Plácido, A.I., Santo, M.S., Moreira, P.I., 2013. Hyperglycemia, hypoglycemia and dementia : role of mitochondria and uncoupling proteins . Hyperglycemia , Hypoglycemia and Dementia : Role of Mitochondria. Curr. Mol. Med. 1–16. https://doi.org/10.2174/1566524011313040010

Carlino, D., De Vanna, M., Tongiorgi, E., 2013. Is altered BDNF biosynthesis a general feature in patients with cognitive dysfunctions? Neuroscientist 19, 345–353. https://doi.org/10.1177/1073858412469444

Castel, H., Denouel, A., Lange, M., Tonon, M., 2017. Biomarkers Associated with Cognitive Impairment in Treated Cancer Patients : Potential Predisposition and Risk Factors. Front. Pharmacol. 8, 138–156. https://doi.org/10.3389/fphar.2017.00138

Celutkiene, J., Vaitkevicius, A., Jakštiene, S., Jatuzis, D., 2016. Cognitive Decline in Heart Failure: More Attention is Needed. Card. Fail. Rev. 2, 106–109. https://doi.org/10.15420/cfr.2016

Chan, A., Yan, J., Csurhes, P., Greer, J., McCombe, P., 2015. Circulating brain derived neurotrophic factor (BDNF) and frequency of BDNF positive T cells in peripheral blood in human ischemic stroke: Effect on outcome. J. Neuroimmunol. 286, 42–47. https://doi.org/10.1016/j.jneuroim.2015.06.013

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Chemerinski, E., Robinson, R.G., Kosier, J.T., 2001. Improved recovery in activities of daily living associated with remission of poststroke depression. Stroke 32, 113–117. https://doi.org/10.1161/01.STR.32.1.113

Chen, X., Duan, L., Han, Y., Tian, L., Dai, Q., Wang, S., Lin, Y., 2016a. Predictors for vascular cognitive impairment in stroke patients. BMC Neurol. 16, 1–8. https://doi.org/10.1186/s12883-016-0638-8

Chen, X., Duan, L., Han, Y., Tian, L., Dai, Q., Wang, S., Lin, Y., Xiong, Y., Liu, X., 2016b. Predictors for vascular cognitive impairment in stroke patients. BMC Neurol. 16, 1–8. https://doi.org/10.1186/s12883-016-0638-8

Cheniti, G., Vlachos, K., Pambrun, T., Hooks, D., Frontera, A., Takigawa, M., Bourier, F., Kitamura, T., Lam, A., Martin, C., Dumas-Pommier, C., Puyo, S., Pillois, X., Duchateau, J., Klotz, N., Denis, A., Derval, N., Jais, P., Cochet, H., Hocini, M., Haissaguerre, M., Sacher, F., 2018. Atrial fibrillation mechanisms and implications for catheter ablation. Front. Physiol. 9, 1–24. https://doi.org/10.3389/fphys.2018.01458

Chiti, G., Pantoni, L., 2014. Use of montreal cognitive assessment in patients with stroke. Stroke 45, 3135–3140. https://doi.org/10.1161/STROKEAHA.114.004590

Cho, H.S., Cha, H.G., 2016. A content analysis of stroke physical therapy intervention using stroke physiotherapy intervention recording tool. J. Phys. Ther. Sci. 28, 1547–1551. https://doi.org/10.1589/jpts.28.1547

Chui, H., Skoog, I., 2006. Advances in Vascular Cognitive Impairment 2005. Stroke 37, 323–325. https://doi.org/10.1161/01.STR.0000200556.18993.9a

Coco, D. Lo, Lopez, G., Corrao, S., 2016. Cognitive impairment and stroke in elderly patients. Vasc. Health Risk Manag. 12, 105–116. https://doi.org/10.2147/VHRM.S75306

da Matta, S.M., Janaina Matos, M., Kummer, A.M. el. E., Barbosa, I.G. uimarãe., Teixeira, A.L., Silva, A.C. ristin. S.E., 2013. Cognitive alterations in chronic kidney disease: an update. J. Bras. Nefrol. ′orgão Of. Soc. Bras. e Latino-Americana Nefrol. 36, 241–245. https://doi.org/10.5935/0101-2800.20140035

Dahlan, M.S., 2014. Statistik Untuk Kedokteran Dan Kesehatan, 6th ed. Epidemiologi Indonesia, Jakarta.

Davis, J.P., Wong, A.A., Schluter, P.J., Henderson, R.D., O'Sullivan, J.D., Read, S.J., 2004. Impact of premorbid undernutrition on outcome in stroke patients. Stroke 35, 1930–1934. https://doi.org/10.1161/01.STR.0000135227.10451.c9

Demir, E.Y., Özcan, T., 2015. Evaluating the relationship between education level and cognitive impairment with the Montreal Cognitive Assessment Test. Psychogeriatrics 15, 186–190. https://doi.org/10.1111/psyg.12093

KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG
TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Demir, M., Gürol, A.O., Özyiğit, R.T., Üresin, A.Y., 2016. Effects of Blood Pressure Lowering with Different Antihypertensive Agents on Cognitive Function and Plasma Brain-derived Neurotrophic Factor Levels: A Comparative Study. J. Cardiovasc. Pharmacol. 67, 538–543. https://doi.org/10.1097/FJC.0000000000000377

Dichgans, M., Leys, D., 2017. Vascular Cognitive Impairment. Circ. Res. 120, 573–591. https://doi.org/10.1161/CIRCRESAHA.116.308426

Dichgans, M., Zietemann, V., 2012. Prevention of Vascular Cognitive Impairment. Stroke 43, 3137–3146. https://doi.org/10.1161/STROKEAHA.112.651778

Dlugaj, M., Winkler, A., Weimar, C., Jan, D., Dragano, N., Moebus, S., 2016. Anemia and Mild Cognitive Impairment in the German General Population. J. Alzheimer's Dis. 49, 1031–1042. https://doi.org/10.3233/JAD-150434

Drew, D.A., Weiner, D.E., Sarnak, M.J., 2019. Cognitive Impairment in CKD: Pathophysiology, Management, and Prevention. Am. J. Kidney Dis. 74, 782–790. https://doi.org/10.1053/j.ajkd.2019.05.017

Erickson, K.I., Prakash, R.S., Voss, M.W., Chaddock, L., Heo, S., McLaren, M., Pence, B.D., Martin, S.A., Vieira, V.J., Woods, J.A., McAuley, E., Kramer, A.F., 2010. Brain-derived neurotrophic factor is associated with age-related decline in hippocampal volume. J. Neurosci. 30, 5368–5375. https://doi.org/10.1523/JNEUROSCI.6251-09.2010

Estrella-Castillo, D.F., Alvarez-Nemegyei, J., Gomez-De-Regil, L., 2016. Association between body mass index with cognitive or physical functioning, and depression in Mexican elderly: A cross-sectional study. Neuropsychiatry (London). 6, 271–279. https://doi.org/10.4172/Neuropsychiatry.1000149

Etgen, T., 2015. Kidney disease as a determinant of cognitive decline and dementia. Alzheimer's Res. Ther. 7. https://doi.org/10.1186/s13195-015-0115-4

Eyileten, C., Mirowska-Guzel, D., Milanowski, L., Zaremba, M., Rosiak, M., Cudna, A., Kaplon-Cieslicka, A., Opolski, G., Filipiak, K.J., Malek, L., Postula, M., 2019. Serum Brain-Derived Neurotrophic Factor is Related to Platelet Reactivity and Metformin Treatment in Adult Patients With Type 2 Diabetes Mellitus. Can. J. Diabetes 43, 19–26. https://doi.org/10.1016/j.jcjd.2018.01.014

Farhana, K.M., Wibowo, S., 2014. Efektifitas ekstrak pegagan 750 mg dan 1000 mg dibanding asam folat 3 mg terhadap perbaikan skor montreal cognitif assesment (moca-ina) pasien gangguan kognitif pascastroke infark. UNiversitas Gadjah Mada.

Farkas, E., Luiten, P.G.M., Bari, F., 2007. Permanent , bilateral common carotid artery occlusion in the rat : A model for chronic cerebral hypoperfusion-related neurodegenerative diseases. Brain Researh Rev. 54, 162–180. https://doi.org/10.1016/j.brainresrev.2007.01.003

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Feng, L., Ng, X.-T., Yap, P., Li, J., Lee, T.-S., Hakansson, K., Kua, E.-H., Ng, T.-P., 2014. Marital Status and Cognitive Impairment among Community-Dwelling Chinese Older Adults: The Role of Gender and Social Engagement. Dement. Geriatr. Cogn. Dis. Extra 4, 375–384. https://doi.org/10.1159/000358584

Figueroa, M.S., Peters, J.I., 2006. Congestive heart failure: Diagnosis, pathophysiology, therapy, and implications for respiratory care. Respir. Care 51, 403–412.

Flaker, G.C., Pogue, J., Yusuf, S., Pfeffer, M.A., Goldhaber, S.Z., Granger, C.B., Anand, I.S., Hart, R., Connolly, S.J., 2010. Cognitive function and anticoagulation control in patients with atrial fibrillation. Circ. Cardiovasc. Qual. Outcomes 3, 277–283. https://doi.org/10.1161/CIRCOUTCOMES.109.884171

Florkowski, C., 2013. HbA1c as a diagnostic test for diabetes mellitus - Reviewing the evidence. Clin. Biochem. Rev. 34, 75–83.

Frey, J.L., 2005. Recombinant tissue plasminogen activator (rtPA) for stroke: The perspective at 8 years. Neurologist 11, 123–133. https://doi.org/10.1097/01.nrl.0000156205.66116.84

Gannon, O.J., Robison, L.S., Custozzo, A.J., Zuloaga, K.L., 2019. Sex differences in risk factors for vascular contributions to cognitive impairment & dementia. Neurochem. Int. 127, 38–55. https://doi.org/10.1016/j.neuint.2018.11.014

Gillebert, C.R., Humphreys, G.W., Mantini, D., 2014. Automated delineation of stroke lesions using brain CT images. NeuroImage Clin. 4, 540–548. https://doi.org/10.1016/j.nicl.2014.03.009

Global Initiative for Asma, 2019. Pocket Guide for Asma Management an Precention. Glob. Initiat. Asma 1–32.

Glud, M., Christiansen, T., Larsen, L.H., Richelsen, B., Bruun, J.M., 2019. Changes in Circulating BDNF in relation to Sex, Diet, and Exercise: A 12-Week Randomized Controlled Study in Overweight and Obese Participants. J. Obes. 2019. https://doi.org/10.1155/2019/4537274

Gorelick, P.B., Scuteri, A., Black, S.E., DeCarli, C., Greenberg, S.M., 2011. Vascular Contributions to Cognitive Impairment and Dementia: A Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. Stroke 42, 2672–2713. https://doi.org/10.1161/STR.0b013e3182299496.Vascular

Gottesman, R.F., Sojkova, J., Beason-held, L.L., An, Y., Longo, D.L., Ferrucci, L., Resnick, S.M., 2012. Patterns of Regional Cerebral Blood Flow Associated With Low Hemoglobin in the Baltimore Longitudinal Study of Aging. J. Gerontol. 67, 963–969. https://doi.org/10.1093/gerona/gls121

KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG
TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Hajian-Tilaki, K., 2014. Sample size estimation in diagnostic test studies of biomedical informatics. J. Biomed. Inform. 48, 193–204. https://doi.org/10.1016/j.jbi.2014.02.013

Hamilton, M., 1960. A Rating Scale for Depression. Br. J. Psychiatry 23, 56–62. https://doi.org/10.1192/bjp.bp.107.040485

Han, K.T., Park, E.C., Kim, J.H., Kim, S.J., Park, S., 2014. Is marital status associated with quality of life? Health Qual. Life Outcomes 12, 1–10. https://doi.org/10.1186/s12955-014-0109-0

Hayani, N., 2014. Hubungan Dukungan Sosial dengan Tingkat Depresi Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis di RSUD Kota Medan, Sumatera Utara. Universitas Sumatera Utara.

He, Q., Li, Q., Zhao, J., Wu, T., Ji, L., Huang, G., Ma, F., 2016. Relationship between plasma lipids and mild cognitive impairment in the elderly Chinese: A case-control study. Lipids Health Dis. 15, 1–8. https://doi.org/10.1186/s12944-016-0320-6

Hidayat, A., Arief, M., Wijaya, A., As'ad, S., 2016. Vascular Endothelial Growth Factor and Brain-Derived Neurotrophic Factor Levels in Ischemic Stroke Subject. Indones. Biomed. J. 8, 115–118. https://doi.org/10.18585/inabj.v8i2.206

Hohman, T.J., Bell, S.P., Jefferson, A.L., 2016. The Role of Vascular Endothelial Growth Factor in Neurodegeneration and Cognitive Decline: Exploring Interactions with Biomarkers of Alzheimer's Disease Timothy. JAMA Neurol. 72, 520–529. https://doi.org/10.1001/jamaneurol.2014.4761.The

Hosten, A.O., 1990. BUN and Creatinine, in: Walker, H., Hall, W., Hurst, W. (Eds.), The History, Physical, and Laboratory Examinations. Butterworths, Boston, pp. 874–878. https://doi.org/10.7326/0003-4819-113-7-563_2

Huang, L., Jia, J., Liu, R., 2013. Decreased serum levels of the angiogenic factors VEGF and TGF-β1 in Alzheimer ' s disease and amnestic mild cognitive impairment. Neurosci. Lett. 550, 60–63. https://doi.org/10.1016/j.neulet.2013.06.031

Huang, Y., Yang, S., Jia, J., 2015. Factors related to long-term post-stroke cognitive impairment in young adult ischemic stroke. Med. Sci. Monit. 21, 654–660. https://doi.org/10.12659/MSM.892554

Irani, F., Barbone, J.M., Beausoleil, J., Gerald, L., Irani, F., Barbone, J.M., Beausoleil, J., Gerald, L., Irani, F., 2017. Is asma associated with cognitive impairments ? A meta-analytic review. J. Clin. Exp. Neuropsychol. 00, 1–14. https://doi.org/10.1080/13803395.2017.1288802

Ivanov, A., Mohamed, A., Korniyenko, A., 2015. Permissive hypertension in acute ischemic stroke: is it a myth or reality? J. Am. Coll. Cardiol. 65, A1344. https://doi.org/10.1016/S0735-1097(15)61344-4

KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG
TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Jacobson, T.A., Ito, M.K., Maki, K.C., Orringer, C.E., Bays, H.E., Jones, P.H., McKenney, J.M., et al. (2015), "National Lipid Association recommendations for patient-centered management of dyslipidemia: Part 1 - Full report", *Journal of Clinical Lipidology*, Elsevier Inc, Vol. 9 No. 2, pp. 129–169.

Janelidze, S., Francardo, V., Hall, S., Zetterberg, H., Adler, C.H., Beach, T.G., Westen, D. Van, 2015. Increased CSF biomarkers of angiogenesis in Parkinson disease. Neurology 85, 1–9.

Janelidze, S., Hertze, J., Nägga, K., Nilsson, K., Nilsson, C., Wennström, M., Westen, D. Van, Blennow, K., Zetterberg, H., Hansson, O., 2016. Increased blood-brain barrier permeability is associated with dementia and diabetes, but not amyloid pathology or APOE genotype. Neurobiol. Aging. https://doi.org/10.1016/j.neurobiolaging.2016.11.017

Joe, K.H., Kim, Y.K., Kim, T.S., Roh, S.W., Choi, S.W., Kim, Y.B., Lee, H.J., Kim, D.J., 2007. Decreased plasma brain-derived neurotrophic factor levels in patients with alcohol dependence. Alcohol. Clin. Exp. Res. 31, 1833–1838. https://doi.org/10.1111/j.1530-0277.2007.00507.x

John, U., Hanke, M., Rumpf, H.J., Thyrian, J.R., 2005. Smoking status, cigarettes per day, and their relationship to overweight and obesity among former and current smokers in a national adult general population sample. Int. J. Obes. 29, 1289–1294. https://doi.org/10.1038/sj.ijo.0803028

Juan, S.M.., Adlard, P.A., 2019. Ageing and Cognition, in: Harris, J.R., Korolchuk, V.I. (Eds.), Biochemistry and Cell Biology of Ageing: Part II Clinical Science. Springer, Singapore, pp. 107–122. https://doi.org/10.1007/978-981-13-3681-2

Julayanont, P., Phillips, N., Chertkow, H., Nasreddine, Z.S., 2013. Cognitive Screening Instruments, in: Larner, A.J. (Ed.), Cognitive Screening Instruments. Springer-Verlag, London, pp. 113–151. https://doi.org/10.1007/978-1-4471-2452-8

K.E., X., Zhang, J.,2012. Changes in HIF-1α, VEGF, NGF, and BDNF Levels in Cerebrospinal Fluid And Their Relationship with Cognitive Impairment in Patients with Cerebral Infarction.Wuhan University.pdf. J. Huazhong Univ. Sci. Technol. 33, 433–437.

Kalaria, R., Akinyemi, R., Ihara, M., 2016. Stroke injury, Cognitive Impairment, and Vascular Dementia. Biochem. Biophys. - Mol. Basis Dis. 1862, 915–925.

Kang, J., Bae, H., Choi, Y., Lee, S.H., Shin, H.I., 2016. Length of Hospital Stay After Stroke : A Korean Nationwide Study. Ann. Rehabil. Med. 40, 675–681.

Kavirahan, H. and Schneider, L.S. (2007), "Efficacy and adverse effects of cholinesterase inhibitors and memantine in vascular dementia: a meta-analysis of randomised controlled trials", *The Lancet Neurology*, Vol. 6 No. 9, pp. 782–789.

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Kementerian Kesehatan RI, 2018. Riset Kesehatan Dasar (RISKESDAS) 2018. Jakarta. https://doi.org/10.1088/1751-8113/44/8/085201

Kessels, R.P.C., Eikelboom, W.S., Schaapsmeerders, P., Maaijwee, N.A.M., Arntz, R.M., Van Dijk, E.J., De Leeuw, F.E., 2017. Effect of Formal Education on Vascular Cognitive Impairment after Stroke: A Meta-analysis and Study in Young-Stroke Patients. J. Int. Neuropsychol. Soc. 23, 223–238. https://doi.org/10.1017/S1355617716001016

Khan, A., Kalaria, R.N., Corbett, A., Ballard, C., 2016. Update on Vascular Dementia. J. Geriatr. Psychiatry Neurol. 29, 281–301. https://doi.org/10.1177/0891988716654987

Kim, O.J., Hong, S.H., OH, S.H., Kim, T.G., Min, K.T., Oh, D., Kim, N.K., 2011. Association Between VEGF Polymorphisms and Homocysteine Levels in Patients With Ischemic Stroke and. Stroke 42, 2393–2402. https://doi.org/10.1161/STROKEAHA.110.607739

Kim, S., Kim, Y., Park, S.M., 2016. Body mass index and decline of cognitive function. PLoS One 11, 1–14. https://doi.org/10.1371/journal.pone.0148908

Kishi, T., Hirooka, Y., Sunagawa, K., 2012. Telmisartan protects against cognitive decline via up-regulation of brain-derived neurotrophic factor/tropomyosin-related kinase B in hippocampus of hypertensive rats. J. Cardiol. 60, 489–494. https://doi.org/10.1016/j.jjcc.2012.08.004

Knopman, D., Boland, L.L., Mosley, T., Howard, G., Liao, D., Szklo, M., McGovern, P., Folsom, A.R., 2001. Cardiovascular risk factors and cognitive decline in middle-aged adults. Neurology 56, 42–48. https://doi.org/10.1212/WNL.56.1.42

Koenig, H.G., 2012. Religion, Spirituality, and Health: The Research and Clinical Implications. ISRN Psychiatry 2012, 1–33. https://doi.org/10.5402/2012/278730

Kramer, A.H., Zygun, D.A., 2009. Anemia and red blood cell transfusion in neurocritical care. Crit. Care 13, 1–22. https://doi.org/10.1186/cc7916

Krishnan, S., Pappadis, M.R., Weller, S.C., Stearnes, M., Kumar, A., Ottenbacher, K.J., Reistetter, A., 2017. Needs of stroke survivors as perceived by their caregivers: A scoping. Am. J. Phys. Med. Rehabil. 96, 487–505. https://doi.org/10.1097/PHM.0000000000000717.Needs

Kuo, Y.T., Li, C.Y., Sung, J.M., Chang, C.C., Wang, J. Der, Sun, C.Y., Wu, J.L., Chang, Y.T., 2019. Risk of dementia in patients with end-stage renal disease under maintenance dialysis - A nationwide population-based study with consideration of competing risk of mortality. Alzheimer's Res. Ther. 11, 1–12. https://doi.org/10.1186/s13195-019-0486-z

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Lalithambika, C.V., Arun, C.S., Saraswathy, L.A., Bhaskaran, R., 2019. Cognitive Impairment and its Association with Glycemic Control in Type 2 Diabetes Mellitus Patients. Indian J. Endocrinol. Metab. 23, 353–356. https://doi.org/10.4103/ijem.IJEM

Landis, J.R., Koch, G.G., 1977. The Measurement of Observer Agreement for Categorical Data Data for Categorical of Observer Agreement The Measurement. Biometrics 33, 159–174.

Lange, C., Storkebaum, E., De Almodóvar, C.R., Dewerchin, M., Carmeliet, P., 2016. Vascular endothelial growth factor: A neurovascular target in neurological diseases. Nat. Rev. Neurol. 12, 439–454. https://doi.org/10.1038/nrneurol.2016.88

Larsen, P., 2012. Monitorung Blood Viscosity to Improve Cognitive Function [WWW Document]. Clin. Trop. URL https://wanp.org/Author/Pushpalarsen-2/ (accessed 1.21.20).

Lasek-bal, A., Duława, J., Lewin-kowalik, J., 2015. Low Concentration of BDNF in the Acute Phase of Ischemic Stroke as a Factor in Poor Prognosis in Terms of Functional Status of Patients. Med. Sci. 21, 3900–3905. https://doi.org/10.12659/MSM.895358

Laske, C., Stellos, K., Hoffmann, N., Stransky, E., Straten, G., Eschweiler, G.W., Leyhe, T., 2011. Higher BDNF serum levels predict slower cognitive decline in Alzheimer's disease patients. Int. J. Neuropsychopharmacol. 14, 399–404. https://doi.org/10.1017/S1461145710001008

Lee, A.J., Mowbray, P.I., Lowe, G.D.O., Rumley, A., Fowkes, F.G.R., Allan, P.L., 1998. Blood Viscosity and Elevated Carotid Intima-Media Thickness in Men and Women The Edinburgh Artery Study. Circulation 97, 1467–1473.

Lee, S., Lee, K., Kim, Y., Kim, S.H., Koh, S., Lee, Y.J., 2010. Serum VEGF levels in acute ischaemic strokes are correlated with long-term prognosis. Eur. J. Neurol. 17, 45–51. https://doi.org/10.1111/j.1468-1331.2009.02731.x

Levada, O.A., Cherednichenko, N. V., Trailin, A. V., Troyan, A.S., 2016. Plasma Brain-Derived Neurotrophic Factor as a Biomarker for the Main Types of Mild Neurocognitive Disorders and Treatment Efficacy: A Preliminary Study. Dis. Markers 2016. https://doi.org/10.1155/2016/4095723

Levey, A.S., Perrone, R.D., Madias, N.E., 1988. SERUM CREATININE AND RENAL FUNCTION. Annu. Rev. Med. 39, 465–490. https://doi.org/10.15779/Z38B58P

Levine, D.A., Kabeto, M., Langa, K.M., Lisabeth, L.D., Rogers, M.A.M., Galecki, A.T., 2015. Does Stroke Contribute to Racial Differences in Cognitive Decline? Stroke 46, 1897–1902. https://doi.org/10.1161/STROKEAHA.114.008156

KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG
TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Levine, D.A., Wadley, V.G., Langa, K.M., Unverzagt, F.W., Kabeto, M.U., Giordani, B., Howard, G., Howard, V.J., Cushman, M., Judd, S.E., Galecki, A.T., 2018. Risk factors for poststroke cognitive decline: The REGARDS study (reasons for geographic and racial differences in stroke). Stroke 49, 987–994. https://doi.org/10.1161/STROKEAHA.117.018529

Li, R., Wang, T.J., Lyu, P.Y., Liu, Y., Chen, W.H., Fan, M.Y., Xu, J., 2018. Effects of Plasma Lipids and Statins on Cognitive Function. Chin. Med. J. (Engl). 131, 471–476. https://doi.org/10.4103/0366-6999.225062

Lim, J.U., Lee, J.H., Kim, J.S., Hwang, Y. Il, Kim, T., Yong, S., Yoo, K.H., 2017. Comparison of World Health Organization and Asia-Pacific Body Mass Index Classifications in Copd Patient. Respirology 22, 4–4. https://doi.org/10.1111/resp.13206

Lip, G.Y.H., Keshishian, A., Li, X., Hamilton, M., Masseria, C., Gupta, K., Luo, X., Mardekian, J., Friend, K., Nadkarni, A., Pan, X., Baser, O., Deitelzweig, S., 2018. Effectiveness and safety of oral anticoagulants among nonvalvular atrial fibrillation patients: The ARISTOPHANES study. Stroke 49, 2933–2944. https://doi.org/10.1161/STROKEAHA.118.020232

Lip, P.L., Felmeden, D.C., Blann, A.D., Matheou, N., Thakur, S., Cunliffe, I.A., Lip, G.Y.H., 2002. Plasma vascular endothelial growth factor, soluble VEGF receptor FLT-1, and von Willebrand factor in glaucoma. Br. J. Ophthamology 86, 1299–1302.

Loebig, M., Klement, J., Schmoller, A., Betz, S., Heuck, N., Schweiger, U., Peters, A., Schultes, B., Oltmanns, K.M., 2010. Evidence for a relationship between VEGF and BMI independent of insulin sensitivity by glucose clamp procedure in a homogenous group healthy young men. PLoS One 5, 1–5. https://doi.org/10.1371/journal.pone.0012610

Lyden, P., 2017. Using the National Institutes of Health Stroke Scale A Cautionary Tale. Stroke 48, 513–519. https://doi.org/10.1161/STROKEAHA.116.015434

M.B., K., K., V., K.M., D., Md.N., H., 2016. Increased brain derived neurotrophic factor (BDNF) and vascular endothelial growth (VEGF) after long term remote ischemic conditioning (RIC): Possible role in neurovascular plasticity during vascular cognitive impairment (VCI). Stroke 47, 1–5.

Malakar, A.K., Choudhury, D., Halder, B., Paul, P., Uddin, A., Chakraborty, S., 2019. A review on coronary artery disease, its risk factors, and therapeutics. J. Cell. Physiol. 234, 1–12. https://doi.org/10.1002/jcp.28350

Marden, J.R., Mayeda, E.R., Tchetgen, E.J., Kawachi, I., Glymour, M.M., 2018. High Hemoglobin A1c and Diabetes Predict Memory Decline in the Health and Retirement Study. Azheimer Dis. Assoc. Disord. 31, 48–54. https://doi.org/10.1097/WAD.0000000000000182.High

KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG
TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Maria, S., Brucki, D., Freitas, G.R. De, Massaro, A.R., Schultz, R.R., Dementia, V., 2011. Treatment of vascular dementia. Dement. Neuropsychol. 5, 275–287. https://doi.org/10.1590/S1980-57642011DN05040005

Matyas, N., Keser Aschenberger, F., Wagner, G., Teufer, B., Auer, S., Gisinger, C., Kil, M., Klerings, I., Gartlehner, G., 2019. Continuing education for the prevention of mild cognitive impairment and Alzheimer's-type dementia: A systematic review and overview of systematic reviews. BMJ Open 9, 1–10. https://doi.org/10.1136/bmjopen-2018-027719

Medford-Davis, L.N., Fonarow, G.C., Bhatt, D.L., Xu, H., Smith, E.E., Suter, R., Peterson, E.D., Xian, Y., Matsouaka, R.A., Schwamm, L.H., 2016. Impact of Insurance Status on Outcomes and use of Rehabilitation Services in Acute Ischemic Stroke: Findings From Get With The Guidelines-Stroke. J. Am. Heart Assoc. 5. https://doi.org/10.1161/JAHA.116.004282

Mellon, L., Brewer, L., Hall, P., Horgan, F., Williams, D., Hickey, A., McGee, H., Shelley, E., Kelly, P., Dolan, E., 2015. Cognitive impairment six months after ischaemic stroke: A profile from the ASPIRE-S study. BMC Neurol. 15, 1–9. https://doi.org/10.1186/s12883-015-0288-2

Mielke, M.M., Zandi, P.P., Sjögren, M., Gustafson, D., Östling, S., Steen, B., Skoog, I., 2005. High total cholesterol levels in late life associated with a reduced risk of dementia. Neurology 64, 1689–1695. https://doi.org/10.1212/01.WNL.0000161870.78572.A5

Miles, L., 2007. Physical activity and health, Nutrition Bulletin. https://doi.org/10.1111/j.1467-3010.2007.00668.x

Mizrahi, E.H., Blumstein, T., Arad, M., Adunsky, A., 2008. Serum albumin levels predict cognitive impairment in elderly hip fracture patients. Am. J. Alzheimers. Dis. Other Demen. 23, 85–90. https://doi.org/10.1177/1533317507311776

Mogi, M., Horiuchi, M., 2011. Clinical interaction between brain and kidney in small vessel disease. Cardiol. Res. Pract. 1. https://doi.org/10.4061/2011/306189

Moor, V.J.A., Ndongo Amougou, S., Ombotto, S., Ntone, F., Wouamba, D.E., Ngo Nonga, B., 2017. Dyslipidemia in Patients with a Cardiovascular Risk and Disease at the University Teaching Hospital of Yaoundé, Cameroon. Int. J. Vasc. Med. https://doi.org/10.1155/2017/6061306

Moore, A.M., Mahoney, E., Dumitrescu, L., Jager, P.L. De, Koran, M.E.I., Petyuk, V.A., Robinson, R.A.S., Ruderfer, D.M., Cox, N.J., Schneider, J.A., Bennet, D.A., Jefferson, A.L., Hohman, T.J., 2019. APOEε4-specific associations ofVEGFgene family expression withcognitive aging and Alzheimer's disease. Neurobiol. Aging 30, 1–8.

Moulin, S., Leys, D., 2017. Stroke occurring in patients with cognitive impairment or dementia. Arq. Neuropsiquiatr. 75, 117–121. https://doi.org/10.1590/0004-282x20160187

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Muir, K.W., 2013. Medical management of stroke. Handb. Clin. Nutr. Stroke 70, 12–16. https://doi.org/10.1007/978-1-62703-380-0_10

Navarro-sobrino, M., Rosell, A., Hernández-guillamon, M., Penalba, A., Boada, C., Domingues-montanari, S., Ribó, M., Alvarez-sabín, J., Montaner, J., 2011. A large screening of angiogenesis biomarkers and their association with neurological outcome after ischemic stroke. Atherosclerosis 216, 205–211. https://doi.org/10.1016/j.atherosclerosis.2011.01.030

Neau, J.-P., Ingrand, P., Mouille-Brachet, C., Rosier, M.-P., Couderq, C., Alvarez, A., Gil, R., 1988. Functional Recovery and Social Outcome after Cerebral Infarction in Young Adults. Cerebrovascular Disease.pdf. Cerebrovasc. Dis. 8, 296–302.

Ng, T., Cheung, Y.T., Ng, Q.S., Ho, H.K., Chan, A., 2013. Vascular endothelial growth factor inhibitors and cognitive impairment : evidence and controversies. Expert Opin. Drug Saf. 13, 1–10.

Ng, T.P., Feng, L., Niti, M., Yap, K.B., 2008. Albumin, haemoglobin, BMI and cognitive performance in older adults. Age Ageing 37, 423–429. https://doi.org/10.1093/ageing/afn102

Ng, T.P., Niti, M., Feng, L., Kua, E.H., Yap, K.B., 2009. Albumin, Apolipoprotein e-ε4 and cognitive decline in community-dwelling chinese older adults. J. Am. Geriatr. Soc. 57, 101–106. https://doi.org/10.1111/j.1532-5415.2008.02086.x

Nyberg, L., Lövdén, M., Riklund, K., Lindenberger, U., Bäckman, L., 2012. Memory aging and brain maintenance. Trends Cogn. Sci. 16, 292–305. https://doi.org/10.1016/j.tics.2012.04.005

Oemiati, R., 2013. Kajian Epidemiologis Penyakit Paru Obstruktif Kronik (PPOK). Media Litbangkes 23, 82–88. https://doi.org/10.22435/mpk.v23i2.3130.82-88

Onem, Y., Terekeci, H., Kucukardali, Y., Sahan, B., Solmazgül, E., Şenol, M.G., Nalbant, S., Sayan, O., Top, C., Oktenli, C., 2010. Albumin, hemoglobin, body mass index, cognitive and functional performance in elderly persons living in nursing homes. Arch. Gerontol. Geriatr. 50, 56–59. https://doi.org/10.1016/j.archger.2009.01.010

Panentu, D., Irfan, M., 2013. Uji Validitas Dan Reliabilitas Butir Pemeriksaan Dengan Moteral Cognitive Assessment Versi Indonesia (MoCA- INA) Pada Insan Pascastroke Fase Recovery. J. Fisioter. 13, 55–67.

Paolucci, S., 2008. Epidemiology and treatment of post-stroke depression. Neuropsychiatr. Dis. Treat. 4, 145–154.

Pendlebury, S.T., Rothwell, P.M., 2009. Prevalence , incidence , and factors associated with pre-stroke and post-stroke dementia : a systematic review and meta-analysis. Lancet Neurol. 8, 1006–1018. https://doi.org/10.1016/S1474-4422(09)70236-4

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

PERDOSSI, 2013. Standar Pelayanan Medis Neurologi. PERDOSSI, Jakarta.

PERDOSSI, 2008. Modul Neurobehavior Bagian II Gangguan Neurobehavior Program Pendidikan Dokter Spesialis Neurologi. PERDOSSI, Jakarta.

Persaulian, B., Aimon;, H., Anis, A., 2013. Analisis Konsumsi Masyarakat di Indonesia. Kaji. Ekon. I, 1–23.

Pikula, A., Beiser, A.S., Chen, T.C., Preis, S.R., Vorgias, D., DeCarli, C., Au, R., Kelly-Hayes, M., Kase, C.S., Wolf, P.A., Vasan, R.S., Seshadri, S., 2014. Serum BDNF and VEGF levels are associated with Risk of Stroke and Vascular Brain Injury: Framingham Study Aleksandra. Stroke 44, 1–16. https://doi.org/10.1161/STROKEAHA.113.001447.Serum

Plaschke, K., Staub, J., Ernst, E., Marti, H.H., 2008. VEGF overexpression improves mice cognitive abilities after unilateral common carotid artery occlusion. Exp. Neurol. 214, 285–292. https://doi.org/10.1016/j.expneurol.2008.08.014

Ploughman, M., Windle, V., MacLellan, C.L., White, N., Doré, J.J., Corbett, D., 2009. Brain-derived neurotrophic factor contributes to recovery of skilled reaching after focal ischemia in rats. Stroke 40, 1490–1495. https://doi.org/10.1161/STROKEAHA.108.531806

Poerwanto, H., 2013. Suku Bangsa dan Ekspres Kesukubangsaan, in: Humaniora. pp. 112–122. https://doi.org/10.22146/jh.v0i9.2046

Power, M.C., Weuve, J., Sharrett, A.R., Blacker, D., Gottesman, R.F., 2015. Statins, cognition, and dementia-systematic review and methodological commentary. Nat. Rev. Neurol. 11, 220–229. https://doi.org/10.1038/nrneurol.2015.35

Pugh, C.W., Ratcliffe, P.J., 2003. Regulation of angiogenesis by hypoxia : role of the HIF system. Nat. Med. 9, 677–684.

Pyoriä, O., Talvitie, U., Nyrkkö, H., Kautiainen, H., Pohjolainen, T., Kasper, V., 2009. The effect of two physiotherapy approaches on physical and cognitive functions and independent coping at home in stroke rehabilitation. A preliminary follow-up study. Disabil. Rehabil. 29, 503–511. https://doi.org/10.1080/09638280600902497

Rafnsson, S., Deary, I.J., Whiteman, M.C., Rumley, A., Lowe, G.D.O., Fowkes, F.G.R., 2010. Haemorheological predictors of cognitive decline: The Edinburgh Artery Study. Age Ageing 39, 217–222. https://doi.org/10.1093/ageing/afp227

Rathore, S.S., Hinn, A.R., Cooper, L.S., Tyroler, H.A., Rosamond, W.D., 2002. Characterization of incident stroke signs and symptoms findings from the atherosclerosis risk in communities study. Stroke 33, 2718–2721. https://doi.org/10.1161/01.STR.0000035286.87503.31

Renjen, P.N., Gauba, C., Chaudhari, D., 15AD. Cognitive impairment after stroke. Cureus2 7, 335. https://doi.org/10.1097/00132980-200201030-00003

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Riddle, M.C., 2018. Updates to the Standards of Medical Care in Diabetes-2018. Diabetes Care 41, 2045–2047. https://doi.org/10.2337/dc18-su09

Ridi, R. El, Tallima, H., 2017. Physiological functions and pathogenic potential of uric acid: A review. J. Adv. Res. 8, 487–493. https://doi.org/10.1016/j.jare.2017.03.003

Robinson, R.G., Jorge, R.E., 2016. Post-stroke depression: A review. Am. J. Psychiatry 173, 221–231. https://doi.org/10.1176/appi.ajp.2015.15030363

Robinson, R.G., Spalletta, G., 2010. Poststroke Depression: A Review Robert. Can. J. Psychiatry 55, 341–349. https://doi.org/10.1038/jid.2014.371

Rockwood, K., 2002. Vascular cognitive impairment and vascular dementia. J. Neurol. Sci. 204, 23–27.

Ruggiero, D., Dalmasso, C., Nutile, T., Sorice, R., Dionisi, L., Aversano, M., Bröet, P., Leutenegger, A.L., Bourgain, C., Ciullo, M., 2011. Genetics of VEGF serum variation in human isolated populations of Cilento: Importance of VEGF polymorphisms. PLoS One 6. https://doi.org/10.1371/journal.pone.0016982

Sabia, S., Fayosse, A., Dumurgier, J., Dugravot, A., Akbaraly, T., Britton, A., Kivimäki, M., Singh-Manoux, A., 2018. Alcohol consumption and risk of dementia: 23 year follow-up of Whitehall II cohort study. BMJ 362, 1–11. https://doi.org/10.1136/bmj.k2927

Saczynski, J.S., McManus, D.D., Waring, M.E., Lessard, D., Anatchkova, M.D., Gurwitz, J.H., 2017. Change in Cognitive Function in the Month Following Hospitalization for Acute Coronary Syndromes: Findings from TRACE-CORE. Physiol. Behav. 176, 139–148. https://doi.org/10.1016/j.physbeh.2017.03.040

Saedi, E., Gheini, M.R., Faiz, F., Arami, M.A., 2016. Diabetes mellitus and cognitive impairments. World J. Diabetes 7, 412. https://doi.org/10.4239/wjd.v7.i17.412

Sahebkar, A., Ponziani, M.C., Goitre, I., Bo, S., 2015. Does statin therapy reduce plasma VEGF levels in humans? A systematic review and meta-analysis of randomized controlled trials. Metabolism. 64, 1466–1476. https://doi.org/10.1016/j.metabol.2015.08.002

Sanchez, I.T., Rodriguez-Alzueta, E., Cabrera-Martos, I., Lopez-Torres, I., Morene-Ramirez, M.Pa., Valenza, M.C., 2015. Cognitive impairment in COPD: a systematic review. J. Bras. Pneumol. 4, 182–190. https://doi.org/10.1177/1461444810365020

Sasso, F.C., Torella, D., Carbonara, O., Ellison, G.M., Torella, M., Scardone, M., Marra, C., Nasti, R., Marfella, R., Cozzolino, D., Indolfi, C., Cotrufo, M., Torella, R., Salvatore, T., 2005. Increased vascular endothelial growth factor expression but impaired vascular endothelial growth factor receptor signaling in the myocardium of type 2 diabetic patients with chronic coronary heart disease. J. Am. Coll. Cardiol. 46, 827–834.

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Sastroasmoro, S., Ismael, S., 2014. Dasar-dasar metodologi penelitian klinis, 5th ed. Sagung S, Jakarta.

Schneider, A.L.C., Jonassaint, C., Sharrett, A.R., Mosley, T.H., Astor, B.C., Selvin, E., Coresh, J., Gottesman, R.F., 2016. Hemoglobin , Anemia , and Cognitive Function : The Atherosclerosis Risk in Communities Study. Journals Gerontol. Med. Sci. 71, 772–779. https://doi.org/10.1093/gerona/glv158

Schneider, S., Malecki, A.K., Boenisch, O., Schönfeld, R., Kielstein, J.T., 2012. Cognitive function at 2443 μmol/l creatinine. BMC Nephrol. 13. https://doi.org/10.1186/1471-2369-13-86

Schnider, A., Regard, M., Landis, T., 1994. Anterograde and retrograde amnesia following bitemporal infarction. Behav. Neurol. 7, 87–92.

Schultz, B.G., Patten, D.K., Berlau, D.J., 2018. The role of statins in both cognitive impairment and protection against dementia: A tale of two mechanisms. Transl. Neurodegener. 7, 1–11. https://doi.org/10.1186/s40035-018-0110-3

Setyopranoto, I., 2012. Kadar VEGF-A Pengaruhi Terjadinya Odem Otak Pasien Stroke Iskemik Akut. Universitas Gadjah Mada.

Sherwani, S.I., Khan, H.A., Ekhzaimy, A., Masood, A., Sakharkar, M.K., 2016. Significance of HbA1c test in diagnosis and prognosis of diabetic patients. Biomark. Insights 11, 95–104. https://doi.org/10.4137/Bmi.s38440

Shim, H., 2014. Vascular cognitive impairment and post-stroke cognitive deficits. Curr. Neurol. Neurosci. Rep. 14, 1–6. https://doi.org/10.1007/s11910-013-0418-4

Silva, M., Pereira, E., Rocha, A., Sousa, D., Peixoto, B., 2018. Neurocognitive impairment after acute coronary syndrome: Prevalence and characterization in a hospital-based cardiac rehabilitation program sample. J. Cardiovasc. Thorac. Res. 10, 70–75. https://doi.org/10.15171/jcvtr.2018.11

Simpson, J.R., 2014. DSM-5 and Neurocognitive Disorders. J. Am. Acad. Psychiatry Law 42, 159–164.

Sivanandy, P., Thomas, B., Krishnan, V., Arunachalam, S., 2011. Safety and Efficacy of Thrombolytic Therapy Using rt-PA (Alteplase) in Acute Ischemic Stroke. ISRN Neurol. 2011, 1–6. https://doi.org/10.5402/2011/618624

Slevin, M., Krupinski, J., Slowik, A., Kumar, P., Szczudlik, A., Gaffney, J., 2000. Serial Measurement of Vascular Endothelial Growth Factor and Transforming Growth Factor- ☒ 1 in Serum of Patients With Acute Ischemic Stroke. Stroke 31, 1863–1870.

Smith, S.E., 2013. Effects of Protein-Energy Malnutrition on the Inflammatory Response To Global Brain Ischemia. University Of Saskatchewan.

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Soegondo, S. (2005), "Atherogenic dyslipidemia and the metabolic syndrome.", *Acta Medica Indonesiana*, Vol. 37 No. 3, pp. 177–183.

Sofian, N., Prasetyo, G., Wibisono, S., 2017. Penyakit Arteri Perifer Disertai Klaudikasio Intermiten di Daerah Terpencil Kabupaten Sikka, Flores –Studi Potong Lintang dengan Metode Palpasi Nadi dan Faktor Risikonya. J. Penyakit Dalam Indones. 4, 137–145.

Steenbergen, L., Colzato, L.S., 2017. Overweight and Cognitive Performance: High Body Mass Index Is Associated with Impairment in Reactive Control during Task Switching. Front. Nutr. 4. https://doi.org/10.3389/fnut.2017.00051

Steinberg, S.I., Sammel, M.D., Harel, B.T., Schembri, A., Policastro, C., Bogner, H.R., Negash, S., Arnold, S.E., 2015. Exercise, sedentary pastimes, and cognitive performance in healthy older adults. Am. J. Alzheimers. Dis. Other Demen. 30, 290–298. https://doi.org/10.1177/1533317514545615

Stephens, S., Kenny, R.A., Rowan, E., Allan, L., Kalaria, R.N., Bradbury, M., Ballard, C.G., 2004. Neuropsychological characteristics of mild vascular cognitive impairment and dementia after stroke. Int. J. Geriatr. Psychiatry 19, 1053–1057.

Stern, P.C., Carstensen, L.L., 2000. The Aging Mind: Opportunities in Cognitive Research, Postgraduate medicine. Natonal Academy Press, Washington D.C. https://doi.org/10.4324/9781351035224

Sun, J.H., Tan, L., Yu, J.T., 2014. Post-stroke cognitive impairment: Epidemiology, mechanisms and management. Ann. Transl. Med. 2, 80–95. https://doi.org/10.3978/j.issn.2305-5839.2014.08.05

Suryono, A., 2009. Asuransi Kesehatan Berdasarkan Undang-Undang Nomor 3 Tahun 1992. J. Din. Huk. 9, 213–221.

Suvarna, A., 2009. Vascular Cognitive Impairment. Indian J. Psychiatry 51, 61–64. https://doi.org/10.1161/CIRCRESAHA.116.308426

Szlachcic, Y., Carrothers, L.A., Adkins, R., Waters, R., 2007. Clinical significance of abnormal electrocardiographic findings in individuals aging with spinal injury and abnormal lipid profiles. J. Spinal Cord Med. 30, 473–476. https://doi.org/10.1080/10790268.2007.11754580

Thakur, N., Blanc, P.D., Julian, L.J., Yelin, E.H., Katz, P.P., Sidney, S., Iribarren, C., Eisner, M.D., 2010. COPD and cognitive impairment : the role of hypoxemia and oxygen therapy. Int. J. Chron. Obstruct. Pulmon. Dis. 5, 263–269.

Thingstad, P., Askim, T., Beyer, M.K., Bråthen, G., Ellekjær, H., Ihle-Hansen, H., Knapskog, A.B., Lydersen, S., Munthe-Kaas, R., Næss, H., Pendlebury, S.T., Seljeseth, Y.M., Saltvedt, I., 2018. The Norwegian Cognitive impairment after stroke study (Nor-COAST): Study protocol of a multicentre, prospective cohort study. BMC Neurol. 18, 1–10. https://doi.org/10.1186/s12883-018-1198-x

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Torre, J.C. De, 2010. Vascular risk factor detection and control may prevent Alzheimer's disease. Ageing Res. Rev. 9, 218–225. https://doi.org/10.1016/j.arr.2010.04.002

Ulfah, R., 2017. Uji Validitas, Uji Reliabilitas dan Uji Diagnostik Informant Questionnaire on Cognitive Decline in The Elderly Short Version (IQCODE-S) Versi Bahasa Indonesia sebagai Penapisan Gangguan Kognitif Ringan pada Lanjut Usia. Universitas Indonesia.

VCT, M., BYK, L., Z, W., W, L., L, A., EYL, L., S, C., J, Y., WCW, C., AYL, L., AYY, C., L, S., F, F., SH, M., V, I., YOY, S., TWH, L., 2016. Delayed-Onset Dementia after Stroke or Transient Ischemic Attack. Alzhemier' Dement. 1–10.

Venkat, P., Chopp, M., Chen, J., 2015. Models and Mechanisms of Vascular Dementia Poornima. Exp. Neurol. 272, 97–108. https://doi.org/10.1016/j.physbeh.2017.03.040

Wakisaka, Y., Matsuo, R., Hata, J., Kuroda, J., Kitazono, T., Kamouchi, M., Ago, T., 2017. Adverse influence of pre-stroke dementia on short-term functional outcomes in patients with acute ischemic stroke: The Fukuoka stroke registry. Cerebrovasc. Dis. 43, 82–89. https://doi.org/10.1159/000453625

Waldstein, S.R., 2003. The relation of hypertension to cognitive function. Curr. Dir. Psychol. Sci. 12, 9–13. https://doi.org/10.1111/1467-8721.01212

Wallin, A., Kapaki, E., Boban, M., Engelborghs, S., Hermann, D.M., Huisa, B., Jonsson, M., Kramberger, M.G., 2017. Biochemical markers in vascular cognitive impairment associated with subcortical small vessel disease - A consensus report. BMC Neurol. 17, 102–113. https://doi.org/10.1186/s12883-017-0877-3

Wang, J., Gao, L., Yang, Y.L., Li, Y.Q., Chang, T., Man, M.H., Zhang, X.Y., Guo, S.C., Li, L.H., 2017. Low Serum Levels of Brain-Derived Neurotrophic Factor Were Associated with Poor Short-Term Functional Outcome and Mortality in Acute Ischemic Stroke. Mol. Neurobiol. 54, 7335–7342. https://doi.org/10.1007/s12035-016-0236-1

Wannamethee, S.G., 1999. Risk Factors for Stroke. Eur. J. Prev. Cardiol. 6, 199–202. https://doi.org/10.1177/204748739900600401

Weintraub, D., Oehlberg, K.A., Katz, I.R., Stern, M.B., 2006. Test Characteristics of the 15-Item Geriatric Depression Scale and Hamilton Depression Rating Scale in Parkinson Disease. Am. J. Geriatr. Psychiatry 14, 169–175.

Wheeler, M.J., Dempsey, P.C., Grace, M.S., Ellis, K.A., Gardiner, P.A., Green, D.J., Dunstan, D.W., 2017. Sedentary behavior as a risk factor for cognitive decline? A focus on the influence of glycemic control in brain health. Alzheimer's Dement. Transl. Res. Clin. Interv. 3, 291–300. https://doi.org/10.1016/j.trci.2017.04.001

KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG
TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Witmer, A.N., Dai, J., Weich, H.A., Vrensen, G.F.J.M., Schlingemann, R.O., 2002. Expression of Vascular Endothelial Growth Factor Receptors 1 , 2 , and 3 in Quiescent Endothelia. J. Histochem. Cytochem. 50, 767–777.

Xu, G., Jiang, Y., Wei, N., Zhu, J., Lu, T., Chen, Z., Liu, X., 2010. Effects of brain-derived neurotrophic factor on local inflammation in experimental stroke of rat. Mediators Inflamm. 2010. https://doi.org/10.1155/2010/372423

Xue, B., Cadar, D., Fleischmann, M., Stansfeld, S., Carr, E., Kivimäki, M., McMunn, A., Head, J., 2018. Effect of retirement on cognitive function: the Whitehall II cohort study. Eur. J. Epidemiol. 33, 989–1001. https://doi.org/10.1007/s10654-017-0347-7

Yamada, K., Nabeshima, T., 2003. Current Perspective Brain-Derived Neurotrophic Factor / TrkB Signaling in Memory Processes. J Pharmocol Sci 91, 267–270.

Yang, J., Yao, Y., Chen, T., 2013. VEGF Ameliorates Cognitive Impairment in In Vivo and In Vitro Ischemia via Improving Neuronal Viability and Function. Neuromolecular Med. 16, 376–388. https://doi.org/10.1007/s12017-013-8284-4

Yang, T., Sun, Y., Lu, Z., Leak, R.K., Zhang, F., 2017. The impact of cerebrovascular aging on vascular cognitive impairment and dementia. Ageing Res. Rev. 34, 15–29. https://doi.org/10.1016/j.arr.2016.09.007

Yin, Y., Li, M., Li, C., Ma, X., Yan, J., Wang, T., Fu, S., Hua, K., Wu, Y., Zhan, W., Jiang, G., 2018. Reduced white matter integrity with cognitive impairments in end stage renal disease. Front. Psychiatry 9, 1–8. https://doi.org/10.3389/fpsyt.2018.00143

Yin, Z.X., Shi, X.M., Kraus, V.B., Fitzgerald, S.M., Qian, H.Z., Xu, J.W., Zhai, Y., Sereny, M.D., Zeng, Y., 2012. High normal plasma triglycerides are associated with preserved cognitive function in chinese oldest-old. Age Ageing 41, 600–606. https://doi.org/10.1093/ageing/afs033

Zhang, Y., Zhang, Z., Yang, B., Li, Y., Zhang, Q., Qu, Q., Wang, Y., Zhang, S., Yue, W., Tan, Y., Zhang, B., Liang, J., 2014. Effects of antiplatelet agents on functional outcome and cognitive status in patients with acute ischemic stroke. Int. J. Gerontol. 8, 189–192. https://doi.org/10.1016/j.ijge.2013.12.005

Zhang, X.Y., Tan, Y.L., Chen, D.C., Tan, S.P., Yang, F. De, Zunta-Soares, G.B., Soares, J.C., 2016. Effects of cigarette smoking and alcohol use on neurocognition and BDNF levels in a Chinese population. Psychopharmacology (Berl). 233, 435–445. https://doi.org/10.1007/s00213-015-4124-6.

Zhang, F.L., Guo, Z.N., Wu, Y.H., Liu, H.Y., Luo, Y., Sun, M.S., Xing, Y.Q., Yang, Y., 2017. Prevalence of stroke and associated risk factors: A population based cross sectional study from northeast China. BMJ Open 7, 1–11. https://doi.org/10.1136/bmjopen-2016-015758

Zhao, L., Biesbroek, J.M., Shi, L., Liu, W., Kuijf, J., Chu, W.W.C., Abrigo, J.M., Lee,

UNIVERSITAS GADJAH MADA
KADAR VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) DAN BRAIN DERIVED NEUROTROPHIC FACTOR (BDNF) YANG TINGGI SEBAGAI FAKTOR PROTEKTIF KEJADIAN VASCULAR COGNITIVE IMPAIRMENT PADA PASIEN STROKE ISKEMIK
ASTUTI, Dr.dr. Ismail Setyopranoto, Sp.S(K); Prof. Dr. dr. Sri Sutarni, Sp.S(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

R.K.L., Leung, T.W.H., Lau, A.Y.L., Biessels, G.J., Mok, V., Wong, A., 2017. Strategic infarct location for post-stroke cognitive impairment : A multivariate lesion-symptom mapping study. J. Cereb. Blood Flow Metab. 0, 1–13. https://doi.org/10.1177/0271678X17728162

Zhao, W., Wu, J., Liu, J., Wu, Y., Ni, J., Gu, H., Tu, J., Wang, J., An, Z., Ning, X., 2019. Trends in the incidence of recurrent stroke at 5 years after the first-ever stroke in rural China: A population-based stroke surveillance from 1992 to 2017. Aging (Albany. NY). 11, 1686–1694. https://doi.org/10.18632/aging.101862

Zheng, F., Yan, L., Zhong, B., Yang, Z., Xie, W., 2019. Progression of cognitive decline before and after incident stroke. Neurology 93, e20–e28. https://doi.org/10.1212/wnl.0000000000007716

Zhou, S., Zhou, R., Zhong, T., Li, R., Tan, J., Zhou, H., 2014. Association of Smoking and Alcohol Drinking with Dementia Risk Among Elderly Men in China. Curr. Alzheimer Res. 11, 1–1. https://doi.org/10.2174/1567205011666141001123356

Zietemann, V., Georgakis, M.K., Dondaine, T., Muller, C., Mendyk, A.M., Kopczak, A., Hénon, H., Bombois, S., Wollenweber, F.A., Bordet, R., Dichgans, M., 2018. Article early moca predicts long-term cognitive and functional outcome and mortality after stroke. Neurology 91, E1838–E1850. https://doi.org/10.1212/WNL.0000000000006506

Zinn, S., Dudley, T.K., Bosworth, H.B., Hoenig, H.M., Duncan, P.W., Horner, R.D., 2004. The effect of poststroke cognitive impairment on rehabilitation process and functional outcome. Arch. Phys. Med. Rehabil. 85, 1084–1090. https://doi.org/10.1016/j.apmr.2003.10.022

Zuccalà, G., Onder, G., Pedone, C., Carosella, L., Pahor, M., Bernabei, R., Cocchi, A., 2001. Hypotension and cognitive impairment: Selective association in patients with heart failure. Neurology 57, 1986–1992. https://doi.org/10.1212/WNL.59.4.651

Zulkifly, M.F.M., Ghazali, S.E., Che Din, N., Singh, D.K.A., Subramaniam, P., 2016. A Review of Risk Factors for Cognitive Impairment in Stroke Survivors. Sci. World J. 2016. https://doi.org/10.1155/2016/3456943