

DAFTAR PUSTAKA

- Akdag, B., Telci, E.A., Cavlak, U., 2013. Factors affecting cognitive function in older adults: A turkish sample. *Int. J. Gerontol.* 7, 137–141. <https://doi.org/10.1016/j.ijge.2013.01.002>
- Al-moundhri, M.S., Burney, I.A., Rizivi, A., Ganguly, S.S., 2008. Measurement of circulating levels of VEGF-A , -C , and -D and their receptors , VEGFR-1 and -2 in gastric adenocarcinoma. *Wprld J. Gastroenterol.* 14, 3879–3883. <https://doi.org/10.3748/wjg.14.3879>
- Alamy, M., Bengelloun, W.A., 2012. Malnutrition and brain development: An analysis of the effects of inadequate diet during different stages of life in rat. *Neurosci. Biobehav. Rev.* 36, 1463–1480. <https://doi.org/10.1016/j.neubiorev.2012.03.009>
- Alexandrova, M.L., Danovska, M.P., 2016. Cognitive impairment one year after ischemic stroke : predictors and dynamics of significant determinants. *Turkish J. Med. Sci.* 46, 1366–1373. <https://doi.org/10.3906/sag-1403-29>
- Alladi, S., Kaul, S., Mekala, S., 2010. Vascular cognitive impairment : Current concepts and Indian perspective. *Ann. Indian Acad. Neurol.* 13, 104–108. <https://doi.org/10.4103/0972-2327.74254>
- Almodovar, C.R.D.E., Lambrechts, D., Mazzone, M., 2009. Role and Therapeutic Potential of VEGF in the Nervous System. *Physiol. Rev.* 89, 607–648. <https://doi.org/10.1152/physrev.00031.2008>
- Alonso, A., Larriva, A.P.A. de, 2016. Atrial Fibrillation, Cognitive Decline and Dementia. *Eur. Cardiol. Rev.* 11, 49–53. <https://doi.org/10.15420/ecr.2016>
- Anonim, 2017. Routine Treatment [WWW Document]. NHS Shropsh. Community Heal. URL <https://www.shropscommunityhealth.nhs.uk/routine-treatment> (accessed 1.23.20).
- Anonim, 2014. Diagnosis and classification of diabetes mellitus, *Diabetes Care.* <https://doi.org/10.2337/dc14-S081>
- Anonim, 2011a. Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity, WHO. <https://doi.org/2011>
- Anonim, 2011b. Medication Orders [WWW Document]. New Hampsh. Dep. Heal. Hum. Serv. URL <https://www.dhhs.nh.gov/dcbcs/bds/nurses/documents/sectionIII.pdf> (accessed 1.23.20).
- Anonim, 2010. Elisa Technical Guide and Protocols. Thermo Fisher Scientific. <https://doi.org/10.4028/www.scientific.net/AMM.597.421>
- Antzelevitch, C., Burashnikov, A., 2011. Overview of Basic Mechanisms of Cardiac Arrhythmia Charles. *Card. Electrophysiol. Clin.* 3, 23–45. <https://doi.org/10.1016/j.ccep.2010.10.012.Overview>

- Arihan, O., Wernly, B., Lichtenauer, M., Franz, M., Kabisch, B., Muessig, J., Masyuk, M., Lauten, A., Schulze, P.C., Hoppe, U.C., Kelm, M., Jung, C., 2018. Blood Urea Nitrogen (BUN) is independently associated with mortality in critically ill patients admitted to ICU. *PLoS One* 13, 1–10. <https://doi.org/10.1371/journal.pone.0191697>
- Assem, M., Lando, M., Grissi, M., Kamel, S., Massy, Z.A., Chillon, J., Lucie, H., 2018. The Impact of Uremic Toxins on Cerebrovascular and Cognitive Disorders. *Toxins (Basel)*. 10, 1–25. <https://doi.org/10.3390/toxins10070303>
- Astuti, 2010. *Hidup Bahagia Bersama Penderita Demensia*. Pustaka Cendekia Press, Yogyakarta.
- Bain, A., 2018. Antiplatelet use in practice. *Br. J. Card. Nurs.* 13, 272–278. <https://doi.org/10.12968/bjca.2018.13.6.272>
- Bathina, S., Das, U.N., 2015. Brain-derived neurotrophic factor and its clinical Implications. *Arch. Med. Sci.* 11, 1164–1178. <https://doi.org/10.5114/aoms.2015.56342>
- Beghe, C., Wilson, A., Ershler, W.B., 2004. Prevalence and Outcomes of Anemia in Geriatrics: A Systematic Review of the Literature. *Am. J. Med.* 12, 3–10. <https://doi.org/10.1016/j.amjmed.2003.12.009>
- Begum, H., Li, B., Shui, G., Cazenave-Gassiot, A., Soong, R., Ong, R.T.H., Little, P., Teo, Y.Y., Wenk, M.R., 2016. Discovering and validating between-subject variations in plasma lipids in healthy subjects. *Sci. Rep.* 6, 1–9. <https://doi.org/10.1038/srep19139>
- Billet, H.H., 1990. Hemoglobin and Hematocrit, in: Walker, H., Hall, W., Hurst, W. (Eds.), *The History, Physical, and Laboratory Examinations*. Butterworths, Boston, pp. 718–719. <https://doi.org/10.1097/00000542-196707000-00028>
- Birk, D.M., Barbato, J., Mureebe, L., Chaer, R.A., Birk, D.M., Barbato, J., Mureebe, L., Chaer, R.A., 2009. Current Insights on the Biology and Clinical Aspects of VEGF Regulation. *Vasc. Endovascular Surg.* 42, 517–529. <https://doi.org/10.1177/1538574408322755>
- Brien, J.T.O., Thomas, A., 2015. Vascular dementia. *Lancet* 386, 1698–1706. [https://doi.org/10.1016/S0140-6736\(15\)00463-8](https://doi.org/10.1016/S0140-6736(15)00463-8)
- Bronas, U.G., Puzantian, H., Hannan, M., 2017. Cognitive impairment in chronic kidney disease: Vascular milieu and the potential therapeutic role of exercise. *Biomed Res. Int.* <https://doi.org/10.1155/2017/2726369>
- Broome, L.J., Battle, C.E., Lawrence, M., Evans, P.A., Dennis, M.S., 2016. Cognitive Outcomes following Thrombolysis in Acute Ischemic Stroke: A Systematic Review. *J. Stroke Cerebrovasc. Dis.* 25, 2868–2875. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2016.07.048>

- Brzezinski, W.A., 1990. Blood pressure, in: Walker, H., Hall, W., Hurst, J. (Eds.), *The History, Physical, and Laboratory Examinations*. Butterworths, Boston, pp. 95–97. <https://doi.org/10.7748/ns.18.35.22.s25>
- Budni, J., Bellettini-Santos, T., Mina, F., Garcez, M.L., Zugno, A.I., 2015. The involvement of BDNF, NGF and GDNF in aging and Alzheimer's disease. *Aging Dis.* 6, 331–341. <https://doi.org/10.14336/AD.2015.0825>
- Bugnicourt, J.M., Godefroy, O., Chillon, J.M., Choukroun, G., Massy, Z.A., 2013. Cognitive disorders and dementia in CKD: The neglected kidney-brain axis. *J. Am. Soc. Nephrol.* 24, 353–363. <https://doi.org/10.1681/ASN.2012050536>
- Burton, L., Tyson, S.F., 2015. Screening for Cognitive Impairment after Stroke A Systematic Review of Psychometric Properties and Clinical Utility. *J. Rehabil. Med.* 47, 193–203.
- Bus, B.A.A., Molendijk, M.L., Penninx, B.J.W.H., Buitelaar, J.K., Kenis, G., Prickaerts, J., Elzinga, B.M., Voshaar, R.C.O., 2011. Determinants of serum brain-derived neurotrophic factor. *Psychoneuroendocrinology* 36, 228–239. <https://doi.org/10.1016/j.psyneuen.2010.07.013>
- Caplan, L., 2009. *Caplan's Stroke*, 4th ed. Elsevier Saunders, Philadelphia.
- Caraceni, P., Tufoni, M., Bonavita, M.E., 2013. Clinical use of albumin. *Blood Transfus.* 11, 18–25. <https://doi.org/10.2450/2013.005s>
- Cardoso, S., Correia, S.C., Santos, R.X., Carvalho, C., Candeias, E., Duarte, A.I., Plácido, A.I., Santo, M.S., Moreira, P.I., 2013. Hyperglycemia, hypoglycemia and dementia : role of mitochondria and uncoupling proteins . *Hyperglycemia , Hypoglycemia and Dementia : Role of Mitochondria*. *Curr. Mol. Med.* 1–16. <https://doi.org/10.2174/1566524011313040010>
- Carlino, D., De Vanna, M., Tongiorgi, E., 2013. Is altered BDNF biosynthesis a general feature in patients with cognitive dysfunctions? *Neuroscientist* 19, 345–353. <https://doi.org/10.1177/1073858412469444>
- Castel, H., Denouel, A., Lange, M., Tonon, M., 2017. Biomarkers Associated with Cognitive Impairment in Treated Cancer Patients : Potential Predisposition and Risk Factors. *Front. Pharmacol.* 8, 138–156. <https://doi.org/10.3389/fphar.2017.00138>
- Celutkienė, J., Vaitkevicius, A., Jakštie, S., Jatuzis, D., 2016. Cognitive Decline in Heart Failure: More Attention is Needed. *Card. Fail. Rev.* 2, 106–109. <https://doi.org/10.15420/cfr.2016>
- Chan, A., Yan, J., Csurhes, P., Greer, J., McCombe, P., 2015. Circulating brain derived neurotrophic factor (BDNF) and frequency of BDNF positive T cells in peripheral blood in human ischemic stroke: Effect on outcome. *J. Neuroimmunol.* 286, 42–47. <https://doi.org/10.1016/j.jneuroim.2015.06.013>

- Chemerinski, E., Robinson, R.G., Kosier, J.T., 2001. Improved recovery in activities of daily living associated with remission of poststroke depression. *Stroke* 32, 113–117. <https://doi.org/10.1161/01.STR.32.1.113>
- Chen, X., Duan, L., Han, Y., Tian, L., Dai, Q., Wang, S., Lin, Y., 2016a. Predictors for vascular cognitive impairment in stroke patients. *BMC Neurol.* 16, 1–8. <https://doi.org/10.1186/s12883-016-0638-8>
- Chen, X., Duan, L., Han, Y., Tian, L., Dai, Q., Wang, S., Lin, Y., Xiong, Y., Liu, X., 2016b. Predictors for vascular cognitive impairment in stroke patients. *BMC Neurol.* 16, 1–8. <https://doi.org/10.1186/s12883-016-0638-8>
- Cheniti, G., Vlachos, K., Pambrun, T., Hooks, D., Frontera, A., Takigawa, M., Bourier, F., Kitamura, T., Lam, A., Martin, C., Dumas-Pommier, C., Puyo, S., Pillois, X., Duchateau, J., Klotz, N., Denis, A., Derval, N., Jais, P., Cochet, H., Hocini, M., Haissaguerre, M., Sacher, F., 2018. Atrial fibrillation mechanisms and implications for catheter ablation. *Front. Physiol.* 9, 1–24. <https://doi.org/10.3389/fphys.2018.01458>
- Chiti, G., Pantoni, L., 2014. Use of montreal cognitive assessment in patients with stroke. *Stroke* 45, 3135–3140. <https://doi.org/10.1161/STROKEAHA.114.004590>
- Cho, H.S., Cha, H.G., 2016. A content analysis of stroke physical therapy intervention using stroke physiotherapy intervention recording tool. *J. Phys. Ther. Sci.* 28, 1547–1551. <https://doi.org/10.1589/jpts.28.1547>
- Chui, H., Skoog, I., 2006. Advances in Vascular Cognitive Impairment 2005. *Stroke* 37, 323–325. <https://doi.org/10.1161/01.STR.0000200556.18993.9a>
- Coco, D. Lo, Lopez, G., Corrao, S., 2016. Cognitive impairment and stroke in elderly patients. *Vasc. Health Risk Manag.* 12, 105–116. <https://doi.org/10.2147/VHRM.S75306>
- da Matta, S.M., Janaina Matos, M., Kummer, A.M. el. E., Barbosa, I.G. uimarãe., Teixeira, A.L., Silva, A.C. ristin. S.E., 2013. Cognitive alterations in chronic kidney disease: an update. *J. Bras. Nefrol. 'orgão Of. Soc. Bras. e Latino-Americana Nefrol.* 36, 241–245. <https://doi.org/10.5935/0101-2800.20140035>
- Dahlan, M.S., 2014. Statistik Untuk Kedokteran Dan Kesehatan, 6th ed. Epidemiologi Indonesia, Jakarta.
- Davis, J.P., Wong, A.A., Schluter, P.J., Henderson, R.D., O'Sullivan, J.D., Read, S.J., 2004. Impact of premorbid undernutrition on outcome in stroke patients. *Stroke* 35, 1930–1934. <https://doi.org/10.1161/01.STR.0000135227.10451.c9>
- Demir, E.Y., Özcan, T., 2015. Evaluating the relationship between education level and cognitive impairment with the Montreal Cognitive Assessment Test. *Psychogeriatrics* 15, 186–190. <https://doi.org/10.1111/psyg.12093>

- Demir, M., Gürol, A.O., Özyiğit, R.T., Üresin, A.Y., 2016. Effects of Blood Pressure Lowering with Different Antihypertensive Agents on Cognitive Function and Plasma Brain-derived Neurotrophic Factor Levels: A Comparative Study. *J. Cardiovasc. Pharmacol.* 67, 538–543. <https://doi.org/10.1097/FJC.0000000000000377>
- Dichgans, M., Leys, D., 2017. Vascular Cognitive Impairment. *Circ. Res.* 120, 573–591. <https://doi.org/10.1161/CIRCRESAHA.116.308426>
- Dichgans, M., Zietemann, V., 2012. Prevention of Vascular Cognitive Impairment. *Stroke* 43, 3137–3146. <https://doi.org/10.1161/STROKEAHA.112.651778>
- Dlugaj, M., Winkler, A., Weimar, C., Jan, D., Dragano, N., Moebus, S., 2016. Anemia and Mild Cognitive Impairment in the German General Population. *J. Alzheimer's Dis.* 49, 1031–1042. <https://doi.org/10.3233/JAD-150434>
- Drew, D.A., Weiner, D.E., Sarnak, M.J., 2019. Cognitive Impairment in CKD: Pathophysiology, Management, and Prevention. *Am. J. Kidney Dis.* 74, 782–790. <https://doi.org/10.1053/j.ajkd.2019.05.017>
- Erickson, K.I., Prakash, R.S., Voss, M.W., Chaddock, L., Heo, S., McLaren, M., Pence, B.D., Martin, S.A., Vieira, V.J., Woods, J.A., McAuley, E., Kramer, A.F., 2010. Brain-derived neurotrophic factor is associated with age-related decline in hippocampal volume. *J. Neurosci.* 30, 5368–5375. <https://doi.org/10.1523/JNEUROSCI.6251-09.2010>
- Estrella-Castillo, D.F., Alvarez-Nemegyei, J., Gomez-De-Regil, L., 2016. Association between body mass index with cognitive or physical functioning, and depression in Mexican elderly: A cross-sectional study. *Neuropsychiatry (London)*. 6, 271–279. <https://doi.org/10.4172/Neuropsychiatry.1000149>
- Etgen, T., 2015. Kidney disease as a determinant of cognitive decline and dementia. *Alzheimer's Res. Ther.* 7. <https://doi.org/10.1186/s13195-015-0115-4>
- Eyileten, C., Mirowska-Guzel, D., Milanowski, L., Zaremba, M., Rosiak, M., Cudna, A., Kaplon-Cieslicka, A., Opolski, G., Filipiak, K.J., Malek, L., Postula, M., 2019. Serum Brain-Derived Neurotrophic Factor is Related to Platelet Reactivity and Metformin Treatment in Adult Patients With Type 2 Diabetes Mellitus. *Can. J. Diabetes* 43, 19–26. <https://doi.org/10.1016/j.jcjd.2018.01.014>
- Farhana, K.M., Wibowo, S., 2014. Efektifitas ekstrak pegagan 750 mg dan 1000 mg dibanding asam folat 3 mg terhadap perbaikan skor montreal kognitif assesment (moca-ina) pasien gangguan kognitif pascastroke infark. UNiversitas Gadjah Mada.
- Farkas, E., Luiten, P.G.M., Bari, F., 2007. Permanent , bilateral common carotid artery occlusion in the rat: A model for chronic cerebral hypoperfusion-related neurodegenerative diseases. *Brain Research Rev.* 54, 162–180. <https://doi.org/10.1016/j.brainresrev.2007.01.003>

- Feng, L., Ng, X.-T., Yap, P., Li, J., Lee, T.-S., Hakansson, K., Kua, E.-H., Ng, T.-P., 2014. Marital Status and Cognitive Impairment among Community-Dwelling Chinese Older Adults: The Role of Gender and Social Engagement. *Dement. Geriatr. Cogn. Dis. Extra* 4, 375–384. <https://doi.org/10.1159/000358584>
- Figueroa, M.S., Peters, J.I., 2006. Congestive heart failure: Diagnosis, pathophysiology, therapy, and implications for respiratory care. *Respir. Care* 51, 403–412.
- Flaker, G.C., Pogue, J., Yusuf, S., Pfeffer, M.A., Goldhaber, S.Z., Granger, C.B., Anand, I.S., Hart, R., Connolly, S.J., 2010. Cognitive function and anticoagulation control in patients with atrial fibrillation. *Circ. Cardiovasc. Qual. Outcomes* 3, 277–283. <https://doi.org/10.1161/CIRCOUTCOMES.109.884171>
- Florkowski, C., 2013. HbA1c as a diagnostic test for diabetes mellitus - Reviewing the evidence. *Clin. Biochem. Rev.* 34, 75–83.
- Frey, J.L., 2005. Recombinant tissue plasminogen activator (rtPA) for stroke: The perspective at 8 years. *Neurologist* 11, 123–133. <https://doi.org/10.1097/01.nrl.0000156205.66116.84>
- Gannon, O.J., Robison, L.S., Custozzo, A.J., Zuloaga, K.L., 2019. Sex differences in risk factors for vascular contributions to cognitive impairment & dementia. *Neurochem. Int.* 127, 38–55. <https://doi.org/10.1016/j.neuint.2018.11.014>
- Gillebert, C.R., Humphreys, G.W., Mantini, D., 2014. Automated delineation of stroke lesions using brain CT images. *NeuroImage Clin.* 4, 540–548. <https://doi.org/10.1016/j.nicl.2014.03.009>
- Global Initiative for Asthma, 2019. Pocket Guide for Asthma Management and Prevention. *Glob. Initiast. Astma* 1–32.
- Glud, M., Christiansen, T., Larsen, L.H., Richelsen, B., Bruun, J.M., 2019. Changes in Circulating BDNF in relation to Sex, Diet, and Exercise: A 12-Week Randomized Controlled Study in Overweight and Obese Participants. *J. Obes.* 2019. <https://doi.org/10.1155/2019/4537274>
- Gorelick, P.B., Scuteri, A., Black, S.E., DeCarli, C., Greenberg, S.M., 2011. Vascular Contributions to Cognitive Impairment and Dementia: A Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. *Stroke* 42, 2672–2713. <https://doi.org/10.1161/STR.0b013e3182299496>
- Gottesman, R.F., Sojkova, J., Beason-held, L.L., An, Y., Longo, D.L., Ferrucci, L., Resnick, S.M., 2012. Patterns of Regional Cerebral Blood Flow Associated With Low Hemoglobin in the Baltimore Longitudinal Study of Aging. *J. Gerontol.* 67, 963–969. <https://doi.org/10.1093/gerona/gls121>

- Hajian-Tilaki, K., 2014. Sample size estimation in diagnostic test studies of biomedical informatics. *J. Biomed. Inform.* 48, 193–204. <https://doi.org/10.1016/j.jbi.2014.02.013>
- Hamilton, M., 1960. A Rating Scale for Depression. *Br. J. Psychiatry* 23, 56–62. <https://doi.org/10.1192/bjp.bp.107.040485>
- Han, K.T., Park, E.C., Kim, J.H., Kim, S.J., Park, S., 2014. Is marital status associated with quality of life? *Health Qual. Life Outcomes* 12, 1–10. <https://doi.org/10.1186/s12955-014-0109-0>
- Hayani, N., 2014. Hubungan Dukungan Sosial dengan Tingkat Depresi Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis di RSUD Kota Medan, Sumatera Utara. Universitas Sumatera Utara.
- He, Q., Li, Q., Zhao, J., Wu, T., Ji, L., Huang, G., Ma, F., 2016. Relationship between plasma lipids and mild cognitive impairment in the elderly Chinese: A case-control study. *Lipids Health Dis.* 15, 1–8. <https://doi.org/10.1186/s12944-016-0320-6>
- Hidayat, A., Arief, M., Wijaya, A., As'ad, S., 2016. Vascular Endothelial Growth Factor and Brain-Derived Neurotrophic Factor Levels in Ischemic Stroke Subject. *Indones. Biomed. J.* 8, 115–118. <https://doi.org/10.18585/inabj.v8i2.206>
- Hohman, T.J., Bell, S.P., Jefferson, A.L., 2016. The Role of Vascular Endothelial Growth Factor in Neurodegeneration and Cognitive Decline: Exploring Interactions with Biomarkers of Alzheimer's Disease Timothy. *JAMA Neurol.* 72, 520–529. <https://doi.org/10.1001/jamaneurol.2014.4761>
- Hosten, A.O., 1990. BUN and Creatinine, in: Walker, H., Hall, W., Hurst, W. (Eds.), *The History, Physical, and Laboratory Examinations*. Butterworths, Boston, pp. 874–878. https://doi.org/10.7326/0003-4819-113-7-563_2
- Huang, L., Jia, J., Liu, R., 2013. Decreased serum levels of the angiogenic factors VEGF and TGF- β 1 in Alzheimer ' s disease and amnesic mild cognitive impairment. *Neurosci. Lett.* 550, 60–63. <https://doi.org/10.1016/j.neulet.2013.06.031>
- Huang, Y., Yang, S., Jia, J., 2015. Factors related to long-term post-stroke cognitive impairment in young adult ischemic stroke. *Med. Sci. Monit.* 21, 654–660. <https://doi.org/10.12659/MSM.892554>
- Irani, F., Barbone, J.M., Beausoleil, J., Gerald, L., Irani, F., Barbone, J.M., Beausoleil, J., Gerald, L., Irani, F., 2017. Is asma associated with cognitive impairments ? A meta-analytic review. *J. Clin. Exp. Neuropsychol.* 00, 1–14. <https://doi.org/10.1080/13803395.2017.1288802>
- Ivanov, A., Mohamed, A., Korniyenko, A., 2015. Permissive hypertension in acute ischemic stroke: is it a myth or reality? *J. Am. Coll. Cardiol.* 65, A1344. [https://doi.org/10.1016/S0735-1097\(15\)61344-4](https://doi.org/10.1016/S0735-1097(15)61344-4)

- Jacobson, T.A., Ito, M.K., Maki, K.C., Orringer, C.E., Bays, H.E., Jones, P.H., McKenney, J.M., et al. (2015), “National Lipid Association recommendations for patient-centered management of dyslipidemia: Part 1 - Full report”, *Journal of Clinical Lipidology*, Elsevier Inc, Vol. 9 No. 2, pp. 129–169.
- Janelidze, S., Francardo, V., Hall, S., Zetterberg, H., Adler, C.H., Beach, T.G., Westén, D. Van, 2015. Increased CSF biomarkers of angiogenesis in Parkinson disease. *Neurology* 85, 1–9.
- Janelidze, S., Hertze, J., Nägga, K., Nilsson, K., Nilsson, C., Wennström, M., Westén, D. Van, Blennow, K., Zetterberg, H., Hansson, O., 2016. Increased blood-brain barrier permeability is associated with dementia and diabetes, but not amyloid pathology or APOE genotype. *Neurobiol. Aging*. <https://doi.org/10.1016/j.neurobiolaging.2016.11.017>
- Joe, K.H., Kim, Y.K., Kim, T.S., Roh, S.W., Choi, S.W., Kim, Y.B., Lee, H.J., Kim, D.J., 2007. Decreased plasma brain-derived neurotrophic factor levels in patients with alcohol dependence. *Alcohol. Clin. Exp. Res.* 31, 1833–1838. <https://doi.org/10.1111/j.1530-0277.2007.00507.x>
- John, U., Hanke, M., Rumpf, H.J., Thyrian, J.R., 2005. Smoking status, cigarettes per day, and their relationship to overweight and obesity among former and current smokers in a national adult general population sample. *Int. J. Obes.* 29, 1289–1294. <https://doi.org/10.1038/sj.ijo.0803028>
- Juan, S.M., Adlard, P.A., 2019. Ageing and Cognition, in: Harris, J.R., Korolchuk, V.I. (Eds.), *Biochemistry and Cell Biology of Ageing: Part II Clinical Science*. Springer, Singapore, pp. 107–122. <https://doi.org/10.1007/978-981-13-3681-2>
- Julayanont, P., Phillips, N., Chertkow, H., Nasreddine, Z.S., 2013. Cognitive Screening Instruments, in: Larner, A.J. (Ed.), *Cognitive Screening Instruments*. Springer-Verlag, London, pp. 113–151. <https://doi.org/10.1007/978-1-4471-2452-8>
- K.E., X., Zhang, J., 2012. Changes in HIF-1 α , VEGF, NGF, and BDNF Levels in Cerebrospinal Fluid And Their Relationship with Cognitive Impairment in Patients with Cerebral Infarction. Wuhan University.pdf. *J. Huazhong Univ. Sci. Technol.* 33, 433–437.
- Kalaria, R., Akinyemi, R., Ihara, M., 2016. Stroke injury, Cognitive Impairment, and Vascular Dementia. *Biochem. Biophys. - Mol. Basis Dis.* 1862, 915–925.
- Kang, J., Bae, H., Choi, Y., Lee, S.H., Shin, H.I., 2016. Length of Hospital Stay After Stroke : A Korean Nationwide Study. *Ann. Rehabil. Med.* 40, 675–681.
- Kavirahan, H. and Schneider, L.S. (2007), “Efficacy and adverse effects of cholinesterase inhibitors and memantine in vascular dementia: a meta-analysis of randomised controlled trials”, *The Lancet Neurology*, Vol. 6 No. 9, pp. 782–789.

- Kementerian Kesehatan RI, 2018. Riset Kesehatan Dasar (RISKESDAS) 2018. Jakarta. <https://doi.org/10.1088/1751-8113/44/8/085201>
- Kessels, R.P.C., Eikelboom, W.S., Schaapsmeeders, P., Maaijwee, N.A.M., Arntz, R.M., Van Dijk, E.J., De Leeuw, F.E., 2017. Effect of Formal Education on Vascular Cognitive Impairment after Stroke: A Meta-analysis and Study in Young-Stroke Patients. *J. Int. Neuropsychol. Soc.* 23, 223–238. <https://doi.org/10.1017/S1355617716001016>
- Khan, A., Kalaria, R.N., Corbett, A., Ballard, C., 2016. Update on Vascular Dementia. *J. Geriatr. Psychiatry Neurol.* 29, 281–301. <https://doi.org/10.1177/0891988716654987>
- Kim, O.J., Hong, S.H., OH, S.H., Kim, T.G., Min, K.T., Oh, D., Kim, N.K., 2011. Association Between VEGF Polymorphisms and Homocysteine Levels in Patients With Ischemic Stroke and. *Stroke* 42, 2393–2402. <https://doi.org/10.1161/STROKEAHA.110.607739>
- Kim, S., Kim, Y., Park, S.M., 2016. Body mass index and decline of cognitive function. *PLoS One* 11, 1–14. <https://doi.org/10.1371/journal.pone.0148908>
- Kishi, T., Hirooka, Y., Sunagawa, K., 2012. Telmisartan protects against cognitive decline via up-regulation of brain-derived neurotrophic factor/tropomyosin-related kinase B in hippocampus of hypertensive rats. *J. Cardiol.* 60, 489–494. <https://doi.org/10.1016/j.jjcc.2012.08.004>
- Knopman, D., Boland, L.L., Mosley, T., Howard, G., Liao, D., Szklo, M., McGovern, P., Folsom, A.R., 2001. Cardiovascular risk factors and cognitive decline in middle-aged adults. *Neurology* 56, 42–48. <https://doi.org/10.1212/WNL.56.1.42>
- Koenig, H.G., 2012. Religion, Spirituality, and Health: The Research and Clinical Implications. *ISRN Psychiatry* 2012, 1–33. <https://doi.org/10.5402/2012/278730>
- Kramer, A.H., Zygun, D.A., 2009. Anemia and red blood cell transfusion in neurocritical care. *Crit. Care* 13, 1–22. <https://doi.org/10.1186/cc7916>
- Krishnan, S., Pappadis, M.R., Weller, S.C., Stearnes, M., Kumar, A., Ottenbacher, K.J., Reistetter, A., 2017. Needs of stroke survivors as perceived by their caregivers: A scoping. *Am. J. Phys. Med. Rehabil.* 96, 487–505. <https://doi.org/10.1097/PHM.0000000000000717>.Needs
- Kuo, Y.T., Li, C.Y., Sung, J.M., Chang, C.C., Wang, J. Der, Sun, C.Y., Wu, J.L., Chang, Y.T., 2019. Risk of dementia in patients with end-stage renal disease under maintenance dialysis - A nationwide population-based study with consideration of competing risk of mortality. *Alzheimer's Res. Ther.* 11, 1–12. <https://doi.org/10.1186/s13195-019-0486-z>

- Lalithambika, C.V., Arun, C.S., Saraswathy, L.A., Bhaskaran, R., 2019. Cognitive Impairment and its Association with Glycemic Control in Type 2 Diabetes Mellitus Patients. *Indian J. Endocrinol. Metab.* 23, 353–356. <https://doi.org/10.4103/ijem.IJEM>
- Landis, J.R., Koch, G.G., 1977. The Measurement of Observer Agreement for Categorical Data Data for Categorical of Observer Agreement The Measurement. *Biometrics* 33, 159–174.
- Lange, C., Storkebaum, E., De Almodóvar, C.R., Dewerchin, M., Carmeliet, P., 2016. Vascular endothelial growth factor: A neurovascular target in neurological diseases. *Nat. Rev. Neurol.* 12, 439–454. <https://doi.org/10.1038/nrneurol.2016.88>
- Larsen, P., 2012. Monitoring Blood Viscosity to Improve Cognitive Function [WWW Document]. *Clin. Trop.* URL <https://wanp.org/Author/Pushpalarsen-2/> (accessed 1.21.20).
- Lasek-bal, A., Duława, J., Lewin-kowalik, J., 2015. Low Concentration of BDNF in the Acute Phase of Ischemic Stroke as a Factor in Poor Prognosis in Terms of Functional Status of Patients. *Med. Sci.* 21, 3900–3905. <https://doi.org/10.12659/MSM.895358>
- Laske, C., Stellos, K., Hoffmann, N., Stransky, E., Straten, G., Eschweiler, G.W., Leyhe, T., 2011. Higher BDNF serum levels predict slower cognitive decline in Alzheimer's disease patients. *Int. J. Neuropsychopharmacol.* 14, 399–404. <https://doi.org/10.1017/S1461145710001008>
- Lee, A.J., Mowbray, P.I., Lowe, G.D.O., Rumley, A., Fowkes, F.G.R., Allan, P.L., 1998. Blood Viscosity and Elevated Carotid Intima-Media Thickness in Men and Women The Edinburgh Artery Study. *Circulation* 97, 1467–1473.
- Lee, S., Lee, K., Kim, Y., Kim, S.H., Koh, S., Lee, Y.J., 2010. Serum VEGF levels in acute ischaemic strokes are correlated with long-term prognosis. *Eur. J. Neurol.* 17, 45–51. <https://doi.org/10.1111/j.1468-1331.2009.02731.x>
- Levada, O.A., Cherednichenko, N. V., Trailin, A. V., Troyan, A.S., 2016. Plasma Brain-Derived Neurotrophic Factor as a Biomarker for the Main Types of Mild Neurocognitive Disorders and Treatment Efficacy: A Preliminary Study. *Dis. Markers* 2016. <https://doi.org/10.1155/2016/4095723>
- Levey, A.S., Perrone, R.D., Madias, N.E., 1988. SERUM CREATININE AND RENAL FUNCTION. *Annu. Rev. Med.* 39, 465–490. <https://doi.org/10.15779/Z38B58P>
- Levine, D.A., Kabeto, M., Langa, K.M., Lisabeth, L.D., Rogers, M.A.M., Galecki, A.T., 2015. Does Stroke Contribute to Racial Differences in Cognitive Decline? *Stroke* 46, 1897–1902. <https://doi.org/10.1161/STROKEAHA.114.008156>

- Levine, D.A., Wadley, V.G., Langa, K.M., Unverzagt, F.W., Kabeto, M.U., Giordani, B., Howard, G., Howard, V.J., Cushman, M., Judd, S.E., Galecki, A.T., 2018. Risk factors for poststroke cognitive decline: The REGARDS study (reasons for geographic and racial differences in stroke). *Stroke* 49, 987–994. <https://doi.org/10.1161/STROKEAHA.117.018529>
- Li, R., Wang, T.J., Lyu, P.Y., Liu, Y., Chen, W.H., Fan, M.Y., Xu, J., 2018. Effects of Plasma Lipids and Statins on Cognitive Function. *Chin. Med. J. (Engl)*. 131, 471–476. <https://doi.org/10.4103/0366-6999.225062>
- Lim, J.U., Lee, J.H., Kim, J.S., Hwang, Y. Il, Kim, T., Yong, S., Yoo, K.H., 2017. Comparison of World Health Organization and Asia-Pacific Body Mass Index Classifications in Copd Patient. *Respirology* 22, 4–4. <https://doi.org/10.1111/resp.13206>
- Lip, G.Y.H., Keshishian, A., Li, X., Hamilton, M., Masseria, C., Gupta, K., Luo, X., Mardekian, J., Friend, K., Nadkarni, A., Pan, X., Baser, O., Deitelzweig, S., 2018. Effectiveness and safety of oral anticoagulants among nonvalvular atrial fibrillation patients: The ARISTOPHANES study. *Stroke* 49, 2933–2944. <https://doi.org/10.1161/STROKEAHA.118.020232>
- Lip, P.L., Felmeden, D.C., Blann, A.D., Matheou, N., Thakur, S., Cunliffe, I.A., Lip, G.Y.H., 2002. Plasma vascular endothelial growth factor, soluble VEGF receptor FLT-1, and von Willebrand factor in glaucoma. *Br. J. Ophthalmology* 86, 1299–1302.
- Loebig, M., Klement, J., Schmoller, A., Betz, S., Heuck, N., Schweiger, U., Peters, A., Schultes, B., Oltmanns, K.M., 2010. Evidence for a relationship between VEGF and BMI independent of insulin sensitivity by glucose clamp procedure in a homogenous group healthy young men. *PLoS One* 5, 1–5. <https://doi.org/10.1371/journal.pone.0012610>
- Lyden, P., 2017. Using the National Institutes of Health Stroke Scale A Cautionary Tale. *Stroke* 48, 513–519. <https://doi.org/10.1161/STROKEAHA.116.015434>
- M.B., K., K., V., K.M., D., Md.N., H., 2016. Increased brain derived neurotrophic factor (BDNF) and vascular endothelial growth (VEGF) after long term remote ischemic conditioning (RIC): Possible role in neurovascular plasticity during vascular cognitive impairment (VCI). *Stroke* 47, 1–5.
- Malakar, A.K., Choudhury, D., Halder, B., Paul, P., Uddin, A., Chakraborty, S., 2019. A review on coronary artery disease, its risk factors, and therapeutics. *J. Cell. Physiol.* 234, 1–12. <https://doi.org/10.1002/jcp.28350>
- Marden, J.R., Mayeda, E.R., Tchetgen, E.J., Kawachi, I., Glymour, M.M., 2018. High Hemoglobin A1c and Diabetes Predict Memory Decline in the Health and Retirement Study. *Alzheimer Dis. Assoc. Disord.* 31, 48–54. <https://doi.org/10.1097/WAD.000000000000182>

- Maria, S., Brucki, D., Freitas, G.R. De, Massaro, A.R., Schultz, R.R., Dementia, V., 2011. Treatment of vascular dementia. *Dement. Neuropsychol.* 5, 275–287. <https://doi.org/10.1590/S1980-57642011DN05040005>
- Matyas, N., Keser Aschenberger, F., Wagner, G., Teufer, B., Auer, S., Gisinger, C., Kil, M., Klerings, I., Gartlehner, G., 2019. Continuing education for the prevention of mild cognitive impairment and Alzheimer's-type dementia: A systematic review and overview of systematic reviews. *BMJ Open* 9, 1–10. <https://doi.org/10.1136/bmjopen-2018-027719>
- Medford-Davis, L.N., Fonarow, G.C., Bhatt, D.L., Xu, H., Smith, E.E., Suter, R., Peterson, E.D., Xian, Y., Matsouaka, R.A., Schwamm, L.H., 2016. Impact of Insurance Status on Outcomes and use of Rehabilitation Services in Acute Ischemic Stroke: Findings From Get With The Guidelines-Stroke. *J. Am. Heart Assoc.* 5. <https://doi.org/10.1161/JAHA.116.004282>
- Mellon, L., Brewer, L., Hall, P., Horgan, F., Williams, D., Hickey, A., McGee, H., Shelley, E., Kelly, P., Dolan, E., 2015. Cognitive impairment six months after ischaemic stroke: A profile from the ASPIRE-S study. *BMC Neurol.* 15, 1–9. <https://doi.org/10.1186/s12883-015-0288-2>
- Mielke, M.M., Zandi, P.P., Sjögren, M., Gustafson, D., Östling, S., Steen, B., Skoog, I., 2005. High total cholesterol levels in late life associated with a reduced risk of dementia. *Neurology* 64, 1689–1695. <https://doi.org/10.1212/01.WNL.0000161870.78572.A5>
- Miles, L., 2007. Physical activity and health, *Nutrition Bulletin*. <https://doi.org/10.1111/j.1467-3010.2007.00668.x>
- Mizrahi, E.H., Blumstein, T., Arad, M., Adunsky, A., 2008. Serum albumin levels predict cognitive impairment in elderly hip fracture patients. *Am. J. Alzheimers. Dis. Other Dement.* 23, 85–90. <https://doi.org/10.1177/1533317507311776>
- Mogi, M., Horiuchi, M., 2011. Clinical interaction between brain and kidney in small vessel disease. *Cardiol. Res. Pract.* 1. <https://doi.org/10.4061/2011/306189>
- Moor, V.J.A., Ndongo Amougou, S., Ombotto, S., Ntone, F., Wouamba, D.E., Ngo Nonga, B., 2017. Dyslipidemia in Patients with a Cardiovascular Risk and Disease at the University Teaching Hospital of Yaoundé, Cameroon. *Int. J. Vasc. Med.* <https://doi.org/10.1155/2017/6061306>
- Moore, A.M., Mahoney, E., Dumitrescu, L., Jager, P.L. De, Koran, M.E.I., Petyuk, V.A., Robinson, R.A.S., Ruderfer, D.M., Cox, N.J., Schneider, J.A., Bennet, D.A., Jefferson, A.L., Hohman, T.J., 2019. APOEε4-specific associations of VEGF gene family expression with cognitive aging and Alzheimer's disease. *Neurobiol. Aging* 30, 1–8.
- Moulin, S., Leys, D., 2017. Stroke occurring in patients with cognitive impairment or dementia. *Arq. Neuropsiquiatr.* 75, 117–121. <https://doi.org/10.1590/0004-282x20160187>

- Muir, K.W., 2013. Medical management of stroke. *Handb. Clin. Nutr. Stroke* 70, 12–16. https://doi.org/10.1007/978-1-62703-380-0_10
- Navarro-sobrin, M., Rosell, A., Hernández-guillamon, M., Penalba, A., Boada, C., Domingues-montanari, S., Ribó, M., Alvarez-sabín, J., Montaner, J., 2011. A large screening of angiogenesis biomarkers and their association with neurological outcome after ischemic stroke. *Atherosclerosis* 216, 205–211. <https://doi.org/10.1016/j.atherosclerosis.2011.01.030>
- Neau, J.-P., Ingrand, P., Mouille-Brachet, C., Rosier, M.-P., Couderq, C., Alvarez, A., Gil, R., 1988. Functional Recovery and Social Outcome after Cerebral Infarction in Young Adults. *Cerebrovascular Disease.pdf. Cerebrovasc. Dis.* 8, 296–302.
- Ng, T., Cheung, Y.T., Ng, Q.S., Ho, H.K., Chan, A., 2013. Vascular endothelial growth factor inhibitors and cognitive impairment : evidence and controversies. *Expert Opin. Drug Saf.* 13, 1–10.
- Ng, T.P., Feng, L., Niti, M., Yap, K.B., 2008. Albumin, haemoglobin, BMI and cognitive performance in older adults. *Age Ageing* 37, 423–429. <https://doi.org/10.1093/ageing/afn102>
- Ng, T.P., Niti, M., Feng, L., Kua, E.H., Yap, K.B., 2009. Albumin, Apolipoprotein e-ε4 and cognitive decline in community-dwelling chinese older adults. *J. Am. Geriatr. Soc.* 57, 101–106. <https://doi.org/10.1111/j.1532-5415.2008.02086.x>
- Nyberg, L., Lövdén, M., Riklund, K., Lindenberger, U., Bäckman, L., 2012. Memory aging and brain maintenance. *Trends Cogn. Sci.* 16, 292–305. <https://doi.org/10.1016/j.tics.2012.04.005>
- Oemati, R., 2013. Kajian Epidemiologis Penyakit Paru Obstruktif Kronik (PPOK). *Media Litbangkes* 23, 82–88. <https://doi.org/10.22435/mpk.v23i2.3130.82-88>
- Onem, Y., Terekeci, H., Kucukardali, Y., Sahan, B., Solmazgöl, E., Şenol, M.G., Nalbant, S., Sayan, O., Top, C., Oktenli, C., 2010. Albumin, hemoglobin, body mass index, cognitive and functional performance in elderly persons living in nursing homes. *Arch. Gerontol. Geriatr.* 50, 56–59. <https://doi.org/10.1016/j.archger.2009.01.010>
- Panentu, D., Irfan, M., 2013. Uji Validitas Dan Reliabilitas Butir Pemeriksaan Dengan Moteral Cognitive Assessment Versi Indonesia (MoCA- INA) Pada Insan Pascastroke Fase Recovery. *J. Fisioter.* 13, 55–67.
- Paolucci, S., 2008. Epidemiology and treatment of post-stroke depression. *Neuropsychiatr. Dis. Treat.* 4, 145–154.
- Pendlebury, S.T., Rothwell, P.M., 2009. Prevalence , incidence , and factors associated with pre-stroke and post-stroke dementia : a systematic review and meta-analysis. *Lancet Neurol.* 8, 1006–1018. [https://doi.org/10.1016/S1474-4422\(09\)70236-4](https://doi.org/10.1016/S1474-4422(09)70236-4)

- PERDOSSI, 2013. Standar Pelayanan Medis Neurologi. PERDOSSI, Jakarta.
- PERDOSSI, 2008. Modul Neurobehavior Bagian II Gangguan Neurobehavior Program Pendidikan Dokter Spesialis Neurologi. PERDOSSI, Jakarta.
- Persaulian, B., Aimon;, H., Anis, A., 2013. Analisis Konsumsi Masyarakat di Indonesia. Kaji. Ekon. I, 1–23.
- Pikula, A., Beiser, A.S., Chen, T.C., Preis, S.R., Vorgias, D., DeCarli, C., Au, R., Kelly-Hayes, M., Kase, C.S., Wolf, P.A., Vasan, R.S., Seshadri, S., 2014. Serum BDNF and VEGF levels are associated with Risk of Stroke and Vascular Brain Injury: Framingham Study Aleksandra. Stroke 44, 1–16. <https://doi.org/10.1161/STROKEAHA.113.001447>.Serum
- Plaschke, K., Staub, J., Ernst, E., Marti, H.H., 2008. VEGF overexpression improves mice cognitive abilities after unilateral common carotid artery occlusion. Exp. Neurol. 214, 285–292. <https://doi.org/10.1016/j.expneurol.2008.08.014>
- Ploughman, M., Windle, V., MacLellan, C.L., White, N., Doré, J.J., Corbett, D., 2009. Brain-derived neurotrophic factor contributes to recovery of skilled reaching after focal ischemia in rats. Stroke 40, 1490–1495. <https://doi.org/10.1161/STROKEAHA.108.531806>
- Poerwanto, H., 2013. Suku Bangsa dan Ekspres Kesukubangsaan, in: Humaniora. pp. 112–122. <https://doi.org/10.22146/jh.v0i9.2046>
- Power, M.C., Weuve, J., Sharrett, A.R., Blacker, D., Gottesman, R.F., 2015. Statins, cognition, and dementia-systematic review and methodological commentary. Nat. Rev. Neurol. 11, 220–229. <https://doi.org/10.1038/nrneurol.2015.35>
- Pugh, C.W., Ratcliffe, P.J., 2003. Regulation of angiogenesis by hypoxia : role of the HIF system. Nat. Med. 9, 677–684.
- Pyyriä, O., Talvitie, U., Nyrkkö, H., Kautiainen, H., Pohjolainen, T., Kasper, V., 2009. The effect of two physiotherapy approaches on physical and cognitive functions and independent coping at home in stroke rehabilitation. A preliminary follow-up study. Disabil. Rehabil. 29, 503–511. <https://doi.org/10.1080/09638280600902497>
- Rafnsson, S., Deary, I.J., Whiteman, M.C., Rumley, A., Lowe, G.D.O., Fowkes, F.G.R., 2010. Haemorheological predictors of cognitive decline: The Edinburgh Artery Study. Age Ageing 39, 217–222. <https://doi.org/10.1093/ageing/afp227>
- Rathore, S.S., Hinn, A.R., Cooper, L.S., Tyroler, H.A., Rosamond, W.D., 2002. Characterization of incident stroke signs and symptoms findings from the atherosclerosis risk in communities study. Stroke 33, 2718–2721. <https://doi.org/10.1161/01.STR.0000035286.87503.31>
- Renjen, P.N., Gauba, C., Chaudhari, D., 15AD. Cognitive impairment after stroke. Cureus 7, 335. <https://doi.org/10.1097/00132980-200201030-00003>

- Riddle, M.C., 2018. Updates to the Standards of Medical Care in Diabetes-2018. *Diabetes Care* 41, 2045–2047. <https://doi.org/10.2337/dc18-su09>
- Ridi, R. El, Tallima, H., 2017. Physiological functions and pathogenic potential of uric acid: A review. *J. Adv. Res.* 8, 487–493. <https://doi.org/10.1016/j.jare.2017.03.003>
- Robinson, R.G., Jorge, R.E., 2016. Post-stroke depression: A review. *Am. J. Psychiatry* 173, 221–231. <https://doi.org/10.1176/appi.ajp.2015.15030363>
- Robinson, R.G., Spalletta, G., 2010. Poststroke Depression: A Review Robert. *Can. J. Psychiatry* 55, 341–349. <https://doi.org/10.1038/jid.2014.371>
- Rockwood, K., 2002. Vascular cognitive impairment and vascular dementia. *J. Neurol. Sci.* 204, 23–27.
- Ruggiero, D., Dalmaso, C., Nutile, T., Sorice, R., Dionisi, L., Aversano, M., Bröet, P., Leutenegger, A.L., Bourgain, C., Ciullo, M., 2011. Genetics of VEGF serum variation in human isolated populations of Cilento: Importance of VEGF polymorphisms. *PLoS One* 6. <https://doi.org/10.1371/journal.pone.0016982>
- Sabia, S., Fayosse, A., Dumurgier, J., Dugravot, A., Akbaraly, T., Britton, A., Kivimäki, M., Singh-Manoux, A., 2018. Alcohol consumption and risk of dementia: 23 year follow-up of Whitehall II cohort study. *BMJ* 362, 1–11. <https://doi.org/10.1136/bmj.k2927>
- Saczynski, J.S., McManus, D.D., Waring, M.E., Lessard, D., Anatchkova, M.D., Gurwitz, J.H., 2017. Change in Cognitive Function in the Month Following Hospitalization for Acute Coronary Syndromes: Findings from TRACE-CORE. *Physiol. Behav.* 176, 139–148. <https://doi.org/10.1016/j.physbeh.2017.03.040>
- Saedi, E., Gheini, M.R., Faiz, F., Arami, M.A., 2016. Diabetes mellitus and cognitive impairments. *World J. Diabetes* 7, 412. <https://doi.org/10.4239/wjd.v7.i17.412>
- Sahebkar, A., Ponziani, M.C., Goitre, I., Bo, S., 2015. Does statin therapy reduce plasma VEGF levels in humans? A systematic review and meta-analysis of randomized controlled trials. *Metabolism* 64, 1466–1476. <https://doi.org/10.1016/j.metabol.2015.08.002>
- Sanchez, I.T., Rodriguez-Alzueta, E., Cabrera-Martos, I., Lopez-Torres, I., Morene-Ramirez, M.Pa., Valenza, M.C., 2015. Cognitive impairment in COPD: a systematic review. *J. Bras. Pneumol.* 4, 182–190. <https://doi.org/10.1177/1461444810365020>
- Sasso, F.C., Torella, D., Carbonara, O., Ellison, G.M., Torella, M., Scardone, M., Marra, C., Nasti, R., Marfella, R., Cozzolino, D., Indolfi, C., Cotrufo, M., Torella, R., Salvatore, T., 2005. Increased vascular endothelial growth factor expression but impaired vascular endothelial growth factor receptor signaling in the myocardium of type 2 diabetic patients with chronic coronary heart disease. *J. Am. Coll. Cardiol.* 46, 827–834.

- Sastroasmoro, S., Ismael, S., 2014. Dasar-dasar metodologi penelitian klinis, 5th ed. Sagung S, Jakarta.
- Schneider, A.L.C., Jonassaint, C., Sharrett, A.R., Mosley, T.H., Astor, B.C., Selvin, E., Coresh, J., Gottesman, R.F., 2016. Hemoglobin , Anemia , and Cognitive Function : The Atherosclerosis Risk in Communities Study. *Journals Gerontol. Med. Sci.* 71, 772–779. <https://doi.org/10.1093/gerona/qlv158>
- Schneider, S., Malecki, A.K., Boenisch, O., Schönfeld, R., Kielstein, J.T., 2012. Cognitive function at 2443 $\mu\text{mol/l}$ creatinine. *BMC Nephrol.* 13. <https://doi.org/10.1186/1471-2369-13-86>
- Schnider, A., Regard, M., Landis, T., 1994. Anterograde and retrograde amnesia following bitemporal infarction. *Behav. Neurol.* 7, 87–92.
- Schultz, B.G., Patten, D.K., Berlau, D.J., 2018. The role of statins in both cognitive impairment and protection against dementia: A tale of two mechanisms. *Transl. Neurodegener.* 7, 1–11. <https://doi.org/10.1186/s40035-018-0110-3>
- Setyopranoto, I., 2012. Kadar VEGF-A Pengaruhi Terjadinya Odem Otak Pasien Stroke Iskemik Akut. Universitas Gadjah Mada.
- Sherwani, S.I., Khan, H.A., Ekhzaimy, A., Masood, A., Sakharkar, M.K., 2016. Significance of HbA1c test in diagnosis and prognosis of diabetic patients. *Biomark. Insights* 11, 95–104. <https://doi.org/10.4137/Bmi.s38440>
- Shim, H., 2014. Vascular cognitive impairment and post-stroke cognitive deficits. *Curr. Neurol. Neurosci. Rep.* 14, 1–6. <https://doi.org/10.1007/s11910-013-0418-4>
- Silva, M., Pereira, E., Rocha, A., Sousa, D., Peixoto, B., 2018. Neurocognitive impairment after acute coronary syndrome: Prevalence and characterization in a hospital-based cardiac rehabilitation program sample. *J. Cardiovasc. Thorac. Res.* 10, 70–75. <https://doi.org/10.15171/jcvtr.2018.11>
- Simpson, J.R., 2014. DSM-5 and Neurocognitive Disorders. *J. Am. Acad. Psychiatry Law* 42, 159–164.
- Sivanandy, P., Thomas, B., Krishnan, V., Arunachalam, S., 2011. Safety and Efficacy of Thrombolytic Therapy Using rt-PA (Alteplase) in Acute Ischemic Stroke. *ISRN Neurol.* 2011, 1–6. <https://doi.org/10.5402/2011/618624>
- Slevin, M., Krupinski, J., Slowik, A., Kumar, P., Szczudlik, A., Gaffney, J., 2000. Serial Measurement of Vascular Endothelial Growth Factor and Transforming Growth Factor- β 1 in Serum of Patients With Acute Ischemic Stroke. *Stroke* 31, 1863–1870.
- Smith, S.E., 2013. Effects of Protein-Energy Malnutrition on the Inflammatory Response To Global Brain Ischemia. University Of Saskatchewan.

- Soegondo, S. (2005), "Atherogenic dyslipidemia and the metabolic syndrome.", *Acta Medica Indonesiana*, Vol. 37 No. 3, pp. 177–183.
- Sofian, N., Prasetyo, G., Wibisono, S., 2017. Penyakit Arteri Perifer Disertai Klaudikasio Intermiten di Daerah Terpencil Kabupaten Sikka, Flores –Studi Potong Lintang dengan Metode Palpasi Nadi dan Faktor Risikonya. *J. Penyakit Dalam Indones.* 4, 137–145.
- Steenbergen, L., Colzato, L.S., 2017. Overweight and Cognitive Performance: High Body Mass Index Is Associated with Impairment in Reactive Control during Task Switching. *Front. Nutr.* 4. <https://doi.org/10.3389/fnut.2017.00051>
- Steinberg, S.I., Sammel, M.D., Harel, B.T., Schembri, A., Policastro, C., Bogner, H.R., Negash, S., Arnold, S.E., 2015. Exercise, sedentary pastimes, and cognitive performance in healthy older adults. *Am. J. Alzheimers. Dis. Other Dement.* 30, 290–298. <https://doi.org/10.1177/1533317514545615>
- Stephens, S., Kenny, R.A., Rowan, E., Allan, L., Kalaria, R.N., Bradbury, M., Ballard, C.G., 2004. Neuropsychological characteristics of mild vascular cognitive impairment and dementia after stroke. *Int. J. Geriatr. Psychiatry* 19, 1053–1057.
- Stern, P.C., Carstensen, L.L., 2000. *The Aging Mind: Opportunities in Cognitive Research*, Postgraduate medicine. National Academy Press, Washington D.C. <https://doi.org/10.4324/9781351035224>
- Sun, J.H., Tan, L., Yu, J.T., 2014. Post-stroke cognitive impairment: Epidemiology, mechanisms and management. *Ann. Transl. Med.* 2, 80–95. <https://doi.org/10.3978/j.issn.2305-5839.2014.08.05>
- Suryono, A., 2009. Asuransi Kesehatan Berdasarkan Undang-Undang Nomor 3 Tahun 1992. *J. Din. Huk.* 9, 213–221.
- Suvarna, A., 2009. Vascular Cognitive Impairment. *Indian J. Psychiatry* 51, 61–64. <https://doi.org/10.1161/CIRCRESAHA.116.308426>
- Szlachcic, Y., Carrothers, L.A., Adkins, R., Waters, R., 2007. Clinical significance of abnormal electrocardiographic findings in individuals aging with spinal injury and abnormal lipid profiles. *J. Spinal Cord Med.* 30, 473–476. <https://doi.org/10.1080/10790268.2007.11754580>
- Thakur, N., Blanc, P.D., Julian, L.J., Yelin, E.H., Katz, P.P., Sidney, S., Iribarren, C., Eisner, M.D., 2010. COPD and cognitive impairment : the role of hypoxemia and oxygen therapy. *Int. J. Chron. Obstruct. Pulmon. Dis.* 5, 263–269.
- Thingstad, P., Askim, T., Beyer, M.K., Bråthen, G., Ellekjær, H., Ihle-Hansen, H., Knapkog, A.B., Lydersen, S., Munthe-Kaas, R., Næss, H., Pendlebury, S.T., Seljeseth, Y.M., Saltvedt, I., 2018. The Norwegian Cognitive impairment after stroke study (Nor-COAST): Study protocol of a multicentre, prospective cohort study. *BMC Neurol.* 18, 1–10. <https://doi.org/10.1186/s12883-018-1198-x>

- Torre, J.C. De, 2010. Vascular risk factor detection and control may prevent Alzheimer's disease. *Ageing Res. Rev.* 9, 218–225. <https://doi.org/10.1016/j.arr.2010.04.002>
- Ulfah, R., 2017. Uji Validitas, Uji Reliabilitas dan Uji Diagnostik Informant Questionnaire on Cognitive Decline in The Elderly Short Version (IQCODE-S) Versi Bahasa Indonesia sebagai Penapisan Gangguan Kognitif Ringan pada Lanjut Usia. Universitas Indonesia.
- VCT, M., BYK, L., Z, W., W, L., L, A., EYL, L., S, C., J, Y., WCW, C., AYL, L., AYY, C., L, S., F, F., SH, M., V, I., YOY, S., TWH, L., 2016. Delayed-Onset Dementia after Stroke or Transient Ischemic Attack. *Alzhemier' Dement.* 1–10.
- Venkat, P., Chopp, M., Chen, J., 2015. Models and Mechanisms of Vascular Dementia Poornima. *Exp. Neurol.* 272, 97–108. <https://doi.org/10.1016/j.physbeh.2017.03.040>
- Wakisaka, Y., Matsuo, R., Hata, J., Kuroda, J., Kitazono, T., Kamouchi, M., Ago, T., 2017. Adverse influence of pre-stroke dementia on short-term functional outcomes in patients with acute ischemic stroke: The Fukuoka stroke registry. *Cerebrovasc. Dis.* 43, 82–89. <https://doi.org/10.1159/000453625>
- Waldstein, S.R., 2003. The relation of hypertension to cognitive function. *Curr. Dir. Psychol. Sci.* 12, 9–13. <https://doi.org/10.1111/1467-8721.01212>
- Wallin, A., Kapaki, E., Boban, M., Engelborghs, S., Hermann, D.M., Huisa, B., Jonsson, M., Kramberger, M.G., 2017. Biochemical markers in vascular cognitive impairment associated with subcortical small vessel disease - A consensus report. *BMC Neurol.* 17, 102–113. <https://doi.org/10.1186/s12883-017-0877-3>
- Wang, J., Gao, L., Yang, Y.L., Li, Y.Q., Chang, T., Man, M.H., Zhang, X.Y., Guo, S.C., Li, L.H., 2017. Low Serum Levels of Brain-Derived Neurotrophic Factor Were Associated with Poor Short-Term Functional Outcome and Mortality in Acute Ischemic Stroke. *Mol. Neurobiol.* 54, 7335–7342. <https://doi.org/10.1007/s12035-016-0236-1>
- Wannamethee, S.G., 1999. Risk Factors for Stroke. *Eur. J. Prev. Cardiol.* 6, 199–202. <https://doi.org/10.1177/204748739900600401>
- Weintraub, D., Oehlberg, K.A., Katz, I.R., Stern, M.B., 2006. Test Characteristics of the 15-Item Geriatric Depression Scale and Hamilton Depression Rating Scale in Parkinson Disease. *Am. J. Geriatr. Psychiatry* 14, 169–175.
- Wheeler, M.J., Dempsey, P.C., Grace, M.S., Ellis, K.A., Gardiner, P.A., Green, D.J., Dunstan, D.W., 2017. Sedentary behavior as a risk factor for cognitive decline? A focus on the influence of glycemic control in brain health. *Alzheimer's Dement. Transl. Res. Clin. Interv.* 3, 291–300. <https://doi.org/10.1016/j.trci.2017.04.001>

- Witmer, A.N., Dai, J., Weich, H.A., Vrensen, G.F.J.M., Schlingemann, R.O., 2002. Expression of Vascular Endothelial Growth Factor Receptors 1, 2, and 3 in Quiescent Endothelia. *J. Histochem. Cytochem.* 50, 767–777.
- Xu, G., Jiang, Y., Wei, N., Zhu, J., Lu, T., Chen, Z., Liu, X., 2010. Effects of brain-derived neurotrophic factor on local inflammation in experimental stroke of rat. *Mediators Inflamm.* 2010. <https://doi.org/10.1155/2010/372423>
- Xue, B., Cadar, D., Fleischmann, M., Stansfeld, S., Carr, E., Kivimäki, M., McMunn, A., Head, J., 2018. Effect of retirement on cognitive function: the Whitehall II cohort study. *Eur. J. Epidemiol.* 33, 989–1001. <https://doi.org/10.1007/s10654-017-0347-7>
- Yamada, K., Nabeshima, T., 2003. Current Perspective Brain-Derived Neurotrophic Factor / TrkB Signaling in Memory Processes. *J Pharmacol Sci* 91, 267–270.
- Yang, J., Yao, Y., Chen, T., 2013. VEGF Ameliorates Cognitive Impairment in In Vivo and In Vitro Ischemia via Improving Neuronal Viability and Function. *Neuromolecular Med.* 16, 376–388. <https://doi.org/10.1007/s12017-013-8284-4>
- Yang, T., Sun, Y., Lu, Z., Leak, R.K., Zhang, F., 2017. The impact of cerebrovascular aging on vascular cognitive impairment and dementia. *Ageing Res. Rev.* 34, 15–29. <https://doi.org/10.1016/j.arr.2016.09.007>
- Yin, Y., Li, M., Li, C., Ma, X., Yan, J., Wang, T., Fu, S., Hua, K., Wu, Y., Zhan, W., Jiang, G., 2018. Reduced white matter integrity with cognitive impairments in end stage renal disease. *Front. Psychiatry* 9, 1–8. <https://doi.org/10.3389/fpsy.2018.00143>
- Yin, Z.X., Shi, X.M., Kraus, V.B., Fitzgerald, S.M., Qian, H.Z., Xu, J.W., Zhai, Y., Sereny, M.D., Zeng, Y., 2012. High normal plasma triglycerides are associated with preserved cognitive function in chinese oldest-old. *Age Ageing* 41, 600–606. <https://doi.org/10.1093/ageing/afs033>
- Zhang, Y., Zhang, Z., Yang, B., Li, Y., Zhang, Q., Qu, Q., Wang, Y., Zhang, S., Yue, W., Tan, Y., Zhang, B., Liang, J., 2014. Effects of antiplatelet agents on functional outcome and cognitive status in patients with acute ischemic stroke. *Int. J. Gerontol.* 8, 189–192. <https://doi.org/10.1016/j.ijge.2013.12.005>
- Zhang, X.Y., Tan, Y.L., Chen, D.C., Tan, S.P., Yang, F. De, Zunta-Soares, G.B., Soares, J.C., 2016. Effects of cigarette smoking and alcohol use on neurocognition and BDNF levels in a Chinese population. *Psychopharmacology (Berl)*. 233, 435–445. <https://doi.org/10.1007/s00213-015-4124-6>.
- Zhang, F.L., Guo, Z.N., Wu, Y.H., Liu, H.Y., Luo, Y., Sun, M.S., Xing, Y.Q., Yang, Y., 2017. Prevalence of stroke and associated risk factors: A population based cross sectional study from northeast China. *BMJ Open* 7, 1–11. <https://doi.org/10.1136/bmjopen-2016-015758>
- Zhao, L., Biesbroek, J.M., Shi, L., Liu, W., Kuijff, J., Chu, W.W.C., Abrigo, J.M., Lee,

- R.K.L., Leung, T.W.H., Lau, A.Y.L., Biessels, G.J., Mok, V., Wong, A., 2017. Strategic infarct location for post-stroke cognitive impairment : A multivariate lesion-symptom mapping study. *J. Cereb. Blood Flow Metab.* 0, 1–13. <https://doi.org/10.1177/0271678X17728162>
- Zhao, W., Wu, J., Liu, J., Wu, Y., Ni, J., Gu, H., Tu, J., Wang, J., An, Z., Ning, X., 2019. Trends in the incidence of recurrent stroke at 5 years after the first-ever stroke in rural China: A population-based stroke surveillance from 1992 to 2017. *Aging (Albany. NY)*. 11, 1686–1694. <https://doi.org/10.18632/aging.101862>
- Zheng, F., Yan, L., Zhong, B., Yang, Z., Xie, W., 2019. Progression of cognitive decline before and after incident stroke. *Neurology* 93, e20–e28. <https://doi.org/10.1212/wnl.00000000000007716>
- Zhou, S., Zhou, R., Zhong, T., Li, R., Tan, J., Zhou, H., 2014. Association of Smoking and Alcohol Drinking with Dementia Risk Among Elderly Men in China. *Curr. Alzheimer Res.* 11, 1–1. <https://doi.org/10.2174/1567205011666141001123356>
- Zietemann, V., Georgakis, M.K., Dondaine, T., Muller, C., Mendyk, A.M., Kopczak, A., Hénon, H., Bombois, S., Wollenweber, F.A., Bordet, R., Dichgans, M., 2018. Article early moca predicts long-term cognitive and functional outcome and mortality after stroke. *Neurology* 91, E1838–E1850. <https://doi.org/10.1212/WNL.00000000000006506>
- Zinn, S., Dudley, T.K., Bosworth, H.B., Hoenig, H.M., Duncan, P.W., Horner, R.D., 2004. The effect of poststroke cognitive impairment on rehabilitation process and functional outcome. *Arch. Phys. Med. Rehabil.* 85, 1084–1090. <https://doi.org/10.1016/j.apmr.2003.10.022>
- Zuccalà, G., Onder, G., Pedone, C., Carosella, L., Pahor, M., Bernabei, R., Cocchi, A., 2001. Hypotension and cognitive impairment: Selective association in patients with heart failure. *Neurology* 57, 1986–1992. <https://doi.org/10.1212/WNL.59.4.651>
- Zulkifly, M.F.M., Ghazali, S.E., Che Din, N., Singh, D.K.A., Subramaniam, P., 2016. A Review of Risk Factors for Cognitive Impairment in Stroke Survivors. *Sci. World J.* 2016. <https://doi.org/10.1155/2016/3456943>