



## DAFTAR PUSTAKA

- Amiri, O., Salavati-Niasari, M., Bagheri, S. and Yousefi, A.T., 2016, Enhanced DSSCs Efficiency via Cooperate Co-absorbance (CdS QDs) and Plasmonic Core-shell Nanoparticle (Ag@PVP), *Sci. Rep.*, 1-10.
- Anonim, 2008, Kementerian Energi dan Sumber Daya Mineral.
- Anonim, 2016, *World Energy Outlook Executive Summary*, International Energy Agency, London.
- Arlinghaus, F.J., 1973, Energy Bands Stannic Oxide (SnO<sub>2</sub>), *J. Phys. Chem. Solids*, 35, 931-935.
- Atkins, P. W., Overton, T.L., Rourke, J.P., Weller, M.T. and Armstrong, F.A., 2010, *Inorganic Chemistry*, 5<sup>th</sup> Ed., Oxford University Press, Great Britain.
- Atkins, P., Shriver, D. and Strauss S. H., 1999, Solution Manual for Inorganic Chemistry, 3<sup>rd</sup> ed., W.H Freeman, New York.
- Baxter, J.B., 2012, commercialization of Dye Sensitized Solar Cells: Present Status and Future Research Needs to Improve Efficiency, Stability and Manufacturing, *J. Vac. Sci. Technol.*, 30, 1-19.
- Birkel, A., Lee, Y.G., Koll, D., Meerbeek X.V., Frank, S., Choi, M.J., Kang, Y.S., Char, K. and Tremel, W., 2012, Highly Efficient and Stable Dye-Sensitized Solar Cells Based on SnO<sub>2</sub> Nanocrystals Prepared by Microwave-assisted Synthesis, *Energ. Environ. Sci.*, 5, 5392-5400.
- Cavallo, C., Pascasio Di, F., Latini, A., Bonomo, M., Dini, D., 2017, Nanostructured Semiconductor Materials for Dye-Sensitized Solar Cells, *J. Nanomater.*, 2017, 1-31.
- Cherepy, N.J., Smestad, G.P., Gratzel. M. and Zang, J.Z., 1997, Ultrafast Electron Injection: Implications for A Photoelectrochemical Cell Utilizing An Anthocyanin Dye-Sensitized TiO<sub>2</sub> Nanocrystalline Electrode, *J. Phys. Chem.*, 122, 728-731.
- De Angelis, F., Fantacci, S., Mosconi, E., Nazeeruddin, M. K. and Gratzel, M., 2011, Absorption Spectra and Excited State Energy Levels of N719 Dye on TiO<sub>2</sub> in Dye-Sensitized Solar Cell Models, *J. Phys. Chem.*, 115, 8825-8831.
- Ellis-Gibbings, L., Johansson, V., Walsh, R.B., Kloof, L., Quinton, J.S. and Andersson, G.G., 2012, Formation of N719 Dye Multilayers on Dye Sensitized Solar Cell Photoelectrode Surfaces Investigated by Direct Determination of Element Concentration Depth Profiles, *Langmuir*, 28, 9431-9439.



Feng, K., Liu, X., Si, D., Tang, X., Xing, A., Osada and M., Xiao, P., 2017, Ferroelectric BaTiO<sub>3</sub> Dipole Induced Charge Transfer Enhancement in Dye-Sensitized Solar Cells, *J. Power Sources*, 350, 35-40.

Fujisawa, J., Eda, T. and Hanaya, M., 2017, Comparative Study of Conduction-band and Valence-band Edges of TiO<sub>2</sub>, SrTiO<sub>3</sub> and BaTiO<sub>3</sub> by Ionization Potential Measurements, *Chem. Phys. Lett.*, 685, 23-26.

Gao, P., Gratzel, M. and Nazeeruddin M.K., Organohalide Lead Perovskites for Photovoltaic Applications, *Energy Environ. Sci.*, 7, 2448-2463.

Gomez-Ortiz., N.M., Vazquez-Maldonado, I.A., Perez-Espadas, A.R., Mena-Rejon, G.J., Azamar-Barrios, J.A. and Oskam, G., 2010, Dye-Sensitized Solar Cells With Natural Dyes Extracted from Achiote Seeds, *Sol. Energy. Mater. Sol. Cells*, 94, 40-44.

Gratzel, M., 2006, The Advent of Mesoscopic Injection Solar Cells, *Prog. Photovolt. Res. Appl.*, 14, 429-442.

Gratzel, M., Dye-sensitized solar cells, 2003, *J. Photochem. Photobiol. C: Photochem. Rev.*, 4, 145–153.

Green, M.A., Emery, K., Yoshikawa, Y., Warta, W. and Dunlop, E.D., 2016, Solar Cell Efficiency Tables (Version 48), *Prog. Photovolt: Res. Appl.*, 24, 905-913.

Hagfeldt, A., Boschloo, G., Sun, L., Kloo, L. and Pettersson, H., 2010, Dye Sensitized Solar Cells, *Chem. Chem. Rev.*, 110, 6595-6663.

Halme, J., 2002, Dye-Sensitized Nanostructured and Organic Photovoltaic cells: Technical Review and Preliminary Test, *Thesis*, Departement of Engineering Physics and Mathematics, Helsinki University of Technology, Finlandia.

Ham, Y., Hisatomi, T., Goto, Y., Moriya, Y., Sakata, Y., Yamaka, A., Kubota, J. and Domen, K., 2016, Flux-mediated Doping of SrTiO<sub>3</sub> Photocatalysts for Efficient overall Water Splitting, *J. Mater. Chem.*, 4, 3027-3033

Hashmi, G., Miettunen, K., Peltola, T., Halme, J., Asghar, I., Aitola, K., Toivola, M. and Lund, P., 2011, Review of Materials and Manufacturing Options for Large Area Flexible Dye Solar Cells, *Renew. Sust. Energ. Rev.*, 15, 3717-3732.

Hod, I., Shalom, M., Tachan, Z., Ruhle, S. and Zaban, A., 2009, SrTiO<sub>3</sub> Recombination-Inhibiting Barrier Layer for Type II Dye-Sensitized Solar Cells, *J. Phys. Chem.*, 114, 10015-10018.

Kappadan, S., Gebread, TW., Thomas, S. and Kalarikkal, N., 2016, Tetragonal BaTiO<sub>3</sub> Nanoparticles: An Efficient Photocatalyst for the Degradation Organic Pollutants, *Mat. Sci. Semicon. Proc.*, 51, 42-47.

Komiya, R., Fukui, A., Murofushi, N., Koide, N., Yamanaka, R. and Katayama, H., 2011, Improvement of The Conversion Efficiency of A Monolithic Type



Dye-Sensitized Solar Cell Module, *Technical Digest 21<sup>st</sup> International Photovoltaic Science and Engineering Conference*.

- Lancashire, R. J., 2014, *Polarizability*, The Department of Chemistry, University of the West Indies, Mona Campus, Kingston 7, Jamaica.
- Latini, F. A., Aldibaja, K. Cavallo, C. and Gozzi, D., 2014, Benzonitrile Based electrolytes for Best Operation of Dye Sensitized Solar Cells, *J. Power Sources*, 269, 308–316.
- Lau, S. C. T., J. Dayou, J., Sipaut, C. S. and Mansa, R. F., 2014, Development in photoanode materials for high efficiency dye sensitized solar cells, *Inter. J. Renew. Energy Res.*, 4, 665–674.
- Lee, J.W., Son, D.Y., Ahn, T.K., Shin, H.W., Kim, I.Y., Hwang, S.J., Ko, M.J., Sul. S., Han, H. and Park, N.G., 2013, Quantum-Dot-Sensitized Solar Cell with Unprecedentedly High Photocurrent, *Sci. Rep.*, 3, 1051-158.
- Lee, W.W., Chung, W.H., Huang, W.S., Lin, W.Y., Jiang, Y.R. and Chen, C.C., 2013, Photocatalytic Activity and Mechanism of Nano-Cubic Barium Titanate Prepared by A Hydrothermal Methode, *J. Chem. Eng. Taiwan*, 44, 660-669.
- Lee, Y.L., Huang, B.M. and Chien, H.T., 2008, Highly Efficient CdSe-Sensitized TiO<sub>2</sub> photoelectrode for Quantum-Dot-Sensitized Solar Cell Applications, *Chem. Mater.*, 20, 6903-6905.
- Lei, B.-X., Liao, J.-Y., Zhang, R., Wang, J., Su, C.-Y. and Kuang, D. B., 2010, Ordered Crystalline TiO<sub>2</sub> Nanotube Arrays on Transparent FTO Glass for efficient Sye-sensitized Solar Cells, *J. Phys. Chem. C*, 114, 15228–15233.
- Li, B., Wang, L. and Qiu Y., 2006, Review of Recent Progress in Solid-State Dye Sensitized Solar Cells, *Sol. Energy Mater. Sol. Cells* 5, 549-573.
- Lin, C. Y., Lai, Y.H., Chen, H. W., Chen, J.G., Kung, C.W., Vittal, R. and Ho, K.C., 2011, Highly Efficient Dye-sensitized Solar Cell with a ZnO Nanosheet-based Phoanode, *Energ. Environ. Sci.*, 4, 3448-3456.
- Nisha, M., Anusha, S., Antony, A., Manoj, R. and Jayaraj, M. K., 2005, Effect of Substrate Temperature on the Growth of ITO Thin films, *App. Surf. Sci.*, 252, 1430–1435.
- Mali, S.S., Betty, CA., Bhosale, P.N. and Patil, P.S., 2012, Eosin-Y, and N3-Dye Sensitized Solar Cells (DSSCs) based on Novel Nanocoral TiO<sub>2</sub>: A Comparative Study, *Electrochim. Acta.*, 59, 113-120.
- Matthews, D., Infelta, P. and Gratzel, M., 1996, Calculation of the Photocurrent-Potential Characteristic for Regenerative, Sensitized Semiconductor Electrodes, *Sol. Energy Mater. Sol. Cells*, 44, 119-155



Montenegro, M. A., Rios, A., Nazareno, M. A., Mercandante, A. Z., and Borsarelli, C. D., 2004, Model Studies on the Photosensitized Isomerization of Bixin, *J. Agri. Food Chem.*, 52, 367-373

Morrison, S.R., 1990, *The Chemical physics of surfaces*, Plenum, New York.

Nazeeruddin, M. K., Kay, A., Rodicio, I., Humphry-Beker, R., Mueller, E., Liska, P., Vlachopoulos, N. and Gratzel, M., 1993, Conversion of Light to Electricity by cis-X2bis(2,2'-bipyridyl-4,4'-dicarboxylate)ruthenium(II) charge-transfer sensitizers (X =Cl-, Br-, I-, CN-, and SCN-) on Nanocrystalline Titanium Dioxide electrodes, *J. Am. Chem. Soc.*, 115, 6382–6390.

Nazeeruddin, M.K., Baranoff, E. and Grätzel, M., 2011, Dye-Sensitized Solar Cells: A Brief Overview, *Sol. Energy*, 85, 1172-1178.

Nuraje, N. and Su, K., 2013, Perovskit Ferroelectric Materials, *Nanoscale Rev.*, 5, 8752-8780.

Okamoto, Y. and Suzuki, Y., 2014, Perovskit-type SrTiO<sub>3</sub>, CaTiO<sub>3</sub> and BaTiO<sub>3</sub> Porous Film Electrode for Dye-sensitized Solar Cells, *J. Ceram. Soc. Japan*, 123, 967-971.

Park, N. G., 2015, Perovskite solar cells: an emerging photovoltaic technology, *Mater. Today*, 18, 2, 65-72.

Preston, H. D., and Rickad, M. D., 1980, Extraction and Chemistry of Annatto, *Food Chem.*, 5, 47-56.

Quea, Y.P., Wenga, J., Hua, L.H., Wub, J.H. and Dai, S.Y., 2016, High Open Voltage and Superior Light-Harvesting Dye-Sensitized Solar Cells Fabricated by Flower-Like Hierarchical TiO<sub>2</sub> Composed with Highly Crystalline Nanosheets, *J. Power Sources*, 307, 138-145.

Rios, A., Marcadante, A. and Borsalleli C., 2007, Triplet State Energy of Carotenoid Bixin Determined by Photoacoustic Colorimetry, *Dyes Pigments*, 74, 561-565.

Sasri, R., 2014, Ekstrak Zat Warna Alam dari Biji Kesumba sebagai Fotosensitiser pada Fotoanoda Serat Nano TiO<sub>2</sub> untuk Sel Surya, *Tesis*, Program Pasca Sarjana Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.

Scotter, M.J., Thorpe, .S.A., Reynolds, S.L., Wilson, L.A. and Strutt, P.R., 1994 Characterization of the principal colouring components of annatto using high performance liquid chromatography with photodiode-array detection, *Food Addit. Contam. A Chem. Anal. Control Expo Risk Assess.*, 11, 301–315.



- Scotter, M., 2009, The chemistry and analysis of annatto food colouring: a review, *Food Addit. Contam. A Chem. Anal. Control Expo Risk. Assess.*, 26, 1123–1145.
- Slade, A. and Garboushian, V., 2005, 27.6% Efficient Silicon Concentrator Cell for Mass Production, *Technical Digest 15th International Photovoltaic Science and Engineering Conference*, Shanghai,.
- Sun, Q., Li, Y., Dou, J. and Wei, M., 2016, Improving the Efficiency of Dye-Sensitized Solar Cells by Photoanode Surface Modifications, *Science China Mater.*, 59, 867-883.
- Tejucá and Luis G., 1993, *Properties and applications of perovskite-type oxides*, Dekker, New York.
- Toyoda, T., Yindeesuk, W., Okuno, T., Akimoto, M., Kamiyama, K., Hayase, S. and Shen, Q., 2015, Electronic Structure of Two Types of TiO<sub>2</sub> Electrodes: Inverse Opal and Nanoparticulate Cases, *RSC Adv.*, 5, 49623–49632.
- Ward, J.S, Ramanathan, K., Hasoon, F.S., Coutts, T.J., Keane, J., Contreras, M.A., Moriarty, T. and Noufi, R., 2002, A 21.5% Efficient Cu(In, Ga) Se<sub>2</sub> Thin Film Concentrator Solar Cell, *Prog. Photovolt: Res. Appl.*, 10, 41-46.
- Wu, J., Lan, Z., Hao, S., Li, P., Lin, J., Huang, M., Fang, L. and Huang, Y., 2008, Progress on the Electrolytes for Dye-Sensitized Solar Cells, *Pure Appl. Chem.*, 80, 2241–2258.
- Wu, T.Y., Tsao, M.H., Chen, F.I., Su, S.G., Chang, C.W., Wang, H.P., Lin, Y.C. and Sun, I.W., 2010, Synthesis and Characterization of Three Organic Dyes with Various Donors and Rhodanine Ring Acceptor for Use in Dye-Sensitized Solar Cells, *J. Iran. Chem. Soc.*, 7, 707-720.
- Xu, Y., and Schoonen, M.A.A., The Absolute Energy Positions of Conductions and Valence Bands of Selected Semiconducting Minerals, *American Mineralogist*, 85, 543-556.
- Yella, A., Lee, H.-W., Tsao, H.N., Yi, C., Chandiran, A.K., Nazeeruddin, M.K., Diau, E.W.-G., Yeh, C.-Y., Zakeeruddin, S. and Grätzel, M., 2011, Porphyrin-Sensitized Solar Cells with Cobalt (II/III)-Based Redox Electrolyte Exceed 12 Percent Efficiency, *Science*, 334, 629-634.
- Yu, H., Zhang, S., Zhao, H., Xue, B., Liu, P. and Will, G., 2009, High-Performance TiO<sub>2</sub> Photoanode with an Efficient Electron Transport Network for Dye-Sensitized Solar Cells, *J. Phys. Chem. C*, 113, 16277-16282.
- Zanotti, G., Angelini, N., Notarantonio, S., Paoletti, A.M., Pennesi, G., Rossi, G., Lembo, A., Colonna, D., Carlo, A.D., Reale, A., Brown, T.M. and Calogero, G., 2010, Bridged Phthalocyanine Systems for Sensitization of Nanocrystalline TiO<sub>2</sub> Films, *Int. j. Photoenergy*, (tidak tercantum volume dan halaman).



Zhang, L., Shi, Y., Peng, S., Liang, J., Tao, Z. and Chen, J., 2008, Dye-Sensitized  
Solar Cells Made From BaTiO<sub>3</sub>-coated TiO<sub>2</sub> Nanoporous Electrodes, *J.  
Photochem.*, 197, 260–265.