

## DAFTAR PUSTAKA

- [1] Badan Perencanaan Pembangunan Nasional, *VISI DAN ARAH PEMBANGUNAN JANGKA PANJANG (PJP) TAHUN 2005 – 2025*. 2005.
- [2] Litbangkes, *Rencana Strategis Kementerian Kesehatan Tahun 2020-2024 (Litbangkes)*. 2020.
- [3] *UU Republik Indonesia No 40 Tahun 2004 Tentang Sistem Jaminan Sosial Nasional*. 2004.
- [4] BPJS Kesehatan, “Sejarah Perjananan Jaminan Sosial di Indonesia,” *Sejarah Perjananan Jaminan Sosial di Indonesia*, Sep. 20, 2018. <https://bpjs-kesehatan.go.id/bpjs/pages/detail/2013/4> (accessed Jun. 30, 2020).
- [5] Badan Penyelenggara Jaminan Sosial Kesehatan, *Panduan Layanan Bagi Peserta Jaminan Kesehatan Nasional Kartu Indonesia Sehat (JKN-KIS)*. 2018.
- [6] Hasibuan, R.A., “Persepsi masyarakat tentang jaminan kesehatan nasional terhadap keikutsertaan menjadi peserta JKN di Kota Medan tahun 2016,” Medan, 2016.
- [7] “Semua Lancar Jika Peserta JKN-KIS Pahami Prosedur,” *Semua Lancar Jika Peserta JKN-KIS Pahami Prosedur*, Agustus 2020. <https://bpjs-kesehatan.go.id/bpjs/post/read/2020/1649/Semua-Lancar-Jika-Peserta-JKN-KIS-Pahami-Prosedur>.
- [8] W. Lu, J. Cheng, and Q. Yang, “Question Answering System Based on Web,” in *2012 Fifth International Conference on Intelligent Computation Technology and Automation*, Jan. 2012, pp. 573–576, doi: 10.1109/ICICTA.2012.150.
- [9] P. Ranjan and R. C. Balabantaray, “Question answering system for factoid based question,” in *2016 2nd International Conference on Contemporary Computing and Informatics (IC3I)*, Dec. 2016, pp. 221–224, doi: 10.1109/IC3I.2016.7917964.
- [10] N. S and L. C.A, “Review on Implementation Techniques of Chatbot,” in *2020 International Conference on Communication and Signal Processing (ICCSP)*, Jul. 2020, pp. 0157–0161, doi: 10.1109/ICCSP48568.2020.9182168.
- [11] R. Dsouza, S. Sahu, R. Patil, and D. R. Kalbande, “Chat with Bots Intelligently: A Critical Review Analysis,” in *2019 International Conference on Advances in Computing, Communication and Control (ICAC3)*, Dec. 2019, pp. 1–6, doi: 10.1109/ICAC347590.2019.9036844.
- [12] K. Jwala, “Developing a Chatbot using Machine Learning,” vol. 8, no. 1, p. 4, 2019.
- [13] S. A. Thorat and V. Jadhav, “A Review on Implementation Issues of Rule-based Chatbot Systems,” *SSRN Journal*, 2020, doi: 10.2139/ssrn.3567047.
- [14] J. Shah and D. S. Mohammed, “Chatbot Analytics Based on Question

- Answering System: Movie Related Chatbot Case Analytics,” p. 6, 2019.
- [15] K. Tajane, S. Dave, P. Jahagirdar, A. Ghadge, and A. Musale, “AI Based Chat-Bot Using Azure Cognitive Services,” in *2018 Fourth International Conference on Computing Communication Control and Automation (ICCUBEA)*, Aug. 2018, pp. 1–4, doi: 10.1109/ICCUBEA.2018.8697737.
- [16] K. Palasundram, N. Mohd Sharef, K. A. Kasmiran, and A. Azman, “Enhancements to the Sequence-to-Sequence-Based Natural Answer Generation Models,” *IEEE Access*, vol. 8, pp. 45738–45752, 2020, doi: 10.1109/ACCESS.2020.2978551.
- [17] M. Y. Helmi Setyawan, R. M. Awangga, and S. R. Efendi, “Comparison Of Multinomial Naive Bayes Algorithm And Logistic Regression For Intent Classification In Chatbot,” in *2018 International Conference on Applied Engineering (ICAE)*, Oct. 2018, pp. 1–5, doi: 10.1109/INCAE.2018.8579372.
- [18] P. Kulkarni, A. Mahabaleshwarkar, M. Kulkarni, N. Sirsikar, and K. Gadgil, “Conversational AI: An Overview of Methodologies, Applications Future Scope,” in *2019 5th International Conference On Computing, Communication, Control And Automation (ICCUBEA)*, Sep. 2019, pp. 1–7, doi: 10.1109/ICCUBEA47591.2019.9129347.
- [19] R. Csaky, “Deep Learning Based Chatbot Models,” *arXiv:1908.08835 [cs]*, Aug. 2019, Accessed: Jul. 11, 2020. [Online]. Available: <http://arxiv.org/abs/1908.08835>.
- [20] S. Prasomphan, “Improvement of Chatbot in Trading System for SMEs by Using Deep Neural Network,” in *2019 IEEE 4th International Conference on Cloud Computing and Big Data Analysis (ICCCBDA)*, Apr. 2019, pp. 517–522, doi: 10.1109/ICCCBDA.2019.8725745.
- [21] G. Aalipour, P. Kumar, S. Aditham, T. Nguyen, and A. Sood, “Applications of Sequence to Sequence Models for Technical Support Automation,” in *2018 IEEE International Conference on Big Data (Big Data)*, Dec. 2018, pp. 4861–4869, doi: 10.1109/BigData.2018.8622395.
- [22] R. Dsouza, S. Sahu, R. Patil, and D. R. Kalbande, “Chat with Bots Intelligently: A Critical Review Analysis,” in *2019 International Conference on Advances in Computing, Communication and Control (ICAC3)*, Dec. 2019, pp. 1–6, doi: 10.1109/ICAC347590.2019.9036844.
- [23] Y. Sharma and S. Gupta, “Deep Learning Approaches for Question Answering System,” *Procedia Computer Science*, vol. 132, pp. 785–794, 2018, doi: 10.1016/j.procs.2018.05.090.
- [24] “The bAbI project,” *The bAbI project*. <https://research.fb.com/downloads/babi/>.
- [25] A. Chowanda and A. D. Chowanda, “Recurrent Neural Network to Deep Learn Conversation in Indonesian,” *Procedia Computer Science*, vol. 116, pp. 579–586, Jan. 2017, doi: 10.1016/j.procs.2017.10.078.
- [26] P. Muangkammuen, N. Intiruk, and K. R. Saikaew, “Automated Thai-FAQ Chatbot using RNN-LSTM,” in *2018 22nd International Computer Science and Engineering Conference (ICSEC)*, Nov. 2018, pp. 1–4, doi: 10.1109/ICSEC.2018.8712781.

- [27] A. Chowanda and A. D. Chowanda, “Generative Indonesian Conversation Model using Recurrent Neural Network with Attention Mechanism,” *Procedia Computer Science*, vol. 135, pp. 433–440, Jan. 2018, doi: 10.1016/j.procs.2018.08.194.
- [28] Y. W. Chandra and S. Suyanto, “Indonesian Chatbot of University Admission Using a Question Answering System Based on Sequence-to-Sequence Model,” *Procedia Computer Science*, vol. 157, pp. 367–374, Jan. 2019, doi: 10.1016/j.procs.2019.08.179.
- [29] M. Alam, “Neural Encoder-Decoder based Urdu Conversational Agent,” in *2018 9th IEEE Annual Ubiquitous Computing, Electronics Mobile Communication Conference (UEMCON)*, Nov. 2018, pp. 901–905, doi: 10.1109/UEMCON.2018.8796688.
- [30] J. Weston *et al.*, “TOWARDS AI-COMPLETE QUESTION ANSWERING: A SET OF PREREQUISITE TOY TASKS,” p. 14, 2016.
- [31] “Chatbot for Monitoring Mental Health and Personality Trait Identification,” *IJITEE*, vol. 8, no. 9, pp. 794–798, Jul. 2019, doi: 10.35940/ijitee.H7160.078919.
- [32] P. P. Shinde and S. Shah, “A Review of Machine Learning and Deep Learning Applications,” in *2018 Fourth International Conference on Computing Communication Control and Automation (ICCUBEA)*, Aug. 2018, pp. 1–6, doi: 10.1109/ICCUBEA.2018.8697857.
- [33] G. Karatas, O. Demir, and O. Koray Sahingoz, “Deep Learning in Intrusion Detection Systems,” in *2018 International Congress on Big Data, Deep Learning and Fighting Cyber Terrorism (IBIGDELFT)*, Dec. 2018, pp. 113–116, doi: 10.1109/IBIGDELFT.2018.8625278.
- [34] V. Sorin, Y. Barash, E. Konen, and E. Klang, “Deep Learning for Natural Language Processing in Radiology—Fundamentals and a Systematic Review,” *Journal of the American College of Radiology*, vol. 17, no. 5, pp. 639–648, May 2020, doi: 10.1016/j.jacr.2019.12.026.
- [35] J. Schmidhuber, “Deep Learning in Neural Networks: An Overview,” *Neural Networks*, vol. 61, pp. 85–117, Jan. 2015, doi: 10.1016/j.neunet.2014.09.003.
- [36] T.-H. Wen, M. Gasic, N. Mrksic, P.-H. Su, D. Vandyke, and S. Young, “Semantically Conditioned LSTM-based Natural Language Generation for Spoken Dialogue Systems,” *arXiv:1508.01745 [cs]*, Aug. 2015, Accessed: Mar. 12, 2020. [Online]. Available: <http://arxiv.org/abs/1508.01745>.
- [37] X. Zhang, X. Liang, A. Zhiyuli, S. Zhang, R. Xu, and B. Wu, “AT-LSTM: An Attention-based LSTM Model for Financial Time Series Prediction,” *IOP Conf. Ser.: Mater. Sci. Eng.*, vol. 569, p. 052037, Aug. 2019, doi: 10.1088/1757-899X/569/5/052037.
- [38] D. W. Otter, J. R. Medina, and J. K. Kalita, “A Survey of the Usages of Deep Learning for Natural Language Processing,” *IEEE Transactions on Neural Networks and Learning Systems*, pp. 1–21, 2020, doi: 10.1109/TNNLS.2020.2979670.
- [39] K. Jain and S. Kaushal, “A Comparative Study of Machine Learning and Deep Learning Techniques for Sentiment Analysis,” in *2018 7th International Conference on Reliability, Infocom Technologies and*

- Optimization (Trends and Future Directions) (ICRITO)*, Aug. 2018, pp. 483–487, doi: 10.1109/ICRITO.2018.8748793.
- [40] M.-T. Luong, H. Pham, and C. D. Manning, “Effective Approaches to Attention-based Neural Machine Translation,” *arXiv:1508.04025 [cs]*, Sep. 2015, Accessed: Mar. 30, 2020. [Online]. Available: <http://arxiv.org/abs/1508.04025>.
- [41] Z.-Q. Zhao, P. Zheng, S.-T. Xu, and X. Wu, “Object Detection With Deep Learning: A Review,” *IEEE Trans. Neural Netw. Learning Syst.*, vol. 30, no. 11, pp. 3212–3232, Nov. 2019, doi: 10.1109/TNNLS.2018.2876865.
- [42] S. Sun, C. Luo, and J. Chen, “A review of natural language processing techniques for opinion mining systems,” *Information Fusion*, vol. 36, pp. 10–25, Jul. 2017, doi: 10.1016/j.inffus.2016.10.004.
- [43] Y. Kim, “Convolutional Neural Networks for Sentence Classification,” in *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, Doha, Qatar, Oct. 2014, pp. 1746–1751, doi: 10.3115/v1/D14-1181.
- [44] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding,” in *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, Minneapolis, Minnesota, Jun. 2019, pp. 4171–4186, doi: 10.18653/v1/N19-1423.
- [45] R. S. Trofin, C. Chiru, C. Vizitiu, A. Dinulescu, R. Vizitiu, and A. Nistorescu, “Detection of Astronauts’ Speech and Language Disorder Signs during Space Missions using Natural Language Processing Techniques,” in *2019 E-Health and Bioengineering Conference (EHB)*, Nov. 2019, pp. 1–4, doi: 10.1109/EHB47216.2019.8969950.
- [46] M. A. Calijorne Soares and F. S. Parreiras, “A literature review on question answering techniques, paradigms and systems,” *Journal of King Saud University - Computer and Information Sciences*, p. S131915781830082X, Aug. 2018, doi: 10.1016/j.jksuci.2018.08.005.
- [47] R. Wongso, Meiliana, and D. Suhartono, “A literature review of question answering system using Named Entity Recognition,” in *2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)*, Oct. 2016, pp. 274–277, doi: 10.1109/ICITACEE.2016.7892454.
- [48] S. A. Sheikh, V. Tiwari, and S. Singhal, “Generative model chatbot for Human Resource using Deep Learning,” in *2019 International Conference on Data Science and Engineering (ICDSE)*, Sep. 2019, pp. 126–132, doi: 10.1109/ICDSE47409.2019.8971795.
- [49] T. P. Nagarhalli, V. Vaze, and N. K. Rana, “A Review of Current Trends in the Development of Chatbot Systems,” in *2020 6th International Conference on Advanced Computing and Communication Systems (ICACCS)*, Mar. 2020, pp. 706–710, doi: 10.1109/ICACCS48705.2020.9074420.
- [50] Y. Matsuyoshi, T. Takiguchi, and Y. Arika, “User’s Intention Understanding in Question-Answering System Using Attention-based LSTM,” in *2018*

- Asia-Pacific Signal and Information Processing Association Annual Summit and Conference (APSIPA ASC)*, Nov. 2018, pp. 1752–1755, doi: 10.23919/APSIPA.2018.8659636.
- [51] C. Xing *et al.*, “Topic Aware Neural Response Generation,” *arXiv:1606.08340 [cs]*, Sep. 2016, Accessed: Aug. 03, 2020. [Online]. Available: <http://arxiv.org/abs/1606.08340>.
- [52] Y. Song, C.-T. Li, J.-Y. Nie, M. Zhang, D. Zhao, and R. Yan, “An Ensemble of Retrieval-Based and Generation-Based Human-Computer Conversation Systems,” in *Proceedings of the Twenty-Seventh International Joint Conference on Artificial Intelligence*, Stockholm, Sweden, Jul. 2018, pp. 4382–4388, doi: 10.24963/ijcai.2018/609.
- [53] I. Sutskever, O. Vinyals, and Q. V. Le, “Sequence to Sequence Learning with Neural Networks,” *arXiv:1409.3215 [cs]*, Dec. 2014, Accessed: Mar. 30, 2020. [Online]. Available: <http://arxiv.org/abs/1409.3215>.
- [54] Ronen Feldman, *The Text Mining Handbook (Advanced Approaches in Analyzing Unstructured Data)*. Cambridge University Press, 2006.
- [55] V. A. and S. S. Sonawane, “Sentiment Analysis of Twitter Data: A Survey of Techniques,” *IJCA*, vol. 139, no. 11, pp. 5–15, Apr. 2016, doi: 10.5120/ijca2016908625.
- [56] K. Greff, R. K. Srivastava, J. Koutník, B. R. Steunebrink, and J. Schmidhuber, “LSTM: A Search Space Odyssey,” *IEEE Trans. Neural Netw. Learning Syst.*, vol. 28, no. 10, pp. 2222–2232, Oct. 2017, doi: 10.1109/TNNLS.2016.2582924.
- [57] R. C. Staudemeyer and E. R. Morris, “Understanding LSTM -- a tutorial into Long Short-Term Memory Recurrent Neural Networks,” *arXiv:1909.09586 [cs]*, Sep. 2019, Accessed: Sep. 03, 2020. [Online]. Available: <http://arxiv.org/abs/1909.09586>.
- [58] P. Zhou, Z. Qi, S. Zheng, J. Xu, H. Bao, and B. Xu, “Text Classification Improved by Integrating Bidirectional LSTM with Two-dimensional Max Pooling,” in *Proceedings of COLING 2016, the 26th International Conference on Computational Linguistics: Technical Papers*, Osaka, Japan, Dec. 2016, pp. 3485–3495, Accessed: Aug. 18, 2020. [Online]. Available: <https://www.aclweb.org/anthology/C16-1329>.
- [59] D. Bahdanau, K. Cho, and Y. Bengio, “Neural Machine Translation by Jointly Learning to Align and Translate,” *arXiv:1409.0473 [cs, stat]*, May 2016, Accessed: Sep. 03, 2020. [Online]. Available: <http://arxiv.org/abs/1409.0473>.
- [60] W. Zhao, M. Peyrard, F. Liu, Y. Gao, C. M. Meyer, and S. Eger, “MoverScore: Text Generation Evaluating with Contextualized Embeddings and Earth Mover Distance,” in *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, Hong Kong, China, Nov. 2019, pp. 563–578, doi: 10.18653/v1/D19-1053.
- [61] B. Babych and T. Hartley, “Extending the BLEU MT Evaluation Method with Frequency Weightings,” in *Proceedings of the 42nd Annual Meeting of*

- the Association for Computational Linguistics (ACL-04)*, Barcelona, Spain, Jul. 2004, pp. 621–628, doi: 10.3115/1218955.1219034.
- [62] J. Sedoc, D. Ippolito, A. Kirubarajan, J. Thirani, L. Ungar, and C. Callison-Burch, “ChatEval: A Tool for Chatbot Evaluation,” in *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics (Demonstrations)*, Minneapolis, Minnesota, Jun. 2019, pp. 60–65, doi: 10.18653/v1/N19-4011.
- [63] C. Liu, K. Liu, S. He, Z. Nie, and J. Zhao, “Incorporating Interlocutor-Aware Context into Response Generation on Multi-Party Chatbots,” in *Proceedings of the 23rd Conference on Computational Natural Language Learning (CoNLL)*, Hong Kong, China, Nov. 2019, pp. 718–727, doi: 10.18653/v1/K19-1067.
- [64] K. Papineni, S. Roukos, T. Ward, and W.-J. Zhu, “Bleu: a Method for Automatic Evaluation of Machine Translation,” in *Proceedings of the 40th Annual Meeting of the Association for Computational Linguistics*, Philadelphia, Pennsylvania, USA, Jul. 2002, pp. 311–318, doi: 10.3115/1073083.1073135.
- [65] T. Apriani, H. Sujaini, and N. Safriadi, “PENGARUH KUANTITAS KORPUS TERHADAP AKURASI MESIN PENERJEMAH STATISTIK BAHASA BUGIS WAJO KE BAHASA INDONESIA,” p. 6, 2016.
- [66] X. Lu, X. Xu, and Y. Sun, “Analysis on Attention Mechanism Application Schemes for Automatic Question Answering Systems,” in *2018 IEEE International Conference on Progress in Informatics and Computing (PIC)*, Dec. 2018, pp. 90–94, doi: 10.1109/PIC.2018.8706268.
- [67] “Amazon Mechanical Turk.” <https://www.mturk.com/>.
- [68] K. Zhang, X. Wang, Y. Guo, Z. Zhao, and Z. Ma, “Competing Ratio Loss for Multi-class image Classification,” in *2019 IEEE Visual Communications and Image Processing (VCIP)*, Dec. 2019, pp. 1–4, doi: 10.1109/VCIP47243.2019.8965861.
- [69] D. Zhu, H. Yao, B. Jiang, and P. Yu, “Negative Log Likelihood Ratio Loss for Deep Neural Network Classification,” *arXiv:1804.10690 [cs, stat]*, Apr. 2018, Accessed: Sep. 30, 2020. [Online]. Available: <http://arxiv.org/abs/1804.10690>.
- [70] I. V. Serban, A. Sordoni, Y. Bengio, A. Courville, and J. Pineau, “Building End-To-End Dialogue Systems Using Generative Hierarchical Neural Network Models,” *arXiv:1507.04808 [cs]*, Apr. 2016, Accessed: Nov. 03, 2020. [Online]. Available: <http://arxiv.org/abs/1507.04808>.
- [71] P. Lison and J. Tiedemann, “OpenSubtitles2016: Extracting Large Parallel Corpora from Movie and TV Subtitles,” in *Proceedings of the Tenth International Conference on Language Resources and Evaluation (LREC’16)*, Portorož, Slovenia, May 2016, pp. 923–929, Accessed: Nov. 03, 2020. [Online]. Available: <https://www.aclweb.org/anthology/L16-1147>.
- [72] Danescu-Niculescu-Mizil and Lee, “Cornell Movie--Dialogs Corpus.” [https://www.cs.cornell.edu/~crisian/Cornell\\_Movie-Dialogs\\_Corpus.html](https://www.cs.cornell.edu/~crisian/Cornell_Movie-Dialogs_Corpus.html).
- [73] R. Lowe, N. Pow, I. Serban, and J. Pineau, “The Ubuntu Dialogue Corpus: A Large Dataset for Research in Unstructured Multi-Turn Dialogue Systems,”

- arXiv:1506.08909 [cs]*, Feb. 2016, Accessed: Nov. 03, 2020. [Online]. Available: <http://arxiv.org/abs/1506.08909>.
- [74] L. E. Asri *et al.*, “Frames: A Corpus for Adding Memory to Goal-Oriented Dialogue Systems,” *arXiv:1704.00057 [cs]*, Apr. 2017, Accessed: Nov. 03, 2020. [Online]. Available: <http://arxiv.org/abs/1704.00057>.
- [75] F. Koto, “A Publicly Available Indonesian Corpora for Automatic Abstractive and Extractive Chat Summarization,” in *Proceedings of the Tenth International Conference on Language Resources and Evaluation (LREC’16)*, Portorož, Slovenia, May 2016, pp. 801–805, Accessed: Nov. 03, 2020. [Online]. Available: <https://www.aclweb.org/anthology/L16-1129>.
- [76] L. Yang and A. Shami, “On hyperparameter optimization of machine learning algorithms: Theory and practice,” *Neurocomputing*, vol. 415, pp. 295–316, Nov. 2020, doi: 10.1016/j.neucom.2020.07.061.
- [77] Hutter, Frank, Kotthoff, Lars, Vanschoren, Joaquin, *Automated Machine Learning: Methods, Systems, Challenges*. The Springer Series on Challenges in Machine Learning, 2019.
- [78] A. Koutsoukas, K. J. Monaghan, X. Li, and J. Huan, “Deep-learning: investigating deep neural networks hyper-parameters and comparison of performance to shallow methods for modeling bioactivity data,” *J Cheminform*, vol. 9, no. 1, p. 42, Dec. 2017, doi: 10.1186/s13321-017-0226-y.
- [79] Y. Ozaki, M. Yano, and M. Onishi, “Effective hyperparameter optimization using Nelder-Mead method in deep learning,” *IPSJ T Comput Vis Appl*, vol. 9, no. 1, p. 20, Dec. 2017, doi: 10.1186/s41074-017-0030-7.
- [80] F. C. Soon, H. Y. Khaw, J. H. Chuah, and J. Kanesan, “Hyper-parameters optimisation of deep CNN architecture for vehicle logo recognition,” *IET Intelligent Transport Systems*, vol. 12, no. 8, pp. 939–946, 2018, doi: 10.1049/iet-its.2018.5127.
- [81] C.-W. Liu, R. Lowe, I. V. Serban, M. Noseworthy, L. Charlin, and J. Pineau, “How NOT To Evaluate Your Dialogue System: An Empirical Study of Unsupervised Evaluation Metrics for Dialogue Response Generation,” *arXiv:1603.08023 [cs]*, Jan. 2017, Accessed: Mar. 25, 2020. [Online]. Available: <http://arxiv.org/abs/1603.08023>.
- [82] A. Patil, M. K. N. R. A, and N. R., “Comparative study of cloud platforms to develop a Chatbot,” *IJET*, vol. 6, no. 3, p. 57, Jun. 2017, doi: 10.14419/ijet.v6i3.7628.
- [83] *Sequence-to-Sequence Algorithm in AWS Sage Maker*. .
- [84] M. Kumar, “Serverless Architectures Review, Future Trend and the Solutions to Open Problems,” *AJSE*, vol. 6, no. 1, pp. 1–10, Mar. 2019, doi: 10.12691/ajse-6-1-1.
- [85] Muhammad Reyzaldy Indra Sukmana, Widyawan, S.T., M.Sc., Ph.D, and Teguh Bharata Adji, S.T., M.T., M.Eng., Ph.D, “Implementasi Server pada Chatterbot untuk Meningkatkan Kualitas Pelayanan BPJS Kesehatan,” Skripsi, Departemen Teknik Elektro dan Teknologi Informasi Fakultas Teknik, Universitas Gadjah Mada, 2020.
- [86] B. Li, N. Jiang, J. Sham, H. Shi, and H. Fazal, “Real-world Conversational

- AI for Hotel Bookings,” *arXiv:1908.10001 [cs, stat]*, Aug. 2019, Accessed: Oct. 01, 2020. [Online]. Available: <http://arxiv.org/abs/1908.10001>.
- [87] J. Li, A. Sun, J. Han, and C. Li, “A Survey on Deep Learning for Named Entity Recognition,” *arXiv:1812.09449 [cs]*, Mar. 2020, Accessed: Jul. 11, 2020. [Online]. Available: <http://arxiv.org/abs/1812.09449>.
- [88] L. Qiu, Y. Chen, H. Jia, and Z. Zhang, “Query Intent Recognition Based on Multi-Class Features,” *IEEE Access*, vol. 6, pp. 52195–52204, 2018, doi: 10.1109/ACCESS.2018.2869585.
- [89] C.-W. Lee, Y.-S. Wang, T.-Y. Hsu, K.-Y. Chen, H.-Y. Lee, and L.-S. Lee, “Scalable Sentiment for Sequence-to-Sequence Chatbot Response with Performance Analysis,” in *2018 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, Apr. 2018, pp. 6164–6168, doi: 10.1109/ICASSP.2018.8461377.
- [90] A. Gatt and E. Kraemer, “Survey of the State of the Art in Natural Language Generation: Core tasks, applications and evaluation,” *arXiv:1703.09902 [cs]*, Jan. 2018, Accessed: Oct. 01, 2020. [Online]. Available: <http://arxiv.org/abs/1703.09902>.
- [91] R. Agarwal and M. Wadhwa, “Review of State-of-the-Art Design Techniques for Chatbots,” *SN COMPUT. SCI.*, vol. 1, no. 5, p. 246, Sep. 2020, doi: 10.1007/s42979-020-00255-3.
- [92] A. Venkatesh *et al.*, “On Evaluating and Comparing Conversational Agents,” p. 10.
- [93] Y. Song, R. Yan, X. Li, D. Zhao, and M. Zhang, “Two are Better than One: An Ensemble of Retrieval- and Generation-Based Dialog Systems,” *arXiv:1610.07149 [cs]*, Oct. 2016, Accessed: Oct. 01, 2020. [Online]. Available: <http://arxiv.org/abs/1610.07149>.
- [94] X. Li, L. Mou, R. Yan, and M. Zhang, “StalemateBreaker: A Proactive Content-Introducing Approach to Automatic Human-Computer Conversation,” *arXiv:1604.04358 [cs]*, Apr. 2016, Accessed: Oct. 01, 2020. [Online]. Available: <http://arxiv.org/abs/1604.04358>.
- [95] S. Larson *et al.*, “An Evaluation Dataset for Intent Classification and Out-of-Scope Prediction,” in *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, Hong Kong, China, Nov. 2019, pp. 1311–1316, doi: 10.18653/v1/D19-1131.
- [96] X. Liu, A. Eshghi, P. Swietojanski, and V. Rieser, “Benchmarking Natural Language Understanding Services for building Conversational Agents,” *arXiv:1903.05566 [cs]*, Mar. 2019, Accessed: Oct. 01, 2020. [Online]. Available: <http://arxiv.org/abs/1903.05566>.
- [97] Y. Park, J. Cho, and G. Kim, “A Hierarchical Latent Structure for Variational Conversation Modeling,” *arXiv:1804.03424 [cs]*, Apr. 2018, Accessed: Oct. 01, 2020. [Online]. Available: <http://arxiv.org/abs/1804.03424>.