

DAFTAR PUSTAKA

- [1] B. Naiknaware, B. Kushwaha, and S. Kawathekar, “Social Media Sentiment Analysis using Machine Learning Classifiers,” *International Journal of Computer Science and Mobile Computing*, vol. 6, no. 6, pp. 465–472, 2017.
- [2] Z. Zhang, Q. Ye, Z. Zhang, and Y. Li, “Sentiment classification of Internet restaurant reviews written in Cantonese,” *Expert Systems with Applications*, vol. 38, no. 6, pp. 7674–7682, 2011.
- [3] F. Rahutomo, P. Y. Saputra, and M. A. Fidyawan, “Implementasi Twitter Sentiment Analysis Untuk Review Film Menggunakan Algoritma Support Vector Machine,” *Jurnal Informatika Polinema*, vol. 4, no. 2, pp. 93–100, 2018.
- [4] X. Fang and J. Zhan, “Sentiment analysis using product review data,” *Journal of Big Data*, vol. 2, no. 1, 2015.
- [5] A. Tripathy, A. Agrawal, and S. K. Rath, “Classification of sentiment reviews using n-gram machine learning approach,” *Expert Systems With Applications*, vol. 57, pp. 117–126, 2016.
- [6] K. Brogan Hartlieb, A. Idalski Carcone, M. Hasan, A. Kotov, M. Dong, and S. Naar, “A study of the effectiveness of machine learning methods for classification of clinical interview fragments into a large number of categories,” *Journal of Biomedical Informatics*, vol. 62. pp. 21–31, 2016.
- [7] Z. Su, H. Xu, D. Zhang, and Y. Xu, “Chinese sentiment classification using a neural network tool - Word2vec,” *Processing of 2014 International Conference on Multisensor Fusion and Information Integration for Intelligent Systems, MFI 2014*, 2014.
- [8] L. Zhang, S. Wang, and B. Liu, “Deep Learning for Sentiment Analysis: A Survey,” *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, 2018.
- [9] M. Zahedi, M. Bokaei, and F. Shoeleh, “Persian Word Embedding Evaluation Benchmarks,” *Iranian Conference on Electrical Engineering*, pp.

- 1583–1588, 2018.
- [10] M. A. Nurrohmat and Azhari, “Sentiment Analysis of Novel Review Using Long Short-Term Memory Method,” *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, vol. 13, no. 3, p. 209, 2019.
- [11] A. Graves and J. Schmidhuber, “Framewise phoneme classification with bidirectional LSTM and other neural network architectures,” *Neural Networks*, vol. 18, no. 5–6, pp. 602–610, 2005.
- [12] S. Hochreiter and J. Schmidhuber, “Long Short-Term Memory,” *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [13] T. Chen, R. Xu, Y. He, and X. Wang, “Improving sentiment analysis via sentence type classification using BiLSTM-CRF and CNN,” *Expert Systems With Applications*, vol. 72, pp. 221–230, 2017.
- [14] A. Hassan and A. Mahmood, “Deep Learning Approach for Sentiment Analysis of Short Texts,” *3rd International Conference on Control, Automation and Robotics Deep*, pp. 705–710, 2017.
- [15] M. Heikal, M. Torki, and N. Makky, “Sentiment Analysis of Arabic Tweets using Deep Learning,” *Procedia Computer Science*, vol. 142, pp. 114–122, 2018.
- [16] M. Song, H. Park, and K. Shin, “Attention-based long short-term memory network using sentiment lexicon embedding for aspect-level sentiment analysis in Korean,” *Information Processing and Management*, vol. 56, no. 3, pp. 637–653, 2019.
- [17] B. Ciftci and M. Apaydin, “A Deep Learning Approach to Sentiment Analysis in Turkish,” *2018 International Conference on Artificial Intelligence and Data Processing (IDAP)*, pp. 1–5, 2018.
- [18] D. Goularas and S. Kamis, “Evaluation of Deep Learning Techniques in Sentiment Analysis from Twitter Data,” *2019 International Conference on Deep Learning and Machine Learning in Emerging Applications (Deep-ML)*, pp. 12–17, 2019.
- [19] J. Zeng, X. Ma, and K. Zhou, “Enhancing Attention-Based LSTM With Position Context for Aspect-Level Sentiment Classification,” *IEEE Access*,

- vol. 7, pp. 20462–20471, 2019.
- [20] D. Khurana, A. Koli, K. Khatter, and S. Singh, “Natural Language Processing: State of The Art, Current Trends and Challenges,” 2017.
- [21] A. Kao and S. R. Poteet, *Natural Language Processing and Text Mining*. 2007.
- [22] M. Allahyari *et al.*, “A Brief Survey of Text Mining: Classification, Clustering and Extraction Techniques,” 2017.
- [23] P. Monali and K. Sandip, “A Concise Survey on Text Data Mining,” *International Journal of Advanced Research in Computer and Communication Engineering*, vol. 3, no. 9, pp. 8040–8043, 2014.
- [24] B. Pang, L. Lee, and S. Vaithyanathan, “Thumbs up? Sentiment Classification using Machine Learning Techniques,” *Proceedings of the Conference on Empirical Methods in Natural*, vol. 57, pp. 79–86, 2002.
- [25] C. Fink, D. Chou, J. Kopecky, and A. Llorens, “Coarse- and fine-grained sentiment analysis of social media text,” *Johns Hopkins APL Technical Digest (Applied Physics Laboratory)*, vol. 30, pp. 22–30, 2011.
- [26] W. N. Nanda, A. Bijaksana, and I. L. Sardi, “Analisis Word2vec untuk Perhitungan Kesamaan Semantik antar Kata,” *e-Proceeding of Engineering*, vol. 5, no. 3, pp. 7603–7612, 2018.
- [27] T. Mikolov, K. Chen, G. Corrado, and J. Dean, “Efficient Estimation of Word Representations in Vector Space,” *International Conference on Learning Representations*, pp. 1–12, 2013.
- [28] T. Mikolov, K. Chen, G. Corrado, and J. Dean, “Distributed Representations of Words and Phrases and their Compositionality,” *Neural information processing systems*, vol. 1, pp. 1–9, 2006.
- [29] J. Pennington, R. Socher, and C. D. Manning, “GloVe: Global Vectors for Word Representation,” *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing*, pp. 1532–1543, 2014.
- [30] E. Doğan and B. Kaya, “Deep Learning Based Sentiment Analysis and Text Summarization in Social Networks,” *2019 International Artificial Intelligence and Data Processing Symposium (IDAP)*, pp. 1–6, 2019.

- [31] N. E.-K. Mohamed and A. S. M. El-Bhrawy, “Artificial Neural Networks in Data Mining,” *IOSR Journal of Computer Engineering (IOSR-JCE)*, vol. 18, no. 6, pp. 55–59, 2016.
- [32] A. Sudarsono, “Jaringan Syaraf Tiruan Untuk Memprediksi Laju Pertumbuhan Penduduk Menggunakan Metode Bacpropagation (Studi Kasus Di Kota Bengkulu),” *Jurnal Media Infotama*, vol. 12, no. 1, pp. 61–69, 2016.
- [33] A. Graves, N. Jaitly, and A. Mohamed, “Hybrid Speech Recognition With Deep Bidirectional LSTM,” *2013 IEEE Workshop on. IEEE*, pp. 273–278, 2013.
- [34] Y. Wang, M. Huang, L. Zhao, and X. Zhu, “Attention-based LSTM for Aspect-level Sentiment Classification,” pp. 606–615, 2016.
- [35] G. I. Winata, O. P. Kampman, and P. Fung, “Attention-Based LSTM for Psychological Stress Detection from Spoken Language Using Distant Supervision,” *2018 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 6204–6208, 2018.
- [36] C. Olah, “Understanding LSTM Networks,” 2015, [online], Available: <https://colah.github.io/posts/2015-08-Understanding-LSTMs/>.