KARAKTER MORFOLOGIS DAN MOLEKULAR LOBSTER AIR TAWAR (Cherax quadricarinatus (von Martens, 1868))
DARI WADUK SERMO DAN EMBUNG TAMBAKBOYO YOGYAKARTA
APLINA KRISMUTIA S, Drs. Trijoko, M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abinawanto, Hamidah H, Bowolaksono A, Eprilurahman R. 2018. Short Communication : Biometric of Freshwater Crayfish (*Cherax* spp.) From Papua and West Papua, Indonesia. *BIODIVERSITAS*. 19 (2) : 489 – 495.

Agat, A. 2014. Kajian Daya Tampung Beban Pencemaran Air Embung Tambakboyo, Kecamatan Depok, Kabupaten Sleman. *Skripsi*. Fakultas Geografi: Geografi Ilmu dan Lingkungan. Yogyakarta: Universitas Gadjah Mada. Hal 1 – 17.

Ahyong, S.T and Yeo, D.C.J. 2007. Feral Populations of The Australian Red-Claw Crayfish (*Cherax quadricarinatus* von Martens) in Water Supply Catchments of Singapore. *Biol Invasions*. 2007 (9) : 943-946.

Austin, C.M. 1996. Systematics of the freshwater crayfish genus *Cherax* Erichson (Decapoda: Parastacidae) in northern and eastrern Australia: Electrophoretic and Morphological Variation. *Australian Journal of Zoology*. 44 : 259 – 296.

Avise, J. 2006. *Evolutionary Pathways in Nature: A Phylogenetic Approach*. Cambridge University Press. Cambridge, p. 1 – 3.

Baker, N, De Bruyn, M and Mather, P.B. (2008). Patterns of molecular diversity in wild stocks of the redclaw crayfish (*Cherax quadricarinatus*) from northern Australia and Papua New Guinea: impacts of Plio-Pleistocene landscape evolution. *Freshwater Biology*. 53, 1592–1605. doi:10.1111/j.1365- 2427.2008.01996.x

Belle, C.C and Yeo, D.C.J. 2010. New Observation of The Exotic Australian Red-Claw Crayfish, *Cherax quadricarinatus* (Von Martens, 1868) (Crustacea: Decapoda: Parastactidae) in Singapore. *Nature in Singapore*. 3 : 99 – 102.

Berry, V. dan O. Gascuel. 1996. On the interpretation of bootstrap trees: Appropriate threshold of clade selection and induced gain. *Molecular Biology and Evolution*, 13: 999–1011.

UNIVERSITAS
GADJAH MADA
**KARAKTER MORFOLOGIS DAN MOLEKULAR LOBSTER AIR TAWAR (Cherax quadricarinatus (von Martens, 1868))
DARI WADUK SERMO DAN EMBUNG TAMBAKBOYO YOGYAKARTA**
APLINA KRISMUTIA S, Drs. Trijoko, M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Bhattacharjee, M.J, Laskar, B.A, Dhar, B, Ghosh, S.K. 2012. Identification and Re-Evaluation of Freshwater Catfishes through DNA Barcoding. *Plos One.* 7:1-7.

Brouillette, J.A, J.R Andrew, dan P.J. Venta. 2000. Estimate of nucleotide diversity in dogs with a pool-and-sequence method. *Mammalian Genome,* 11: 1079–1086.

Bryant, D. and Papas, P. (2007) Marron *Cherax cainii* (Austin) in Victoria - a literature review. *Arthur Rylah Institute for Environmental Research Technical Report Series* No. 167. (Department of Sustainability and Environment, Melbourne.)

Budin S. 2015. Keanekaragaman Jenis Zooplankton dan Hubungannya Dengan Kualitas Perairan di Waduk Tambak Boyo Yogyakarta. *Skripsi*. Program Studi Pendidikan Biologi Fakultas Keguruan dan Ilmu Pendidikan. Yogyakarta: Universitas Sanata Dharma. Hal 21-22.

CABI, 2020. Invasive Species Compendium. Wallingford, UK : CAB International. www.cabi.org/isc

Chen, R.T, Tsai, C.F, and Tzeng, W.N. 2009. 16S and 28S rDNA Sequences in Phylogenetic Analyses of Freshwater (*Macrobrachium bate*, 1868) from Taiwan. *Journal of Crustacean Biology*. Vol 29(3): 400-412.

Cox, M.P, Hudjashov, G, Sim, A, Savina, O, Karafet, T.M, Sudoyo, H, & Lansing, J.S. 2016. Small Traditional Human Communities Sustain Genomic Diversity over Microgeographic Scales despite Linguistic Isolation. *Molecular Biology and Evolution*. 33(9), 2273–2284. doi:10.1093/molbev/msw099

Crandall, K.A and Fitzpatrick, J.F. 1996. Crayfish Molecular Systematics: Using A Combination of Procedures to Estimate Phylogeny. *Systematic Biology*. 45 : 1 – 26.

Crandall, K. A, Fetzner, J. W, Lawler, S. H, Kinnersley, M, and Austin, C. M. 1999. Phylogenetic Relationship Among The Australian and New Zealand Genera of

UNIVERSITAS GADJAH MADA
**KARAKTER MORFOLOGIS DAN MOLEKULAR LOBSTER AIR TAWAR (Cherax quadricarinatus (von Martens, 1868))
DARI WADUK SERMO DAN EMBUNG TAMBAKBOYO YOGYAKARTA**
APLINA KRISMUTIA S, Drs. Trijoko, M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Freshwater Crayfishes (Decapoda: Parastacidae). *Australian Journal of Zoology*. 47 : 199 – 214.

De Jong, M.A, N. Wahlberg, M. van Eijk, P.M. Brakefield, and B.J. Zwaan. 2011. Mitochondrial DNA signature for range-wide populations of *Bicyclus anynana* suggests a rapid expansion from recent refugia. *PLoS ONE*, 6(6): 1–5.

Doupé RG, Morgan DL, Gill HS, Rowland AJ. 2004. Introduction of redclaw crayfish *Cherax quadricarinatus* (von Martens 1868) to Lake Kununurra, Ord River, Western Australia: prospects for a 'yabby' in the Kimberley. *Journal of the Royal Society of Western Australia.* 87:187-191.

Edgerton, B.F. 2005. Freshwater Crayfish Production For Poverty Alleviation. *World Aquaculture.* 36 : 48 – 64.

Eprilurahman, R. 2014. Molecular Taxonomy and Evolution of Freshwater Crayfish of The Genus *Cherax* (Decapoda: Parastacidae) From Northern Australia and New Guinea. *Thesis*. Australia: Charles Darwin University. Pp 20 – 24.

Erichson, W.F. 1846. Uebersicht der Arten der Gattung *Astacus*. *Archiv fuer Naturgeschichte*. 12 : 86 – 103.

Fathiya, N, Harnell, E, Thomy, Z, and Iqbar. 2018. Molecular Identification of *Shorea johorensis* in Ketambe Research Station, Gunung Leuser National Park. *Journal Natural*. 18 (2) : 56 – 64.

Fauziyah, S.S. 2017. *Analisis Willingness To Pay Untuk Perbaikan Kualitas Objek Wisata Waduk Sermo di Kabupaten Kulonprogo*. Yogyakarta: Skripsi Universitas Muhammadiyah Yogyakarta.

Grant, W.A.S and Bowen, B.W. 1998. Shallow population histories in deep evolutionary lineages of marine fishes: insights from sardines and anchovies and lessons for conservation. *J. Hered*. 89: 415-426.

UNIVERSITAS
GADJAH MADA
**KARAKTER MORFOLOGIS DAN MOLEKULAR LOBSTER AIR TAWAR (Cherax quadricarinatus (von Martens, 1868))
DARI WADUK SERMO DAN EMBUNG TAMBAKBOYO YOGYAKARTA**
APLINA KRISMUTIA S, Drs. Trijoko, M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Gray, J.E. 1845. Description of Some New Australian Animals. In *'Edward John Eyre, Journals of Expeditions of Discovery Into Central Australia 1'*. Pp. 405 – 411 (appendix).

Han, T, Lee, W, Lee, S, Park, I.G. and Park, H. 2016. Reassessment of Species Diversity of the Subfamily Denticollinae (Coleoptera: Elateridae) through DNA Barcoding. *PLoS ONE*. Vol 11(2): e0148602. doi:10.1371/journal.pone.0148602

Hillis, D.M, Moritz, C, and Mable, B.K. 1996. Molecular Systematics. Sinauer Associates: Sunderland, Massachusetts, United States of America).

Hobbs, H.H. and Lodge, D.M. 2010. *Ecology and Classification of North American Freshwater Invertebrates*. Elsevier : Oxford. Pp. 901 – 967.

Holthuis, L.B. 1996. *Cherax (Astaconephrops) minor* New Species, A Parastacid From The Mountain of Irian Jaya (W. New Guinea), Indonesia (Crustacea: Decapoda: Parastacidae). *Zoologische Medelingen Leiden*. 70 : 361 – 366.

Horiike, T. 2016. An Introduction to Molecular Phylogenetic Analysis. Reviews in Agricultural Science. 4 : 36-45. Doi: 10.7831/ras.4.36.

Huxley, T.H. 1878. On The Classification and The Distribution of The Crayfishes. *Proceedings of The Zoological Society of London*. 1878 : 751 – 788.

Iskandar. 2003. Budidaya Lobster Air Tawar. Penebar Swadaya. Jakarta. 76 pp.

Jaklic, M and Vrezec, A. 2011. The First Tropical Alien Crayfish Species in European Waters: The Redclaw *Cherax quadricarinatus* (von Martens, 1868) (Decapoda, Parastacidae). *Crustaceana*. 84 (5/6) : 651 – 665.

Jones, C.M, McPHee, C.P, Ruscoes, I.M. 2000. A Review of Genetic Improvement in Growth Rate in Redclaw Crayfish *Cherax quadricarinatus* (von Martens, 1868) (Decapoda: Parastacidae). *Aquaculture Research*. 31 : 61-67.

UNIVERSITAS
GADJAH MADA
**KARAKTER MORFOLOGIS DAN MOLEKULAR LOBSTER AIR TAWAR (Cherax quadricarinatus (von Martens, 1868))
DARI WADUK SERMO DAN EMBUNG TAMBAKBOYO YOGYAKARTA**
APLINA KRISMUTIA S, Drs. Trijoko, M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Karplus, I, A. Sagi, I. Khalaila, and A. Barki. 2003. The Soft Red Patch Of The Australian Freshwater Crayfish *Cherax quadricarinatus* (von Martens): A Review And Prospects For Future Research. *J. Zool. Lond*. 259 : 375 – 379.

Kemena, C. and Notredame, C. 2009. Upcoming challenges for multiple sequence alignment methods in the high through putera. *Bioinformatics.* 25; 2455 – 2465.

Kumar, S, and Gadagkar S.R. 2000. Efficiency of the Neighbor-Joining Method in Reconstructing Deep and Shallow Evolutionary Relationships in Large Phylogenies. *Journal of Molecular Evolution*. 51(6) : 544–553. doi:10.1007/s002390010118

Kumar S, Stecher G, Tamura K. 2016. MEGA7: Molecular Evolutionary Genetics Analysis Version 7.0 For Bigger Datasets. *Mol Biol Evol*. 33(7):1870–1874.

Lukhaup, C and Pekny, R. 2006. *Cherax (Cherax) holthuisi*, A New Species of Crayfish (Crustacea: Decapoda: Parastacidae) From The Centre Of The Vogelkop Peninsula in Irian Jaya (West New Guinea), Indonesia. *Zool. Med. Leiden*. 80 : 101 – 107.

Lukhaup, C and Pekny, R. 2008. *Cherax (Astaconephrops) boesmani*, A New Species of Crayfish (Crustacea: Decapoda: Parastacidae) From The Centre of The Vogelkop Peninsula in Irian Jaya (West New Guinea), Indonesia. *Zool. Med. Leiden*. 82 : 1 – 10.

Lukhaup, C and Herbert, B. 2008. A New Species of Crayfish (Crustacea: Decapoda: Parastacidae) From The Fly River Drainage, Western Province, Papua New Guinea. *Memoirs of The Queensland Museum*. 52 (2) : 213 – 219.

Lukhaup, C, Eprilurahman, R, and von Rintelen, T. 2017. *Cherax warsamsonicus*, A New Species of Crayfish From The Kepala Burung (Vogelkop) Peninsula in West Papua, Indonesia (Crustacea, Decapoda, Parastacidae). *ZooKey*s. 660 : 151 – 167.

Lukhaup, C, Eprilurahman, R, von Rintelen, T. 2018. Two New Species of Crayfish of The Genus *Cherax* From Indonesian New Guinea (Crustacea, Decapoda, Parastacidae). ZooKeys. 769 : 89 – 116.

UNIVERSITAS GADJAH MADA
**KARAKTER MORFOLOGIS DAN MOLEKULAR LOBSTER AIR TAWAR (Cherax quadricarinatus (von Martens, 1868))
DARI WADUK SERMO DAN EMBUNG TAMBAKBOYO YOGYAKARTA**
APLINA KRISMUTIA S, Drs. Trijoko, M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Lynas, J, Storey, A, Knott B. 2007. Introduction and Spread of Crayfish (Parastacidae) in Western Australia and Their Potential to Displace Indigenous Species. *In: Biological invaders in inland waters: profiles, distribution and threats*, [ed. by Gherardi F]. Dordrecht, The Netherlands: Springer. 577-596.

Lyons, D.M., and Lauring A.S. 2017. Evidence for the selective basis of transitionto-transversion substitution bias in two RNA viruses. *Molecular Biology and Evolution*, 34(12): 3205–3215.

Martosudarmo B, dan Ranoemiharjo B.S. 1980. Biologi Udang Penaeid. In Pedoman Pembenihan Udang Penaeid. Ditjen Perikanan Jakarta. Pp 1 – 21.

Masser, M.P and Rouse, D.B. 1997. *Australian Red Claw Crayfish*. SRAC Publication. Vol. 244. *Alabama Cooperative Extension Service*. Auburn University, Alabama, USA. Pp 1 – 8.

Munasinghe, D.H.N, Murphy, N.P, and Austin, C.M. 2003. Utility of Mitochondrial DNA Sequences From Four Gene Regions For Systematic Studies of Australian Freshwater Crayfish of The Genus *Cherax* (Decapoda: Parastacidae). *Journal of Crustacean Biology*. 23 : 402 – 417.

Naqiuddin, A.S, Rahim, K.A.A, Long, S.M, Firdaus, F.F. 2016. The Spread of The Australian Redclaw Crayfish (*Cherax quadricarinatus* von Martens, 1868) in Malaysia. *Journal of Sustainability Science and Management*. 11 (2) : 31 – 38.

Nei, M. 1972. Genetic distance between populations. *The American Naturalist*, 106(949): 283–292.

Nei, M and Li, W. 1979. Mathematical Model for Studying Genetic Variation in Terms of Restriction Endonucleases. *Proc. Natl. Acad. Sci. USA*. 76 (10) : 5269 – 5273.

Nunes, A.L, Zengeya, T.A, Hoffman, A.C, Measay, G.J, and Weyl, O.L.F. 2017. Distribution and Establishment of The Alien Australian Redclaw Crayfish, *Cherax quadricarinatus*, in South Africa and Swaziland. *PeerJ*. Pp 1 – 21.

UNIVERSITAS
GADJAH MADA
**KARAKTER MORFOLOGIS DAN MOLEKULAR LOBSTER AIR TAWAR (Cherax quadricarinatus (von Martens, 1868))
DARI WADUK SERMO DAN EMBUNG TAMBAKBOYO YOGYAKARTA**
APLINA KRISMUTIA S, Drs. Trijoko, M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Pakpahan, S., W.T. Artama, R. Widayanti, dan I.G. Suparta. 2015. Genetic variations and the origin of native Indonesian goat breeds based on mtDNA D-loop sequences. *Asian Journal of Animal Sciences*, 9: 341–350.

Palumbi, SR. 1996. *Nucleic acids II: the polymerase chain reaction. In: Molecular Systematics* (eds Hillis DM, Moritz C, Mable BK). Sinauer & Associates.Inc, Sunderland, Massachusetts. pp:205-247.

Parnes, S, Khalaila, I, Hulata, G, and Sagi, A. 2003. Sex Determination in Crayfish : Are Intersex *Cherax quadricarinatus* (Decapoda, Parastacidae) Genetically Females?. *Genet. Res. Camb*. 82 (2003) : 107 – 116.

Patoka J, Kalous L, Kopecký O. 2015. Imports of Ornamental Crayfish: The First Decade From The Czech Republic's Perspective. *Knowledge and Management of Aquatic Ecosystems* 416: 4. https://doi.org/10.1051/kmae/2014040.

Patoka J, Wardiatno Y, Yonvitner, Kurikova P, Petrtyl M, Kalous L. 2016. *Cherax quadricarinatus* (von Martens) Has Invaded Indonesian Territory West of The Wallace Line: Evidences From Java. *Knowledge and Management of Aquatic Ecosystems*. 417 : 39.

Patoka J, Wardiatno Y, Mashar A, Yonvitner, Wowor D, Jerikho R, Takdir M, Purnamasari L, *et all*. 2018. Redclaw Crayfish, *Cherax quadricarinatus* (von Martens, 1868), Widespread Throughout Indonesia.

Purnomo dan Diatrinari, F. 2019. Hubungan Kekerabatan Fenetik Kultivar Krisan (*Chrysanthemum morifolium* Ramat.) di Pakem, Daerah Istimewa Yogyakarta Berdasarkan Karakte Anatomis Daun dan Batang. *BIOMA*. 15 (1) : 21-26.

Putra, M.D, Blaha M, Wardiatno Y, Krisanti M, Yonvitner, Jerikho R, *et al*., 2018. *Procambarus clarkii* (Girard, 1852) and Crayfish Plague As New Threats for Biodiversity in Indonesia. *Aquatic Conservation: Marine Freshwater Ecosystem*. 2018 : 1-7.

UNIVERSITAS GADJAH MADA
**KARAKTER MORFOLOGIS DAN MOLEKULAR LOBSTER AIR TAWAR (Cherax quadricarinatus (von Martens, 1868))
DARI WADUK SERMO DAN EMBUNG TAMBAKBOYO YOGYAKARTA**
APLINA KRISMUTIA S, Drs. Trijoko, M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Riek, E.F. 1967. The Freshwater Crayfish of Western Australia (Decapoda: Parastacidae). *Australian Journal of Zoology*. 15 : 103 – 121.

Riek, E.F. 1969. The Australian Freshwater Crayfish (Crustacea: Decapoda: Parastacidae), With Description of New Species. *Australian Journal of Zoology*. 17 : 855 – 918.

Riek, E.F. 1972. The Phylogeny of The Parastacidae (Crustacea: Astacoidea), and Description of A New Genus of Australian Freshwater Crayfishes. *Australian Journal of Zoology*. 20 : 369 – 389.

Rinanda, T. 2011. Analisis Sekuensing *16S rRNA* di Bidang Mikrobiologi. *Jurnal Kedokteran Syiah Kuala.* 11(3): 172-177.

Saitou, N, and M, Nei. 1987. The Neighbor-Joining Method: A New Method For Reconstructing Phylogenetic Trees. *Molecular Biology and Evolution*, 4(4): 406-425.

Short, J.W. 1991. *Cherax nucifraga*, a new species of freshwater crayfish (Crustacea: Decapoda: Parastacidae) from the Northern Territory, Australia. *The Beagle, Records of the Northern Territory Museum of Arts and Science* 8, 115-120.

Short, J.W. 1993. *Cherax cartalacoolah*, a new species of freshwater crayfish (Decapoda: Parastacidae) from northeast Australia. *Memoirs of the Queensland Museum* 33, 55-59.

Short, J.W. and Davie, P.J.F. 1993. Two species of freshwater crayfish (Crustacea: Decapoda: Parastacidae) from northeastern Queensland rainforest. *Memoirs of the Queensland Museum* 33, 69-80.

Smith G. 1912. The Freshwater Crayfishes of Australia. *Proc. Zool. Soc. Lond*. Pp 144 – 171.

Smith, C. A. B. 1977. A note on genetic distance. *Annals of Human Genetics*. 40(4), 463–479. doi:10.1111/j.1469-1809.1977.tb01864.x

UNIVERSITAS
GADJAH MADA
**KARAKTER MORFOLOGIS DAN MOLEKULAR LOBSTER AIR TAWAR (Cherax quadricarinatus (von Martens, 1868))
DARI WADUK SERMO DAN EMBUNG TAMBAKBOYO YOGYAKARTA**
APLINA KRISMUTIA S, Drs. Trijoko, M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Storer, T.I. and Usinger. 1961.Element of Zoology. Second Edition. McGraw-Hill Books Company Inc. 463 pp.

Suparman dan Papuangan N. 2012. Analisis Kekerabatan Fenetik Enam Populasi Tumbuhan Jamblang (*Eugenia jombolana* Lamk.) di Pulau Ternate, Tidore, dan Maitara Berdasarkan Organ Vegetatif. Ternate: Prodi Pendidikan Biologi Unkhair.

Toon A. Perez-Losada M, Schweitzer C. E, Feldmann R. M, Carlson M, and Crandall K. A. 2010. Gondwanan Radiation of The Southern Hemisphere Crayfishes (Decapoda: Parastacidae): Evidence From Fossils and Molecules. *Journal of Biogeography*. 37 : 2275 – 2290.

Trijoko, Handayani N.S.N, Widianawati A, Eprilurahman R. 2015. Karakter Morfologis dan Molekular *Macrobrachium* spp. dari Sungai Opak Daerah Istimewa Yogyakarta. *Biogenesis*. 3 (1): 1 – 10.

Wangiyana, I.G.A.S. 2019. Comparation of Dendrogram and Cladogram Topology of *Gyrinops versteegii* and Others Gyrinops Member For Polyphasic Taxonomy. *Jurnal Silva Samalas*. 2 (1) : 13-18.

WoRMS Editorial Board. 2020. World Register of Marine Species. Available from http://www.marinespecies.org at VLIZ. Accessed 2020-09-27. doi : 10.14284/170

Wulandari. 2014. Kajian Kualitas Air Waduk Sermo, Desa Hargowilis, Kecamatan Kokap, Kabupaten Kulonprogo. Skripsi. Fakultas Geografi: Geografi Ilmu dan Lingkungan. Yogyakarta: Universitas Gadjah Mada. Hal 1 – 22.

Yang, L., T. Zongqing, D. Wang, L. Xue1, M. Guan, T. Huang, dan R. Li1. 2013. Species identification through mitochondrial rRNA genetic analysis. *Scientific reports*, 14: 1–11.

Yang, L., Tan, Z., Wang, D., Xue, L., Guan, M., Huang, T., and Li, R. 2014. Spesies Identification trough mitochondrial *rRNA* genetic analysis. *Scientific Report.* Vol 4 : 4089. Doi:10.1038/srep04089.