UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abisado, R. G., S. Benomar, J. R. Klaus, A. A. Dandekar and J. R. Chandler. 2018. Bacterial quorum sensing and microbial community interactions. mBio 9: 1-13.

Ahmed, I. 2013. Dietary amino acid L-histidine requirement of fingerling Indian catfish, *Heteropneustes fossilis* (Bloch), estimated by growth and whole body protein and fat composition. Journal of Applied Ichthyology 29(3): 602-609.

An, J. S., Kim K., Cho S., Lim B. S., and Ahn S. J. 2017. Compositional difference in multispecies biofilms fomed on various orthodontic adhesives. Eur J Orthod 39: 528-33.

Anonim. 2018. Solid surface energy data (SFE) for common polymers. www.surface-tesion.de. Diakses pada tanggal 6 Oktober 2020.

Araujo, C. D., D. Balestrino, L. roth, N. Charbonnel and C. Forestier. 2010. Qourum sensing effects biofilm formation through lipopolysaccharide synthesis in *Klebsiella pneumoniae*. Res. Microbiol. 161 (7) : 595-603.

Araujo, L. C. A., A. F. P. Junior, S. M. Silva, A. C. S. Lopez, D. L. Veras, L. C. Alves, F. B. Santos, T. H. Napoleao, M. T. S. Correia, M. V. Silva, M. L. V. Oliva and M. B. M. Oliveira. 2019. In vitro evaluation of mercury (Hg^{2+}) effects on biofilm formation by clinical and environtmental isolates of *Klebsiella pneumoniae.* Ecotoxicology and Environtmental Safety 169: 669-677.

Arkatkar, A., J. Arutchelvi, M. Sudhakar, S. Bhaduri, P. V. Uppara, and M. Doble. 2009. Approaches to enhance the biodegradation of polyolefins. The Open Environtmental Engineering Journal 2: 68-80.

Arkatkar, A., J. Arutchelvi, M. Sudhakar, S. Bhaduri, P. V. Uppara, and M. Doble. 2010. Growth of Pseudomonas and Bacillus biofilms on pretreated polyprophylene surface. 2010. International Biodeterioration & Biodegradation 64: 530-536.

Arnold, J. W. ad G. W. Bailey. 2000. Surface finishes on stainless steel reduce bacterial attachment and early biofilm formation: scanning electron and atomic force microscopy study. Poultry Science 79: 1839-1845.

Arnold, S. H. and W. D. Brown. 1978. Histamine (?) toxicity from fish product. Advances in Food Research 24: 113-154.

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Arunasri, K. and S. V. Mohan. 2019. Biofilms: Microbial Life on the Electrode Surface. Elsevier B. V.

ArunKumar, M., F. LewisOscar, N. Thajuddin, and C. Nithya. 2019. Isolation and screening of biofilm forming *Vibrio* spp. from fish sample around south east region of Tamin Nadu and Puducherry. Biocatalysis and Agricultural Biotechnology 17: 379-389.

Azeredo, J., N. F. Azevedo, R. Briandet, N. Cerca, T. Coenye, A. R. Costa, M. Desvaux, G. D. Bonaventura, M. Hebraud, Z. Jaglic, M. Kacaniova, S. Knochel, A. Lourenco, F. Mergulhao, R. L. Meyer, G. Nychas, M. Simoes, O. Tresse and C. Sternberg. 2017. Critical review on biofilm method. Critical Reviews in Microbiology 43(3): 313-351.

Azevedo, N. F. and N. Cerca. 2012. Biofilm : in Health, Environtment and Industry. Publindustria Edicoes Tecnicas, Portugal.

Bagge-Ravn, D., Y. Ng, M. Hjelm, J. N. Chrintiansen, C. Johansen, and L. Gram. 2003. The microbial ecology of processing equipment in different fish industries-analysis of the microflora during processing and following cleaning and disinfection. Int. J. Food Microbiol. 87(3): 239-250.

Bajc, Z. and K. S. Gacnik. 2009. Densitometric KLT analysis of histamine in fish an fishery products. Journal of Planar Chromatography 22(1): 15-17.

Bakir, S. H. and F. A. Ali. 2016. Comparison of different methods for detection of biofilm production in ulti-drug resistance bacteria causing pharyngotonsilitis. International Journal of Research in Pharmacy and Biosciences 3(2): 13-22.

Becker, K., K. Southwick, J. Reardon, R. Berg, and J. N. MacCormack. 2001. Histamine poisoning associated with eating tuna burgers. JAMA 285(10): 1327-1330.

Behling, A. R. and S. L. Taylor. 1982. Bacterial histamine production as a function of temperature and time incubation. Journal of Food Science 47: 1311-1314.

Boks, N. P., H. J. Busscher, H. C. van der Mei, and W. Norde. 2008. Bond-strengthening in *Staphylococcal* adhesion to hydrophilic and hydrophobic surface using atomic force microscopy. Langmuir 24: 12990-12994.

Bollen, C. M., P. Lambrechts and M. Quirynen. 1997. Comparison of surface roughness of oral hard materials to the threshold surface roughness for bacterial plaque retention: a review of the literature. Dent. Mater. 13: 258-269.

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Boulange-Petermann, L., J. Rault and M. Bellon-Fontaine. 1997. Adhesion of *Streptococcus thermophilus* to stainless steel with different surface topography and roughness. Biofouling 11: 201-216.

Branda, S. S., S. V. L. Friedman and R. Kotler. 2005. Biofilm: the matrix revisited. Trends Microbiol. 13: 20-26.

Bujdakova, H., M., M. Didiasova, H. Drahovska, and L. Cernakova. 2013. Role of cell surface hydrophobicity in *Candida albicans* biofilm. Central Europ. J. Bio;.8: 259-262.

Bulushi, I. A., S. Poole, H. C. Deeth, and G. A. Dykes. 2009. Biogenic amines in fish: roles in intoxication, spoilage, and nitrosamine formation-a review. Crit. Rev. Food Sci. Nutr. 49:369-377.

Burocka-Melkusova, S. and H. Bujdakova. 2008. Variation of cell surface hydrophobicity and biofilm formation among genotypes of *Candida albicans* and *Candida dubliniensis* under antifungal treatment. Can. J. Microbiol. 54: 718-724.

Campana, R., L. Casettari, L. Fagioli, M. Cespi, G. Bonacucina and W. Baffone. 2017. Activity of essential oil-based microemulsion against *Staphylococcus aureus* biofilm developed on stainless steel surface in different culture media and growth condition. International Journal of Food Microbiology 241: 132-140.

Cazzaniga, G., Ottobelli M., Ionescu A. Garcia-Godoy F., and Brambilla E. 2015. Surface properties of resin-based composite materials and biofilm formation: a revies of the current literature. Am J Dent 28: 311-20.

Ceri, H., M. E. Olson, C. Stremick, R. R. Read, D. Morck, and A. Buret. 1999. The Calgary biofilm device: new technology for rapid determination of antibiotic susceptibilities of bacterial biofilms. Journal of Clinical Microbiology 37(6): 1771-1776.

Chang, C. C. and K. Merrit. 1991. Effects of *Staphylococcus epidermis* on adherence of *Pseudomonas aeruginosa* and *Proteus mirabilis* to polymethyl metharcrylate (PMMA) and gentamycin-containing PMMA. J Orthop Res 9: 284-8.

Chavant, P., B. Gaillard-Martinie, R. Talon, M. Hebraud, and T. Hernardi. 2007. A new device for rapid evaluation of biofilm formation potential by bacteria. Journal of Microbiological Methods 68: 605-612.

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Cheng, Y., G. Feng and C. I. Moraru. 2019. Micro- and nanotopography sensitive bacterial attachment mechanism: a review. Frontiers in Microbiology 10: 1-17.

Christensen, G. D., W. A. Simpson, J. J. Younger, L. M. Baddour, F. F. Barrett, D. M. Melton, and E. H. Beachey. 1985. Adherence of coagulase-negative *Staphylococci* to plastic tissue culture plates: a quantitative model for the adherence of *Staphylococci* to medical devices. Journal of Clinical Microbiology 22: 996-1006.

Colagiorgi, A., I. Bruini, P. A. Di Cicio, E. Zanardi, S. Ghidini and A. Ianjeri. 2017. *Listeria monocytogenes* biofilm in the wonderland of food industry. Pathogens 6: 1-9.

Dagostino, L., A. E. Goodman, and K. C. Marshall. 1991. Physiological responses induced in bacteria adhering to surface. Biofouling 4: 113-119.

Davey, M. E., G. A. O'Toole. 2000. Microbial biofilm: from ecology to molecular genetics. Microbiol. Mol. Biol. Rev. 64: 847-867.

Davies, D. G., A. M. Charabarty, and G. G. Geesey. 1993. Exopolysaccharide production in biofilms: substratum activation of alginate gene expression by *Pseudomonas aeruginosa*. Appl Environ Microbiol 59: 1181-1186.

De, A., H. J. Raj, and P. K. Maiti. 2016. Biofilm in Osteomyelitis caused by a rare pathogen, *Morganella morganii* : A Case Report. Journal of Clinical and Diagnostic Research 10(6): DD06-DD08.

Devivilla, S., M. Leeksml, S. H. Kumar, R. K. Valappil, S. D. Roy, and B. B. Nayak. 2019. Effect of sodium hypochlorite on biofilm-forming ability of histamine-producing bacteria isolated from fish. Journal of Food Protection 82(8): 1417-1422.

Di Cicio, P., M. Conter, E. Zanardi, S. Ghidini, A. Vegara, D. Paludi, A. R. Festino, and A. Ianeri. 2012. *Listeria monocytogenes*: Biofilm in food processing. Ital. J. Food Sci. 24: 203-213.

Diaz, M., B. D. Rio, E. Sanchez-Llana, V. Ladero, B. Redruello, M. Fernandez, M. C. Martin, and M. A. Alvarez. 2016. Histamine-producing *Lactobacillus parabuchneri* strains isolated from grated cheese can form biofilm on stainless steel. Food Microbiology 59: 85-91.

Dixon, M., S. Flint, J. Palmer, R. Love, P. Biggs, and A. Beuger. 2018. Analysis of culturable and non-culturable bacteria and their potential to form biofilms in a

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

primary treated dairy waswater system. Environtmental Technology 39(17): 2185-2192.

Dizaj, S. M., F. Lotfipour, M. Barzegar-Jalali, M. H. Zarrintan, and K. Adibkia. 2014. Antimicrobial activity of the metals and metal oxide nanoparticles. Material Science and Engineeing 44: 278-284.

Doijad, S. P., S. B. Burbuddhe, S. Garg, K. V. Poharkar, D. R. Kalorey, N. V. Kurkure, D. B. Rawool, and T. Chakraborty. 2015. Biofilm-forming abilities of *Listeria monocytogenes* serotypes isolated from different sources. PLos ONE 10(9): e0137046.

Dygico, L. K., C. G. M. Gahan, H. Grogan and C. M. Burgess. 2020. The ability of *Listeria monocytogenes* to form biofilm on surface relevant to the mushroom production environtment. International Journal of Food Microbiology 317: 108385.

EFSA Panel on Biological Hazard (BIOHAZ). 2011. Scientific opinion on risk based control of biogenic amine formation in fermented foods. EFSA Journal 9(10) : 2393.

Elbourne, A., V. K. Truong, S. Cheeseman, P. Rajapaksha, S. Gangadoo, J. Chapman, and R. J. Crawford. 2019. The use of nanomaterials for the mitigation of pathogenis biofilm formation In: Methods in Microbiology 46. Elsevier Ltd., p: 61-92.

Engel, J. B., C. Hecklara, E. C. Toridoa, D. J. Daroitb, and P. S. Malheiros. 2017. Antimicrobial activity of free and liposome-encapsulated thymol and carcavcrol against *Salmonella* and *Staphylococcus aureus* adhered to stainless steel. Int. J. Food Microbiol.252: 18-23.

European Commission. 2005. Commission Regulation (EC) No 2073/2005 of November 2005 on microbiological criteria for foodstuff. J. Eur. Union. L 338: 1-26.

FDA. 2011. Scombrotoxin (Histamine) Formation dalam Fish and Fisheries Products Hazards and Control Guide. US Department of Health and Human Service.www.fda.gov/Seafood. Diakses pada tanggal 13 November 2019.

FDA. 2019. Fish and Fisheries Products Hazards and Control Guidance Fourth Edition. US Department of Health and Human Service.www.fda.gov/Seafood. Diakses pada tanggal 13 November 2019.

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Feng, K. H., H. C. Yung, L. C. Min, L. L. Hsiu, L. Y. Chen and T. Y. Hsiang. 2015. The histamine content of dried flying fish products in Taiwan and the isolation of halotolerant histamine-forming bacteria. Journal of Food and Drug Analysis 23: 335-347.

Feng, K. H., W. T. Ya, H. Y. Ru, L. C. Saint, W. W. Sheng, L. C. Min and T. Y. Hsiang. 2009. Isolation and identification of histamine-forming bacteria in tuna sandiches. Food Cotrol 20: 1013-1017.

Ferris, R. A., S. M. Wittstock, P. M. McCue, and B. R. Borlee. 2014. Evaluation of biofilm in gram-negative bacteria isolated from equine uterus. Journal of Equine Veterinary Science 34: 121.

Fischer, E. R., B. T. Hansen, V. Nair, F. H. Hoyt, and D. W. Dorward. 2012. Scanning Electron Microscopy. Curr Protoc Microbiol: 1-76.

Flemming, H. C. and J. Wingender. 2010. The biofilm matrix : review. Nature Review 8: 623-633.

Flemming, H., T. R. Neu and D. J. Wozniak. 2007. The EPS Matrix: "The House of Biofilm Cells". Journal of Bacteriology 189(22): 7945-7947.

Fletcher, M. 1977.The effects of culture concentration and age, time, and temperature on bacterial attachment to polystyrene.Can. J Microbiol 23: 1-6.

Flint, S. H., J. D. Brooks and P. J. Bremer. 2000. Properties of the stainless steel substrate, influencing the adhesion of the thermo-resistant streptococci. J. Food Eng. 43: 235-242.

Freeman, D. J., F. R. Falkiner and C. T. Keane. 1989. New method for detecting slime production by coagulase negative *Staphylococci*. J Clin Pathol 42: 872. 874.

Galie, S., C. G. Gutierrez, E. M. Miguelez, C. J. Villar and F. Lombo. 2018. Biofilm in the food industry: health aspect and control methods. Front. Microbiol. 9: 1-18.

Gao, Y., Y. Liu, X. Chen, H. Yang, X. Li, and L. Tian. 2016. Effects of graded levels of histidine on growth performance, digested enzymes activities, erythrocyte osmotic fragility and hypoxia-tolerance of juvenile grass carp *Ctenopharyngodon idella*. Aquaculture 452: 388-394.

Giaouris, E., M. Chapot-Chartier and R. Briandet. 2009. Surface physicochemical analysis of naturan *Lactococcus lactis* strains reveals the existence of hydrophobic and low charged strains with altered adhesive properties. Int. J.

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Food. Microbiol. 131: 2-9.

Harris, L. G., D. O. Meredith, L. Eschbach, and R. G. Richards. 2007. *Staphylococcus aureus* adhesion to standard micro-rough and electropolished implant materials. J. Mater. Sci. Mater. Med. 18: 1151-1156.

Hasan, A., Javaid U., Fatima K., Maria O., Ali K, and Muhammad I. 2011. Evaluation of different detection methods of biofilm formation in the clinical isolates. Braz J Infect Dis 15(4): 305-11.

Hsu, H. H., C. T. Chen, L. H. Chou, H. Y. Ru and L. C. Min. 2009. Histamine content and histamine-forming bacteria in dried milkfish (*Chanos chanos*) products. Food Chemistry 114:933-938.

Hyde, F. W., M. Alberg and K. Smith. 1997. Comparison of fluorinated polymers agains stanless steel, glass and polyprophylene in microbial biofilm adherence and removal. Journal of Industrial Microbiology & Biotechnology 19: 142-149.

Ionescu, A., Wutsher E., Brambilla E., Schneider-Feyrer S., Giessibl F. J., and Hahnel S. 2012. Influence of surface properties of resin-based composition on in vitro *Streptococcus* mutans biofilm development. Eur J Oral Sci 120: 458-65.

ISO 18593. 2004. Microbiology of food and animal feeding stuffs – Horizontal methods for sampling techniques from surface using contact plates and swabs. ISO. Switzerland.

Jefferson, K. K. 2004. What drives bacteria to produce biofilm?. FEMS Microbiology Letters 236: 163-173.

Jiang, W., X. He, Y. Huicheng, X. Xiang, S. Hu, S. Li, and Y. Liu 2017. Histamine reduction by Maillard reaction with glucose. Food Control 82: 136-144.

Kadam, S. R., H. M. W. den Besten, S. van der Veen, M. H. Zwietering, R. Moezelaar and T. Abee. 2013. Diversity assessment of *Listeria monocytogenes* biofilm formation: impact of growth condition, serotype and strain origin. Int. J. Food Microbiol.165: 259-264.

Kaiser, T. D. L., E. M. Pereira, K. R. N. D. Santos, E. L. N. Maciel, R. P. Schuenck, and A. P. F. Nunes. 2013. Modification of the Congo red agar method to detect biofilm production by *Staphylococcus epidermidis*. Diagnostic Microbiology and Infectious Disease 75: 235-239.

Karnjana, K., C. Soowannayan and K. Wongprasert. 2019. Ethanolic extract of red

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

seaweed *Gracilaria fisheri* and furanone eradicate *Vibrio harveyi* and *Vibrio parahaemolyticus* biofilm and ameliorate the bacterial infection in shrimp. Fish and Shellfish Immunology 88: 91-101.

Keller, R. and M. G. Surrete. 2006. Communication in bacteria: an ecological and evolutionary perspective: reviews. Nature Review 4: 249-258.

Khodadadian, R., H. A. Rahdar, A. Javadi, M. Safari and A. Khorshidi. 2018. Decection of VIM-1 and IMP-1 genes in *Klebsiella pneumoniae* and relationship with biofilm formation.Microbial Pathogenesis 115 : 25-30.

Kochkodan, V., S. Tsarenko, N. Potapchenko, V. Kosinova, and V. Goncharuk. 2008. Adhesion of microorganism to polymer membranes: a photobactericidal effect of surface treatment with TiO_2. Desalination 220: 380-385.

Krasowska, A. and K. Sigler. 2014. How microorganism use hydrophobicity and what does this mean for human needs?.Frontiers in Cellular and Infection Microbiology 4: 1-7.

Krolasik, J., Z. Zakowska, M. Krupska and L. Klimek. 2010. Resistance of bacterial biofilm formed on stainless steel surface to disinfecting agent. Pol. J. Microbiol 59: 281-287.

Kung, H., C. Huang, C. Lin, L. Liaw, Y. Lee, and Y. Tsai. 2015. The histamine content of dried flying fish products in Taiwan and the isolation of halotolerant histamine-forming bacteria. Journal of Food and Drug Analysis 23: 335-342.

Kung, H., T. Wang, Y. Huang, C. Lin, W. Wu, C. Lin, and Y. Tsai. 2009. Isolation and identification of histamine-forming bacteria in tuna sandwiches. Food Control 20: 1013-1017.

Kusic, D., B. Kampe, A. Ramoji, U. Nuegebauer, P. Rosch, and J. Popp. 2015. Raman spectroscopic differentiation of planktonic bacteria and biofilms. Anal Bioanal Chem 407: 6803-6813.

Kvasnicka, F., S. Kavkova and A. Honzlova. 2019. Electrophoretic determination of histamine. Journal of Chromatography A 1588: 180-184.

Langsrud, S., B. Moen, T. Moretro, M. Loype, and E. Heir. 2016. Microbial dynamics in mixed culture biofilm of bacteria surviving sanitation of conveyor belts in salmon-processing plants. J. Appl. Microbiol. 120: 366-378.

Langstraad, J., M. Bohse and S. Clegg. 2001. Type 3 fimbrial shaft (MrkA) of

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Klebsiella pneumoniae, but not the fimbrial adhesion (MrkD), facilities biofilm formation. Infection and Immunity :5805-5812.

Lehane, L. and J. Olley. 2000. Histamine fish poisoning revisited. International Journal of Food Microbiology 58: 1–37.

Li, X. Z., B. Hauer and B. Rosche. 2007. Single-species microbial biofilm screening for industrial applications. App Microbiol Biotechnol 76: 1255-1262.

Lieber, E. R. and S. L. Taylor. 1978.Thin-layer chromarographic screening methods for histamine in tuna fish. Journal of Chromatography A: 143-152.

Lin, C., F. Liu, Y. Lee, C. Hwang, and Y. Tsai. 2012. Histamine contents of salted seafood products in Taiwan and isolation of halotolerant histamine-forming bacteria. Food Chemistry 131: 574-579.

Lin, C., H. Tsai, C. Lin, C. Huang, H. Kung, and Y. Tsai. 2014. Histamine content and histamine-forming bacteria in mahi-mahi (*Coryphaena hippurus*) fillets and dried products. Food Control 42: 165-171.

Lin, S., L. Yang, G. Chen, B. Li, D. Chen, L Li, and Z. Xu. 2017. Pathogenic features and characteristics of food borne pathogens biofilm: biomass, viability and matrix. Microbial Pathogenesis 111 : 285-291.

Mahdy, A.M. and N. R. Webster. 2017. Anesthesia and Intensive Care Medicine. Elsevier Ltd., UK.

Marambio-Jones, C. and E. M. V. Hoek. 2010. A review of the antimicrobial effects of the silver nanomaterials and potential implications for human health and the environtment. Journal of Nanoparticle Research 12(5): 1531-1551.

McClaine, J. W. and R. M. Ford. 2002. Reversal of flagellar rotation is important in initial attachment of *Eschericia coli* to glass in dynamic system with high- and low-ionic-strenght buffers. Applied and Environmental Microbiology 68: 1280-1289.

Medilanski, E., K. Kaufmann, L. Y. Wick, O. Wanner, and H. Harms. 2002. Influencer of the surface topography of stainless steel on bacterial adhesion. Biofouling 18: 193-203.

Melo, P. D. C., L. M. Ferreira, A. N. Filho, L. F. Zafalon, H. I. G. Vicente, and V. D. Souza. 2013. Comparison of methods foe the detection of biofilm formation by *Staphylococcus aureus* isolated from bovine subclinical mastitis. Brazillian

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal of Microbiology 44(1): 119-124.

Miller, M. B. and B. L. Bassler. 2001. Qourum sensing in bacteria. Annu. Rev. Microbiol. 55: 165-199.

Mizan, M. F. R., I. K. Jahid and S. D. Ha. 2015. Microbial biofilms in seafood: a food-hygine challenge. Food Microbiol 49: 41-55.

Nasset, E. S. and V. H. Gatewood. 1954. Nitrogen balance and hemoglobin of adult rats fed amino acid diets low in L- and D-histidine. Journal of Nutrition 53: 163-176.

Nguyen, H. D. N., Y. S. Yang and H. G. Yuk. 2014. Biofilm formation of *Salmonella typhimurium* on stainless steel and acrylic surface as affected by temperature and pH level. LWT – Food Science and Technology 55: 383-388.

Nowak, J., C. D. Cruz, M. Tempelaars, T. Abee, A. H. M. van Vliet, G. C. Fletcher, D. Hedderley, J. Palmer and S. Flint. 2017. Persistent *Listeria monocytogenes* strains isolated from mussel production facilities form more biofilm but are not linked to specific genetic marker. Int. J. Food Microbiol.256: 45-53.

Papaioannou, E., E. D. Giaouris, P. Berillis, and I. S. Boziaris. 2018. Dynamics of biofilm formation by *Listeria monocytogenes* on stainless steel under mono-species and mixed-culture simulated fish processing condition and chemical disinfection challenges. International Journal of Food Microbiology 267: 9-19.

Park, J., J. An, W. H. Lim, B. Lim, and S. Ahn. 2019. Microbial changes in biofilm on composite resins with different surface roughness: an in vitro study with a multispecies biofilm model. J Prosthet Dent 122: 492.e1-e8.

Park, S. J. and K. Lee. 2018. Influence of cell surface hydrophobicity on adhesion and biofilm formation in *Candida albicans* and several bacterial spesies. J Bacteriol Virol. 48(3): 73-80.

Prochnow, Anne Mai. 2020. Cold plasma to control biofilms on food and in the food-processing environtmental. Elsevier Inc.

Quiryen, M. and C. M. Bollen. 1995. The influence of surface roughness and surface-free energy on supra- and subgingival plaque formation in man. J Clin Periodontol 22: 1-14.

Quirynen, M., M. Marechal. H. J. Busscher, A. Weerkamp. J. Arends, P. L. Darius, and D. V. Steenberghe. 1989. The influence of surface free-energy on planimetric plaque growth in man. J Dent Res 68(5): 796.

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Redelman, C. V., K. Marrs and G. G. Anderson. 2012. Discovering biofilms: inquiry-based activities for the classroom. The American Biology Teacher 71(5): 305-309.

Renner, L. D. and Weibel D. B. 2011. Physicochemical regulation of biofilm formation.MRS Bull 36: 347-355.

Roosjen, A., W. Norde, H. C. van der Mei, and H. J. Busscher. 2006. The use of positively charged or low surface free energy coatings versus polymer brushes in controlling biofilm formation. Progr Colloid Polym Sci 132: 138-144.

Rutherford, S. T. and B. L. Bassler. 2012. Bacterial qourum sensing: its role in virulence and possibilities for its control. Cold Spring Harb. Perspest. Med. 2: a012427.

Sahu, L., S. K. Panda, S. Paramithiotis, N. Zdolec and R. C. Ray. 2015. Fermented Foods-Part 1: Biochemistry and Biotechnology 1st Edition. CRC Press, Boca Raton.

Santos, M. H. S. 1996. Biogenic amines: their importance in foods. Int. J. Food. Microbiol 29:213-231.

Sauer, K. 2003. The genomics and proteomics of biofilm formation. Genome Biol. 4:219.

Schelp, E., S. Worley, A. F. Monzingo, S. Ernst, and J. D. Robertus. 2001, pH-induced structural changes regulated histidine decarboxylase activity in *Lactobacillus* 30a. J. Mol. Biol. 306: 727-732.

Schlisselberg, D. B. and S. Yaron. 2013. The effect of stainless steel finish on *Salmonella typhimurium* attachment, biofilm formation and sensitivity to chlorine. Food Microbiol. 35: 65-72.

Seviour, T., N. Derlon, M. S. Dueholm, H. C. Flemming, E. G. Neuhauser, H. Horn, S. Kjelleberg, T. R. Neu, E. Paul, H. Yu and L. Yeumei. 2019. Extracellular polymeric substances of biofilm: suffering from an identity crisis. Water Research 151: 1-7.

Seviour, T., Z. Yuan, M. C. M. van Loosdrecht and Lin Y. 2012. Aerobic sludge granulation; a tale of two polysaccharides?. Waer Res. 46(15): 4803-4813.

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Schembri, M. A., K. Kjaergaard, and P. Klemm. 2003. Global gene expression in *Escherichia coli* biofilms. Mol Microbiol 48: 253-267.

Skowron, K., N. Wiktorczyk, K. Grudlewska, J. Kwiecinska-Pirog, E. Walecka-Zacharska, Z. Paluszak, and E. Gospodarek-Komkowska. 2019. Drug-susceptibility, biofilm-forming ability and biofilm survival on stainless steel of *Listeria* spp. strains isolated from cheese. International Journal of Food Microbiology 296: 75-82.

Stepanovic, S., D. Vukovic and I. Dakic. 2000. A modified microtiter-plate test for quantification of *staphylococcal* biofilm formation. Journal Microbial Method 40(2): 175-0.

Subburaj, M. and I. Karunasagar. 1984. Incidence of histidine decarboxylating bacteria in fish and market environs. Food Microbiol 1: 263-267.

Taylor, S. L. 1985. Histamine poisoning associated with fish, cheese, and other foods. Monograph, World Health Organization, Geneva.

Taylor, S. L. and M. Speckard. 1983. Isolation of histamine-producing bacteria from frozen tuna. Marine Fisheries Review 45 : 35-39.

Tide, C., S. R. Harkins, G. G. Geesey, P. J. Bremer, and W. Scholz. 1999. The influence of welding procedures on bacterial colonization of stainless steel weldments. J. Food Eng. 42: 85-96.

Torido, Y., C. Oshima, H. Takashi, S. Miya, Ai Iwakawa, T. Kuda and B. Kimura. 2014. Distribution of psychrophilic and mesophilic histamine-producing bacteria in retailed fish in Japan. Food Control 46: 338-342.

Tsai, Y. H., C. Y. Lin, S. C. Chang, H. C. Chen, H. F. Kung, C. I. Wei and D. F. Hwang. 2005a. Occurance of histamine and histamine-forming bacteria in salted mackerel in Taiwan. Food Microbiol 22: 461-7.

Tsai, Y. H., Kung H. F., Lin Q. L., Hwang J. H., Cheng S. H. and Wei C. I. 2005b. Occurance of histamine and histamine forming bacteria in kimci products in Taiwan. Food Chemistry 90: 635-641.

Vanhaecke, E., J. P. Remon, M. Moors, F. Raes, D. D. Rudder, and A. V. Peteghem. 1990. Kinetics of *Pseudomonas aeruginosa* adhesion to 304 and 316-L stainless steel: role of cell surface hydrophobicity. App. Environ. Microbiol. 56: 788-795.

Vazquez-Sanchez, D., J. A. Galvano and M. Oetterer. 2017. Contamination sources,

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

biofilm-forming ability and biocide resistance of *Staphylococcus aureus* in tilapia-processing facilities. Food Sci. Technol. Int. 24: 209-222.

Veciana-Nogues, M., A. Marine-Font, and M. Vidal-Carou. 1997. Biogenic amines as hygienic quality indicators of tuna: Relationships with microbial counts, ATP-related compounds, volatile amines, and organoleptic changes. J. Agric. Food Chem. 45: 2036-2041.

Vidal, J. M., C. D. Miranda, M. D. L. Fuente, M. Alarcon, G. Aroca, K. Sossa, P. Ruiz, and H. Urrutia. 2020. Formation of biofilm of the salmon pathogen *Flavobacterium psychrophilum* in different surface using the CDC biofilm reactor. Aquaculture 514: 734459.

Voss, A., R. W. Stark, and C. Dietz. 2014. Surface versus volume properties on the nanoscale: Elastomeric polypropylene. Macromolecules 47(15): 5236-5245.

Wang, Y., S. M. Lee and G. Dykes. 2014. The physicochemical process of bacterial attachment to abiotic surfaces: challenges for mechanistic studies, predictability and the development of control strategies. Crit. Rev. Microbiol. 41(4): 452-464.

Waters, C. M. and B. L. Bassler. 2005. Qourum sensing: cell-to-cell communication in bacteria. Ann Rev Cell Developmental Biol 21: 319-346.

Wiranata, D. P. 2020. Isolasi dan Identifikasi Bakteri Pembentuk Histamin pada Ikan Tuna Mata Besar, Cakalang, dan Tongkol yang Didaratkan di Pelabuhan Perikanan Pantai Sadeng Gunungkidul. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.

Wu, S., S. Altenried, A. Zogg, F. Zuber, K. Maniura-Weber, and Q. Ren. 2018. Role of the surface nanoscale roughness of stainless steel on bacterial adhesion and microcolony formation. ACS Omega 3: 6456-6464.

Xie, F., Y. Zhang, G. Li, L. Zhou, S. Liu, and C. Wang. 2013. The ClpP protease is reuired for the stress tolerance and biofilm formation in *Actinobacillus pleuropneumoniae*. PLoS ONE 8(1): 1-11.

Yatsunami, K. and T. Echigo. 1991. Isolation of salt tolerant histamine-forming bacteria from commercial rice-bran pickle sardine. Bulletin of the Japanese Society of Scientific Fisheries 57: 1723-1728.

Yu, Y., P. Wang, L. Bian, and S. Hong. 2017. Rare death via histamine poisoning following crab consumption: a case report. J. Forensic Sci. :1-3.

UNIVERSITAS
GADJAH MADA
Skrining dan Uji Formasi Biofilm Bakteri Pembentuk Histamin pada Kupon Stainless Steel dan Polypropylene
IKA SAFITRI, Indun Dewi Puspita, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Zeniewicz, M. 2001.Wettability and surface free energy of corona-treated biaxially-oriented polypropylene film. J. Adhes. Sci. Technol. 15: 1769-1785.

Zhao, A., J. Zhu, X. Fe, Y. Ge, and J. Li. 2016. Inhibition of biofilm development and spoilage potential of *Shewanella baltica* by quorum sensing signal in cell-free supernatant from *Pseudomonas flourescens*. International Journal of Food Microbiology 230: 73-80.