

DAFTAR PUSTAKA

- Abisado, R. G., S. Benomar, J. R. Klaus, A. A. Dandekar and J. R. Chandler. 2018. Bacterial quorum sensing and microbial community interactions. *mBio* 9: 1-13.
- Ahmed, I. 2013. Dietary amino acid L-histidine requirement of fingerling Indian catfish, *Heteropneustes fossilis* (Bloch), estimated by growth and whole body protein and fat composition. *Journal of Applied Ichthyology* 29(3): 602-609.
- An, J. S., Kim K., Cho S., Lim B. S., and Ahn S. J. 2017. Compositional difference in multispecies biofilms formed on various orthodontic adhesives. *Eur J Orthod* 39: 528-33.
- Anonim. 2018. Solid surface energy data (SFE) for common polymers. www.surface-tension.de. Diakses pada tanggal 6 Oktober 2020.
- Araujo, C. D., D. Balestrino, L. Roth, N. Charbonnel and C. Forestier. 2010. Quorum sensing effects biofilm formation through lipopolysaccharide synthesis in *Klebsiella pneumoniae*. *Res. Microbiol.* 161 (7) : 595-603.
- Araujo, L. C. A., A. F. P. Junior, S. M. Silva, A. C. S. Lopez, D. L. Veras, L. C. Alves, F. B. Santos, T. H. Napoleao, M. T. S. Correia, M. V. Silva, M. L. V. Oliva and M. B. M. Oliveira. 2019. In vitro evaluation of mercury (Hg²⁺) effects on biofilm formation by clinical and environmental isolates of *Klebsiella pneumoniae*. *Ecotoxicology and Environmental Safety* 169: 669-677.
- Arkatkar, A., J. Arutchelvi, M. Sudhakar, S. Bhaduri, P. V. Uppara, and M. Doble. 2009. Approaches to enhance the biodegradation of polyolefins. *The Open Environmental Engineering Journal* 2: 68-80.
- Arkatkar, A., J. Arutchelvi, M. Sudhakar, S. Bhaduri, P. V. Uppara, and M. Doble. 2010. Growth of *Pseudomonas* and *Bacillus* biofilms on pretreated polypropylene surface. 2010. *International Biodeterioration & Biodegradation* 64: 530-536.
- Arnold, J. W. and G. W. Bailey. 2000. Surface finishes on stainless steel reduce bacterial attachment and early biofilm formation: scanning electron and atomic force microscopy study. *Poultry Science* 79: 1839-1845.
- Arnold, S. H. and W. D. Brown. 1978. Histamine (?) toxicity from fish product. *Advances in Food Research* 24: 113-154.

- Arunasri, K. and S. V. Mohan. 2019. *Biofilms: Microbial Life on the Electrode Surface*. Elsevier B. V.
- ArunKumar, M., F. LewisOscar, N. Thajuddin, and C. Nithya. 2019. Isolation and screening of biofilm forming *Vibrio* spp. from fish sample around south east region of Tamin Nadu and Puducherry. *Biocatalysis and Agricultural Biotechnology* 17: 379-389.
- Azeredo, J., N. F. Azevedo, R. Briandet, N. Cerca, T. Coenye, A. R. Costa, M. Desvaux, G. D. Bonaventura, M. Hebraud, Z. Jaglic, M. Kacaniova, S. Knochel, A. Lourenco, F. Mergulhao, R. L. Meyer, G. Nychas, M. Simoes, O. Tresse and C. Sternberg. 2017. Critical review on biofilm method. *Critical Reviews in Microbiology* 43(3): 313-351.
- Azevedo, N. F. and N. Cerca. 2012. *Biofilm : in Health, Environment and Industry*. Publindustria Edicoes Tecnicas, Portugal.
- Bagge-Ravn, D., Y. Ng, M. Hjelm, J. N. Chrintiansen, C. Johansen, and L. Gram. 2003. The microbial ecology of processing equipment in different fish industries- analysis of the microflora during processing and following cleaning and disinfection. *Int. J. Food Microbiol.* 87(3): 239-250.
- Bajc, Z. and K. S. Gacnik. 2009. Densitometric KLT analysis of histamine in fish an fishery products. *Journal of Planar Chromatography* 22(1): 15-17.
- Bakir, S. H. and F. A. Ali. 2016. Comparison of different methods for detection of biofilm production in uliti-drug resistance bacteria causing pharyngotonsillitis. *International Journal of Research in Pharmacy and Biosciences* 3(2): 13-22.
- Becker, K., K. Southwick, J. Reardon, R. Berg, and J. N. MacCormack. 2001. Histamine poisoning associated with eating tuna burgers. *JAMA* 285(10): 1327-1330.
- Behling, A. R. and S. L. Taylor. 1982. Bacterial histamine production as a function of temperature and time incubation. *Journal of Food Science* 47: 1311-1314.
- Boks, N. P., H. J. Busscher, H. C. van der Mei, and W. Norde. 2008. Bond-strengthening in *Staphylococcal* adhesion to hydrophilic and hydrophobic surface using atomic force microscopy. *Langmuir* 24: 12990-12994.
- Bollen, C. M., P. Lambrechts and M. Quirynen. 1997. Comparison of surface roughness of oral hard materials to the threshold surface roughness for bacterial plaque retention: a review of the literature. *Dent. Mater.* 13: 258-269.

- Boulange-Petermann, L., J. Rault and M. Bellon-Fontaine. 1997. Adhesion of *Streptococcus thermophilus* to stainless steel with different surface topography and roughness. *Biofouling* 11: 201-216.
- Branda, S. S., S. V. L. Friedman and R. Kotler. 2005. Biofilm: the matrix revisited. *Trends Microbiol.* 13: 20-26.
- Bujdakova, H., M., M. Didiasova, H. Drahovska, and L. Cernakova. 2013. Role of cell surface hydrophobicity in *Candida albicans* biofilm. *Central Europ. J. Bio;*8: 259-262.
- Bulushi, I. A., S. Poole, H. C. Deeth, and G. A. Dykes. 2009. Biogenic amines in fish: roles in intoxication, spoilage, and nitrosamine formation-a review. *Crit. Rev. Food Sci. Nutr.* 49:369-377.
- Burocka-Melkusova, S. and H. Bujdakova. 2008. Variation of cell surface hydrophobicity and biofilm formation among genotypes of *Candida albicans* and *Candida dubliniensis* under antifungal treatment. *Can. J. Microbiol.* 54: 718-724.
- Campana, R., L. Casettari, L. Fagioli, M. Cespi, G. Bonacucina and W. Baffone. 2017. Activity of essential oil-based microemulsion against *Staphylococcus aureus* biofilm developed on stainless steel surface in different culture media and growth condition. *International Journal of Food Microbiology* 241: 132-140.
- Cazzaniga, G., Ottobelli M., Ionescu A. Garcia-Godoy F., and Brambilla E. 2015. Surface properties of resin-based composite materials and biofilm formation: a review of the current literature. *Am J Dent* 28: 311-20.
- Ceri, H., M. E. Olson, C. Stremick, R. R. Read, D. Morck, and A. Buret. 1999. The Calgary biofilm device: new technology for rapid determination of antibiotic susceptibilities of bacterial biofilms. *Journal of Clinical Microbiology* 37(6): 1771-1776.
- Chang, C. C. and K. Merrit. 1991. Effects of *Staphylococcus epidermis* on adherence of *Pseudomonas aeruginosa* and *Proteus mirabilis* to polymethyl methacrylate (PMMA) and gentamycin-containing PMMA. *J Orthop Res* 9: 284-8.
- Chavant, P., B. Gaillard-Martinie, R. Talon, M. Hebraud, and T. Hernardi. 2007. A new device for rapid evaluation of biofilm formation potential by bacteria. *Journal of Microbiological Methods* 68: 605-612.

- Cheng, Y., G. Feng and C. I. Moraru. 2019. Micro- and nanotopography sensitive bacterial attachment mechanism: a review. *Frontiers in Microbiology* 10: 1-17.
- Christensen, G. D., W. A. Simpson, J. J. Younger, L. M. Baddour, F. F. Barrett, D. M. Melton, and E. H. Beachey. 1985. Adherence of coagulase-negative *Staphylococci* to plastic tissue culture plates: a quantitative model for the adherence of *Staphylococci* to medical devices. *Journal of Clinical Microbiology* 22: 996-1006.
- Colagiorgi, A., I. Bruini, P. A. Di Cicio, E. Zanardi, S. Ghidini and A. Ianjeri. 2017. *Listeria monocytogenes* biofilm in the wonderland of food industry. *Pathogens* 6: 1-9.
- Dagostino, L., A. E. Goodman, and K. C. Marshall. 1991. Physiological responses induced in bacteria adhering to surface. *Biofouling* 4: 113-119.
- Davey, M. E., G. A. O'Toole. 2000. Microbial biofilm: from ecology to molecular genetics. *Microbiol. Mol. Biol. Rev.* 64: 847-867.
- Davies, D. G., A. M. Charabarty, and G. G. Geesey. 1993. Exopolysaccharide production in biofilms: substratum activation of alginate gene expression by *Pseudomonas aeruginosa*. *Appl Environ Microbiol* 59: 1181-1186.
- De, A., H. J. Raj, and P. K. Maiti. 2016. Biofilm in Osteomyelitis caused by a rare pathogen, *Morganella morganii* : A Case Report. *Journal of Clinical and Diagnostic Research* 10(6): DD06-DD08.
- Devivilla, S., M. Leeksml, S. H. Kumar, R. K. Valappil, S. D. Roy, and B. B. Nayak. 2019. Effect of sodium hypochlorite on biofilm-forming ability of histamine-producing bacteria isolated from fish. *Journal of Food Protection* 82(8): 1417-1422.
- Di Cicio, P., M. Conter, E. Zanardi, S. Ghidini, A. Vegara, D. Paludi, A. R. Festino, and A. Ianeri. 2012. *Listeria monocytogenes*: Biofilm in food processing. *Ital. J. Food Sci.* 24: 203-213.
- Diaz, M., B. D. Rio, E. Sanchez-Llana, V. Ladero, B. Redruello, M. Fernandez, M. C. Martin, and M. A. Alvarez. 2016. Histamine-producing *Lactobacillus parabuchneri* strains isolated from grated cheese can form biofilm on stainless steel. *Food Microbiology* 59: 85-91.
- Dixon, M., S. Flint, J. Palmer, R. Love, P. Biggs, and A. Beuger. 2018. Analysis of culturable and non-culturable bacteria and their potential to form biofilms in a

primary treated dairy waswater system. *Environmental Technology* 39(17): 2185-2192.

Dizaj, S. M., F. Lotfipour, M. Barzegar-Jalali, M. H. Zarrintan, and K. Adibkia. 2014. Antimicrobial activity of the metals and metal oxide nanoparticles. *Material Science and Engineering* 44: 278-284.

Doijad, S. P., S. B. Burbuddhe, S. Garg, K. V. Poharkar, D. R. Kalorey, N. V. Kurkure, D. B. Rawool, and T. Chakraborty. 2015. Biofilm-forming abilities of *Listeria monocytogenes* serotypes isolated from different sources. *PLoS ONE* 10(9): e0137046.

Dygico, L. K., C. G. M. Gahan, H. Grogan and C. M. Burgess. 2020. The ability of *Listeria monocytogenes* to form biofilm on surface relevant to the mushroom production environment. *International Journal of Food Microbiology* 317: 108385.

EFSA Panel on Biological Hazard (BIOHAZ). 2011. Scientific opinion on risk based control of biogenic amine formation in fermented foods. *EFSA Journal* 9(10) : 2393.

Elbourne, A., V. K. Truong, S. Cheeseman, P. Rajapaksha, S. Gangadoo, J. Chapman, and R. J. Crawford. 2019. The use of nanomaterials for the mitigation of pathogen biofilm formation In: *Methods in Microbiology* 46. Elsevier Ltd., p: 61-92.

Engel, J. B., C. Hecklara, E. C. Toridoa, D. J. Daroitb, and P. S. Malheiros. 2017. Antimicrobial activity of free and liposome-encapsulated thymol and carvacrol against *Salmonella* and *Staphylococcus aureus* adhered to stainless steel. *Int. J. Food Microbiol.* 252: 18-23.

European Commission. 2005. Commission Regulation (EC) No 2073/2005 of November 2005 on microbiological criteria for foodstuff. *J. Eur. Union. L* 338: 1-26.

FDA. 2011. Scombrotoxin (Histamine) Formation dalam Fish and Fisheries Products Hazards and Control Guide. US Department of Health and Human Service. www.fda.gov/Seafood. Diakses pada tanggal 13 November 2019.

FDA. 2019. Fish and Fisheries Products Hazards and Control Guidance Fourth Edition. US Department of Health and Human Service. www.fda.gov/Seafood. Diakses pada tanggal 13 November 2019.

- Feng, K. H., H. C. Yung, L. C. Min, L. L. Hsiu, L. Y. Chen and T. Y. Hsiang. 2015. The histamine content of dried flying fish products in Taiwan and the isolation of halotolerant histamine-forming bacteria. *Journal of Food and Drug Analysis* 23: 335-347.
- Feng, K. H., W. T. Ya, H. Y. Ru, L. C. Saint, W. W. Sheng, L. C. Min and T. Y. Hsiang. 2009. Isolation and identification of histamine-forming bacteria in tuna sandwiches. *Food Control* 20: 1013-1017.
- Ferris, R. A., S. M. Wittstock, P. M. McCue, and B. R. Borlee. 2014. Evaluation of biofilm in gram-negative bacteria isolated from equine uterus. *Journal of Equine Veterinary Science* 34: 121.
- Fischer, E. R., B. T. Hansen, V. Nair, F. H. Hoyt, and D. W. Dorward. 2012. Scanning Electron Microscopy. *Curr Protoc Microbiol*: 1-76.
- Flemming, H. C. and J. Wingender. 2010. The biofilm matrix : review. *Nature Review* 8: 623-633.
- Flemming, H., T. R. Neu and D. J. Wozniak. 2007. The EPS Matrix: “The House of Biofilm Cells”. *Journal of Bacteriology* 189(22): 7945-7947.
- Fletcher, M. 1977. The effects of culture concentration and age, time, and temperature on bacterial attachment to polystyrene. *Can. J Microbiol* 23: 1-6.
- Flint, S. H., J. D. Brooks and P. J. Bremer. 2000. Properties of the stainless steel substrate, influencing the adhesion of the thermo-resistant streptococci. *J. Food Eng.* 43: 235-242.
- Freeman, D. J., F. R. Falkiner and C. T. Keane. 1989. New method for detecting slime production by coagulase negative *Staphylococci*. *J Clin Pathol* 42: 872. 874.
- Galie, S., C. G. Gutierrez, E. M. Miguelez, C. J. Villar and F. Lombo. 2018. Biofilm in the food industry: health aspect and control methods. *Front. Microbiol.* 9: 1-18.
- Gao, Y., Y. Liu, X. Chen, H. Yang, X. Li, and L. Tian. 2016. Effects of graded levels of histidine on growth performance, digested enzymes activities, erythrocyte osmotic fragility and hypoxia-tolerance of juvenile grass carp *Ctenopharyngodon idella*. *Aquaculture* 452: 388-394.
- Giaouris, E., M. Chapot-Chartier and R. Briandet. 2009. Surface physicochemical analysis of natural *Lactococcus lactis* strains reveals the existence of hydrophobic and low charged strains with altered adhesive properties. *Int. J.*

Food. Microbiol. 131: 2-9.

- Harris, L. G., D. O. Meredith, L. Eschbach, and R. G. Richards. 2007. *Staphylococcus aureus* adhesion to standard micro-rough and electropolished implant materials. J. Mater. Sci. Mater. Med. 18: 1151-1156.
- Hasan, A., Javid U., Fatima K., Maria O., Ali K, and Muhammad I. 2011. Evaluation of different detection methods of biofilm formation in the clinical isolates. Braz J Infect Dis 15(4): 305-11.
- Hsu, H. H., C. T. Chen, L. H. Chou, H. Y. Ru and L. C. Min. 2009. Histamine content and histamine-forming bacteria in dried milkfish (*Chanos chanos*) products. Food Chemistry 114:933-938.
- Hyde, F. W., M. Alberg and K. Smith. 1997. Comparison of fluorinated polymers against stainless steel, glass and polypropylene in microbial biofilm adherence and removal. Journal of Industrial Microbiology & Biotechnology 19: 142-149.
- Ionescu, A., Wutsher E., Brambilla E., Schneider-Feyrer S., Giessibl F. J., and Hahnel S. 2012. Influence of surface properties of resin-based composition on in vitro *Streptococcus mutans* biofilm development. Eur J Oral Sci 120: 458-65.
- ISO 18593. 2004. Microbiology of food and animal feeding stuffs – Horizontal methods for sampling techniques from surface using contact plates and swabs. ISO. Switzerland.
- Jefferson, K. K. 2004. What drives bacteria to produce biofilm?. FEMS Microbiology Letters 236: 163-173.
- Jiang, W., X. He, Y. Huicheng, X. Xiang, S. Hu, S. Li, and Y. Liu 2017. Histamine reduction by Maillard reaction with glucose. Food Control 82: 136-144.
- Kadam, S. R., H. M. W. den Besten, S. van der Veen, M. H. Zwietering, R. Moezelaar and T. Abee. 2013. Diversity assessment of *Listeria monocytogenes* biofilm formation: impact of growth condition, serotype and strain origin. Int. J. Food Microbiol. 165: 259-264.
- Kaiser, T. D. L., E. M. Pereira, K. R. N. D. Santos, E. L. N. Maciel, R. P. Schuenck, and A. P. F. Nunes. 2013. Modification of the Congo red agar method to detect biofilm production by *Staphylococcus epidermidis*. Diagnostic Microbiology and Infectious Disease 75: 235-239.
- Karnjana, K., C. Soowannayan and K. Wongprasert. 2019. Ethanolic extract of red

seaweed *Gracilaria fisheri* and furanone eradicate *Vibrio harveyi* and *Vibrio parahaemolyticus* biofilm and ameliorate the bacterial infection in shrimp. *Fish and Shellfish Immunology* 88: 91-101.

- Keller, R. and M. G. Surrete. 2006. Communication in bacteria: an ecological and evolutionary perspective: reviews. *Nature Review* 4: 249-258.
- Khodadadian, R., H. A. Rahdar, A. Javadi, M. Safari and A. Khorshidi. 2018. Deception of VIM-1 and IMP-1 genes in *Klebsiella pneumoniae* and relationship with biofilm formation. *Microbial Pathogenesis* 115 : 25-30.
- Kochkodan, V., S. Tsarenko, N. Potapchenko, V. Kosinova, and V. Goncharuk. 2008. Adhesion of microorganism to polymer membranes: a photobactericidal effect of surface treatment with TiO₂. *Desalination* 220: 380-385.
- Krasowska, A. and K. Sigler. 2014. How microorganism use hydrophobicity and what does this mean for human needs?. *Frontiers in Cellular and Infection Microbiology* 4: 1-7.
- Krolasik, J., Z. Zakowska, M. Krupska and L. Klimek. 2010. Resistance of bacterial biofilm formed on stainless steel surface to disinfecting agent. *Pol. J. Microbiol* 59: 281-287.
- Kung, H., C. Huang, C. Lin, L. Liaw, Y. Lee, and Y. Tsai. 2015. The histamine content of dried flying fish products in Taiwan and the isolation of halotolerant histamine-forming bacteria. *Journal of Food and Drug Analysis* 23: 335-342.
- Kung, H., T. Wang, Y. Huang, C. Lin, W. Wu, C. Lin, and Y. Tsai. 2009. Isolation and identification of histamine-forming bacteria in tuna sandwiches. *Food Control* 20: 1013-1017.
- Kusic, D., B. Kampe, A. Ramoji, U. Nuegebauer, P. Rosch, and J. Popp. 2015. Raman spectroscopic differentiation of planktonic bacteria and biofilms. *Anal Bioanal Chem* 407: 6803-6813.
- Kvasnicka, F., S. Kavkova and A. Honzlova. 2019. Electrophoretic determination of histamine. *Journal of Chromatography A* 1588: 180-184.
- Langsrud, S., B. Moen, T. Moretro, M. Loype, and E. Heir. 2016. Microbial dynamics in mixed culture biofilm of bacteria surviving sanitation of conveyor belts in salmon-processing plants. *J. Appl. Microbiol.* 120: 366-378.
- Langstraad, J., M. Bohse and S. Clegg. 2001. Type 3 fimbrial shaft (MrkA) of

Klebsiella pneumoniae, but not the fimbrial adhesion (MrkD), facilitates biofilm formation. *Infection and Immunity* :5805-5812.

- Lehane, L. and J. Olley. 2000. Histamine fish poisoning revisited. *International Journal of Food Microbiology* 58: 1–37.
- Li, X. Z., B. Hauer and B. Rosche. 2007. Single-species microbial biofilm screening for industrial applications. *App Microbiol Biotechnol* 76: 1255-1262.
- Lieber, E. R. and S. L. Taylor. 1978. Thin-layer chromatographic screening methods for histamine in tuna fish. *Journal of Chromatography A*: 143-152.
- Lin, C., F. Liu, Y. Lee, C. Hwang, and Y. Tsai. 2012. Histamine contents of salted seafood products in Taiwan and isolation of halotolerant histamine-forming bacteria. *Food Chemistry* 131: 574-579.
- Lin, C., H. Tsai, C. Lin, C. Huang, H. Kung, and Y. Tsai. 2014. Histamine content and histamine-forming bacteria in mahi-mahi (*Coryphaena hippurus*) fillets and dried products. *Food Control* 42: 165-171.
- Lin, S., L. Yang, G. Chen, B. Li, D. Chen, L. Li, and Z. Xu. 2017. Pathogenic features and characteristics of food borne pathogens biofilm: biomass, viability and matrix. *Microbial Pathogenesis* 111 : 285-291.
- Mahdy, A.M. and N. R. Webster. 2017. *Anesthesia and Intensive Care Medicine*. Elsevier Ltd., UK.
- Marambio-Jones, C. and E. M. V. Hoek. 2010. A review of the antimicrobial effects of the silver nanomaterials and potential implications for human health and the environment. *Journal of Nanoparticle Research* 12(5): 1531-1551.
- McClaine, J. W. and R. M. Ford. 2002. Reversal of flagellar rotation is important in initial attachment of *Escherichia coli* to glass in dynamic system with high- and low-ionic-strength buffers. *Applied and Environmental Microbiology* 68: 1280-1289.
- Medilanski, E., K. Kaufmann, L. Y. Wick, O. Wanner, and H. Harms. 2002. Influence of the surface topography of stainless steel on bacterial adhesion. *Biofouling* 18: 193-203.
- Melo, P. D. C., L. M. Ferreira, A. N. Filho, L. F. Zafalon, H. I. G. Vicente, and V. D. Souza. 2013. Comparison of methods for the detection of biofilm formation by *Staphylococcus aureus* isolated from bovine subclinical mastitis. *Brazilian*

Journal of Microbiology 44(1): 119-124.

- Miller, M. B. and B. L. Bassler. 2001. Quorum sensing in bacteria. *Annu. Rev. Microbiol.* 55: 165-199.
- Mizan, M. F. R., I. K. Jahid and S. D. Ha. 2015. Microbial biofilms in seafood: a food-hygiene challenge. *Food Microbiol* 49: 41-55.
- Nasset, E. S. and V. H. Gatewood. 1954. Nitrogen balance and hemoglobin of adult rats fed amino acid diets low in L- and D-histidine. *Journal of Nutrition* 53: 163-176.
- Nguyen, H. D. N., Y. S. Yang and H. G. Yuk. 2014. Biofilm formation of *Salmonella typhimurium* on stainless steel and acrylic surface as affected by temperature and pH level. *LWT – Food Science and Technology* 55: 383-388.
- Nowak, J., C. D. Cruz, M. Tempelaars, T. Abee, A. H. M. van Vliet, G. C. Fletcher, D. Hedderley, J. Palmer and S. Flint. 2017. Persistent *Listeria monocytogenes* strains isolated from mussel production facilities form more biofilm but are not linked to specific genetic marker. *Int. J. Food Microbiol.* 256: 45-53.
- Papaioannou, E., E. D. Giaouris, P. Berillis, and I. S. Boziaris. 2018. Dynamics of biofilm formation by *Listeria monocytogenes* on stainless steel under mono-species and mixed-culture simulated fish processing condition and chemical disinfection challenges. *International Journal of Food Microbiology* 267: 9-19.
- Park, J., J. An, W. H. Lim, B. Lim, and S. Ahn. 2019. Microbial changes in biofilm on composite resins with different surface roughness: an in vitro study with a multispecies biofilm model. *J Prosthet Dent* 122: 492.e1-e8.
- Park, S. J. and K. Lee. 2018. Influence of cell surface hydrophobicity on adhesion and biofilm formation in *Candida albicans* and several bacterial species. *J Bacteriol Virol.* 48(3): 73-80.
- Prochnow, Anne Mai. 2020. Cold plasma to control biofilms on food and in the food-processing environmental. Elsevier Inc.
- Quiryen, M. and C. M. Bollen. 1995. The influence of surface roughness and surface-free energy on supra- and subgingival plaque formation in man. *J Clin Periodontol* 22: 1-14.
- Quiryen, M., M. Marechal, H. J. Busscher, A. Weerkamp, J. Arends, P. L. Darius, and D. V. Steenberghe. 1989. The influence of surface free-energy on planimetric plaque growth in man. *J Dent Res* 68(5): 796.

- Redelman, C. V., K. Marrs and G. G. Anderson. 2012. Discovering biofilms: inquiry-based activities for the classroom. *The American Biology Teacher* 71(5): 305-309.
- Renner, L. D. and Weibel D. B. 2011. Physicochemical regulation of biofilm formation. *MRS Bull* 36: 347-355.
- Roosjen, A., W. Norde, H. C. van der Mei, and H. J. Busscher. 2006. The use of positively charged or low surface free energy coatings versus polymer brushes in controlling biofilm formation. *Progr Colloid Polym Sci* 132: 138-144.
- Rutherford, S. T. and B. L. Bassler. 2012. Bacterial quorum sensing: its role in virulence and possibilities for its control. *Cold Spring Harb. Perspect. Med.* 2: a012427.
- Sahu, L., S. K. Panda, S. Paramithiotis, N. Zdolec and R. C. Ray. 2015. *Fermented Foods-Part 1: Biochemistry and Biotechnology 1st Edition*. CRC Press, Boca Raton.
- Santos, M. H. S. 1996. Biogenic amines: their importance in foods. *Int. J. Food. Microbiol* 29:213-231.
- Sauer, K. 2003. The genomics and proteomics of biofilm formation. *Genome Biol.* 4:219.
- Schelp, E., S. Worley, A. F. Monzingo, S. Ernst, and J. D. Robertus. 2001, pH-induced structural changes regulated histidine decarboxylase activity in *Lactobacillus* 30a. *J. Mol. Biol.* 306: 727-732.
- Schlisselberg, D. B. and S. Yaron. 2013. The effect of stainless steel finish on *Salmonella typhimurium* attachment, biofilm formation and sensitivity to chlorine. *Food Microbiol.* 35: 65-72.
- Seviour, T., N. Derlon, M. S. Dueholm, H. C. Flemming, E. G. Neuhauser, H. Horn, S. Kjelleberg, T. R. Neu, E. Paul, H. Yu and L. Yeumei. 2019. Extracellular polymeric substances of biofilm: suffering from an identity crisis. *Water Research* 151: 1-7.
- Seviour, T., Z. Yuan, M. C. M. van Loosdrecht and Lin Y. 2012. Aerobic sludge granulation; a tale of two polysaccharides?. *Water Res.* 46(15): 4803-4813.

- Schembri, M. A., K. Kjaergaard, and P. Klemm. 2003. Global gene expression in *Escherichia coli* biofilms. *Mol Microbiol* 48: 253-267.
- Skowron, K., N. Wiktorczyk, K. Grudlewska, J. Kwiecinska-Pirog, E. Walecka-Zacharska, Z. Paluszak, and E. Gospodarek-Komkowska. 2019. Drug-susceptibility, biofilm-forming ability and biofilm survival on stainless steel of *Listeria* spp. strains isolated from cheese. *International Journal of Food Microbiology* 296: 75-82.
- Stepanovic, S., D. Vukovic and I. Dakic. 2000. A modified microtiter-plate test for quantification of *staphylococcal* biofilm formation. *Journal Microbial Method* 40(2): 175-0.
- Subburaj, M. and I. Karunasagar. 1984. Incidence of histidine decarboxylating bacteria in fish and market environs. *Food Microbiol* 1: 263-267.
- Taylor, S. L. 1985. Histamine poisoning associated with fish, cheese, and other foods. Monograph, World Health Organization, Geneva.
- Taylor, S. L. and M. Speckard. 1983. Isolation of histamine-producing bacteria from frozen tuna. *Marine Fisheries Review* 45 : 35-39.
- Tide, C., S. R. Harkins, G. G. Geesey, P. J. Bremer, and W. Scholz. 1999. The influence of welding procedures on bacterial colonization of stainless steel weldments. *J. Food Eng.* 42: 85-96.
- Torido, Y., C. Oshima, H. Takashi, S. Miya, Ai Iwakawa, T. Kuda and B. Kimura. 2014. Distribution of psychrophilic and mesophilic histamine-producing bacteria in retailed fish in Japan. *Food Control* 46: 338-342.
- Tsai, Y. H., C. Y. Lin, S. C. Chang, H. C. Chen, H. F. Kung, C. I. Wei and D. F. Hwang. 2005a. Occurance of histamine and histamine-forming bacteria in salted mackerel in Taiwan. *Food Microbiol* 22: 461-7.
- Tsai, Y. H., Kung H. F., Lin Q. L., Hwang J. H., Cheng S. H. and Wei C. I. 2005b. Occurance of histamine and histamine forming bacteria in kimci products in Taiwan. *Food Chemistry* 90: 635-641.
- Vanhaecke, E., J. P. Remon, M. Moors, F. Raes, D. D. Rudder, and A. V. Peteghem. 1990. Kinetics of *Pseudomonas aeruginosa* adhesion to 304 and 316-L stainless steel: role of cell surface hydrophobicity. *App. Environ. Microbiol.* 56: 788-795.
- Vazquez-Sanchez, D., J. A. Galvano and M. Oetterer. 2017. Contamination sources,

biofilm-forming ability and biocide resistance of *Staphylococcus aureus* in tilapia-processing facilities. *Food Sci. Technol. Int.* 24: 209-222.

- Veciana-Nogues, M., A. Marine-Font, and M. Vidal-Carou. 1997. Biogenic amines as hygienic quality indicators of tuna: Relationships with microbial counts, ATP-related compounds, volatile amines, and organoleptic changes. *J. Agric. Food Chem.* 45: 2036-2041.
- Vidal, J. M., C. D. Miranda, M. D. L. Fuente, M. Alarcon, G. Aroca, K. Sossa, P. Ruiz, and H. Urrutia. 2020. Formation of biofilm of the salmon pathogen *Flavobacterium psychrophilum* in different surface using the CDC biofilm reactor. *Aquaculture* 514: 734459.
- Voss, A., R. W. Stark, and C. Dietz. 2014. Surface versus volume properties on the nanoscale: Elastomeric polypropylene. *Macromolecules* 47(15): 5236-5245.
- Wang, Y., S. M. Lee and G. Dykes. 2014. The physicochemical process of bacterial attachment to abiotic surfaces: challenges for mechanistic studies, predictability and the development of control strategies. *Crit. Rev. Microbiol.* 41(4): 452-464.
- Waters, C. M. and B. L. Bassler. 2005. Quorum sensing: cell-to-cell communication in bacteria. *Ann Rev Cell Developmental Biol* 21: 319-346.
- Wiranata, D. P. 2020. Isolasi dan Identifikasi Bakteri Pembentuk Histamin pada Ikan Tuna Mata Besar, Cakalang, dan Tongkol yang Didaratkan di Pelabuhan Perikanan Pantai Sadeng Gunungkidul. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Wu, S., S. Altenried, A. Zogg, F. Zuber, K. Maniura-Weber, and Q. Ren. 2018. Role of the surface nanoscale roughness of stainless steel on bacterial adhesion and microcolony formation. *ACS Omega* 3: 6456-6464.
- Xie, F., Y. Zhang, G. Li, L. Zhou, S. Liu, and C. Wang. 2013. The ClpP protease is required for the stress tolerance and biofilm formation in *Actinobacillus pleuropneumoniae*. *PLoS ONE* 8(1): 1-11.
- Yatsunami, K. and T. Echigo. 1991. Isolation of salt tolerant histamine-forming bacteria from commercial rice-bran pickle sardine. *Bulletin of the Japanese Society of Scientific Fisheries* 57: 1723-1728.
- Yu, Y., P. Wang, L. Bian, and S. Hong. 2017. Rare death via histamine poisoning following crab consumption: a case report. *J. Forensic Sci.* :1-3.

Zeniewicz, M. 2001. Wettability and surface free energy of corona-treated biaxially-oriented polypropylene film. *J. Adhes. Sci. Technol.* 15: 1769-1785.

Zhao, A., J. Zhu, X. Fe, Y. Ge, and J. Li. 2016. Inhibition of biofilm development and spoilage potential of *Shewanella baltica* by quorum sensing signal in cell-free supernatant from *Pseudomonas fluorescens*. *International Journal of Food Microbiology* 230: 73-80.