

DAFTAR PUSTAKA

- Ababouch, L., Afla, M. E., Rhafiri, S., & Busta, F. F. (1991). Identification of histamine-producing bacteria isolated from sardine (*Sardina pilchardus*) stored in ice and at ambient temperature (25 °C). *Food Microbiology*, 8, 127–136
- Ababouch, L., Afla, M. E., Rhafiri, S., & Busta, F. F. 1991. Identification of histamine producing bacteria isolated from sardine (*Sardina pilchardus*) stored in ice and at ambient temperature (25 °C). *Food Microbiology*. 8:127–136.
- Abe, H., Brill, R.W., Hochachka P.W. 1986. Metabolism of L-histidine, carnosine, and anserine in skipjack tuna. *Physiol Zool*. 4:439-450.
- Adeolu, M. (2016). "Genome based phylogeny and taxonomy of the 'Enterobacteriales': proposal for Enterobacterales ord. nov. divided into the families Enterobacteriaceae, Erwiniaceae fam. nov., Pectobacteriaceae fam. nov., Yersiniaceae fam. nov., Hafniaceae fam. nov., Morganellaceae fam. nov., and Budviciaceae fam. nov". *Int. J. Syst. Evol. Microbiol.*
- Alasalvar, C., Shahidi, F., Miyashita, K., Wanasundara, U. 2011. *Handbook of Seafood Quality, Safety, and Health Applications*. Blackwell Publishing Ltd. UK.
- Badan Standardisasi Nasional. 2009. Cara Uji Kimia - Bagian 10. Penentuan Kadar Histamin dengan Spektrofotometri dan Kromatografi Cair Kinerja Tinggi (KCKT) pada Produk Perikanan. SNI 2354.10:2009. Jakarta.
- Badan Standardisasi Nasional. 2009. Cara Uji Kimia - Bagian 10. Penentuan Kadar Histamin dengan Spektrofotometri dan Kromatografi Cair Kinerja Tinggi (KCKT) pada Produk Perikanan. SNI 2354.10:2009. Jakarta: BSN.
- Bagley S. 1985. "Habitat association of Klebsiella species". *Infect Control*. 6 (2): 52-8.
- Bjornsdottir-Butler, K., Jones, L.J., Benner, A.R., Burkhardt, Jr. and W. 3rd. 2011. "Quantification of total and specific gram-negative histamine-producing bacteria species in fish using an MPN real-time PCR method." *Food Microbiol* 28(7): 1284-1292.
- Bjornsdottir, K., Bolton G.E., McClellan-Green, P.D., Jaykus, L.A., Green D.P., 2009. Detection of Gram-Negative Histamine-Producing Bacteria in Fish: A Comparative Study. *Journal of Food Protection*.
- Brenner, D. J., C. M. O'Hara, P. A. Grimont, J. M. Janda, E. Falsen, E. Aldova, E. Ageron, J. Schindler, S. L. Abbott, and A. G. Steigerwalt. 1999 Biochemical identification of *Citrobacter* species defined by DNA hybridization and description of *Citrobacter gillenbergii* sp. nov. (formerly *Citrobacter genomospecies* 10) and *Citrobacter murliniae* sp. nov. (formerly *Citrobacter genomospecies* 11) *J. Clin. Microbiol.* 37 2619–2624

- Butler, K.B., Bolton G.E., Jaykus L.A., Green P.D.M., Green D.P. 2010. Development of molecular-based methods for determination of high histamine producing bacteria in fish. *J. Food Microbiol.* 139(3): 161-167.
- Cantor, T.E. 1849. *J. Asiatic Soc. Bengal*, 18(2):1088-1090
- Carpenter, K. E. & Volker, H. N. 2001. *FAO Species Identification Guide: The Living Marine Resources of The Western Pacific*. Vol. 6:3736. Food and Agriculture Organization, Rome.
- Carson, J., Wagner, T., Wilson, T., Donachie, L. 2001. Miniaturized tests for computer assisted identification of motile *Aeromonas* species with an improved probability matrix. Di dalam *Journal of Applied Microbiology*. 90, 190-200.
- Chenal, A., Sotomayor, A.C., and Daniel, L. 2015. Structure and function of RTX toxins. *The Comprehensive Sourcebook of Bacterial Protein Toxins (Fourth Edition)*. 677-718.
- Cowan, S.T., K.J. Steel, G.I. Barrow, and R.K.A. Feltham. 1993. *Cowan and Steel's Manual for The Identification of Medical Bacteria*. 3rd ed. Cambridge University Press, Australia.
- Dalben, M., Varkulja, G., Basso, M., Krebs, V.L., Gibelli, M.A., van der Heijden I, Rossi F, Duboc G, Levin AS, Costa SF. 2008. "Investigation of an outbreak of *Enterobacter cloacae* in a neonatal unit and review of the literature". *The Journal of Hospital Infection*. **70** (1): 7–14.
- Dalgaard, P., Emborg, J., Kjolby, A., Sorensen, N.D, Ballin, N.Z. 2008. Histamine and biogenic amines: formation and importance in seafood. T Borresen, edited, *Improving Seafood Product for the Customer*. Woodhead PublishCRC Press LLC. North America.
- Departemen Kelautan dan Perikanan. 2008. *Statistik Perikanan Tangkap Indonesia 2007*. Departemen Kelautan dan Perikanan Indonesia.
- Drancourt, M., Bollet, C., Carta, A., Rousselier, P .2001. "Analisis filogenetik spesies *Klebsiella* menggambarkan gen *Klebsiella* dan *Raoultella nov.*, Dengan deskripsi sisir *Raoultella ornithinolytica nov.*, *Raoultella terrigena comb. Nov.* Dan *Raoultella planticola comb. Nov.*". *Jurnal Internasional Mikrobiologi Sistematis dan Evolusioner* . 51 (Pn 3): 925–32.
- Economus, V., Brett, M., Papadopoulou, C.V., Frillingos, S., Nichols, Tom. 2007. Changes in histamine and microbiological analyses in fresh and frozen tuna muscle during temperature abuse. *Food Additives and Contaminants*, 08:pp.820-832.
- FENG, C., TEUBER, S. AND GERSHWIN, M. E., 2015, Histamine (scombroid) fish poisoning: a comprehensive review. *Clin. Rev. Allergy Immunol.*, e-pub (ahead of print).

- Hajjar, R., G., Ambaraghassi, H., Sebjang, F., Schwenter and S. H. Su. 2020. "*Raoultella ornithinolytica*: Emergence and Resistance." *Infect Drug Resist* 13: 1091-1104.
- Hariono. 2019. Analisis Pasar Hasil Perikanan (APHP) Pertama pada Direktorat Pengolahan dan Bina Mutu Ditjen Penguatan Daya Saing Produk Kelautan dan Perikanan – KKP. Balai Besar Pengujian Penerapan Produk Kelautan Dan Perikanan. Diakses pada 17 Agustus 2020.
- Holt, J.G. 1994. *Bergey's Manual of Determinative Bacteriology*, 9th ed. Williams & Wilkins, Baltimore, MD.
- Hsu, H. H., Chuang, T. C., Lin, H. C., Huang, Y. R., Lin, C. M., Kung, H. F., & Tsai, Y. H. 2009. *Histamine content and histamine-forming bacteria in dried milkfish (Chanos chanos) products*. *Food Chemistry*, 114(3): 933-938
- Ilyas. 1983. *Teknologi refrigrasi hasil perikanan*. Jakarta : CV Drancourt, M; Bollet, C; Carta, A; Rousselier, P. 2001. "Phylogenetic analyses of *Klebsiella* species delineate *Klebsiella* and *Raoultella* gen. nov., with description of *Raoultella ornithinolytica* comb. nov., *Raoultella terrigena* comb. nov. and *Raoultella planticola* comb. nov". *International Journal of Systematic and Evolutionary Microbiology*. 51 (Pt 3): 925–32.
- Kanki, M., T. Yoda, T. Tsukamoto, and T. Shibata. 2002. *Klebsiella pneumoniae* produces no histamine: *Raoultella planticola* and *Raoultella ornithinolytica* strains are histamine producers. *Appl. Environ. Microbiol.* 68:3462-3466
- Keer, M., Paul, L., Sylvia, A., Carl, R. 2002. Effect of storage condition on histamine formation in fresh and canned tuna. Commissioned by Food Safety Unit. Victoria
- Kim, S., Begona, B., Jorge, B., Robert, J.P., and Haejung, A. 2000. Histamine and Biogenic Amine Production by *Morganella morganii* Isolated from Temperature-Abused Albacore. *Journal of Food Protection*, Vol. 63(2): 244–251.
- Kim, S.H., Field, K.T., Morrissey, M.T., Price, R.J., Wie, C.I., An, H. 2001. Source and Identification of Histamine-Producing Bacteria from Fresh and Temperature-Abused Albacore. *Journal of Food Protection*, Vol. 64, No. 7, 2001, Pages 1035–1044
- Koohdar, V. A., Razavilar, V., Motalebi, A. A., Mosakhani, F., and Valinassab, T. 2011. Isolation and Identification of Histamine-forming bacteria in frozen Skipjack tuna (*Katsuwonus pelamis*). *Iranian Journal of Fisheries Sciences*. 10(4) 678-688.
- Kuncoro, E.B. & F.E Ardi Wiharto. 2009. *Ensiklopedia Populer Ikan Air Laut*. Lily Publisher, Vol: 100. Yogyakarta.
- Kung, H.F., Wang, T.Y., Huang, Y.R., Lin, C.S., Wu, W.S., Lin, C.M., & Tsai, Y.H. (2009). Isolation and identification of histamine-forming bacteria in tuna sandwiches. *Food Control*, 20, 1013–1017.

- Lehane, L., Olley, J. 2000. Histamine fish poisoning revisited. *J of Food Microbiol*, 58(2):1-37.
- Lopez-Sabater, E. I., J. J. Rodrı́guez-Jerez, M. Hernádez-Herrero, and M. A. T. Mora-Ventura. 1994. Evaluation of histidine decarbox-ylase activity of bacteria isolated from sardine (*Sardina pilchardus*) by an enzymatic method. *Lett. Appl. Microbiol*, 19:70–75.
- Mahaliyana, A.S., Jinadasa2, B.K.K.K., Liyanage, N.P.P., Jayasinghe, G.D.T.M., Jayamanne, S.C. 2015. Nutritional Composition of Skipjack Tuna (*Katsuwonus pelamis*) Caught from the Oceanic Waters around Sri Lankae. *American Journal of Food and Nutrition*, 2015, Vol. 3, No. 4, 106-111.
- Niven CF, Jeffrey MB, Corlett DA. 1981. Differential plating medium for quantitative detection of histamine-producing bacteria. *Applied and Environmental Microbiology*, 41 (1): 321-322.
- Nontji, A. 2002. Laut Nusantara. Penerbit Djambatan. Jakarta.
- Nurjanah, N., Nurilmala, M., Hidayat, T., Yulia, R., Azri. I. 2016. Fatty Acid Composition and Cholesterol Indian Mackerel (*Rastrelliger kanagurta*) Due Frying Process. *International Journal of Materials Chemistry and Physics*. Vol. 2, No. 2, 2016, pp. 54-61. USA.
- Omura, Y., Proce, R. J., & Olcott, H. S. 1978. Histamine-forming bacteria isolated from spoiled skipjack tuna and jack mackerel. *Journal of Food Science*. 43:1779–1781.
- Pang, A., Warren, M. J., Pickersgill, R. W. 2011. "Structure of PduT, a trimeric bacterial microcompartment protein with a 4Fe–4S cluster-binding site". *Acta Crystallographica Section D*. 67 (2): 91–96
- Peng, S., Chen, C., Wang, L. 2013. Amino Acid and Fatty Acid Composition of the Muscle Tissue of Yellowfin Tuna (*Thunnus Albacares*) and Bigeye Tuna (*Thunnus Obesus*). *Chemistry. Journal of Food and Nutrition Research*
- Rand, M., Abd Al-Rhman., Mouruj, A., Al-Aubydi. 2015. Determination the Relationship between Some genetic Aspects with the Capsule Formation for Pathogenic *Klebsiella pneumoniae* Serotypes K1 & K2. *Iraqi Journal of Science* Vol 56, No.2B, pp: 1385-1393
- Saanin H. 1984. Taksonomi dan Kunci Identifikasi Ikan I & II. Bina Cipta. Jakarta.
- Simidu, W., and S. Hibiki. 1955. Studies on putrefaction of aquatic products. XXIII. On the critical concentration of poisoning for histamine. *Bull. Jpn. Soc. Sci. Fish*. 21:365-367.

- Stansby ME dan Olcott HS. 1963. Composition of Fish. Di dalam: Stansby ME, Dassow JA, editor. Industrial Fishery Technology. Reinhold Publishing Co. Chapman and Hall Ltd. London.
- Steve, L.T., Guthertz, L.S., Leatherwood, M., and Lieber, E.R. 1979. Histamine production by *Klebsiella pneumoniae* and an incident of scombroid fish poisoning. *Appl Environ Microbiol.* 37(2): 274–278.
- Sumner J, Ross T, Ababouch L. 2004. Application of Risk Assessment in The Fish Industry. FAO. Rome.
- Supriadi, B. 2020. Terungkap, Ini Hasil Lab Ikan Tongkol yang Bikin 410 Warga Jember Keracunan. *Kompas.* 23/01/2020.
- Takahashi, H., B. Kimura, M. Yoshikawa, and T. Fujii. 2003. Cloning and Sequencing of the Histidine Decarboxylase Genes of Gram-Negative, Histamine-Producing Bacteria and Their Application in Detection and Identification of These Organisms in Fish. *Applied and Environmental Microbiology.* 69 (5): 2568 – 2579.
- Taylor, S. L., and M. W. Speckhard. 1983. *Isolation of histamine-producing bacteria from frozen tuna.* *Mar. Fish Rev.* 45:35–39.
- Tsai, Y. H., Hsieh, H. S., Chen, H. C., Cheng, S. H., Chai, T., & Hwang, D. F. (2007). Histamine level and species identification of billfish meats implicated in two food borne poisonings. *Food Chemistry*, 104, 1366–1371.
- Wang, J. T., Chang, S. C., Chen, Y. C., Luh, K. T. 2000. "Comparison of antimicrobial susceptibility of *Citrobacter freundii* isolates in two different time periods". *Journal of Microbiology, Immunology, and Infection = Wei Mian Yu Gan Ran Za Zhi.* 33 (4): 258–262.