

DAFTAR PUSTAKA

- Agrios, G. N. 1996. *Ilmu Penyakit Tumbuhan*. Edisi Ketiga. Gadjah Mada University Press, Yogyakarta.
- Agrios, N. G. 2005. *Plant Pathology*-Fifth Edition. Elsevier Academic Press, USA.
- Almagro, L. Ros, L. V., Belchi-Navarro, S., Bru, R., Barcelo, A. R. and Pedreno, M. A. 2008. Class III peroxidases in plant defence reactions. *Journal of Experimental Botany* doi:10.1093/jxb/em277.
- Bagnaresi, P., Biselli, C., Orru, L., Urso, S., Crispino, L., Abbruscato, P. *et al.* 2012. Comparative transcriptome profiling of the early response to *Magnaporthe oryzae* in durable resistant vs susceptible rice (*Oryza sativa* L.) genotypes. *PLoS One* 7(12): 1-26.
- Balasubramanian, V., Vashisht, D., Cletus, J. dan Sakthivel, N. 2012. Plant β -1,3 glucanases: their biological functions and transgenic expression against phytopathogenic. *Biotechnol Lett.* 34: 1983-1990.
- Brutus, A., Sicilia, F., Macone, A., Cervone, F., De Lorenzo G. 2010. A domain swap approach reveals a role of the plant wall-associated kinase 1 (WAK1) as a receptor of oligogalacturonides. *Proc. Natl. Acad. Sci. U S A.* 107:9452–7.
- Cao, Y., Wu, Y., Zheng, Z., & Song, F. 2006. Overexpression of the rice EREBP-like gene OsBIERF3 enhances disease resistance and salt tolerance in transgenic tobacco. *Physiological and Molecular Plant Pathology* 67: 202–211.
- Chance, B. & Maehly, A. C. 1955. *Methods in Enzymology*, II, 773-775.
- Chandrakanth, R., Murthy, K. N. dan Devaki, N. S. 2018. Biochemical defence response of resistant and susceptible rice genotypes against blast pathogen *Magnaporthe oryzae*. *Archives of Phytopathology and Plant Protection* DOI: 10.1080/03235408.2018.1527745.
- Chang, T. 1984. The ethnobotany of rice in island Southeast Asia. *Asian Perspective* 26(1): 69-76.
- Chao, G., Zhi-Hua, G., Ping-Ping, H., Guo-Ming, W., Zi-Ming, J. and Shao-Ling, Z. 2017. Multiple regulatory roles of AP2/ERF transcription factor in angiosperm. *Bot. Stud.* 58:6.

- Chen, X & Ronald, P. C. 2011. Innate immunity in rice. *Trends Plant Sci* 16: 451– 459.
- Chen, Y. C., Kidd, B. N., Carvalhais, L. C. and Schenk, P. M. 2014. Molecular defense response in roots and the rhizosphere against *Fusarium oxysporum*. *Plant Signaling & Behaviour* 9(12): 977710.
- Chen, Z., Zheng, Z., Huang, J., Lai, Z. and Fan, B. 2009. Biosynthesis of salicylic acid in plants. *Plant Signaling & Behaviour* 4(6): 493-496.
- Cortes, A. C. A., Vinicius, M., Barata da Silva, G. *et al.* 2015. Enzyme-induced defense response in the suppression of rice leaf blast (*Magnaporthe oryzae*) by silicon fertilization and bioagents. *International Journal of Research Studies in Biosciences* 3(5): 22-32.
- Dangl, J. L., Horvath, D. M. and Staskawicz, B. J. 2013. Pivoting the plant immune system from dissection to deployment. *Science* 341: 746-751.
- Delaney T. P., Friedrich, I. and Ryals, J. A. 1995. *Arabidopsis* signal transduction mutant defective in chemically and biologically induced disease resistance. *Proc. Natl. Acad. Sci USA* 92: 6602-6606.
- DellaPenna, D. and Pogson, B. J. 2006. Vitamin synthesis in plants: tocopherols and carotenoid. *Annual Review of Plant Biology* 57: 711-738.
- Delteil, A., Gobbato, E., Cayrol, B., Estevan, J., Michel-romiti, C., Dievart, A., Morel, J. 2016. Several wall-associated kinases participate positively and negatively in basal defense against rice blast fungus. *BMC Plant Biology*, 1–10. <https://doi.org/10.1186/s12870-016-0711-x>
- Delteil, A., Zhang, J., & Lessard, P. 2010. Potential candidate genes for improving rice disease resistance. *Rice* 3: 56–71.
- Deng, G. F., Xiang, R. X., Zhang, Y., Li, D., Ren, Y. G. dan Hua, B. L. 2013. Phenolic compounds and bioactivities of pigmented rice. *Critical Reviews in Food Science and Nutrition* 53: 296-306.
- Dewayani, S. dan Utoyo, B. 2017. Waspada Blast (*Pyricularian oryzae* Cav.). <http://distan.jabarprov.go.id/distan/blog/detail/2992-waspada-blast-pyricularia-oryzae-cav>.
- Dong L. 2015. Overexpression of GmERF5, a new member of the soybean EAR motif-containing ERF transcription factor, enhances resistance to *Phytophthora sojae* in soybean. *J. Exp. Bot.* 66: 2635-2647.

- Ebbole, D. J. 2007. Magnaporthe as a model for understanding host-pathogen interactions. *Annu Rev Phytopathol* 45: 437–456.
- Erpen, L., Devi, H. S., Grosser, J. W. dan Dutt, M. 2018. Potential use of the DREB/ERF, MYB, NAC, and WRKY transcription factors to improve abiotic and biotic stress in transgenic plants. *Plant Cell Tiss. Organ Cult.* 132: 1-25.
- Fajar, D. M. 2018. Karakterisasi Ekspresi Kitinase pada Padi (*Oryza sativa* L.) Berpigmen Resisten Terhadap Penyakit Blas. *Tesis*. Fakultas Biologi UGM, Yogyakarta.
- Gandikota, M., Alexander de K. and Reddy, A. R. 2001. Development of transgenic rice plants expressing maize anthocyanin genes and increased blast resistance. *Molecular Breeding* 7: 73-83.
- Ginanjjar, E. F. 2016. Kajian Ketahanan Tanaman Padi Berpigmen (*Oryza sativa* L.) Terhadap Penyakit Blas Melalui Pendekatan Transkriptomik dan Metabolomik. *Tesis*. Bioteknologi UGM, Yogyakarta.
- Golan, A., Varda, K. & Sadovsky, A. Y. 1977. Relationship between polyphenols and browning in avocado mesocarp. comparison between The Fuerte and Lerman Cultivars. *J. Agric. Food. Chem.* 25(6): 1253-1260.
- Gupta, S. K., Rai, A. K., Kanwar, S. S., Chand, D., Singh, N. K., and Sharma, T. R. 2012. “The Single Functional Blast Resistance Gene *Pi54* Activates a Complex Defence Mechanism in Rice”. *Journal of Experimental Botany*. Vol. 63(2). pp. 757-772.
- Harkenrider, M., Sharma, R., Vleeschauwer, D. D., Tsao, L., Zhang, X., Chem, M., Canlas, P., Zuo, S. & Ronald, P. C. 2016. Overexpression of rice wall-associated kinase 25 (OsWAK25) alters resistance to bacterial and fungal pathogens. *PLoS ONE* 11(1): 1-16.
- Hayashi, N., Kobayashi, N., Cruz, C. M. V. dan Fukuta, Y. 2009. Protocols for the sampling of diseased specimens and evaluation of blast disease in rice, dalam *Development and Characterization of Blast Resistance Using Differential Varieties in Rice*, Diedit oleh Y. Fukuta, C. M. V., Cruz and N. Kobayashi, Japan: JIRCAS Working Report No. 63, hal. 17-34.
- Hong, Z., Shikai, L., Changyou, W. and Wanquan, J. 2018. The role of transcription factor in wheat defense against pathogen and its prospect in breeding. *J. Plant Biol. Crop. Res.* 1: 1005.

- Jacob, F. Vernaldi, S. dan Maekawa, T. 2013. Evolution and conservation of plant NLR functions. *Frontiers in Immunology* 4(297): 1-16.
- Jain, P., Singh, P. K., Kapoor, R., Khanna, A., Solanke, A. U., Krishnan, S. G. *et al.* 2017. Understanding host-pathogen interactions with expression profiling of NILs carrying rice-blast resistance *Pi9* gene. *Frontiers in Plant Science* 8 (93): 1-20.
- Jing, Z., Haifeng, X., Nan, W., Shenghui, J., Hongcheng, F. *et al.* 2018. The ethylene response factor MdERF1B regulates anthocyanin. *Plant Molecular Biology* 98(3): 205-218.
- Kalboush, Z. A. 2019. Resistance of rice genotypes to the blast fungus and the associated biochemical changes. *Egypt. J. Agric. Res.* 97(1): 39-55.
- Kawahara, Y., Oono, Y., Kanamori, H., Matsumoto, T., & Itoh, T. 2012. Simultaneous RNA-Seq analysis of a mixed transcriptome of rice and blast fungus interaction. *PLOS ONE* 7(11): 1-15.
- Kinkema, M., Fan, W. and Dong, X. 2000. Nuclear localization of NPR1 is required for activation of *PR* gene expression. *Plant Cell* 12: 2339-2350.
- Kohorn, B. D. & Kohorn, S. L. 2012. The cell wall-associated kinases, WAKs, as pectin receptors. *Frontiers in Plant Science* 3(88): 1-5.
- Koo, Y. M., Heo, A. Y. and Choi, H. W. 2020. Salicylic acid as a safe plant protector and growth regulator. *Plant Pathology Journal* 36(1): 1-10.
- Koyama, T. and Sato, F. 2018. The function of Ethylene Response Factor genes in the light-induced anthocyanin production of *Arabidopsis thaliana* leaves. *Plant Biotechnology* 35: 87-91.
- Kristamtini, Taryono, P., Basunanda, R., Murti, H. dan Supriyanta. 2012. Morphological of genetic relationship among black rice landraces from Yogyakarta and surrounding areas. *ARPN Journal of Agricultural and Biological Science* 7(12): 982-989.
- Kristamtini dan Wiranti, E. W. 2017. Clustering of 18 local black rice base on total anthocyanin. *Biology, Medicine & Natural Product Chemistry* 6(2): 47-51.
- Kushwaha, U. K. S. 2016. *Black Rice*. Springer International Publishing, Switzerland.
- Lagrimini, L.M., W. Burkhardt, M. Moyer, S. Rothstein, 1987. Molecular cloning of complementary DNA encoding the lignin-forming peroxidase from tobacco:

- molecular analysis and tissue-specific expression. *Proc. Natl. Acad. Sci. USA*, 84: 7542-7546.
- Li, H., Zhou, S.Y., Zhao, W.S., Su, S.C., Peng, Y.L. 2009. A novel wall-associated receptor-like protein kinase gene, OsWAK1, plays important roles in rice blast disease resistance. *Plant Mol Biol.* 69:337-46.
- Li, J., Brader, G., Kariola, T. and Palva, E. T. 2006. WRKY70 modulates the selection of signaling pathway in plant defense. *The Plant Journal* 46: 477-491.
- Li, J., Brader, G. and Palva, E. T. 2004. The WRKY70 transcription factor: a node of convergence for jasmonate-mediated and salicylate-mediated signals in plant defense. *The Plant Cell* 16: 319-331.
- Li, J., Zhong, R. and Palva, E. T. 2017. WRKY70 and its homolog WRKY54 negatively modulate the cell wall-associated defenses to necrotrophic pathogens in Arabidopsis. *PLoS ONE* 12(8): 1-22.
- Liu J, Wang X, Mitchell T, Hu Y, Liu X, *et al.* 2010. Recent progress and understanding of the molecular mechanisms of the rice-Magnaporthe oryzae interaction. *Mol Plant Pathol* 11: 419-427.
- Livak, K. J. and Schmittgen, T. D. 2001. Analysis of relative gene expression data using real time quantitative PCR and the 2CT Method. *Methods* 25: 402-408.
- Lu, H. 2009. Dissection of salicylic acid-mediated defense signaling networks. *Plant Signaling & Behavior* 4(8): 713-717.
- Lu, Y., Chen, Q., Bu, Y., Luo, R., Hao, S., Zhang, J., Tian, J. and Yao, Y. 2017. Flavonoid accumulation plays an important role in the rust resistance of *Malus* plant leaves. *Frontiers in Plant Science* 8: 1286.
- Mantiri, P. K. 2019. Kajian Biokimiawi dan Anatomis Daun Padi (*Oryza sativa* L.) Berpigmen Tahan Blas (*Pyricularia grisea* Sacc.). *Tesis*. Fakultas Biologi, UGM.
- Mau, Y. S., Markus, J. E. R., Shirly, Oematan, S., Ndiwa, A. S. S., Dody, D. H., Anggiani, N. dan Kisman, M. 2017. Genetic diversity of red and black upland rice accessions from East Nusa Tenggara, Indonesia as revealed by agromorphological character. *Biodiversitas* 18(1): 197-211.
- Meng, Q., Gupta, R., Kwon, S. J., Wang, Y., Agrawal, G. K., Rakwal, R., Park, S. R. dan Kim, S. T. 2018. Transcriptome analysis of *Oryza sativa* leaves reveals key

- changes in response to *Magnaporthe oryzae* MSP1. *Plant Pathology Journal* 34(4): 257-268.
- Meng, X. and Zhang, S. 2013. MAPK cascades in plant disease resistance signaling. *Annu. Rev. Phytopathol.* 51: 245-266.
- Mentlak, T. A., Kombrink, A., Shinya, T., Ryder, L. S., Otomo, I., Saitoh, H., Terauchi, R., Nishizawa, Y., Shibuya, N., Thomma, B. P. dan Talbot, N. J. 2012. Effector-mediated suppression of chitin-triggered immunity by *Magnaporthe oryzae* is necessary for rice blast.
- Narusaka, M., Kubo, Y., Hatakeyama, K., Imamura, J., Ezura, H., Nanasato, Y. 2013. Interfamily transfer of dual NB-LRR genes confers resistance to multiple pathogens. *PLoS One* 8: e55954.
- Nasution, A. dan Usyati, N. 2015. Observasi ketahanan varietas padi lokal terhadap penyakit blas (*Pyricularia grisea*) di rumah kaca. *Pros. Sem. Nas. Masy. Biodiv. Indon.* 1(1): 19-22.
- Odjakova, M. and Hadjiivanova, C. 2001. The complexity of pathogen defense in plants. *Bulg. J. Plant Physiol*, 27(1-2): 101-109.
- Oliva, R., Win, J., Raffaele, S., Boutemy, L., Bozkurt, T. O., Chaparro-Garcia, A., Segretin, M. E., Stam, R. *et al.* 2010. Recent development in effector biology of filamentous plant pathogens. *Cell Microb.* 12(6): 705-715.
- Phukan, U. J., Jeena, G. S., & Shukla, R. K. 2016. WRKY Transcription Factors : molecular regulation and stress responses in plants. *Frontiers in Plant Science*, 7(June): 1–14.
- Pieterse, C. M. J., Reyes, A. L., Van der Ent, S. & Van Wees, S. C. M. 2009. Networking by small-molecule hormones in plant immunity. *Nature Chemical Biology* 5(5): 308-316.
- Pratiwi, R. & Purwestri, Y. 2017. Black rice as a functional food in Indonesia. *Functional Foods in Health and Disease* 7(3): 182-194.
- Pumplin, N. and Olivier, V. 2013. RNA silencing suppression by plant pathogens: defence, counter-defence and counter-counter-defence. *Nature Reviews Microbiology* 11: 747-760.
- Rahman, A. Uddin, W. and Wenner, N. G. 2014. Induced systemic resistance response in perennial ryegrass against *Magnaporthe oryzae* elicited by semipurified

surfactin lipopeptides and live cells of *Bacillus amyloliquefaciens*. *Molecular Plant Pathology*. doi:10.1111/mpp.12209.

Rauyaree, P., Choi, W., Eric, F., Barbara, B. and Dean, R. A. 2001. Genes expressed during early stages of rice infection with the rice blast fungus *Magnaporthe grisea* 2(6): 347-354.

Rushton, Somssich, I. E., Ringler, P. and Shen, Q. J. 2010. WRKY transcription factor. *Trends in Plant Science* 15(5): 247-258.

Schaefer, H. M., Rentzsch, M. and Breuer, M. 2008. Anthocyanins reduce fungal growth in fruits. *Natural Product Communications* 3(8): 1267-1272.

Selin, C., de Kievit, T. R., Belmonte, M. F. & Fernando, E. G. D. 2016. Elucidating the role of effectors in plant-fungal interactions: progress and challenges. *Front Microbiology* 7: 967.

Sena, A. P. A., Chaibub, A. A., Cortes, M. V. C. B., Silva, G. B., Silva-Lobo, V. L. *et al.* 2013. Increased enzymatic activity in rice leaf blast suppression by crude extract of *Epicoccum* sp. *Tropical Plant Pathology* 2013-0044: 1-11.

Singh, R., Rastogi, S. and Dwivedi, U. N. 2010. Phenylpropanoid metabolism in ripening fruits. *Comprehensive Reviews in Food Science and Food Safety* 9: 398-416.

Sitairesmi, T., Wening, R. H., Rakhmi, A. T., Yunani, N. dan Susanto, U. 2013. Pemanfaatan plasma nutfah padi varietas lokal dalam perakitan varietas unggul. *Iptek Tanaman Pangan* 8(1): 22-30.

Soosaar, J. L. M., Burch-Smith, T. M. dan Savithramma, P. D. K. 2005. Mechanism of plant resistance to viruses. *Nature Reviews Microbiology* 3: 789-798.

Spoel, S. H. and Dong, X. 2012. How do plants achieve immunity defence without specialized immune cells. *Nature Reviews Immunology* 12: 89-100.

Sudir, Nasution, A., Santoso dan Nuryanto, B. 2014. Penyakit blas *Pyricularia grisea* pada tanaman padi dan strategi pengendaliannya. *Iptek Tanaman Pangan* 9(2): 85-96.

Sureshkumar, V., Dutta, B., Kumar, V., Prakash, G., Mishra, D. C. *et al.* 2019. RiceMetaSysB: a database of blast and bacterial blight responsive genes in rice and its utilization in identifying key blast-resistant WRKY genes. *Database* (2019): 1-13. Doi: 10.1093/database/baz015.

- Takatsuji, H. 2014. Development of disease-resistant rice using regulatory components of induced disease resistance. *Frontiers in Plant Science* 5(630): 1-13.
- Talbot, N. J. 2003. On the trail of a cereal killer: exploring the biology of *Magnaporthe grisea*. *Annu. Rev. Microbiol.* 57: 177-202.
- Tamaoki, M. 2008. The role of phytohormone signaling in ozon-induced cell death in plants. *Plant Signaling & Behavior* 3(3): 166-174.
- TeBeest, D.O., C. Guerber and M. Ditmore. 2007. Rice blast. The Plant Health Instructor. DOI: 10.1094/PHI-I-2007-0313-07. Reviewed 2012.
- Tezuka, D., Kawamata, A., Kato, H., Saburi, W., Mori, H. dan Imai, R. 2019. The rice ethylene response factor OsERF83 positively regulates disease resistance to *Magnaporthe oryzae*. *Plant Physiology and Biochemistry* 135: 263-271.
- Torres, M. A., Jonathan, D. G. and Dangl, J. L. 2006. Reactive oxygen species signaling in response to pathogens. *Plant Physiology* 141: 373-378.
- Trisnaningsih dan Nasution, A. 2015. Ketahanan galur harapan padi fungsional terhadap hama wereng coklat dan penyakit blas. *Pros Sem Nas Masy Biodiv Indon*, 1(1): 162-166.
- Ulker, B. & Somssich, I. E. 2004. WRKY transcription factors: from DNA binding towards biological function. *Curr. Opin. Plant Biol.* 7: 491-498.
- Utami, D. W., Ambarwati, A. D., Apriana, A., Sisharmini, A., Hanarida, I., Tharreau, D. dan Santosa. 2007. Spektrum ketahanan galur haploid ganda turunan IR64 dan *Oryza rufipogon* yang mengandung QTL ketahanan terhadap penyakit blas. *Jurnal Agro Biogen* 3(1): 1-8.
- Vidhyasekaran, P. 2015. *Plant Hormone Signaling Systems in Plant Innate Immunity*, Signaling and Communication in Plants 2, DOI 10.1007/978-94-017-9285-1_2.
- Wang, D., Amornsiripanitch, N. and Dong, X. 2006. A genomic approach to identify regulatory nodes in the transcriptional network of systemic acquired resistance in plants. *PLoS Pathogens* 2(11): 1042-1050.
- Wang, L., Pan, D., Liang, M., Abubakar, Y. S., Li, J., Lin, J., Chen, S. and Chen, W. 2017. Regulation of anthocyanin biosynthesis in purple leaves of Zijuan tea (*Camellia sinensis* var. *kitamura*). *International Journal of Molecular Sciences* 18 (833): 1-16.
- Wang, Y., Kwon, S. J., Wu, J., Choi, J., Lee, Y. H., Agrawal, G. K., Tamogami, S., Rakwal, R., Park, S. R., Park, S. R., Kim, B. G., Jung, K. H., Kang, K. Y., Kim,

- S. G. dan Kim, S. T. 2014. Transcriptome analysis of early responsive genes in rice during *Magnaporthe oryzae* infection. *Plant Pathology Journal* 30(4): 343-354.
- Wei, T., Ou, B., Li, J., Zhao, Y., Guo, D., Zhu, Y., & Chen, Z. 2013. Transcriptional profiling of rice early response to *magnaporthe oryzae* transcriptional profiling of rice early response to *magnaporthe oryzae* identified *oswrkys* as important regulators in rice blast resistance. *PLOS ONE* 8(3): e59720.
- Wen, P. F., Chen, J. Y., Kong, W. F., Pan, Q. H., Wan, S. B. and Huang, W. D. 2005. Salicylic acid induced the expression of phenylalanine ammonia-lyase gene in grape berry. *Plant Sci.* 169: 928-934.
- Winarsih, A., Respatijarti, dan Damanhuri. 2017. Karakterisasi beberapa genotip padi berkadar antosianin tinggi. *Jurnal Produksi Tanaman* 5(7): 1070-1076.
- Yokotani, N., Sato, Y., Tanabe, S., Chujo, T., Shimizu, T. *et al.* 2013. WRKY76 is a rice transcriptional repressor playing opposite roles in blast disease resistance and cold stress tolerance. *Journal of Experimental Botany* 64(16): 5085-5097.
- Yulianto. 2017. Pengendalian penyakit blas secara terpadu pada tanaman padi. *Iptek Tanaman Pangan* 12(1): 25-34.
- Yulianto dan Subiharto. 2009. Ketahanan padi varietas unggul baru terhadap penyakit blas (*Magnaporthe grisea* (T.T. Hebert) M. E. Barr) di lahan sawah tadah hujan kabupaten Pemalang. *Prosiding Seminar Ilmiah Nasional*. BBP2TP dan UPN.
- Zhu, X. 2014. The wheat ethylene response factor transcription factor pathogen-induced ERF1 mediates host responses to both necrotrophic pathogen *Rhizoctonia cerealis* and freezing stresses. *Plant Physiol.* 164: 1499-1514.