UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aas, E. 2003. A practitioners perspectives: traditional tanin-treatment against intestinal parasites in sheep and cattle. *Ethnobot Res Appl,* 1:31-37.

Abbas, A.K., Litchman, A.H., dan Pillai, S. 2007. *Cellular and molecular immunology*, 6th edition. Saunders Elsevier, Philadhelphia. 189-190, 307-315, 345-347.

Abdulrazak, S.A. dan Fujihara, T. 1999. Animal Nutrition: a Laboratory Manual. Laboratory of Animal Science, Faculty of Life and Environmental Science, Shimane University, Japan. 27.

Ackert, J. E., dan Herrick, C. A. 1928. Effects of the nematode *Ascaridia Lineata* (schneider) on growing chickens. *J Parasitol*. 15:1-13.

Adamcyzk, B., Adamcyzk, S., Smolander, A. dan Kitunen, V. 2010. Tannic acid and Norway spruce condensed tannins can precipitate various organic nitrogen compounds. *Soil Bio Biochem.* 43: 629-637.

Adang, K.L., Abdu, P.A., Ajanusi, J.O., Oniye, S.J, dan Azealor, A.U. 2010. Histopathology of *Ascaridia galli*infection on the liver, lungs, intestines, heart, and kidney of experimentally infected domestic pigeons (*C.I. domestica*) in Zaria, Nigeria.*Pacific J Sci Tech*. 11(2): 511-515.

Ademola, O.I. dan Eloff, J.N, 2010. In vitro anthelmintic activity of *Combretum molle* against *Haemonchus contortus* ova and larvae. *Vet Parasitol*.169: 198-203.

Agoes, H.A. 2010. *Tanaman Obat Indonesia*. Jakarta: Salemba Medika. Hal 25-26.

Ahmed, M.A.A. 2010. Gastrointestinal (Nematode) infections in small ruminants: epidemiology, anthelmintic efficacy and the effect of wattle tanins. Tidak dipublikasikan.

Akter, M.K., Uddin, A.B.M.J., Rashid, M., Aziz, F.B., Rashid, Md.B. dan Hasan, M. 2016. Studies on prevalence of ascariasis in indigenous chickens in Gaibandha District and treatment by pineapple leaves extract. *Res Agric Livest Fish*. 3(1): 157-163.

Al-Daraji, Th.Kh. dan Al-Amery, A.M. 2013. Effect of *Ascaridia galli* infection in some blood parameters in layer hens. *Al-Anbar J Vet Sci*. 6(2): 105-112.

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Alemu, Z., Kechero, Y., Kebede, A., dan Mohammed, A. 2014. Comparison of the *in vitro* inhibitory effects of doses of tanin rich plant extracts and ivermectin on egg hatchability, larvae development and adult mortality of *Haemonchus contortus*. *Acta Parasitol Glob*. 5(3): 160-168.

Al-Saffar, T.M. dan Al-Mawla, E.D. 2008. Some hematological changes in chickens infected with ectoparasites. in Mosul. *Iraqi J Vet Sci*. 22(2): 95-100.

Alvarez, L.I., Mottier, M.L. dan Lanusse, C.E. 2007. Drug transfer into target helminths parasites. *Trends Parasitol*. 23:97-104.

Amudhan, M.S., Begum, V.H. dan Hebbar, K.B. 2012.A review on phytochemical and pharmacological potential of *Areca catechu*L. seed.*IntJ PharmaSci Res*. 3: 4151-4156.

Anonim. 1989. *Materia*. Medika Indonesia.Jakarta. Direktorat Jenderal Pengawasan Obat dan Makanan. Hal 55-58.

Anonim, 2010. *Ascaridia galli*. http://ascaridia/read/389765%99-23. [Diakses 13 Maret 2017].

Anonim. 2011. Buah pinang untuk kesehatan. http://Health.kompas.com/read/142857 28. [Diakses 12 Maret 2017].

Anonim. 2017. *Buku Statistik Peternakan Dan Kesehatan Hewan 2017*. Direktorat Jenderal Peternakan dan Kesehatan Hewan, Kementrian Pertanian. Jakarta. Indonesia.

Anonim. 2018. Kementan mulai salurkan ayam "BEKERJA". http://peternakan.litbang.pertanian.go.id/index.php/berita/48805-kementan-mulai-salurkan-ayam-bekerja. [Diakses 25 Mei 2019].

Anonim. 2019. Produksi telur ayam buras menurut provinsi, 2009-2018**.** https://www.bps.go.id/dynamictable/2015/12/22/1071/produksi-telur-ayam-buras-menurut-provinsi-2009-2018.html

Anthikat, R.R.N., Michael, A., Kinsalin, V.A. dan Ignacimuthu,S. 2014.Antifungal activity of *Areca catechu* L. *Int J Pharm ClinSci*. 4(1).1-3.

Anthony, M.R., Rutitzky, L.I., Urban, J.F., Stadecker, M.J., dan Gausell, W.C. 2007.Protective immune mechanisme in helminth infection.*Nat Rev Immunol*. 7(12): 975-987.

Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus
gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Athanasiadou, S.L., Kyriazakis, I., Jackson, F., dan Coop, R.L. 2001a. Direct anthelminthic effects of condensed tanins towards different gastrointestinal nematodes of sheep: in vitro and in vivo studies. *Vet Parasitol*.99(3):205-19.

Athanasiadou, S.L., Kyriazakis, I., Jackson, F. dan Coop, R.L. 2001b. The Effects of condensed tanins supplementation of food with different protein content on parasitism food intake and performance of sheep infected with *Trichostrongylus colubriformis*. *British J Nutri*.86(6):697-706.

Arisandi Y. 2008. *Khasiat Tanaman Obat*. Jakarta: Pustaka Buku Merah.

Ashour, A.A. 1994. Scanning Electrone Microscopy of *Ascaridia galli* (Schrank, 1978), Freeborn, 1923 and *A. columbae* (Linstow, 1903). *J. Egypt. Soc. Parasitol*., 24: 349-355.

Ashour, A.A. dan Lewis, J.W. 1982. The Morphology of *Dentostomella kuntzi* (Nematoda: *Oxyuroide*) from egyptian rodent. *J Helminth*. 56: 159-168.

Azli, M. 2011. Ayam kampung. www.flickr.com. [Diakses 18 April 2017].

Aziz, A.R.A., AbouLaila, M.R., Aziz, M., Omar, M.A. dan Sultan, K. 2018.*In vitro* and *in vivo* anthelmintic activity of pumpkin seeds and pomegranate peels extracts against *Ascaridia galli*. Beni-*Seuf Univ J Appl*. 7:231-234.

Balqis, U., Darmawi, Hambal, M. dan Tiuria, R. 2009. Perkembangan telur infektif *Ascaridia galli*melalui kultur *in vitro*. *J Ked Hewan*. 3(2): 227-233.

Balqis, U., Darmawi, Tiuria, R., Priosoeryanto, B. P, dan Hambal, M. 2012. The effect of excretory/secretory product release by L3 of *Ascaridia galli* on villous compact in intestine of laying hens. *The Proceedings of The 2nd Annual International Conference Syiah Kuala University* (AIC Unsyiah) . 107-109.

Balqis, U. Hambal, M. dan Utami, C.S. 2014. Gambaran histopatologis usus halus ayam kampung (*Gallus domesticus*) yang terinfeksi*Ascaridia galli* secara alami. *J Med Veterinaria*. 8(2): 132-135.

Balqis, U., Hambal, M., Rinidar, Athaillah, F., Ismail, Azhar, Vanda, H., Darmawi. 2017. Cuticular surface damage of *Ascaridia galli* adult worms treated with *Veitchia merrillii* betel nuts extract *in vitro*. *Vet World*. 10(7): 732-737.

Balsa, C., Alibert, G., Brulfer, J. Queiroz, O., dan Boudet, A.M. 1979. Photopefiodic control of phenolic metabolism in *Kalanchoe blossfeldiana*. *Phytochemistry*. 18:1159-1163.

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Barlina, R, 2007. Peluang pemanfaatan buah pinang untuk bahan pangan. http://isjd.pdii.lipi.go.id/admin/jurnal/330796105.pdf. [Diakses 12 Maret 2017].

Barry, T.N. dan McNabb, W.C. 1999. The implications of condensed tanins on the nutritive value of temperate forages fed to ruminants. *British J Nutri*. 81: 263-272.

Bazh, E.K.A dan El-Bahy, N.M. 2013. In vitro and in vivo screening of anthelmintic activity of gingerand curcumin on*Ascaridia galli*, Parasitol Res.112:3679–3686.

Begum, S., Mostofa, M., Alam, A.K.M.R., Tanjim, M., Ali, A.A.M., Islam, M.N. dan Das, S. 2010. Prevalence of ascariasis and comparative efficacy of pineapple leaves extract with patent drug piperazine against ascariasis of poultry at five villages under Mymensingh district. *Int J Biol Res*. 1(5): 41-44.

Bello, A., Umaru, M.A., Baraya, Y.S., Adamu, Y.A., Jibir, M., Garba, S., Hena, S.A., Raji, A.A., Saidu,B., Mahmuda, A., Abubakar, A.A., Umar, A. dan Musa, D. 2012. Postmortem procedure and diagnostic avian pathology. *Sci J Zool*. 1(3): 37-41.

Belete, A., Mekonnen, A, dan Mihretu, A. 2016. Review on major gastrointestinal parasites that affect chickens. *J. Biol. Agric. Hlthcare*. 6(11): 11-20.

Bestman, M., dan Wagenaar, J. P. 2014. Health and welfare in Dutch organic laying hens. *Animals*. 4:374-390.

Beriajaya., Martindah, E., dan Nurhayati, I.I. 2009. Masalah *Ascariasis* pada ayam. *Lokakarya Nasional Inovasi Teknologi Dalam Mendukung Usaha Ternak Unggas Berdaya Saing*.Balai Besar Penelitian Veteriner. Bogor. Hal 154-160.

Boyce, D.E., Jones, W.D., Ruge, F., Harding, K.G., Moore, K. 2000. The role of lymphocytes in human dermal wound healing. *Br J Dermatol*.143(1):59-65.

Chang, C.C., Yang, M.H., Wen, H.M., dan Chern, J.C. 2002. Estimation of total flavonoid content in propolis by two complementary colorimetric methods. *J Food Drug Analy*. 10(3): 178-182.

Chanwitheesuk, A., Teerawutgulrag, A., dan Rakariyatham, N. 2004. Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand.*Food Chem*. 92.

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Christenson, R.O., Earle, H.H.Jr., Butler, R. L. Jr., dan Crell, H.H. 1942. Studies on the eggs of *Ascaridia galli* and *Heterakis gallitzae*. *Tr. Am. Micr. Soc*. 61:191-205.

Coles, E.H. 1986. Veterinary Clinical Pathology. 4th ed. W.B. Saunders Company, Philadelphia.

Coles, G.C., Bauer, C., Borgsteede, F.H.M., Geerts, S., Klei, T.R., Taylor, M.A. dan Waller, P.J. 1992. World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) Methods for the Detection of Anthelmintic Resistance in Nematodes of Veterinary Importance. *Vet Parasitol J*. 44: 35-44.

Cotran, R.S., V. Kumar, and T. Collins, 1999. Diseases of Immunity in Robbins Pathologic Basis of Disease. 6th ed. WB Saunders Company, A Division of 96 Harcourt Brace & Company, The Curtis Center Independence Square West Philadelphia, Pennsylvania

Cronquist, A. 1981. *An Integrated System of Classification of Flowering Plants*. New York: Columbia University Press. p.399-436.

Cruthers, L.R., Weise, R.W. dan Hansen, M.F. 1974.Topography of *Ascaridia galli* eggs exposed to low temperatures or cryoprotectants as shown by scanning electron microscopy. *J Parasitol*. 60(4): 632-635.

Dalimartha, S. 2009. *Atlas Tumbuhan Obat Indonesia*. Jakarta. Penebar Swadaya.

Dhanraj, K.M., dan Veerakumari, L. 2016. Effect of ethanol extract of *Areca catechu* on fumaratereductase and succinate dehydrogenase of *Cotylophoron cotylophorum*, *Int J Res Dev Phar Life Sci*, 2117-2123.

Davis, P.A., Corless, D.J., Aspinall, R., dan Wastell, C. 2001. Effect of CD4+ and CD8+ depletion on wound healing.*Br.J.Surg*.88: 298-304

Deka, K. dan Borah, J. 2008. Hematological and biochemical changes in Japanese Qualis *Coturnix coturnix Japonica* and chickens due *Ascaridia galli* infection. *Int. J. Poult Sci*. 7(7): 704-710.

Eguale, T., Tadesse, D. dan Giday, M. 2011. In vitro anthelmintic activity of crude extract of five medicinal plants against egg hatching and larval developmnet of *Haemanochus contortus*., *J Ethnopharmacol*. 137: 108-113.

Febriani, Y., Hidayat, S., dan Seftiana, S. 2014. Aktivitas anti cacing ekstrak etanol biji pinang (*Areca catechu*) terhadap *Ascaridia galli*. *Indonesian J PharmSci Tech*. 3(2): 1– 6.

UNIVERSITAS
GADJAH MADA
**Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus
gallus domesticus)**
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Ferdushy, T., Nejsum, P., Roepstroff, A., Thamsborg, S.M., dan Kyvsgaard, N.C. 2012.*Ascaridia galli* in chicken: intestinal location and comparison of methods to isolate the larvae within the first week of infection.*Parasitol Res*.111:2273-2279.

Feroza, S., Arijo, A.G. dan Zahid, I.R. 2017. Effect of papaya and neem seeds on *Ascaridia galli* infection in broiler chicken. *Pak J Nematol*. 35 (1): 105-111.

Firgorita, I. 1991. *Arecoline hydrobromide* pada Biji Pinang (*Areca catechu*) Dosis Efektif Terhadap Railletiena spp dan Dosis Herbal Terhadap ayam Buras. Bogor: Institut Pertanian Bogor. [Skripsi]. Tidak dipublikasikan.

Flohe, S., Flohe, S.B., Schade, F.U., dan Waydhas, C. 2007.Immune respon in severely injured patients influence of surgical intervention and therapeutic impact.*Langenback Arch Surg*.392: 639-648.

Fox, R. 2006. Invertebrata Anatomy Retrieved 2013. From http://web.lander.edu.rofox.invertebrates.ascaris.html. [Diakses 17 April 2017].

Gauly, M., Duss, C., dan Erhardt, G., 2007. Influence of *Ascaridia galli* infections and anthelmintic treatments on the behaviour and social ranks of laying hens (*Gallus gallus domesticus*). *Vet. Parasitol.* 146, 271-280.

Ghazi, S., Rooke, J.A., Galbraith, H. dan Bedford, M.R. 2002. The potential for the improvement of the nutritive value of soya-bean meal by different proteases in broiler chicks and broiler cockerels. *British Poult Sci*. 43:1, 70-77.

Gomes, D.C., de Lima, H.G., Vaz, A.V., Santos, N.S., Santos, F.O., Dias, Ê.R., Botura, M.B., Branco, A. dan Batatinha, M.J. 2016. In vitro anthelmintic activity of the *Zizyphus joazeiro* bark against gastrointestinal nematodes of goats and its cytotoxicity on Vero cells. *Vet. Parasitol.* 226, 10–16.

Gosh, J.D. dan Singh, J. 1994. Acute *Ascaridiosis* in Chickens. A report. *Indian VetJ*. 71:717-719.

Githiori, J.B., Athanasiadou, S. dan Thamsborg, S.M. 2006. Use of plants in novel approaches for control of gastrointestinal helminths in livestock with emphasis on small ruminants. *VetParasitol*. 139:308-320.

Graybill, H. 1924. *Capillaria columbae* (Rud.) from the chicken and turkey. *J. Parasitol.*10: 205-207.

Hagerman, A.E. 1988. Extraction of tannin from fresh and preserved leaves. *J Chem Ecol*. 14(2): 453-461.

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Hammond, J.A., Fieldinng, D., dan Bishop, S.C, 1997. Prospects for plant anthelmintics in tropical veterinary medicine. *Vet Res. Community*. 21: 213-218.

Hargiyanto, W. 2011. Profil protein cacing dewasa *Ascaridia galli* dengan metode SDS-PAGE.Universitas Airlangga.Skripsi. Tidak dipublikasikan.

Haring, D.A., Suter, D., Amrhein, N. dan Luscher, A. 2006. Biomass allocation is an important determinant of the tanin concentration in growing plants. *Oxford Journals*, 99(1): 111-120.

Harris, N. danGause, W.C. 2011. To B or not to B: B cells and the Th2 type immune response to helminth. *Trends in Immunol*. 32(2): 80-88.

Hassanain, M.A., Rahman, A., dan Khalil, F.A. 2009. New scanning electron microscopy look of *Ascaridia galli* (Schrank, 1788) adult worm and its biological control.*Res JParasitol*. 4(4):94-104.

Havran, W.L. dan Jameson, J.M. 2010. Epidermal T cells and wound healing. *J Immunol*. 184(10): 5423–5428.

Hazarika, D. J. danSood, K. 2015. In vitro antibacterial activity of peptides isolated from *Areca catechu* Linn. *Der Pharmacia Lettre*. 7 (1): 1-7.

Herawati, O., Kurniasih dan Prastowo, J. 2018. Effect of jambe (*Areca catechu*) powder in comparison with combination of jambe powder and binahong (*Anredera cordifolia*) to ascariasi infestation on poultry. *J Sain Vet*. 36(1): 88-94.

Heyne, K. 1987. *Tumbuhan Berguna Indonesia*. Jakarta: Badan Litbang Kehutanan.

Hijnen, D., Knol, E.F., Gent, Y.Y. 2013. "CD8+ T cells in the lesional skin of atopic dermatitis and psoriasis patients are an important source of IFN-γ, IL-13, IL-17, and IL-22," *J Invest Dermatol*. 133(4): 973–979.

Hoste, H., Jackson, F., Athanasiadou, S., Thamsborg, S. M. dan Hoskin, S. O. 2006. The effects of tannin-rich plants on parasitic nematodes in ruminants. *Trends in Parasitol*.22(6): 253-261.

Ikeme, M. M. 1971. Observations on the pathogenicity and pathology of *Ascaridia galli*. *Parasitol*. 63:169-179.

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Irungu, L.W., Kimani, R.n. dan Kisia, S.M. 2004. Helminth parasites in the intestinal tract of indigenous poultry in parts of Kenya. *JS Afr Vet Assoc*. 75(1):58-59.

Islam, M.S., Lucky, N.S., Islam, M.R., Ahad, A., Das, B.R., Rahman, M.M. dan Siddiui, M.S.I. 2004. Haematological parameters of Fayoumi, Assail and lokal chickens reared in Sylhet Region in Bangladesh. *Int J Poult Sci*. 3(2): 144-147.

Jackson, F.S., McNabb, W.C., Barry, T.N., Foo, Y.L., dan Peters, J.S. 1996. The condensed tannin content of a range of subtropical and temperate forages and the reactivitv of condensed tannin with ribulose-1,5-*bis*-phosphate carboxylase (rubisco) protein. *J Sci Food Agric*.12: 483-492.

Jain, P. dan Singh, S. 2013.Anthelmintic pontential of herbal drugs. *Int J Res Dev Pharm Life Sci*. 2:412-427.

Jaiswal, A.K., Sudan V., Pandey, V., Singh, A., Gaur, R.S., Kanojiya, D., Nigam, R., dan Shanker, D. 2014. Sex dependent alterations in the protein characterization patterns of *Haemonchus contortus*. *J Parasit Dis* , 40: 1006-1008.

Kajerova, V., Barus, V., dan Literak, L. 2004. Nematodes from the genus *Ascaridia* parasitizing psittaciform birds: a review and determination key. departement of biology and wildlife disease, University of Veterinary and Pharmaceutical Science, Brno, Czech Republic. *Vet Med Czech*. 49(6): 217-223.

Kamel, R.O.A., El-Zahraa, F. dan Bayaumy, A. 2017. Ultrastructural alterations in *chistosoma mansoni* juvenile and adult male worms after in vitro incubation with primaquine. *Mem Inst Oswaldo Cruz*, Rio de Janeiro.112(4): 247-254.

Kaplan, R.M. 2004. Drug resistance in nematodes of veterinary importance. A status report. *Trends Parasitol*, 20:477-481.

Karina, Indrayani,Y. dan Sirait, S.M. 2016. Kadar tanin biji pinang (*Areca catechu* L) berdasarkan lama pemanasan dan ukuran serbuk. *J Hut Lestari*. 4(1): 119–127.

Kiran, B., Ergun, S.S., Suzergos, F., Su, O., Gurol, A.O. dan Bilgic, G. 2009. Does priming granulocytes macrophage colony stimulating factor increase tissue CD4/CD8 ration in impaired flap healing? *HarranUniv TipFak Der*.6(1): 11-17.

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Kim, M.K., Pyo, K.H., Hwang, Y.S., Park, K.H., Hwang, I.G., Chai, J.Y. dan Shin, E.H.. 2012. Effect of temperature on embryonation of *Ascaris suum* eggs in an environmental chamber. *Kor. J. Parasitol.*50: 239-242.

Khan, Y.A., Singh, B.R., Ullah, R., Shoeb, M., Naqvi, A.H., Abidi, S.M.A. 2015 Anthelmintic effect of biocompatible zinc oxide nanoparticles (ZnO NPs) on *Gigantocotyle explanatum*, a neglected parasite of Indian Water Buffalo. *PLoS ONE*. 10(7): 1-17.

Khokon, J.U., Sharifuzzaman, Sarker, E.H., Rahman, M.A., Kisku, J.J. dan Mostofa, M. 2014. Efficacy of neem leaf extract against ascariasis in indigenous chicken. *Int J Nat Soc Sci*. 1:25-30.

Kuchai, J.A., Ahmad, F., Chishti, M.Z., Tak, H., Ahmad, J., Ahmad, S. dan Rasool, M. 2012. A Study on Morphology and Morphometry of *Haemonchus contortus*. *Pakistan J. Zool*. Vol. 44 (6).

Kumar, R., Sinha, S.R.P., Verma, S.B. dan Sinha, S. 2003. Haematological changes in thec Japanese quails (*Coturnix coturnix japonica*) naturally infected with nematode *Ascaridia galli*. *Ind Vet Med J*. 27: 297-299.

Kurnia. 2006. Agrina Biji Pinang Cara Lain Mengobati Cacingan. www.agrina-online.com/show-article.php=550. [Diakses 16 April 2017].

Kusnoto. 2008. Karakterisasi molekuler protein *Toxocara cati* dan *Toxocara canis* untuk pengembangan diagnostik toxocariasis. [Disertasi] Program Pasca Sarjana Universitas Airlangga. Surabaya.

Laemmli, U.K. 1970. Cleavage of Structural Proteins during the Assembly of the Head of Bacteriophage T4. *Nature*. 227: 5259.

Lagapa, J.T.G., Y. Oku, N. Nonaka, and M. Kamiya. 2002. *Taenia taeniaeformis* larval product induces gastric mucosal hyperplasia in SCID mice. *J. Vet. Res*. 49(4):273-285.

Lalchhandama, K. 2010. On the structure of *Ascaridia galli* the roundworm of domestic fowl. *Sci Vis*. 10(1): 20-30.

Lashev, L, Hubenov, H., Nikolov, Y.,Lasheva, V. dan Mihailov, R. 2009. Comparison of some haematological parameters between three bird speciesfromtheColumbidaefamily - short communication. *Vet arhiv*. 79 (4), 409-414.

Lorent, J.H., Quetin-Leclercq, J. dan Mingeot-Leclercq, M.P. 2014. The amphiphilic nature of saponins and their effects on artificial and biological

Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus
gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

membranes and potential consequences for red blood and cancer cells. *Org Biomol Chem.* 12, 8803–8822.

Lutony, T.L. 1993. *Pinang Sirih Komoditi Ekspor dan Serbaguna*. Jakarta: Kanisius.

Maclnnis, A.J. dan Voge Marietta. 1970. *Experiments and techniques in parasitology*. Publisher San Francisco: Freeman 1970.

Maestrini, M., Tava, A., Mancini, S., Salari, F. dan Perrucci, S. 2019. *In Vitro* anthelmintic activity of saponins derived from *Medicago* spp. plants against donkey gastrointestinal nematodes. *Vet. Sci.* 6(2): 35-42.

Magwisha, H.B., Kassuku, A.A., Kyvsgaard, N.C. dan Permin, A. 2002. A Comparison of the prevalence and burdens of helminth infections in growers and adult free-range chickens. *Trop Anim Hlth Prod*. 34(3):205-214.

Makkar, H.P.S., Blummel, M., Borowy, N.K.dan Becker, K. 1993. Gravimetric determination of tannins and their correlations with chemical and protein precipitation methods. *J Sci Food Agric*. 61: 161-165.

Martínez-Ortíz-de-Montellano, C., Arroyo-López, C., Fourquaux, I., Torres-Acosta, J.F.J., Sandoval-Castro, C.A. dan Hoste, H. 2013. Scanning electron microscopy of *Haemonchus Contortus* exposed to tannin-rich plants under in vivo and in vitro conditions.*Exp Parasitol.*133 (3): 281-6.

Matta, S. C. dan Ahluwalia, S. S. 1982. Haematological indices as influenced by *Ascaridia galli* infection in fowl. Effect on the haemoglobin concentration, packed cell volume and erythrocytes sedimentation rate. *Ind J Poult Sci.*17: 46-51.

Matheos, H., Runtuwene, M.R.J., dan Sudewi, S. 2014. Aktivitas antioksidan dari ekstrak daun Kayu Bulan (*Pisonia alba*), *Pharmac J Ilm Farm.* 3(3): 235-246.

Meiyanto, E., Susudarti, R. A., Handayani, S., dan Rahmi, F. 2008.Ekstrak etanolik biji buah Pinang (*Areca catechu* L.) mampu menghambat proliferasi dan memacu apoptosis sel MCF-7.*Maj Farm Ina*. 19(1). 12-19.

Merck. 2010. The Merck veterinary manual. Whitehouse Station. New Jersey. USA.

Mero, W.M.S dan Gazal, A.R.. 2009. Effect of constant and changing temperatures on the development and viability of *Ascaridia galli* eggs. *The 2nd Kurdistan Conference on Biological Sciences.* 12(1): 35-38.

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Min, B.R., Barry, T.N., Attwood, G.T. dan McNabb, W.C. 2003. The Effect of condensed tanins on the nutrition and health of ruminants fed fresh temperate forages: a review. *Anim Feed Sci Tech*. 106(1-4): 3-9.

Min, B.R.dan Hart, S.P. 2003. Tanins for suppression of internal parasites. *J Anim Sci*. 81(14):102-109.

Mondal, H., Hossain, H., Awang, K., Saha, S., Rashid, S.M.U., Islam, M.K., Rahman, M.S., Jahan, I.A., Rahman, M.M dan Shilpi, J.A. 2015. Anthelmintic activity of ellagic acid, a major constituent of Alternanthera sessilis against *Haemonchus contortus*. *Pak Vet J*. 35(1): 58-62.

Morgan, B.B. dan Philip, A. W. 1953. *Veterinary Helminthology*. USA: Burgess Publicing Company. Hal. 283-286.

Mubarokah, W.W., Nurcahyo, W. dan Kurniasih. 2018. Daya anthelmintik infusa biji buah pinang (*Areca catechu*) terhadap cacing *Ascaridia galli* secara *in vitro*. *J Sain Vet*. 36(2): 254-259.

Naderloo, Z., Farahnak, A., Golestani, A., Eshraghian, M.R. dan Rad, M.B.M. 2016. In vitro study of mebendazole (anthelmintic drug) effects on the Aspartate Aminotransferase (AST) enzyme activity of hydatid cyst parasite. *J Paramed Sci (JPS)*. 7(1) : 41-47.

Neumann, L. dan Meier, S. 2010. *Veterinary imunology and imunopathology*.Nova Science Publisher, New York. 1-60.

Nguyen, T.M., Van Binh, D. dan Ørskov, E.R. 2005. Effect of foliages containing condensed tanins and on gastrointestinal parasites. *Anim Feed SciTech*. 121:77-87.

Nursidika, P., Saptarini, O., dan Rafiqua, N. 2014. Aktivitas antimikrob fraksi ekstrak etanol Buah Pinang (*Areca catechu* L) pada bakteri methicillin resistant *Staphylococcus aureus*.*Maj Ked Bandung*. 46(2): 94- 98.

Nyambuya, T., Mautsa, R. dan Mukanganyama, S. 2017. Alkaloid extracts from *Combretum zeyheri* inhibit the growth of *Mycobacterium smegmatis*. *BMC Complemen & Altern Med*. 17:124.

Oliveira-Menezes, A., Lins, R., Norões, J., Dreyer, G., dan Lanfredi, R.M. 2007. Comparative analysis of a chemotherapy effect on the cuticular surface of *Wuchereria bancrofti* adult worms *in vivo*. *Parasitol Res*. 101:1311–1317.

Pasaribu, T., Astuti, D.A., Wina, E., Sumiati dan Setiyono, A. 2014. Saponin content of *Sapindus rarak* pericarp affected by particle size and type of

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

solvent, its biological activity on *Eimeria tenella* oocysts. *Int J Poult Sci*. 13(6): 347-352.

Permin, A., M. Bisgaard, F. Frandsen, M. Pearman, J. Kold and P. Nansen. 1999. Prevalence of Gastrointestinal Helminths in Different Poultry Production Systems. *Br. Poult. Sci*, 40(4): 439-443.

Permin, A., Esmann, J.B., Hoj,C.H., Hove, T. dan Mukaratirwa, S. 2002. Ecto-, endo-, and haemoparasites in free-range chickens in The Goromonzi District in Zimbabwe. *PrevVet Med*, 54(3):213-224.

Prakoso, Y.A., 2017. Potensi lidah buaya (*Aloe vera*) terhadap kesembuhan luka pada kulit tikus sprague dowley: peran limfosit CD4+ dan CD8+. Tesis. Program Magister Sains Veteriner, Universitas Gadjah Mada, Yogyakarta.

Prakoso, Y.A. dan Kurniasih. 2018. The effects of *Aloe vera* cream on the expression of CD4+ and CD8+ lymphocytes in skin wound healing. *J Trop Med*. 2018. Article ID 6218303. 5 pages

Prasetyo, Y. 2011. Scanning electron microscope dan optical emission spectroscope. http:// yudiprasetyo53.wordpress.com/2011/11/07/scanning-electron-microscope-sem-dan-optical-emission-spectroscope-oes. [Diakses 19 Maret 2017].

Prastowo, J. dan Ariyadi, B. 2015. Pengaruh infeksi cacing *Ascaridia galli* terhadap gambaran darah dan elektrolit ayam kampung (*Gallus domesticus*). J. Med. Vet. 9(1): 12-17.

Prastowo, J., Herawati, O., Ariyadi, B. dan Kurniasih. 2017. Effects of *Areca catechu* seed and *Anredera cordifolia* leaf on *Ascaridia galli* infectionin the domestic chicken (*Gallus gallus domesticus*). *Int J Poult Sci.* 16: 494-499.

Pritchard, D.I. 1993. Points in question why do some parasitic nematodes secrete acetylcholinesterase (AChE). *Inter. J. Parasitol*. 23(5):549-550.

Qamar, M.F. dan Maqbool, A. 2012.Biochemical studies and serodiagnosis of haemonchosis in sheep and goats.*J AnimPlant Sci.* 22(1): 32-38.

Rahimian, S., Gauly, M. dan Das, G. 2016. Embryonation ability of *Ascaridia galli* eggs isolated from worm uteri or host faeces. *Vet. Parasitol.* 215: 29-34.

Rahman, Md.M. dan Yang, D.K. 2018. Effects of *Ananas comosus* leaf powder on broiler performance, haematology, biochemistry, and gut microbial population. *R Bras Zootec*. 47:1-6.

Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus
gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Rajamani, R., Kuppusamy, S., Shanmugavadivu, M dan Rajmohan, D. 2016. Preliminary phytochemical screening of aqueous extract of betel nut and betel leaves. *Int J Biosci Nanosci.* 3(1): 14-18.

Rakhman, I.N. 2007. Gambaran Histopatologi Usus Halus dan Seka Tonsil Akibat Pemberian Crude Eksretori Sekretori Larva *Ascaridia galli* pada Ayam Petelur. Skripsi. Fakultas Kedokteran Hewan Institut Pertanian Bogor. Bogor.

Ramadan, H. H., dan Znada Abou, N. Y. 1991. Some pathological and biochemical studies on experimental ascaridiasis in chickens. *Die Nahrung*. 35:71-84.

Ramadan, H.H. dan Znada Abou, N.Y. 1992. Morphology and Life History of *Ascaridia galli* in the domestic fowl that are raised in Jeddah. *JKAUSci.* 4 : 87-99.

Ramos-Vara, J.A. 2005. Technical aspects of immunohistochemistry. *Vet. Pathol.*42:405-426.

Rantam, F.A. 2003. *Metode Imunologi*. Airlangga University Press. Surabaya.

Rebello K.M., Menna-Barreto, R.F.S., Chagas-Moutinho, V.A., Mota, E.M., Peralesa, J., Neves-Ferreira, A.G.C.,Oliveira-Menezese, A. dan Lenzi, H. 2013. Morphological aspects of *Angiostrongylus costaricensis* by light andscanning electron microscopy. *Acta Tropica*.127: 191– 198.

Riauwaty, S.M. 2011. Studi perbandingan morfologi dan molekuler *Clinostomum complanatum* (Digenea: Clinostomidae) pada ikan air tawar di Riau dan Yogyakarta. Disertasi.Program Doktoral Sains Veteriner, Universitas Gadjah Mada, Yogyakarta.

Rivera, K.C., Cortes, J.A.V., Lara, A.A, dan Grandvallet, L.A.L. 2016. A diagnostic survey of gastroenteric helminths in backyard poultry of a rural vilage in Mexican Tropics. *APRN J Agric Biol Sci*. 11(12): 46- 469.

Robinson, M.W., McFerran, N., Trudgett, A., Hoey, L. dan Fairweather, I. 2004. A possible model of benzimidazole binding to ß-tubulin disclosed by invoking an inter-domain movement. *J Mol Graph Mod*. 23:275-284.

Roepstorff, A., Bjørn, H., dan Nansen, P. 1987. Resistance of *Oesophagostomum* spp. in pigs to Pyrantel Citrate. *Vet Parasitol*. 24:229-239.

Ropiak, H.M., Desrues, O., Williams, A.R., Ramsay, A., MuellerHarvey, I. dan Thamsborg, S.M. 2016. Structureactivity relationship of condensed tannins

Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus
gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

and synergism with transcinnamaldehyde against *Caenorhabditis elegans*. *J Agric Food Chem.* 64(46): 8795-8805.

Roy, B., Dasgupta, S., Manivel, V., Parameswaran, P.S. dan Giri, B.R. 2012. Surface topographical and ultrastructural alterations of *Raillietina echinobothrida* and *Ascaridia galli* induced by a compound isolated from *Acacia oxyphylla*.*Vet Parasitol*. 185: 322-326.

Saeed, A.E., Abdelkarim, B., Ahmed, K.E., Ibrahim, I.S.A., Hafiz, M.I., Suliman, A. dan Mohammed, O.S.A. 2009. Anticestodal activity and toxicity of some paziquantal analogues. *J Cell Anim Biol*. 3 (9): 165-170.

Salam, S.T. 2015. Ascariasis in backyard chicken–prevalence, pathology and control. *Int J Recent Scie Res*. 6(4): 3361-3365.

Sambodo, P., Prastowo, J., Kurniasih, K., dan Indarjulianto, S. 2018. In vitro potential anthelmintic activity of *Biophytum petersianum* on *Haemonchus contortus*. *Vet World*. 11(1): 1-4.

Samuel. 2009. Efek antelmintik ekstrak buah pinang (*Areca Catechu* Linn) terhadap *Ascaris suumin vitro*. Skripsi.Universitas Airlangga.Surabaya.Tidak dipublikasikan.

Sandika, B., Raharjo dan Ducha, N. 2012. Pengaruh pemberian air rebusan akar Delima (*Punica granatum* L) terhadap mortalitas *Ascaris suum*Goesze secara *in vitro*. *LenteraBio*. 1:81-86.

Satriadi, T. 2011. Kadar tanin biji pinang (*Areca catechu* L.) dari Pleihari. *J Hutan Tropis*. 12(32): 132-135.

Septiatin, A. 2008. *Apotik Hidup dan Rempah-Rempah, Tanaman Hias, dan Tanaman Liar*. Yrama Widya. Bandung.

Sheikh, B.A., Ahmad, F. danSofi, T.A. 2016.Morfology and prevalence some helminth parasite in *Gallus domesticus* from Gurez Valley of Jammu and Kashmir, *IndiaJ Fish Livestock Prod*. 5:2-7.

Sihombing, T. 2000. *Pinang Budi Daya dan Prospek Bisnis*. Penebar Swadaya. Jakarta. Hal 112-113.

Slaoui, M. danFiette, L. 2011. Histopathology procedures: from tissue sampling to histopathological evaluation. *Method Mol Bio*. 69: 69 – 82.

Soulsby, E. J. L. 1986. *Helminths, Arthropods and Protozoa of Domestic Animal*. 7th Ed. Bailiere Tindall and Cassel. London.

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Steel, R.G.D. dan Torrie, J.H. 1990. *Principles and Procedures of Statistics*. 2 Ed. MacGraw-Hill. Singapore.

Suharsono, S.K.H. 1994. Pengobatan tradisional penyakit cacing ayam buras. *Poult Ina*. 173:14.

Sulastri, T. 2009. Analysis kadar tanin ekstrak air dan ekstrak etanol pada biji pinang sirih (*Areca catechu. L*). *J Chemica*, 10(1):59-63.

Suprijatna, E. 2010. Strategi pengembangan ayam lokal berbasis sumber daya lokal dan berwawasan lingkungan. *Seminar Nasional Unggas Lokal ke IV*. 7 Oktober 2010. Fakultas Peternakan Universitas Diponegoro. Semarang.

Susanti, A.E. dan Prabowo, A. 2014. Potensi pinang (*Areca catechu*) sebagai antelmintik untuk ternak. *Prosiding Seminar Nasional Pertanian Ramah Lingkungan Mendukung Bioindustri di Lahan Sub Optimal Palembang*, 16 September 2014.Balai Pengkajian Teknologi Pertanian. Sumatera Selatan.

Swain, T. 1979. Tannins and lignins, pp. 657-682, in G.A. Rosenthal dan D.H. Janzen (eds.). *Herbivores: Their Interaction with Secondary Plant Metabolites*. Academic Press, New York.

Syahid, S.F dan Kristina, N.N. 2007. Pinang retrieved from USU institusional repository. Repository.usu.ac.id/bitstream/123456789/18853/4/chapter/% 2011.pdf. [Diakses 16 Maret 2017].

Tangalin, M.G.G.2011.Anthelmintic effects of processed mature betel nut as dewormer to native chicken and small ruminants (sheep and goats).*Asian J Health Basic Res Sect*.1(1): 230-243.

Tampubolon R. J. 2014. Efek altelmintik infusa biji pinang *(Areca catechu Linn)* terhadap *Ascaris suum* secara *in vitro*. Undergraduate thesis, Universitas Kristen Maranatha.

Taylor, M.A., Coop, R.L., dan Wall, R.L. 2007. *Veterinary Parasitology*3rd edition. Blackwell publishing, Iowa. 1086-1127, 1763-1764,1776-1789, 1817-1820.

Teixeira, M., Monteiro, J. P., Catenacci, L.S., Rodrigues, M.L.A, dan Sato, M.C.B. 2012. Ascaridiasis in peafowl *Pavo cristatus* (Phasianidae) due to *Ascaridia galli* Schrank. *J Zoo Wild Med*. 43(3): 585-587.

Tiersch, K.M., Das, G., Samson-Himmelstjerna, G.V. dan Gauly, M. 2013. The role of culture media on embryonation and subsequent infectivity of *Capillaria obsignata* eggs. *Parasitol Res*.112: 357-364.

UNIVERSITAS GADJAH MADA
Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus gallus domesticus)
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Tiuria, R. 1991. Hubungan antara Dosis Infeksi, Biologi *Ascaridia galli* dan Produktivitas Ayam Petelur. Thesis. Program Pascasarjana. Program Studi Sains Veteriner, Institut Pertanian Bogor. Bogor.

Tiuria S., Athaillah,F., Priosoeryanto,B.P., Satrija,F., Retnani, E.B. dan Ridwan, Y. 2000. Pengaruh infeksi cacing *Ascaridia galli* terhadap respon sel globet dan sel mast pada usus halus ayam petelur. *Maj Parasitol Ina*. 13:40-48.

Tiwow, D., Bodhi W. dan Kojong, N.S. 2013. Uji efek antelmintik ekstrak etanol biji pinang (*Areca catechu*) terhadap *Ascaris lumbricoides* dan *Ascaridia galli* secara *in vitro*. *Pharmacon*, 76-80.

Tizzard, I.R.2011. *Veterinary immunology an introduction*.7th edition. Saunders, Philadelphia. 93-104, 299-305.

Tyler, V.E. 1976. *Pharmacognocy*. Lea and Febiger.Philadelphia. USA.

Vanimakhal, R.R. danBalasubramanian, S. 2016. Phytochemical qualitative analysis and total tannin content in aqueous extract of *Areca catechu*nut.*Asian J Biomed PharmSci*. 6(54): 7-9.

Verma, D.K., Bharat, M., Nayak, D., Shanbhag, T., Shanbhag, V., dan Rajput, R.S. 2012.*Areca catechu*: Effect of topical ethanolic extract on burn wound healing in albino rats. *Int J Pharmacol and Clin Sci*. 1:74-8.

Vo, N.N.Q., Fukushima, E.O. dan Muranaka, 2017. T. Structure and hemolytic activity relationships of triterpenoid saponins and sapogenins. *J. Nat. Med*. 71, 50–58.

Wang, C.K., Lee, W.H. dan Peng, C.H. 1997. Contents of phenolics and alkaloids in *Areca catechu* Linn. during maturation. *J Agric Food Chem*. 45:1185−1188.

Waterman, P.G., Ross, J.A.M., dan McKey, D.B. 1984. Factors affecting levels of some phenolic compounds, digestibility and nitrogen content of the mature leaves of *Barteria fistulosa* (Passifloraceae). *J Chem Ecol*. 10:387-401.

Welfare Quality. 2009. *Welfare quality assessment protocol for poultry*. Welfare Quality Consortium, Lelystad, Netherlands:119.

Wharton, D. 1980. Nematode egg-shells. *Parasitol*. 81: 447-463.

Wijayakusuma, H.S. Dalimartha dan A.S Wirian. 2009. *Tanaman Berkhasiat Obat di Indonesia*. Jilid ke-3. Jakarta: Pustaka Kartika.

UNIVERSITAS
GADJAH MADA
**Studi Biji Buah Pinang (Areca catechu) sebagai Antelmintik Ascaridia galli pada Ayam Kampung (Gallus
gallus domesticus)**
WIDA WAHIDAH M, Prof. drh. Kurniasih, M.VSc. Ph.D;Dr. drh. R. Wisnu Nurcahyo;Dr. Drh. Joko Prastowo, M.Si
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Yaswiski, T.A dan Tucker C.A. 2008. *Nematodes and Acantocephalans* in YM Saif, AM. Fadly, GR Glisson, LR McDougald, LK Ivolan dan DE Swayne (Eds). *Disease of Poultry*. 12 Edn. Blackwell Publishing Professional, Iowa, pp.1025-1066.

Zalizar, L., F. Satrija, R. Tiuria, dan A.A. Dewi. 2006. Dampak infeksi *Ascaridia galli* terhadap gambaran histopatologi dan luas permukaan vili usus halus serta penurunan bobot hidup starter. *JITV*. 11(3):222-228.

Zalizar L, Fadjar. S, Risa. T, dan Dewi AA. 2007. Respon ayam yang mempunyai pengalaman infeksi *Ascaridia galli* terhadap infeksi ulang dan implikasinya terhadap produktivitas dan kualitas telur. *Anim ProdJ Prod Tern*.9(2): 92-98.

Zhang, X., Mei, W.L., Zeng, Y.B., Liu, J., Dai, W.J. dan Dai, H.F. 2009. Phenolic constituents from the fruits of *Areca catechu* and their anti-bacterial activities. *J Trop Subtrop Bot*. 17, 74–76.

Zhong, R.Z., Sun, H.X., Liu, H.W. dan Zhou, D.W. 2014. Effects of tannic acid on *Haemonchus contortus* larvae viability and immune responses of sheep white blood cells in vitro. *Par Immunol*., 36: 100-106.