

DAFTAR PUSTAKA

- Abarca, R. L., Rodriguez, F.J., Guarda, A., Galotto, M. J. and Bruna, J. E. 2016. Characterization of beta-cyclodextrin inclusion complexes containing an essential oil component. *Food Chemistry*. 196: 968-975.
- Adnan, M. 1997. Teknik kromatografi untuk analisis bahan pangan. Andy offset, Yogyakarta.
- Agarwal, C., Máthé, K., Hofmann, T. and Csóka, L. 2018. Ultrasound-assisted extraction of cannabinoids from *Cannabis sativa* L. optimized by response surface methodology. *Journal of Food Science* 83(3): 700-710. (doi. 10.1111/1750-3841.14075).
- Ahn, S. I., Kwak, H. S., Al-Mijan, M., Jhoo, J.W., Kim, G. Y. and Ra, C. S. 2017. Shelf-life prediction of microencapsulated B-galactosidase powder prepared using enteric double-coating technology. *Journal of Food Process Engineering*, 41(3): 1-8.
- Al-Asheh, S., Jumah, R., Banat, F. and Hammad, S. 2003. The use of experimental factorial design for analysing the effect of spray dryer operating variables on the production of tomato powder. *Food and bioproducts processing*, 81(2): 81-88. (doi.org/10.1205/096030803322088215).
- Al-Juhaimi, F., Adiamo, O. Q., Ghafoor, K. and Babiker, E. E. 2016. Optimization of ultrasonic-assisted extraction of phenolic compound from fenugreek (*Trigonella foenum-graecum* L.) seed. *CyTA-Journal of Food*, 14(3): 369-374. (doi. 10.1080/19476337.2015.1110202).
- Alamu, E. O., Maziya-Dixon, B., Menkir, A., Olaofe, O. and Irondi, E. A. 2015. Effect of maturity stages and roasting method on the proximate composition of orange maize hybrids. *Global Advanced Research Journal of Agricultural Science*, 4(8): 462-468.
- Ali, D. Y. 2013. Optimasi nanoenkapsulasi asap cair tempurung kelapa dengan response surface methodology. Tesis S2. Program Pascasarjana, Fakultas Teknologi Pertanian, Universitas Gadjah Mada Yogyakarta.
- Ali, Z., Tanaka, T., Illiya, I., Iinuma, M., Furusawa, M., Ito, T., Nakaya, K., Murata, J. and Darnaedi, D. 2003. Phenolic Constituents of *Gnetum klossii*. *Journal of Natural Product*, 66: 558-560.

- Ali, Z.M., Chin, L.H. and Lazan, H. 2004. A comparative study on wall degrading enzymes, pectin modifications and softening during ripening of selected tropical fruits. *Plant Science*, 167(2): 317-327.
- Allan, K. E., Lenahan, C. E. and Ellis, A. V. 2009. UV light stability of alpha-cyclodextrin/resveratrol host-guest complexes and Isomer stability at varying pH. *Australian Journal of Chemistry*, 62: 921-926.
- Allegro, G., Pastore, C., Valentini, G., Muzzi, E. and Filippetti, I. 2016. Influence of berry ripeness on accumulation, composition and extractability of skin and seed flavonoids in cv. Sangiovese (*Vitis vinifera* L.). *Journal of the Science of Food and Agriculture*, 96(13): 4553-4559.
- Al-Nasiri, G., Cran, M. J., Smallridge, A. J. and Bigger, S. W. 2018. Optimisation of β -cyclodextrin inclusion complexes with natural antimicrobial agents: thymol, carvacrol and linalool. *Journal of microencapsulation*, 35(1): 26-35.
- Amri, A., Chaumeil, J. C., Sfar, S. and Charrueau, C. 2012. Administration of resveratrol: what formulation solutions to bioavailability limitations?. *Journal of controlled release*, 158(2): 182-193.
- Anandharamakrishnan C. 2014. Technique for nanoencapsulation of food ingredient. *Spinger Brieft in food, Health and Nutrition*. Spinger. New York.
- Anihouvi, V. B., Saalia, F., Dawson, S. E., Ayernor, G. S. and Hounhouigan, J. D. 2011. Response surface methodology for optimizing the fermentation conditions during the processing of cassava fish (*Pseudotolithus* sp) into Lanhouin. *International Journal of Engineering Science and Technology*, 3(9): 7085–7095.
- Anonim. 2014. *Tanaman Perkebunan*. Menegristek Bidang Pendayagunaan dan Pemasyarakatan Ilmu Pengetahuan dan Teknologi. <http://www.ristek.go.id> (diakses 18 September 2018).
- Anonim. 2000. *Parameter standar umum ekstrak tumbuhan obat*. Departemen Kesehatan Republik Indonesia, Dirjen POM. Jakarta.
- Anonim. 2012. *Official Methods of Analysis (19^{Ed})*. Chap 3.003, 3.004, 43.275, 3.124. Association of Official Analytical Chemist Inc. Mayland. USA.
- Anonim. 2017a. *Statistik tanaman buah-buahan dan sayuran Indonesia*. Badan Pusat Statistik, Jakarta.

- Anonim, 2017b. *Kecamatan Kalikotes dalam angka*. Badan Pusat Statistik Kabupaten Klaten, Klaten.
- Anonim, 2017c. *Kecamatan Limpung dalam angka*. Badan Pusat Statistik Kabupaten Batang, Batang.
- Aprianto. 2011. Ekstraksi oleoresin dari kayu manis berbantu ultrasonik dengan menggunakan pelarut alkohol. Tesis. Universitas Diponegoro, Semarang.
- Arepally, D. and Goswami, T. K. 2019. Effect of inlet air temperature and gum arabic concentration on encapsulation of probiotics by spray drying. *LWT - Food Science and Technology*, 99: 583-593.
- Arabshahi-D, S., Devi, D. V. and Urooj, A. 2007. Evaluation of antioxidant activity of some plant extracts and their heat, pH and storage stability. *Food Chemistry*, 100(3): 1100-1105.
- Araujo-Diaz, S. B., Leyva-Porras, C., Aguirre-Banuelos, P., Alvarez-Salas, C. and Saaedra-Leos, Z. 2017. Evaluation of the physical properties and conservation of the antioxidants content, employing inulin and maltodextrin in the spray drying of blueberry juice. *Carbohydrate Polymers*, 167: 317-325.
- Arias, R., Lee, T.C., Logendra, L. and Janes, H. 2000. Correlation of lycopene measured by HPLC with the L*, a*, b* color readings of a hydroponic tomato and the relationship of maturity with color and lycopene content. *Journal of Agricultural and Food Chemistry*, 48(5): 1697-1702.
- Arif, A. B., Setyadjit, I. B., Jamal, H., Herawati dan Suyanti. 2014. Pengaruh penambahan sari cempedak terhadap umur simpan dan nutrisi sari buah nanas. *Jurnal Pascapanen*, 11(1): 30-38.
- Asiah N., Cempaka L., dan David W. 2018. Panduan praktis pendugaan umur simpan produk pangan. UB Press. Jakarta.
- Asiati, S., Hidayati, R., Hamdi, S., Pariyatmo, M. dan Suparno. 2009. Analisis radiasi UV di Indonesia 1979-2004. Lembaga Penerbangan dan Antariksa Nasional (LAPAN). Jakarta.
- Aschida, C. J., Adhitiyawarman dan Destiarti, L. 2014. Fotostabilitas dan termostabilitas pigmen buah tomat (*Solanum lycopersicum* L.) hasil enkapsulasi menggunakan maltodekstrin. *Jurnal Kimia Khatulistiwa*, 3(2): 44-49.

- Asrianingsih, R. 2006. Isolasi dan karakterisasi senyawa metabolit skunder dari kulit batang tumbuhan melinjo (*Gnetum gnemon* L.). Skripsi. Jurusan Kimia MIPA, UNY, Yogyakarta.
- Assadpour, E. and Jafari, S. M. 2019. *Nanoencapsulation: Techniques and Developments for Food Applications*. In *Nanomaterials for Food Applications*. Elsevier.
- Assami, K., Pingret, D., Chemat, S., Mekhlati, Y. B. and Chemat, F. 2012. Ultrasound induced intensification and selective extraction of essential oil from *Carum carvi* L. Seeds. *Chemical Engineering and Processing*, 62: 99-105.
- Averilla, J. N., Oh, J., Wu, Z., Liu, K. H., Jang, C. H., Kim, H. J., Kim, J. S. and Kim, J. S. 2019. Improved extraction of resveratrol and antioxidants from grape peel using heat and enzymatic treatments. *Journal of the Science of Food and Agriculture*, 99(8): 4043-4053.
- Babu, T. A., Kumar, S., Smith, D. D. and Lakshmipathy, R. 2019. The Physicochemical Properties of Spray-Dried Papaya Leaf Powders. *International Journal of Current Microbiology and Applied Sciences*, 8(1): 139-146.
- Bas, D. and Boyaci, I. H. 2007. Modelling and optimization I: Usability of response surface methodology. *Journal of Food Engineering* 78: 836-845. (doi.10.1016/j.jfoodeng.2005.11.024).
- Bastianetto, S., Ménard, C. and Quirion, R. 2015. Neuroprotective action of resveratrol. *Biochimica et Biophysica Acta Molecular Basis of Disease* 1852(6): 1195-1201. (doi.10.1016/j.bbadis.2014.09.011).
- Baur, J. A. and Sinclair, D. A. 2006. Therapeutic potential of resveratrol: the in vivo evidence. *Nature Reviews Drug Discovery*, 5: 493-506.
- Baxter RA. 2007. Anti-aging properties of resveratrol: review and report of a potent new antioksidan skin care formulation. *Journal Cosmetic Dermatology*, 7:2-7.
- Baysan, U., Elmas, F. and Koç, M. 2019 . The effect of spray drying conditions on physicochemical properties of encapsulated propolis powder. *Journal of Food Process Engineering*, 42(4): 1-11.(doi.10.1111/jfpe.13024).
- Bazaria, B. and Kumar, P. 2018. Optimization of spray drying parameters for beetroot juice powder using response surface methodology (RSM). *Journal of the Saudi Society of Agricultural Sciences*, 17(4): 408-415.

- Bazykina, N. I., Nikolaevskii, A. N., Filippenko, T. A. and Kaloerova, V. G. 2002. Optimization of conditions for the extraction of natural antioxidants from raw plant materials. *Pharmaceutical Chemistry Journal* 36(2): 46-49. (doi.10.1023/A:1016024300843).
- Belscak-Cvitanovic, A., Stojanovic, R., Manojlovic, V. and Komes, D. 2011. Encapsulation of polyphenolic antioxidants from medical plant extracts in alginate-chitosan system enhanced with ascorbic acid by electrostatic extrusion. *Food Research International*, 44: 1094-1101.
- Bertacche, V., Lorenzi, N., Nava, D., Pini, E. and Sinico, C. 2006. Host-guest interaction study of resveratrol with natural and modified cyclodextrins. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 55: 279-287.
- Bestari, A.N. 2014. Penggunaan siklodekstrin dalam bidang farmasi. *Majalah Farmaseutik*, 10(1):197-201.
- Bettaieb Rebey, I., Bourgou, S., Ben Slimen Debbez, I., Jabri-Karoui, I., Hamrouni-Sellami, I., Msaada, K., Limam, F. and Marzouk, B. 2011. Effects of extraction solvent and pro-venances on phenolic contents and antioxidant activities of cumin (*Cuminum cyminum*). *Food and Bioprocess Technology*, 5: 2827–2836.
- Bettaieb Rebey, I., Kefi, S., Limam, F. and Marzouk, B. 2014. Variations in fatty acid com- position during maturation of cumin (*Cuminum cyminum* L.) seeds. *African Journal of Biotechnology*, 12(34): 5303–5307.
- Bettaieb-Rebey, I., Kefi, S., Bourgou, S., Ouerghemmi, I., Ksouri, R., Saidani Tounsi, M. and Marzouk, B. 2014. Ripening stage and extraction method effects on physical properties, polyphenol composition and antioxidant activities of cumin (*Cuminum cyminum* L.) seeds. *Plant Foods for Human Nutrition*, 69: 358–364.
- Bettaieb Rebey, I., Bourgou, S., Aidi Wannes, W., Hamrouni Selami, I., Saidani Tounsi, M., Marzouk, B., Fauconnier, M.L. and Ksouri, R. 2018. Comparative assessment of phytochemical profiles and antioxidant properties of Tunisian and Egyptian anise (*Pimpinella anisum* L.) seeds. *Plant Biosystems An International Journal Dealing with All Aspects of Plant Biology*, 152(5): 971-978.
- Bhat, R. and Yahya, B. N. 2014. Evaluating melinjau (*Gnetum gnemon* L.) seed flour quality as a base for development of novel food products and food formulations. *Food Chemistry*, 156: 42-49.

- Bhowmik, M., Kumari, P., Sarkar, G., Bain, M. K., Bhowmick, B., Mollick, M. M. R. and Mondal, D. 2013. Effect of xanthan gum and guar gum on in situ gelling ophthalmic drug delivery system based on poloxamer-407. *International Journal of Biological Macromolecules*, 62: 117-123.
- Bilati, U., Allemann, E. and Doelker, E. 2005. Development of a nanoprecipitation method intended for the entrapment of hydrophilic drugs into nanoparticles, *European Journal of Pharmaceutical Sciences*, 24 (1): 67-75.
- Bilgin, M. and Ahin, S. 2013. Effects of geographical origin and extraction methods on total phenolic yield of olive tree (*Olea europaea*) leaves. *Journal of the Taiwan Institute of Chemical Engineers*, 44(1): 8-12. (doi.10.1016/j.jtice.2012.08.008).
- Bo, S., Ciccone, G., Castiglione, A., Gambino, R., De Michieli, F., Villois, P., Durazzo, M., Cavallo-Perin, P. and Cassader, M. 2013. Anti-inflammatory and antioxidant effects of resveratrol in healthy smokers a randomized, double-blind, placebo-controlled, cross-over trial. *Current Medical Chemistry*, 20 (10): 1323–1331.
- Borges, L., Alves, S., Sampaio, B., Conceicao, E., Bara, M. and Paula, J. 2013. Environmental factors affecting the concentration of phenolic compounds in *Myrcia tomentosa* leaves. *Brazilian Journal of Pharmacognosy*, 23(2): 230-238. (doi.10.1590/S0102-695X2013005000019).
- Brasnyó, P., Molnár, G.A., Mohás, M., Markó, L., Laczy, B., Cseh, J., Mikolás, E., Szijártó, I.A., Mérei, A., Halmai, R. and Mészáros, L.G. 2011. Resveratrol improves insulin sensitivity, reduces oxidative stress and activates the Akt pathway in type 2 diabetic patients. *British Journal Of Nutrition*, 106(3): 383-389.
- Brown, L., Kroon, P. A., Das, D. K., Das, S., Tosaki, A. and Chan, V. 2009. The biological responses to resveratrol and other polyphenols from alcoholic beverages. *Alcoholism, Clinical and Experimental Research*, 33: 1513-1523.
- Bunaciu, A. A., Aboul-Enein, H. Y. and Fleschin, S. 2012. FTIR spectrophotometric methods used for antioxidant activity assay in medicinal plants. *Applied spectroscopy reviews*, 47(4): 245-255.
- Burin, V. M., Rossa, P. N., Ferreira-Lima, N. E., Hillmann, M. C. and Boirdignon-Luiz, M. T. 2011. Anthocyanins: optimisation of extraction from Cabernet Sauvignon grapes, microcapsulation and stability in soft drink. *International Journal of Food Science and Technology*, 46(1): 186-193.

- Cameron, D. K and Wang, Y. 2006. Application of protease and high-intensity ultrasound in corn starch isolation from degermed corn flour. *Journal Food Science University of Arcansas*, 83(5): 505-509.
- Can Karaca, A., Guzel, O. and Ak, M. M. 2016. Effects of processing conditions and formulation on spray drying of sour cherry juice concentrate. *Journal of the Science of Food and Agriculture*, 96(2): 449-455.
- Cano-Chauca, M., Stringheta, P.C., Ramos, A.M. and Cal-Vidal, J. 2005. Effect of the carriers on the microstructure of mango powder obtained by spray drying and its functional characterization. *Innovative Food Science and Emerging Technologies*, 6 (4): 420-428.
- Cao, Z. and Li, Y. 2004. Potent induction of cellular antioxidants and phase 2 enzymes by resveratrol in cardiomyocytes: protection against oxidative and electrophilic injury. *European Journal of Pharmacology*, 489: 39-48.
- Caruso, F., Tanski, J., Villegas-Estrada, A. and Rossi, M. 2004. Structural basis for antioxidant activity of trans-resveratrol: ab initio calculations and crystal and molecular structure. *Journal of agricultural and food chemistry*, 52(24): 7279-7285.
- Carvajal, M. X. Q., Diaz, B. H. C., Torres, L. S. M., Perez, J. J. C., Beltran, L. A., Aparicio, A. J. and Lopez, G. F.G. 2010. Nanoencapsulation: A New Trend in Food Engineering Processing. *Food Engineering Reviews*, 2: 39-50.
- Casimiro, G., Sutili, F., de Souza, R.O., Garcia, R., Pacheco, G., Mansur, E. and Leal, I., 2017. Trans-resveratrol Extraction in Four Brazilian *Arachis hypogea* L. Cultivars with Microwave-Assisted Extraction: Optimization with Response Surface Methodology and Comparison with Conventional Maceration. *Journal of Advances in Biology & Biotechnology*, 13(1): 1-13.
- Catalgol, B., Batirel, S., Taga, Y. and Ozer, N. K. 2012. Resveratrol: French Paradox Revisited. *Frontiers in Pharmacology*, 3: 1-14. (doi.10.3389/fphar.2012.00141).
- Chaaban, H., Ioannou, I., Chebil, L., Slimane, M., Gérardin, C., Paris, C., Charbonnel, C., Chekir, L. and Ghoul, M. 2017. Effect of heat processing on thermal stability and antioxidant activity of six flavonoids. *Journal of Food Processing and Preservation*, 41(5): 1-12.
- Chamorro, S., Goñi, I., Viveros, A., Hervert-Hernández, D. and Brenes, A. 2012. Changes in polyphenolic content and antioxidant activity after thermal treatments of grape seed extract and grape pomace. *European Food Research and Technology*, 234(1): 147-155.

- Chan, C. H., Yusoff, R. and Ngoh, G. C. 2014. Modeling and kinetics study of conventional and assisted batch solvent extraction. *Chemical Engineering Research and Design*, 92(6): 1169-1186. (doi.10.1016/j.cherd.2013.10.001).
- Chang, C. C., Lin, K., Peng, K., Day, Y. and Hung, L. 2016. Resveratrol exerts anti-obesity effects in high-fat diet obese mice and displays differential dosage effects on cytotoxicity, differentiation, and lipolysis in 3T3-L1 cells. *Endocrine Journal*, 63(2): 169-178.
- Charoenlap, N., Dharmsthiti, S., Sirisansaneeyakul, S. and Lertsiri, S. 2004. Optimization of cyclodextrin production from sago starch. *Bioresource Technology*, 92(1): 49-54.
- Chegini, G. R. and Ghobadian, B. 2007. Spray dryer parameters for fruit juice drying. *World Journal of Agricultural Sciences*, 3(2): 230-236
- Chen, X. M., Tait, A. R. and Kitts, D. D. 2017. Flavonoid composition of orange peel and its association with antioxidant and anti-inflammatory activities. *Food Chemistry*, 218:15-21. (doi.10.1016/j.foodchem.2016.09.016).
- Chen, C. Y., Hsing Lin, C. and Yang, J. 2005. Use of chemically bonded cyclodextrin silica stationary phase for liquid chromatographic separation of structural isomer. *Journal of the Chinese Chemical Society*, 52: 753-758.
- Chen, H., Zheng, S., Wang, Y., Zhu, H., Liu, Q., Xue, Y., Qiu, J., Zou, H. and Zhu, X. 2016. The effect of resveratrol on the recurrent attacks of gouty arthritis. *Clinical Rheumatology*, 35(5): 1189-1195.
- Chen, R. S., Wu, P. L. and Chiou, R. Y. 2002. Peanut roots as a source of resveratrol. *Journal of Agricultural and Food Chemistry*, 50: 1665-1667.
- Cheng, J. R., Liu, X. M., Zhang, W., Chen, Z. Y. and Wang, X. P. 2018. Stability of phenolic compounds and antioxidant capacity of concentrated mulberry juice-enriched dried-minced pork slices during preparation and storage. *Food Control*, 89: 187-195.
- Choi, O., Lee, S. Y. and Kang. 2014. Construction of artificial biosynthetic pathways for resveratrol glucoside derivatives. *Journal of Microbiology and Biotechnology*, 24 (5): 614-618.
- Chowdary, K. P. R. and Prakasarao, K. S. 2011. A Factorial Study on the effects of β -cyclodextrin and Poloxamer 407 on the dissolution rate of valsartan

from CD complexes and their tablets. *Research Journal of Pharmaceutical Biological and Chemical Sciences*, 2(3): 438-444.

Chowdary, K. P. R. and Srinivasan, S. 2011. Effects of cyclodextrins, Tween-80 and PVP on the solubility and dissolution rate of etoricoxib. *Journal of Pharmaceutical Sciences and Research*, 3(7): 1344-1348.

Cintas, P. and Cravotto. 2005. Power Ultrasound in Organic Synthesis: Moving cavitation chemistry from academia to innovative and large-scale applications. *The Royal Society Journal of Chemistry* 35: 180-196.

Colla, L. M., Bertol, C. D., Ferreira, D. J., Bavaresco, J., Costa, J. A. V. and Bertolin, T. E. 2017. Thermal and photo-stability of the antioxidant potential of *Spirulina platensis* powder. *Brazilian Journal of Biology*, 77(2): 332-339.

Corrêa-Filho, L. C., Lourenço, M. M., Moldão-Martins, M. and Alves, V. D. 2019. Microencapsulation of β -carotene by spray drying: effect of wall material concentration and drying inlet temperature. *International Journal of Food Science*, 2019: 1-12. (doi.org/10.1155/2019/8914852).

Costa, M. L., Civello, P. M., Chaves, A. R. and Martínez, G. A. 2002. Characterization of Mg-dechelatase activity obtained from *Fragaria x ananassa* fruit. *Plant Physiology and Biochemistry*, 40(2): 111-118.

Cunha, M. A. E., Neves, R. F., Souza, J. N. S., França, L. F., Araújo, M. E. and Brunner, G. 2012. Supercritical adsorption of buriti oil (*Mauritia flexuosa* Mart.) in γ -alumina: a methodology for the enriching of anti-oxidants. *Journal Supercritical Fluids* 66: 181-191.

Da-Costa, R. S., Teixeira, C. B., Gabbay Alves, T. V., Ribeiro-Costa, R. M., Casazza, A. A., Aliakbarian, B and Perego, P. 2019. Optimization of spray drying conditions to microencapsulate cupuassu (*Theobroma grandiflorum*) seed by-product extract. *Natural Product Research*, 33(18): 2600-2608.

Da-Silva, M. M., Paese, K., Guterres, S. S., Pohlman, A. R., Rutz, J. K., Cantillano, R. F. F., Nora, L. and de Oliveira R. A. 2017. Thermal and ultraviolet-visible light stability kinetics of co-nanoencapsulated carotenoids. *Food and Bioproducts Processing*, 105: 86-94.

Da-Silva, R. D. C., Teixeira, J. A., Nunes, W. D. G., Zangaro, G. A.C., Pivatto, M., Caires, F. J. and Ionashiro, M. 2017. Resveratrol: A thermoanalytical study. *Food Chemistry*, 237: 561-565.

- Dangi, R., Shakya, S. 2013. Preparation, Optimization and Characterization of PLGA Nanoparticle. *International Journal of Pharmacy and Life Sciences*, 4(7): 2810-2818.
- Danhier, F., Magotteaux, N., Ucakar, B., Lecouturier, N., Brewster, M. and Pr at, V. 2009. Novel self-assembling PEG-p-(CL-co-TMC) polymeric micelles as safe and effective delivery system for paclitaxel. *European Journal of Pharmaceutics and Biopharmaceutics*, 73(2): 230-238.
- Davidov-Pardo, G. and McClements, D. J. 2014. Resveratrol encapsulation: Designing delivery systems to overcome solubility, stability and bioavailability issues. *Trends in Food Science and Technology* 20: 1-16.
- De Garmo, E. G., Sullivan, W. G. and Cerook, J. R. 1984. Engineering Economy. 7 th Ed. Macmilland Publ. Co., New York
- De-Souza-Simoes, L., Madalena, D. A. Pinheiro, A. C., Teixeira, J. A., Vicente, A. A. and Ramos, O. L. 2017. Micro- and nano bio-based delivery systems for food applications : In vitro behavior. *Advances in Colloid and Interface Science*, 243: 23-45.
- Deak, M. and Falk, H. 2003. On the chemistry of the resveratrol diastereomers. *Monatshefte f ur Chemie/Chemical Monthly*, 134(6): 883-888.
- Demitri, Wirjatmadi, B. dan Adriani, M. 2018. Effect of melinjo peel extract on triglycerides level of the rats fed a high cholesterol diet. *International Journal of Public Health and Clinical Sciences*, 5 (6): 300-306.
- Deng, Q., Wang, L., Wei, F., Xie, B., Huang, F., Huang, W., Shi, J., Huang, Q., Tian, B. and Xue, S., 2011. Functional properties of protein isolates, globulin and albumin extracted from Ginkgo biloba seeds. *Food Chemistry*, 124(4): 1458-1465.
- Devi, N., Sarmah, M., Khatun, B. and Maji, T.K. 2017. Encapsulation of active ingredients in polysaccharide-protein complex coacervates. *Advances in Colloid and Interface Science*, 239: 136-145.
- Dewanto, V., Wu, X., Adom, K. K. and Liu, R. H. 2002. Thermal processing enhances the nutritional value of tomatoes by increasing total antioxidant activity. *Journal of Agricultural and Food Chemistry* 50(10): 3010-3014. (doi.10.1021/j.f0115589).
- Di-Giorgio, L., Salgado, P. R and Mauri, A. N. 2019. Encapsulation of fish oil in soybean protein particles by emulsification and spray drying. *Food Hydrocolloids*, 87: 891-901.

- Dias, M. I., Sousa, M. J., Alves, R. C. and Ferreira, I.C. 2016. Exploring plant tissue culture to improve the production of phenolic compounds: A review. *Industrial Crops and Products*, 82: 9-22.
- Diaz, D. I., Beristain, C. I., Azuara, E., Luna. G. And Jimenez, M. 2015. Effect of wall material on the antioxidant activity and physicochemical properties of *Rubus fruticosus* juice micracapsules. *Journal of Microencapsulation*, 32(3): 247-254.
- Ding, Z., Tao, T., Yin, X., Prakash, S., Wang, X., Zhao, Y. and Wang, Z. 2020 . Improved encapsulation efficiency and storage stability of spray dried microencapsulated lutein with carbohydrates combinations as encapsulating material. *LWT - Food Science and Technology*, 124: 1-8.
- Dolatowski, Z. J., Stadnik, J. and Stasiak, D., 2007. Applications of ultrasound in food technology. *Acta Scientiarum Polonorum Technologia Alimentaria*, 6(3): 88-99.
- Dong, X., Hu, Y., Li, Y., and Zhiqin, Z. 2019. The maturity degree, phenolic compounds and antioxidant activity of Eureka lemon [*Citrus limon* (L.) Burm. f.]: A negative correlation between total phenolic content, antioxidant capacity, and soluble solid content. *Scientia Horticulturae* 243: 281–289. (doi.10.1016/j.scienta.2018.08.036).
- Donsi, F., Sessa, M., Mediouni, H., Mgaidi, A., and Ferrari, G. 2011. Encapsulation of bioactive compounds in nanoemulsion-based delivery systems. *11th International Congress on Engineering and Food*, (1): 1666-1671.
- Dourtoglou, V., Markis, D. P., Bois-Dounas, F. and Zonas, C. 1999. Trans-Resveratrol concentration in wine production in Greece. *Journal of Food Composition and Analysis*, 12: 227-233.
- Dube, A., Ng, K., Nicolazzo, J. A. and Larson, I., 2010. Effective use of reducing agents and nanoparticle encapsulation in stabilizing catechins in alkaline solution. *Food Chemistry*, 122(3): 662-667.
- Dziezak, D. J. 1998. Microencapsulation and Encapsulated Food Ingredients. *Food Technology*, 42: 136-151.
- Elshaer, M. Chen, Y., Wang, X. J. and Tang, X. 2018. Resveratrol: An overview of its anti-cancer mechanisms. *Life Sciences*, 207: 340-34.
- Espinoza, J. L., Thi An, D., Trung, L. Q., Yamada, K., Nakao, S. and Takami. 2015. Stilbene derivatives from melinjo extract have antioxidant and immune modulatory effects in healthy individuals. *Integrative Molecular Medicine*, 2(6): 405-413.

- Ezhilarasi, P. N., Karthik, P., Chhanwal, N. and Anandharamakrishnan, C. 2013. Nanoencapsulation techniques for food bioactive components: a review. *Food and Bioprocess Technology*, 6(3): 628-647.
- Fabris, S., Momo, F., Ravagnan, G. and Stevanato, R. 2008. Antioxidant properties of resveratrol and piceid on lipid peroxidation in micelles and monolamellar liposomes. *Biophysical chemistry*, 135(1-3): 76-83.
- Fahmi, A., Syamsudin, Utami, S. N. H. dan Rajagukguk, B. 2009. Peran pemupukan fosfor terhadap pertumbuhan tanaman jagung (*Zea mays* L.) di tanah regosol dan latosol. *Berita Biologi*, 9(6): 145-150.
- Falleh H., Riadh K., Marrie-Elizabeth L., Chedly A. and Christian M. 2012, Ultrasound-Assisted Extraction: Effect of Extraction Time and Solvent Power on The Levels of Polyphenols and Antioxidant Activity of *Mesembryanthemum Edule* L. Aizoaceae Shoots, *Tropical Journal of Pharmaceutical Research*, 11: 243-249
- Fan, Y., Liu, Y., Gao, L., Zhang, Y. and Yi, J. 2018. Improved chemical stability and cellular antioxidant activity of resveratrol in zein nanoparticle with bovine serum albumin-caffeic acid conjugate. *Food Chemistry*, 261: 283-291.
- Fang, J. G. and Zhou, B. 2008. Structure-activity relationship and mechanism of the tocopherol-regenerating activity of resveratrol and its analogues. *Journal of Agricultural and Food Chemistry*, 56: 11458–11463.
- Fang, J. G., Lu, M., Chen, Z. H., Zhu, H. H., Li, Y., Yang, L., Wu, L. M. and Liu, Z. L. 2002. Antioxidant effects of resveratrol and its analogues against the free-radical-induced peroxidation of linoleic acid in micelles. *Chemistry* 8(18): 4191-4198.
- Fazaeli, M., Emam-Djomeh, Z., Ashtari, A. K. and Omid, M. 2012. Effect of spray drying conditions and feed composition on the physical properties of black mulberry juice powder. *Food and Bioprocess Technology*, 90(4): 667-675.
- Fazaeli, M., Emam-Djomeh, Z. and Yarmand, M. S. 2016. Influence of black mulberry juice addition and spray drying conditions on some physical properties of ice cream powder. *International Journal of Food Engineering*, 12(3): 277-285.
- Feng, S., Luo, Z., Tao, B. and Chen, C. 2015. Ultrasonic-assisted extraction and purification of phenolic compounds from sugarcane (*Saccharum officinarum* L.) rinds. *LWT-Food Science and Technology*, 60(2): 970-976. (doi.10.1016/j.lwt.2014.09.066).

- Ferreira, I., Rocha, S. and Coelho, M. 2007. Encapsulation of antioxidants by spray-drying. *Chemical Engineering Transactions*, 11(9): 713-717.
- Ferreira, P. E. B., Beraldi, E. J., Borges, S. C., Natali, M. R. M., and Buttow, N. C. 2018. Resveratrol promotes neuroprotection and attenuates oxidative and nitrosative stress in the small intestine in diabetic rats. *Biomed Pharmacother*, 105: 724-733.
- Ferreira, S., Araujo, T., Souza, N., Rodrigues, L., Lisboa, H. M., Pasquali, M. and Rocha, A. P. 2019. Physicochemical, morphological and antioxidant properties of spray-dried mango Kernel starch. *Journal of Agriculture and Food Research*, 1: 1-9. (doi.org/10.1016/j.jafr.2019.100012).
- Frahardi, 2008. Berbagai Kendala Industri Melinjo. <http://foragri.blogspot.com/berbagai-kendala-industri-emping-melinjo>. (diakses 20 September 2016)
- Francioso, P., Mastromarino, P., Masci, A., d'Erme, M. and Mosca, L. 2014. Chemistry, Stability and Bioavailability of Resveratrol. *Medicinal Chemistry* 10: 237-245. (doi.10.2174/15734064113096660053).
- Frankel, E. N. and Waterhouse, A. L. 1993. Inhibition of human LDL oxidation by resveratrol. *Lancet*, 34: 1103–1104.
- Gallego-Juárez, J. A., Fuente, S. D. L. and Riera, E. 2004. Effect of Power Ultrasound on Mass Transfer in Food Processing. International Congress on Acoustics, 174: 1-2.
- Gallo, L., Llabot, J. M., Allemandi, D., Bucalá, V. and Piña, J. 2011. Influence of spray-drying operating conditions on Rhamnus purshiana (Cáscara sagrada) extract powder physical properties. *Powder Technology*, 208(1): 205-214
- Gandjar, I. G dan Rohman, A. 2007. Kimia Farmasi Analisis. Pustaka Pelajar Yogyakarta.
- Gardouh, A. R., Ghorab, M. M. and Abdel-Rahman, S. G. 2012. Effect of viscosity, method of preparation and homogenization speed on physical characteristics of solid lipid nanoparticles. *Asian Research Publishing Network-Journal of Science and Technology*, 2: 996-1006.
- Gerszon, J., Rodacka, A. and Puchała, M. 2014. Antioxidant properties of resveratrol and its protective effects in neurodegenerative diseases. *Advances in Cell Biology*, 14: 97–117.
- Ghanim, H., Sia, C. L., Abuaysheh, S., Korzeniewski, K., Patnaik, P., Marumganti, A., Chaudhuri, A. and Dandona, P. 2010. An antiinflammatory and reactive

oxygen species suppressive effects of an extract of *Polygonum cuspidatum* containing resveratrol. *Journal of Clinical Endocrinology and Metabolism*, 95(9): 1–8.

Ghanim, H., Sia, C.L., Korzeniewski, K., Lohano, T., Abuaysheh, S., Marumganti, A., Chaudhuri, A. and Dandona, P., 2011. A resveratrol and polyphenol preparation suppresses oxidative and inflammatory stress response to a high-fat, high-carbohydrate meal. *Journal of Clinical Endocrinology and Metabolism*, 96(5): 1409-1414.

Ghasemzadeh, A., and Ghasemzadeh N. 2011. Flavonoids and phenolic acids: Role and biochemical activity in plants and human. *Journal of Medicinal Plants Research*, 5(31): 6697-6703. (doi.10.5897/JMPR11.363).

Goh, L. M. and Barlow, P. J. 2002. Antioxidant capacity in Ginkgo biloba. *Food Research International*, 35(9): 815-820.

Gonçalves, B. 2007. Effect of ripeness and postharvest storage on the evolution of colour and anthocyanins in cherries (*Prunus avium* L.). *Food Chemistry*, 103: 976-984. (doi.org/10.1016/j.foodchem.2006.08.039).

Gounin S. 2004. Microencapsulation: Industrial Appaisal of exiting technologies and trends. *Trends Food Science Technology*, 15(7):330-347.

Gülçin, İ. 2010. Antioxidant properties of resveratrol: a structure–activity insight. *Innovative Food Science & Emerging Technologies*, 11(1): 210-218.

Güder, A., Korkmaz, H., Gökce, H., Alpaslan, Y. B. and Alpaslan, G. 2014. Isolation, characterization, spectroscopic properties and quantum chemical computations of an important phytoalexin resveratrol as antioxidant component from *Vitis labrusca* L. and their chemical compositions. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 133: 378-395.

Guo, W., Li, A., Jia, Z., Yuan, Y. Dai, H. and Li, H. 2013. Transferrin modified PEG-PLA-resveratrol conjugates: in vitro and in vivo studies for glioma. *European Journal of Pharmacology*, 718: 41- 47.

Gupta V., Karar, P. K. 2011. Optimization of Process Variables for the Preparation of Chitosan Alginate Nanoparticle. *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(2): 78-80.

Gupta, P., Patil, D. and Patil, A., 2019. Quality evaluation and high performance thin layer chromatography fingerprint profile of *Careya arborea* Roxb. seeds. *Journal of Pharmacognosy and Phytochemistry*, 8(1): 1730-1735.

- Han, X., Zhang, Z., Shen, H., Zheng, J. and Zhang, G. 2019. Comparison of structures, physicochemical properties and in vitro bioactivity between ferulic acid- β -cyclodextrin conjugate and the corresponding inclusion complex. *Food Research International*, 125: 1-10
- Hanani, E., 2005. Mun'im, A. dan Sekarini, R. 2005. Identifikasi Senyawa Antioksidan dalam Spons *Callyspongia* sp dari Kepulauan Seribu. Depok: *Majalah Ilmu Kepermasian*, 2(3): 127-133.
- Harborne, J.B., 1997. *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*. Penerjemah: Padmawinata, K. dan Soediro, I. Penerbit ITB, Bandung.
- Harhar, H., Gharby, S., El Idrissi, Y., Pioch, D., Matthäus, B., Charrouf, Z. and Tabyaoui, M. 2019. Effect of maturity stage on the chemical composition of argan fruit pulp. *Oilseed and Fat Crop and Lipids*, 26(15): 1-8.
- Hazra, K., Dutta, S., Paria, D., Ghosal, S. and Rao, M. M., 2019. Phytopharmacognostical profile of *Manilkara zapota* (L.) P. Royen seeds. *Journal of Pharmacognosy and Phytochemistry*, 8(4): 3038-3043.
- Herchi, W., Ammar, K. B., Bouali, I., Abdallah, I. B., Guetet, A. and Boukhchina, S. 2016. Heating effects on physicochemical characteristics and antioxidant activity of flaxseed hull oil (*Linum usitatissimum* L). *Food Science and Technology*, 36(1): 97-102.
- Hierro, M. T. G., Robertson, G., Christie, W. W. and Joh, Y. G. 1996. The fatty acid composition of the seeds of *Ginkgo biloba*. *Journal of the American Oil Chemists' Society*, 73(5): 575-579.
- Hilbig, J., Alves, V. R., Muller, C. M. O., Micke, G. A., Vitali, L. Pedrosa, R. C., and Block, J. M. 2018. Ultrasonic-assisted extraction combined with sample preparation and analysis using LC-ESI-MS/MS allowed the identification of 24 new phenolic compounds in pecan nut shell *Carya illinoensis* (Wangenh) C. Koch] extracts. *Food Research International* 106: 549-557. (doi.10.1016/j.foodres. 2008.01.010).
- Himmetagaoglu, A. B. and Erbay, Z. 2019. Effects of spray drying process conditions on the quality properties of microencapsulated cream powder. *International Dairy Journal*, 88: 60-70.
- Hiremath, S. N., Raghavendra, R. K., Sunil, F., Danki, L. S., Rampure, M. V., Swamy, P. V. and Bhosale, U. V. 2014. Dissolution enhancement of gliclazide by preparation of inclusion complexes with β -cyclodextrin. *Asian Journal of Pharmaceutics*, 2(1): 73-76.

- Ho, L. P., Pham, A. H. and Le, V. V. M. 2015. Effects of Core/Wall Ratio and Inlet Temperature on the Retention of Antioxidant Compounds during the Spray Drying of Sim (*Rhodomyrtus tomentosa*) Juice. *Journal of Food Processing and Preservation*, 39(6): 2088-2095.
- Holvoet, P. 2004. Oxidized LDL and coronary heart disease. *Acta Cardiologica.*, 59: 479–484.
- Honga, J., Parhusip, A.J., Anugrahati, N.A., Sinaga, W.S. and Angel, V., 2019. Stabilization of red melinjo peel (*Gnetum gnemon* L.) ethyl acetate extract as antibacterial agent. *Journal of Functional Food and Nutraceutical*, 1(1): 1-12.
- Hou, C., Humphreys, A. M., Thureborn, O. and Rydin, C. 2015. New insights into the evolutionary history of *Gnetum* (Gnetales). *Taxon* 64(2): 239-253. (doi. 10.12705/642.12).
- Huang, N., Siegel, M. M., Kruppa, G. H. and Laukien, F. H. 1999. Automation of a Fourier transform ion cyclotron resonance mass spectrometer for acquisition, analysis, and e-mailing of high-resolution exact-mass electrospray ionization mass spectral data. *Journal of the American Society for Mass Spectrometry*, 10(11): 1166-1173.
- Huang, W., Xue, A., Niu, H., Jia, Z. and Wang, J. 2009. Optimised ultrasonic-assisted extraction of flavonoids from *Folium eucommiae* and evaluation of antioxidant activity in multi-test system in vitro. *Food Chemistry* 114(3): 1147-1154. (doi.10.1016/j.foodchem.2008.10.079).
- Hung, C. F., Chen, J. K., Liao, M. H., Lo, H. M. and Fang, J. Y. 2006. Development and evaluation of emulsion-liposome blends for resveratrol delivery. *Journal of Nanoscience and Nanotechnology*, 6: 2950-2958.
- Hussein, M.A. 2011. A convenient mechanism for the free radical scavenging activity of resveratrol. *International Journal of Phytomedicine*, 3(4): 459-469.
- Hussein, M. M. M. and Mahfouz, M. K. 2016. Effect of resveratrol and rosuvastatin on experimental diabetic nephropathy in rats. *Biomedicine and Pharmacotherapy*, 82: 685-692.
- Ikuta, T., Saito, S., Tani, H., Tatefuji, T. and Hashimoto, K. 2015. Resveratrol derivative-rich melinjo (*Gnetum gnemon* L.) seed extract improves obesity and survival of C57BL/6 mice fed a high-fat diet. *Bioscience, Biotechnology, and Biochemistry*. (doi.org/10.1080/ 15021149.2015. 1069047).

- Iliya, I., Ali, Z., Tanaka, T., Iinuma, M., Furusawa, M., Nakaya, K., Murata, J., Darnaedi, D., Matsuura, N. and Ubukata, M. 2003. Stilbene derivatives from *Gnetum gnemon* Linn. *Phytochemistry*, 62: 601-606.
- Imaduddin, A. H., Susanto, W. H dan Wijayanti, N. 2017. Pengaruh tingkat kematangan buah belimbing (*Averrhoa carambola* L.) dan proporsi penambahan gula terhadap karakteristik fisikokimia dan organoleptik lempok belimbing. *Jurnal Pangan dan Agroindustri*, 5(2): 45-57.
- Iranshahy, M., Mohammad-Poor, A. H., Hassanzadeh-Khayyat, M. and Iranshahi, M. 2013. Method validation for the one-month stability study of trans-resveratrol in human plasma. Jundishapur. *Journal of Natural Pharmaceutical Products*, 8(2): 65–69.
- Irsan, M. 1998. Changes in skin colour and other related quality characteristics of B10 Carambola (*Averrhoa carambola* L.) at different stages of maturity. Master's thesis, University Putra Malaysia, Malaysia.
- Iuga, C., Alvarez-Idaboy, J. R. and Russo, N. 2012. Antioxidant activity of trans-resveratrol toward hydroxyl and hydroperoxyl radicals: a quantum chemical and computational kinetics study. *The Journal of organic chemistry*, 77(8): 3868-3877.
- Jafari, S. M., Assadpoor, E., He, Y. and Bhandari, B. 2008. Encapsulation efficiency of food flavours and oils during spray drying. *Drying Technology*, 26(7): 816-835.
- Jafari, S.M. 2017. *Nanoencapsulation technologies for the food and nutraceutical industries*. Academic Press. United Kingdom.
- Jafari, S. M., Ghalenoei, M. G. and Dehnad, D. 2017. Influence of spray drying on water solubility index, apparent density, and anthocyanin content of pomegranate juice powder. *Powder technology*, 311: 59-65.
- Jamaludin, M. A. 1994. Isolasi dan pencirian limbah udang windu (*Panaeus monodon* Fabricus) dan afinitasnya terhadap ion logam Pb^{2+} , Cr^{6+} dan Ni^{2+} . Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam IPB. Bogor.
- Jensen, J. S., Wertz, C. F. and O'Neill, V. A. 2010. Preformulation stability of trans-resveratrol and trans-resveratrol glucoside (Piceid). *Journal of Agricultural and Food Chemistry*, 58(3): 1685-1690.
- Jesus, M. S., Genisheva, Z., Romaní, A., Pereira, R. N., Teixeira, J. A. and Domingues, L. 2019. Bioactive compounds recovery optimization from

vine pruning residues using conventional heating and microwave-assisted extraction methods. *Industrial Crops and Products*, 132: 99-110.

Jin Li, Cai, J. and Fan, L. 2008. Effect of Sonolysis on Kinetics and Physicochemical Properties of Treated Chitosan. *Journal of Applied Polymer Science*, 109: 2417-2425.

Jullian, C., Moyano, L., Yanez, C. and Olea-Azar, C. 2007. Complexation of quercetin with three kinds of cyclodextrins: an antioxidant study. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 67(1): 230-234.

Kabanov, A. V, Batrakova, E. V and Miller, D. W. 2003. Pluronic block copolymers as modulatorsrug efflux transporter activity in the blood-barrier. *Advanced Drug Delivery Reviews*, 55: 151-164.

Kaderides, K. and Goula, A. M. 2019. Encapsulation of pomegranate peel extract with a new carrier material from orange juice by-products. *Journal of Food Engineering*, 253: 1-13.

Kalogeropoulos, N., Yannakopoulou, K., Gioxari, A., Chiou, A. and Makris, D. P. 2010. Polyphenol characterization and encapsulation in β -cyclodextrin of a flavonoid-rich *Hypericum perforatum* (St John's wort) extract. *LWT-Food Science and Technology*, 43(6): 882-889.

Kato, E., Tokunaga, Y. and Sakan, F. 2009. Stilbenoids isolated from the seeds of melinjo (*Gnetum gnemon* L.) and their biological activity. *Journal of Agricultural and Food Chemistry*, 57(6): 2544-2549. (doi. 10.1021/jf803077p).

Kato, H., Samizo, M., Kawabata, R., Takano, F. and Ohta. T. 2011. Stilbenoids from the Melinjo (*Gnetum gnemon* L.) Fruit Modulate Cytokine Production in Murine Peyer's Patch Cells Ex Vivo. *Planta Medica*, 77: 1027-1034.

Kencana, A. 2009. Perlakuan sonikasi terhadap kitosan: viskositas dan bobot molekul kitosan. Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor, Bogor.

Kim, D. G., Jeong, Y. I., Jang, M. K., Park, J. K., Jang, H. S., Jang, M. J., Kwon, J. K., Seo, D. H. and Nah, J.W. 2006. Preparation and characterization of retinol-encapsulated chitosan nanoparticle. *Applied Chemistry*, 10(1): 65-68.

Kim, S., Ng, W. K., Dong, Y., Das, S. and Tan, R. B. H. 2012. Preparation and physicochemical characterization of transresveratrol nanoparticles by

temperature - controlled antisolvent precipitation. *Journal of Food Engineering*, 108: 37-42.

Kinalska, T. and Noreña, C. P. Z. 2019. Effect of spray drying encapsulation of garlic extract on inulin and thiosulfates contents. *Journal of Food Measurement and Characterization*, 13(3): 2438-2447.

Koddami, A., Wilkes, M., and Roberts, T. 2013. Techniques for analysis of plant phenolic compounds. *Molecules*, 18(2): 2328-2375. (doi. 10.3390/molecules18022328).

Koga, C. C., Andrade, J. E., Ferruzzi, M. G. and Lee, Y. 2016. Stability of Trans-Resveratrol Encapsulated in a Protein Matrix Produced Using Spray Drying to UV Light Stress and Simulated Gastro-Intestinal Digestion. *Journal of Food Science*, 81(2): C292-C300. (doi.10.1111/1750-3841.13176).

Köhler, J. E. H. and Grzelschak-Mick, N. 2013. The β -cyclodextrin/benzene complex and its hydrogen bonds—a theoretical study using molecular dynamics, quantum mechanics and COSMO-RS. *Beilstein Journal of Organic Chemistry*, 9(1): 118-134.

Kohnen, S., Franck, T., Van-Antwerpen, P., Boudjeltia, K.Z., Mouithys-Mickalad, A., Deby, C., Moguilevsky, N., Deby-Dupont, G., Lamy, M. and Seretein, D. 2007. Resveratrol inhibits the activity of equine neutrophil myeloperoxidase by direct interaction with the enzyme. *Journal of Agricultural and Food Chemistry*, 55 (20): 8080–8087.

Konaté, K., Yomalan, K., Sytar, O. and Brestic, M., 2015. Antidiarrheal and antimicrobial profiles extracts of the leaves from *Trichilia emetica* Vahl. (Meliaceae). *Asian Pacific Journal of Tropical Biomedicine*, 5(3): 242-248.

Konaté, K., Zerbo, P., Ouédraogo, M., Dibala, C. I., Adama, H., Sytar, O., Brestic, M. and Barro, N., 2013. Anti-nociceptive properties in rodents and the possibility of using polyphenol-rich fractions from *Sida urens* L.(Malvaceae) against of dental caries bacteria. *Annals of Clinical Microbiology and Antimicrobials*, 12(1): 1-7.

Kovanen, P. T. and Pentikäinen, M. O. 2003. Circulating lipoproteins as proinflammatory and anti-inflammatory particles in atherogenesis. *Current Opinion in Lipidology*, 14(5): 411-419.

Krishnaiah, D., Sarbatly, R., and Nithyanandam, R. 2012. Microencapsulation of *Morinda citrifolia* L. extract by spray-drying. *Chemical Engineering Research and Design*, 90(5): 622-632.

- Krishnaswamy, K., Orsat, V. and Thangavel, K., 2012. Synthesis and characterization of nano-encapsulated catechin by molecular inclusion with beta-cyclodextrin. *Journal of Food Engineering*, 111(2): 255-264.
- Kuldiloke, J. 2002. Effect of ultrasound, temperature and pressure treatments on enzyme activity and quality indicators of fruit and vegetable juices. Doctoral Thesis, Technische Universität Berlin, Berlin.
- Kumar, S., Kumar, A., Mishra, A., Singh, N. and Dwivedi, K. N., 2019. Pharmacognostical studies, phytochemical screening and thin layer chromatography (TLC) profile of seed, seed coat and leaves of ingudi (*Balanites aegyptiaca* (L.)). *International Journal of Research and Analytical Reviews*, 61(1): 434-442.
- Labuza, T. P. 1982. Shelf Life Dating of Foods. Food and Nutrition Press. Westport, Connecticut.
- Lagouge, M, Argmann, C. and Gerhart-Hines, Z. 2006. Resveratrol improves mitochondrial function and protects against metabolic disease by activating SIRT1 and PGC-1alpha. *Cell*, 127: 1109–1122.
- Lan, Y., Xu, M., Ohm, J. B., Chen, B. and Rao, J. 2019. Solid dispersion-based spray-drying improves solubility and mitigates beany flavour of pea protein isolate. *Food Chemistry*, 278: 665-673.
- Largo-Avila, E., Cortes-Rodríguez, M. and Ciro-Velásquez, H. J. 2015. Influence of maltodextrin and spray drying process conditions on sugarcane juice powder quality. *Revista Facultad Nacional de Agronomía Medellín*, 68(1): 7509-7520.
- Le Man, H., Behera, S. K. and Park, H. S. 2010. Optimization of operational parameters for ethanol production from Korean food waste leachate. *International Journal of Environmental Science and Technology*, 7(1): 157-164. (doi.10.1007/BF 03326127).
- Lee, C. W., Yen, F. L., Huang, H. W., Wu, T. H. Ko, H. H., Tzeng, W. S. and Lin, C. C. 2012. Resveratrol nanoparticle system improves dissolution properties and enhances the hepatoprotective effect of resveratrol through antioxidant and anti-inflammatory pathways. *Journal of Agricultural and Food Chemistry*, 60(18): 4662-4671.
- Lee, E. J., Khan, S. A. and Lim, K. H. 2011. Gelatin nanoprecipitation. *Journal of Biomaterials Science, Polymer Edition*, 22(4-6): 753-771.

- Lee, S. J. and Wong, M. 2014. *Nano-and microencapsulation of phytochemicals. Nano-microencapsul foods. First edit.* John Wiley & Sons, America.
- Leiro, J., Alvarez, E., Arranz, J. A., Laguna, R., Uriarte, E. and Orallo, F. 2004. Effects of cis-resveratrol on inflammatory murine macrophages: antioxidant activity and down-regulation of inflammatory genes. *Journal of Leukocyte Biology*, 75(6): 1156-1165.
- Leonard, S.S., Xia, C., Jiang, B.H., Stinefelt, B., Klandorf, H., Harris, G.K. and Shi, X. 2003. Resveratrol scavenges reactive oxygen species and effects radical-induced cellular responses. *Biochemical and biophysical research communications*, 309(4): 1017-1026.
- Li, H. Z., Zhang, Z. J., Xue, J., Cui, L.X., Li, X. J. and Chen, T. 2016. Optimization of ultrasound-assisted extraction of phenolic compounds, antioxidants and rosmarinic acid from perilla leaves using response surface methodology. *Food Science and Technology* 36(4): 686-693. (doi.10.1590/1678-457x.13516).
- Li, J., Jiang, Q., Deng, P., Chen, Q., Yu, M., Shang, J. and Li, W. 2017. The formation of a host-guest inclusion complex system between β -cyclodextrin and baicalin and its dissolution characteristics. *Journal of Pharmacy and Pharmacology*, 69(6): 663-674.
- Li, P. H. and Lu, W. C. 2016. Effects of storage conditions on the physical stability of d-limonene nanoemulsion. *Food Hydrocolloids*, 53: 218-224.
- Liang, L. and Subirade, M. 2012. Study of the acid and thermal stability of beta-lactoglobulin-ligand complexes using fluorescence quenching. *Food Chemistry*, 132: 2023-2029.
- Liazid, A., Palma, M., Brigui, J. and Barroso, C. G. 2007. Investigation on phenolic compounds stability during microwave-assisted extraction. *Journal of Chromatography A*, 1140(1): 29-34.
- Lim, T. K. 2012. *Gnetum gnemon*. In Edible medicinal and non medicinal plants. Springer, Dordrecht.
- Limmongkon, A., Janhom, P., Amthong, A., Kawpanuk, M., Nopprang, P., Poochadsuan, J., Somboon, T., Saijeen, S., Surangkul, D., Srikummool, M. and Boonsong, T. 2017. Antioxidant activity, total phenolic, and resveratrol content in five cultivars of peanut sprouts. *Asian Pacific Journal of Tropical Biomedicine*, 7(4): 332-338.
- Lin, Y. C. and Chou, C. C. 2009. Effect of heat treatment on total phenolic and anthocyanin contents as well as antioxidant activity of the extract from

Aspergillus awamori-fermented black soybeans, a healthy food ingredient. *International Journal of Food Sciences and Nutrition*, 60(7): 627-636.

- Liu, Y. F., Liu, J. X., Chen, X. F., Liu, Y. W. and Di, D. L. 2010. Preparative separation and purification of lycopene from tomato skins extracts by macroporous adsorption resins. *Food Chemistry*, 123(4): 1027-1034.
- Liu, Y., Nan, L., Liu, J., Yan, H., Zhang, D. and Han, X. 2016. Isolation and identification of resveratrol-producing endophytes from wine grape *Cabernet Sauvignon*. *SpringerPlus*, 5(1): 1-13. (doi.10.1186/s40064-016-2571-0).
- Liu, Y., Luo, X., Lan, Z., Tang, J., Zhao, P., and Kan, H. 2017. Ultrasonic-assisted extraction and antioxidant capacities of flavonoids from *Camellia fascicularis* leaves. *CyTA-Journal of Food*, 16(1): 105-112. (doi.10.1080/19476337.2017.1343867).
- Liu, Q., Weng, P. and Wu, Z. 2020. Quality and aroma characteristics of honey peach wines as influenced by different maturity. *International Journal of Food Properties*, 23(1): 445-458.
- Losa, G.A., 2003. Resveratrol modulates apoptosis and oxidation in human blood mononuclear cells. *European Journal of Clinical Investigation*, 33(9): 818-823.
- Lu, J., Zhou, C., Rong, O., Xu, Y., Zhou, B. and Li, Z. 2013. Optimization of microwave-assisted extraction of flavonoids from *Cryptotaenia japonica* hassk using response surface methodology. *Advance Journal of Food Science and Technology*, 5: 310-317. (doi.10.19026/ajfst.5.3262).
- Lu, X., Ma, L., Ruan, L., Kong, Y., Mou, H., Zhang, Z., Wang, Z., Wang, J.M. and Le, Y., 2010. Resveratrol differentially modulates inflammatory responses of microglia and astrocytes. *Journal of Neuroinflammation*, 7(1): 1-14.
- Luo, X., Cui, J., Zhang, H., Duan, Y., Zhang, D., Cai, M., and Chen, G. 2018. Ultrasound assisted extraction of polyphenolic compounds from red sorghum (*Sorghum bicolor* L.) bran and their biological activities and polyphenolic compositions. *Industrial Crops and Products* 112: 296-304. (doi.10.1016/j.indcrop.2017.12.019).
- Lyons, M. M., Yu, C. W., Toma, R. B., Cho, S. Y., Reiboldt, W. and Lee, J. 2003. Resveratrol in raw and baked blueberries and bilberries. *Journal of Agricultural and Food Chemistry*, 51: 5867-5870.

- Maccarrone, M., Lorenzon, T., Guerrieri, P. and Agrò, A. F. 1999. Resveratrol prevents apoptosis in K562 cells by inhibiting lipoxygenase and cyclooxygenase activity. *European Journal of Biochemistry*, 265(1): 27-34.
- Mahindrakar, K. V. and Rathod, V. K. 2020. Ultrasonic assisted aqueous extraction of catechin and gallic acid from *Syzygium cumini* seed kernel and evaluation of total phenolic, flavonoid contents and antioxidant activity. *Chemical Engineering and Processing-Process Intensification*, 149: 1-35.
- Manzano-Durán, R., Sánchez, J. E. F., Velardo-Micharet, B. and Gómez, M. J. R. 2019. Multivariate optimization of ultrasound-assisted extraction for the determination of phenolic compounds in plums (*Prunus salicina* Lindl.) by high-performance liquid chromatography (HPLC). *Instrumentation Science and Technology*, 48(2): 113-127.
- Marin, A., Ferreres, F., Barberà, G.G., and Gil, M. I. 2015. Weather variability influences color and phenolic content of pigmented baby leaf lettuces throughout the season. *Journal of Agricultural and Food Chemistry*, 6 (3): 1673–1681.
- Marsita. 2008. Interaksi perumah-tetamu antara beta-siklodekstrin dengan laktosa dan katecin: Permodelan molekul dan kajian eksperimen. Tesis. Universiti Sains Malaysia.
- Martín, A., Varona, S., Navarrete, A. and Cocero, M. J. 2010. Encapsulation and Co-Precipitation Processes with Supercritical Fluids :Applications with Essential Oils. Spain : *The Open Chemical Engineering Journal*, (4): 31-34.
- Martinez, J. and Moreno, J. J. 2000. Effect of resveratrol, a natural polyphenolic compound, on reactive oxygen species and prostaglandin production. *Biochemical Pharmacology*, 59: 865–870.
- Marques, C. and Helena, M. 2010. A review on cyclodextrin encapsulation of essential oils and volatiles. *Flavour and Fragrance Journal*, 25(5): 313-326.
- Mason, T. J. and Lorimer, J. P. 2002. Applied sonochemistry: the uses of power ultrasound in chemistry and processing. Willey, USA.
- Matos, M., Gutiérrez, G., Coca, J. and Pazos, C. 2014. Preparation of water-in-oil-in-water (W1/O/W2) double emulsions containing trans-resveratrol. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 442: 69-79.

- Maynard, C. Swenson, R., Paris, J. A., Martin, J. S., Hallstrom, A. P., Cerqueira, M. D. and Weaver, W. D. 1998. Randomized controlled trial of RheothRx (poloksamer 188) in patients with suspected acute myocardial infarction. *American Heart Journal*, 135(5): 797-804.
- Mayur, B., Sandesh, S., Shruti, S. and Sung-Yum, S. 2010. Antioxidant and α -glucosidase inhibitory properties of *Carpesium abrotanoides* L. *Journal of Medicinal Plants Research*, 4: 1547-1553.
- Mietus-Snyder, M., Gowri, M. S. and Pitas, R. E. 2000. Class A scavenger receptor up-regulation in smooth muscle cells by oxidized low density lipoprotein. Enhancement by calcium flux and concurrent cyclooxygenase-2 up-regulation. *Journal of Biological Chemistry*, 275: 17661–17670.
- Miller, N. J. and Rice-Evans, C. A. 1995. Antioxidant activity of resveratrol in red wine. *Clinical Chemistry*, 41(1): 32-35.
- Mishra, P., Mishra, S. and Mahanta, C. L. 2014. Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Emblca officinalis*) juice powder. *Food and Bioproducts Processing*, 92(3): 252-258.
- Moghaddam, A. D., Pero, M. and Askari, G. R. 2017. Optimizing spray drying conditions of sour cherry juice based on physicochemical properties, using response surface methodology (RSM). *Journal of Food Science and Technology*, 54(1): 174-184.
- Mohanraj, V. J. and Chen, Y. 2006. Nanoparticles-a review. *Tropical Journal of Pharmaceutical Research*, 2006; 561-573.
- Moinard, C. D., Chevalier, Y., Briançon, S., Beney, L. and Fessi, H. 2008. Mechanism of nanocapsules formation by the emulsion–diffusion process. *Journal of Colloid and Interface Science*, 317: 458-468.
- Mokrani, A. and Madani, K. 2016. Effect of solvent, time and temperature on the extraction of phenolic compounds and antioxidant capacity of peach (*Prunus persica* L.) fruit. *Separation and Purification Technology*, 162: 68-76.
- Mora-Huertas, C.E., Fessi, H. and Elaissari, A. 2010. Polymer-based nanocapsules for drug delivery. *International Journal of Pharmaceutics*, 385(1): 113-142.
- Munajad, A. 2009. Nilai gizi emping melinjo. <http://empingmelinjo5s3.com/kandungan-gizi-emping-meinjo.html>. (diakses 26 Desember 2016).

- Murugesan, R. and Orsat, V. 2011. Spray drying of elderberry (*Sambucus nigra* L.) juice to maintain its phenolic content. *Drying Technology*, 29(14): 1729-1740.
- Muzaffar, K. and Kumar, P. 2015. Parameter optimization for spray drying of tamarind pulp using response surface methodology. *Powder Technology*, 279: 179-184.
- Muzaffar, K. and Kumar, P. 2016. Moisture sorption isotherms and storage study of spray dried tamarind pulp powder. *Powder Technology*, 291: 322-327.
- Nabila. F. 2012. Sintesis 3,4 dimetoksi benzil asetat dan metil –(3,4-dimetoksi fenil) asetat dari vanillin dengan metode sonikasi. Tesis. Jurusan Kimia. Universitas Gadjah Mada Yogyakarta.
- Nakata and Inoue, H. H. 2014. Resveratrol and Cardiovascular Disease. *Current Nutrition Reports*, 3(3): 163-169.
- Nascimento, G. G. F., Locatelli, J. L., Freitas, P. C., and Silva, G. L. 2006. Antibacterial Activity Of Plant Extracts and Phytochemicals on Antibiotic-Resistant Bacteria. *Brazilian Journal Microbiology*, 31: 247-256.
- Nasharudin, B. N. M. 2008. Patchoili oil extraction using ultrasonic extraction methode. Thesis. Faculty of Chemical Enggineering and Natural Resources University Malaysia Pahang.
- Neves, A. R., Lucio, M., Martins, S., Lima, J. L. C. and Reis, S. 2013. Novel resveratrol nanodelivery systems based on lipid nanoparticles to enhance its oral bioavailability. *International Journal of Nano Medicine*, 8: 177-187.
- Nilsang, S. 2018. Effect of spray drying temperature on quality of instant herbal drinks. *Food and Applied Bioscience Journal*, 6: 55-68.
- Noronha, C. M., Granada, A. F., de Carvalho, S. M., Lino, R. C., Matheus, M. V. and Barreto, P. L. M. 2013. Optimization of α -tocopherol loaded nanocapsules by the nanoprecipitation method. *Industrial Crops and Products*. 50: 896-903.
- Nurhayati, S. 2004. Kajian Sifat Fisik, kimia dan fisiologi terhadap beberapa tingkat kematangan buah rambutan varietas si macan di kabupaten Gunung Kidul Yogyakarta. *Jurnal Matematika Sains dan Teknologi (e-Journal)*, 5(2): 85-96.
- Oancea, A. M., Turturică, M., Bahrim, G., Râpeanu, G. and Stănciuc, N. 2017. Phytochemicals and antioxidant activity degradation kinetics during

thermal treatments of sour cherry extract. *LWT-Food Science and Technology*, 82: 139-146.

Odabas, H. I. and Koca, I. 2016. Application of response surface methodology for optimizing the recovery of phenolic compounds from hazelnut skin using different extraction methods. *Industrial Crops and Products*, 91: 114-124. (doi.10.1016/j.indcrop.2016.05.033).

Ogolla, J. A., Kulig, B., Bădulescu, L., Okoth, M. W., Esper, G., Breitenbach, J. and Sturm, B. 2019. Influence of inlet drying air temperature and milk flow rate on the physical, optical and thermal properties of spray-dried camel milk powders. *Food and Bioprocess Technology*, 12(5): 751-768.

Olas, B. and Wachowicz, B., 2002. Resveratrol and vitamin C as antioxidants in blood platelets. *Thrombosis research*, 106(2): 143-148.

Onwulata, C. I., Smith, P. W. and Holsinger, V. H. 1995. Flow and compaction of spray-dried powders of anhydrous butter oil and high melting milk fat encapsulated in disaccharides. *Journal of Agricultural and Food Chemistry*, 60 (4): 836-840.

Oroian, M., Dranca, F. and Ursachi, F. 2019. Comparative evaluation of maceration, microwave and ultrasonic-assisted extraction of phenolic compounds from propolis. *Journal of Food Science and Technology*, 57(1): 70-78.

Ortiz-Basurto, R. I., Rubbio-Ibarra, M. E., Ragazzo-Sanchez, J. A., Beristain, C. I. and Jimenez-Fernandez, M. 2017. Microencapsulation of *Eugenia uniflora* L. Juice by spray drying using fructans with different degrees of polymerisation. *Carbohydrate Polymers*, 175: 603-609.

Oumato, J., Zrira, S., Boujnah, M. and Saidi, B. 2017. Effect of maturity stage on morphological and chemical characteristics of *Opuntia ficus indica* from Morocco. *International Journal of Innovation and Applied Studies*, 20(1): 400-410.

Ozkan, G., Franco, P., De Marco, I., Xiao, J. and Capaoglu, E. 2019. A review of microencapsulation methods for food antioxidants: principles, advantages, drawbacks and applications. *Food Chemistry*, 272: 494-506.

Ozsoy, N., Can, A., Yanardag, R. and Akev, N. 2008. Antioxidant activity of *Smilax excelsa* L. leaf extracts. *Food Chemistry*, 110(3): 571-583. (doi. 10.1016/j.foodchem.2008.02.037).

Paini, M., Aliakbarian, B., Casazza, A. A., Lagazzo, A., Botter, R. and Perego, P. 2015. Microencapsulation of phenolic compounds from olive pomace using

spray drying: A study of operative parameters. *LWT-Food Science and Technology*, 62(1): 177-186.

Park, J., Kwon, S. B., and Kwon, H. J. 2019. Optimization of spray drying condition of asparagus powder using response surface methodology. *Current Developments in Nutrition*, 3: 1486-1487.

Patel, H. R., Patel, R. P. and Patel, M. M. 2009. Poloxamers: A pharmaceutical excipients with therapeutic behaviors. *International Journal of PharmTech Research*, 1(2): 299-303.

Pearson K. J., Baur J. A. and Lewis, K. N. 2008. Resveratrol delays age-related deterioration and mimics transcriptional aspects of dietary restriction without extending life span. *Cell Metabolism*, 8: 157-168.

Peng, H. L., Xiong, H., Li, J. H., Xie, M. Y., Liu, Y. Z. and Bai, C. Q. 2010. Vanillin cross-linked chitosan microspheres for controlled release of resveratrol. *Food Chemistry*, 121: 23-28.

Pichot, R., Spyropoulos, F. and Norton, I. T. 2010. O/W emulsions stabilised by both low molecular weight surfactants and colloidal particles: The effect of surfactant type and concentration. *Journal of Colloid and Interface Science*, 352(1): 128-135.

Pillai, D. S., Prabhasankar, P., Jena, B. S. and Anandharamakrishnan, C. 2012. Microencapsulation of Garcinia cowa fruit extract and effect of its use on pasta process and quality. *International Journal of Food Properties*, 15(3): 590-604.

Piluzza, G. and Bullitta, S. 2011. Correlations between phenolic content and antioxidant properties in twenty-four plant species of traditional ethnoveterinary use in the Mediterranean area. *Pharmaceutical Biology*, 49(3): 240-247. (doi.10.3109/13880209.2010.501083).

Pinto, M. D., Garcia-Barrado, J. A. and Macias, P. 2003. Oxidation of resveratrol catalyzed by soybean lipoxygenase. *Journal of Agricultural and Food Chemistry*, 51: 1653-1657.

Puca, A. A., Carrizzo, A., Villa, F., Ferrario, A., Casaburo, M., Macia, G. A. and Vecchione, C. 2013. Vascular ageing: the role of oxidative stress. *International Journal of Biochemistry and Cell Biology*, 45(3): 556-559.

Pulicharla, R., Marques, C., Das, R. K., Rouissi, T. and Brar, S. K. 2016. Encapsulation and release studies of strawberry polyphenols in biodegradable chitosan nanoformulation. *International journal of biological macromolecules*, 88: 171-178.

- Puryani. 2007. Aplikasi gelombang mikro (*microwave oven*) dan gelombang ultrasonik sebelum proses maserasi buah vanili (*Vanilla planifolia* Andrew) hasil modifikasi proses curing. Skripsi. Fakultas Teknologi Pertanian IPB. Bogor.
- Qiu, Z., Yu, J., Dai, Y., Chen, X., Huang, F. and Li, N. 2017. A simple LC–MS/MS method for the simultaneous quantification of resveratrol and its major phase II metabolites: Assessment of their urinary and biliary excretions in rats. *Journal of Chromatography B*, 1048: 85-93.
- Qudsieh, H. Y. M., Yusof, S., Osman, A. and Rahman, R. A., 2002. Effect of maturity on chlorophyll, tannin, color, and polyphenol oxidase (PPO) activity of sugarcane juice (*Saccharum officinarum* Var. Yellow Cane). *Journal of Agricultural and Food Chemistry*, 50(6): 615-1618.
- Quek, S. Y., Chok, N. K. and Swedlund, P. 2007. The physicochemical properties of spray-dried watermelon powders. *Chemical Engineering and Processing: Process Intensification*, 46(5): 386-392.
- Quintanilla-Carvajal, M. X., Camacho-Díaz, B. H., Meraz-Torres, L. S., Chanona-Pérez, J. J., Alamilla-Beltrán, L., Jimenez-Aparicio, A. and Gutiérrez-López, G. F. 2010. Nanoencapsulation: a new trend in food engineering processing. *Food Engineering Reviews*, 2(1): 39-50.
- Raissi, S. and Farsani, R. E., 2009. Statistical process optimization through multi-response surface methodology. *World Academy of Science, Engineering and Technology*, 51(46): 267-271.
- Ramprasath, V. R. and Jones, P. J. H. 2010. Anti-atherogenic effects of resveratrol. *European Journal of Clinical Nutrition*, 64 (7): 660–668.
- Rao, P. J. and Khanum, H. 2016. A green chemistry approach for nanoencapsulation of bioactive compound–Curcumin. *LWT-Food Science and Technology*, 65: 695-702.
- Rasyid, N. Q. 2013. Sintesis, karakterisasi, stabilitas nanopartikel ketoprofen berdasarkan jenis surfaktan dan uji aktivitas antiinflamasi secara in vivo Tesis. Kimia Pasca sarjana IPB. Bogor.
- Ratola, N., Faria, J. L. and Alves, A. 2004. Analysis and Quantificaton of trans-resveratrol in wine from alentejo region (Porugal). *Food Technology and Biotechnology*. 42(2): 125-130.
- Rattes, A. L. R. and Oliveira, W. P. 2007. Spray drying conditions and encapsulating composition effects on formation and properties of sodium diclofenac microparticles. *Powder Technology*, 171 (1): 7-14.

- Resnick, R. and Halliday, D. 1992. *Fisika*. Penerjemah Silaban, P dan Sucipto, E. Erlangga. Jakarta.
- Rezende, Y. R. R. S., Nogueira, J. P. and Narain, N. 2018. Microencapsulation of extracts of bioactive compounds obtained from acerola (*Malpighia emarginata* DC) pulp and residue by spray and freeze drying : Chemical, morphological and chemometric characterizaation. *Food Chemistry*, 254: 281-291.
- Richard, T., Pawlus, A. D., Iglesias, M. I., Pedrot, E., Waffo-Teguo, P., Merillon, J. M. and Monti, J. P. 2011. Neuroprotective properties of resveratrol and derivatives. *Annals of the New York Academy of Science*, 1215: 103-108.
- Riski, A. 2011. Karakterisasi fragmen 0,58 kb gen pengkode stilben sintase (STS) dari tanaman melinjo (*Gnetum gnemon* L). Tesis. Program Studi S2 Kimia Fakultas MIPA Ugm Yogyakarta
- Rocha, K. K. R., Souza, G. A., Ebaid, G. X., Seiva, F. R. F., Cataneo, A. C. and Novelli, E. L. B. 2009. Resveratrol toxicity: effects on risk factors for atherosclerosis and hepatic oxidative stress in standard and high-fat diets. *Food and Chemical Toxicology*, 47 (6):1362–1367.
- Rocha, B. A., Rodrigues, M. R., Bueno, P. C. P., de Mello Costa-Machado, A. R., Leite, M. M. D. O. L., Nascimento, A. P., Barud, H. S. and Berretta-Silva, A. A. 2012. Preparation and thermal characterization of inclusion complex of Brazilian green propolis and hydroxypropyl- β -cyclodextrin. *Journal of Thermal Analysis and Calorimetry*, 108(1): 87-94.
- Rodriguez, J., Martin, M. J., Ruiz, M. A. and Clares, B. 2016. Current encapsulation strategies for bioactive oils: From alimentary to pharmaceutical perspectives. *Food Research International*, 83: 41-59.
- Rodriguez, R. A., Lahoz, I. R., Faza, O. N., Cid, M. M. and Lopez, C. S. 2012. Theoretical and experimental exploration of the photochemistry of resveratrol: beyond the simple double bond isomerization. *Organic and Biomolecular Chemistry*., 10: 9175-9182.
- Rokhmah, L. 2015. Optimasi nanoenkapsulasi asap cair tempurung kelapa dengan modifikasi penyalut semi refined carragenan (SRC) dan carragenan (RC) dengan *response suraface methodology*. Tesis S2. Ilmu dan Teknologi Pangan. UGM, Yogyakarta.
- Rosenberg, M., Kopelman, I. J. and Talmon, Y. 1990. Factor affecting retention in spray drying microencapsulation of volatile material. *Journal of Agriculture Food Chemistry*, 38:1288-1294.

- Saavedra-Leos, M. Z., Leyva-Porras, C., López-Martínez, L. A., González-García, R., Martínez, J. O., Compeán Martínez, I., and Toxqui-Terán, A. 2019. Evaluation of the Spray Drying Conditions of Blueberry Juice-Maltodextrin on the Yield, Content, and Retention of Quercetin 3-d-Galactoside. *Polymers*, 11(2): 1-4. (doi.org/10.3390/polym11020312).
- Sahreen, S., Khan, M. R. and Khan, R. A. 2010. Evaluation of antioxidant activities of various solvent extracts of *Carissa opacus* fruits. *Food Chemistry*, 122: 1205-1211.
- Salami, M., Rahimmalek, M. and Ehtemam, M. H. 2017. Comprehensive research on essential oil and phenolic variation in different *Foeniculum vulgare* populations during transition from vegetative to reproductive stage. *Chemistry and Biodiversity*, 14(2): 1-26.
- Saloko, S. 2014. Nanoenkapsulasi asap cair dalam kitosan dan maltodekstrin menggunakan teknik spray drying. Disertasi. Program Pascasarjana Fakultas Teknologi Pertanian Universitas Gadjah Mada Yogyakarta.
- Santoso, M., Naka, Y., Angkawidjaja, C., Yamaguchi, T., Matoba, T. and Takamura H. 2010. Antioxidant and DNA damage prevention activities of the edible parts of *Gnetum gnemon* and their changes upon heat treatment. *Food Science and Technology Research*, 16(6): 549-556.
- Saputro, S. D. 2010. Irradiasi UV-A pada pati kasava dalam asam laktat untuk meningkatkan Baking Expansion. Tesis. Program Studi Ilmu dan Teknologi Pangan Fakultas Teknologi Pertanian Universitas Gadjah Mada Yogyakarta.
- Sasone, F., Terssa, M., Patrizia, P., Matteo, D., Roita, P. A. and Maria, R. L. 2011. Maltodextrin/pectine microparticles by spray drying as carrier for nutraceutical extracts. *Journal of Food Engineering* 105:468-476.
- Savić-Gajić, I., Savić, I. M., Nikolić, L. B., Popsavin, M. M. and Rakić, S. J. 2017. The improvement of phtostability and antioxidant activity of trans-resveratrol by cyclodextrins. *Advanced Technologies*, 6(2): 18-25. (doi.10.5937/savteh1702018S).
- SciFinder. 2013. Resveratrol CAS 501-36-0. American Chemical Society. <https://SciFinder.cas.org>. (Diakses Mei 2019).
- Schafroth, N., Arpagaus, C., Jadhav, U. Y., Makne, S. and Douroumis, D. 2012. Nano and microparticle engineering of water insoluble drugs using a novel spray-drying process. *Colloids and Surfaces B: Biointerfaces*, 90: 8-15. (doi.org/10.1016/j.colsurfb.2011.09.038).

- Schmidt, B. M., Erdman, J. W. and Lila, M. A. 2005. Effects of food processing on blueberry antiproliferation and antioxidant activity. *Journal of Food Science*, 70: S389-S394.
- Sekhon, B. S. 2010. Food Nanotechnology an overview. *Nanotechnology, Science and Applications*, 3: 1-15.
- Sessa, M., Tsao, R., Liu, R. H., Ferrari, G. and Donsi, F. 2011. Evaluation of the stability and antioxidant activity of nanoencapsulated resveratrol during in vitro digestion. *Journal of Agricultural and Food Chemistry*, 59: 12352-12360.
- Shang, Y.J., Qian, Y.P., Liu, X.D., Dai, F., Shang, X.L., Jia, W.Q., Liu, Q., Fang, J.G. and Zhou, B. 2009. Radical-scavenging activity and mechanism of resveratrol-oriented analogues: influence of the solvent, radical, and substitution. *The Journal of organic chemistry*, 74(14): 5025-5031.
- Shargel, L., Wu, S. and Yu, A.B.C., 2012. *Biofarmasetika dan Farmakokinetika Terapan Edisi Kelima*. Penerjemah: Fasich dan Suprapti, B., Pusat Penerbitan dan Percetakan Universitas Airlangga, Surabaya.
- Shamaei, S., Seiedlou, S. S., Aghbashlo, M., Tsotsas, E. and Kharaghani, A. 2017. Microencapsulation of walnut oil by spray drying: Effects of wall material and drying conditions on physicochemical properties of microcapsules. *Innovative Food Science and Emerging Technologies*, 39: 101-112.
- Sharma, A., Jain, R., Saiju, P. and Jain, N. 2019. Skin whitening efficacy of *Gnetum gnemon* L. seed extract. *Journal of Drug Delivery and Therapeutics*, 9(2): 227-230. (doi.10.22270/jddt.v9i2-s.2497).
- Shishir, M. R. I., Xie, L., Sun, C., Zheng, X. and Chen, W. 2018. Advances in micro and nano-encapsulation of bioactive compounds using biopolymer and lipid-based transporters. *Trends in Food Science and Technology*, 78: 34-60.
- Shrotriya, S. N., Ranpise, N. S. and Vidhate, B. V. 2017. Skin targeting of resveratrol utilizing solid lipid nanoparticle-engrossed gel for chemically induced irritant contact dermatitis. *Drug delivery and translational research*, 7(1): 37-52.
- Sidqi, T. 2011. *Pembuatan dan karakterisasi nanopartikel ekstrak temulawak dengan metode ultrasonikasi*. Skripsi. Bogor: Fakultas Matematika dan Ilmu Pengetahuan Alam IPB. Bogor.
- Silva, C. G., Monteiro, J., Marques, R. R., Silva, A. M., Martínez, C., Canle, M. and Faria, J. L. 2013. Photochemical and photocatalytic degradation of

trans-resveratrol. *Photochemical and Photobiological Sciences*, 12(4): 638-644.

Silverstein, R.M., Bassler, G.C. and Morrill, T.C., 1981. Spectrometric Identification of Organic Compounds. 4th ed. John Wiley & Sons New York.

Šimon, P., Dubaj, T. and Cibulková, Z. 2017. Equivalence of the Arrhenius and Non-Arrhenian Temperature Functions in the Temperature Range of Measurement and Its Application in Isoconversional Kinetics. In *Thermal Physics and Thermal Analysis*. Springer, Cham.

Simpson, M. G. 2010. Plant Systematics. Academic Press, Amsterdam.

Singh, R., Bharti, N., Madan, J. and Hiremath, S. N. 2010. Characterization of cyclodextrin inclusion complexes—a review. *Journal of Pharmaceutical Science and Technology*, 2(3): 171-183.

Siregar, T. M. and Margareta, M. 2019, November. Microencapsulation of Carotenoids from Red Melinjo (*Gnetum gnemon* L.) Peels Extract. In *Journal of Physics: Conference Series* 1351: 1-10.

Siregar, T. M., Cornelia, M., Ermiziar dan Raskita. 2009 Studi kandungan karotenoid, vitamin C, dan aktivitas antioksidan kulit melinjo (*Gnetum gnemon* L.). Prosiding seminar PATPI: Peran Teknologi untuk Menjamin Keamanan dan Ketahanan Pangan pada Usaha Mikro Kecil dan Menengah dalam rangka Meningkatkan Pangsa Pasar. Jakarta.

Siswoyo, T. A. 2004. Physicochemical Characteristics of Melinjo (*Gnetum gnemon*) Starch-Lipid. *Jurnal ILMU DASAR*, 5(2): 97-102.

Sobolev, V. S. and Cole, R. J. 1999. Trans-resveratrol content in commercial peanuts and peanut product. *Journal of Agricultural and Food Chemistry*, 47: 1435-1439.

Soloway, S. and Wilen, S. H. 1952. Improved Ferric Chloride Test for Phenols. *Analytical Chemistry*, 24(6): 979-983.

Soni, M., K. Patidar, D. Jain, and S. Jain. 2010. Ultrasound Assisted Extraction (UAE): A Novel Extraction Technique for Extraction of Nutraceuticals from Plants. *Journal of Pharmacy Research*, 3(3): 636–638.

Soural, I., Vrchotová, N., Tríska, J., Balík, J., Horník, Š., Cuřínová, P. and Sýkora, J. 2015. Various extraction methods for obtaining stilbenes from grape cane of *Vitis vinifera* L. *Molecules*, 20(4): 6093-6112.

- Spaccini, R. and Piccolo, A. 2007. Molecular characterization of compost at increasing stages of maturity. 1. Chemical fractionation and infrared spectroscopy. *Journal of Agricultural and Food Chemistry*, 55(6): 2293-2302.
- Sugita, P., Ambarsari, L. and Farichah, F. 2013. Increasing amount and entrapment efficiency of chitosan-ketoprofen nanoparticle using ultrasonication method with varied time and amplitude. *International Journal of Recent Research and Applied Studies*, 14(3): 612-618.
- Sugita, P., Sjachriz, A. and Lestari, S. I. 2006. Sintesis dan optimalisasi gel kitosan-gom guar. *Journal of Natural Products*, 9: 32-36.
- Sudjatha, W. dan Wisaniyasa, N. W. 2017. Fisiologi Dan Teknologi Pascapanen (Buah Dan Sayuran). Udayana University Press. Bali.
- Sulaiman, I. S. C., Basri, M., Masoumi, H. R. F., Chee, W. J., Ashari, S.E. and Ismail, M. 2017. Effects of temperature, time, and solvent ratio on the extraction of phenolic compounds and the anti-radical activity of *Clinacanthus nutans* Lindau leaves by response surface methodology. *Chemistry Central Journal*. 11(1): 1-11. (doi.10.1186/s13065-017-0285-1).
- Sun, X., Cameron, R. G. and Bai, J. 2020. Effect of spray-drying temperature on physicochemical, antioxidant and antimicrobial properties of pectin/sodium alginate microencapsulated carvacrol. *Food Hydrocolloids*, 100: 1-30.
- Surrasmo, S., Min, S. G., Bejrappa, P. and Choi, M. J. 2010. Effects of surfactants on the physical properties of capsicum oleoresin-loaded nanocapsules formulated through the emulsion-diffusion method. *Food Research International*, 43: 8-17.
- Suslick, K. S. 1988. *Ultrasounds: Its chemical, physical and biological effects*. VHC Publishers. New York.
- Suslick, K. S. 1989. The chemical effects of ultrasound. *Scientific American*, 260(2): 80-86.
- Suslick, K. S. and Price, J. 1999. Application of ultrasound to materials chemistry. *Annual Review of Materials Research Science*, 29: 295-326.
- Suslick, K. S., Didenko, Y., Fang, M. M., Hyeon, T., Kolbeck, K. J., McNamara III, W.B., Mdleleni, M. M. and Wong, M. 1999. Acoustic cavitation and its chemical consequences. *Philosophical Transactions of the Royal Society of London. Series A: Mathematical, Physical and Engineering Sciences*, 357(1751): 335-353.

- Svajger, U. and Jeras, M. 2012. Anti-inflammatory effects of resveratrol and its potential use in therapy of immune-mediated diseases. *International Reviews of Immunology*, 31(3): 202-222.
- Sytar, O., Brestic, M., Rai, M. and Shao, H. B. 2012. Plant phenolic compounds for food, pharmaceutical and cosmetics production. *Journal of Medicinal Plants, Research*, 6: 2526–2539.
- Sytar, O., Zivcak, M., Bruckova, K., Brestic, M., Hemmerich, I., Rauh, C. and Simko, I. 2018. Shift in accumulation of flavonoids and phenolic acids in lettuce attributable to changes in ultraviolet radiation and temperature. *Scientia Horticulturae*, 239: 193-204.
- Szejtli, J., 1998. Introduction and general overview of cyclodextrin chemistry. *Chemical Reviews*, 98(5): 1743-1754.
- Tabaraki, R. and Nateghi, A. 2011. Optimization of ultrasonic-assisted extraction of natural antioxidants from rice bran using response surface methodology. *Ultrasonics Sonochemistry*, 18(6): 1279-1286. (doi. 10.1016/j.ultrsonch.2011.05.004).
- Taiz, L., Zeiger, E., Møller, I. M. and Murphy, A. 2015. Plant physiology and development. Oxford University Pres, USA.
- Takamiya, K. I., Tsuchiya, T. and Ohta, H. 2000. Degradation pathway (s) of chlorophyll: what has gene cloning revealed?. *Trends in Plant Science*, 5(10): 426-431.
- Tang, D. W., Yu, S. H., Ho, Y. C., Huang, B. Q., Tssai, G. J., Hsieh, H. Y. and Sung, H. W., 2013. Characterization of tea catechins-loaded nanoparticles prepared from chitosan and an edible polypeptide. *Food Hydrocolloids*, 30(1): 33-41.
- Tang, D. W., Yu, S. H., Ho, Y. C., Huang, B. Q., Tsai, G. J., Hsieh, H. Y., Sung, H. W. and Mi, F. L. 2013. Characterization of tea catechins-loaded nanoparticles prepared from chitosan and an edible polypeptide. *Food Hydrocolloids* 30(1): 33-41.
- Tani, H., Hikami, S., Iizuna, S., Yoshimatsu, M., Asama, T., Ota, H., Kimura, Y., Tatefuji, T., Hashimoto, K. and Higaki, K. 2014. Pharmacokinetics and Safety of Resveratrol Derivatives in Humans after Oral Administration of Melinjo (*Gnetum gnemon* L.) Seed Extract Powder. *Journal of Agricultural and Food Chemistry*, 62(8): 1999-2007.
- Tanini, D., Panzella, L., Amorati, R., Capperucci, A., Pizzo, E., Napolitano, A., Menichetti, S. and d'Ischia, M. 2015. Resveratrol-based

benzoselenophenes with an enhanced antioxidant and chain breaking capacity. *Organic & Biomolecular Chemistry*, 13(20): 5757-5764.

Tankova, A. 1998. Bacterial Cyclodextrin Glucanotrasferase. *Journal Enzyme and Microbial Technology*, 22: 678-686.

Tarkelteub, R. 2011. Update on gout: New therapeutic strategies and option. *Nature Reviews Rheumatology*, 6: 30-33.

Tarmizi, E., Saragih, R. and Dento, A. D. 2013. Study of the effect of laser light on antocyanin pigment of red color melinjo peels. Proceeding The 2nd International Conference of the Indonesian Chemical Society, Yogyakarta.

Tarmizi, E., Putri, A. Z. E., Nusandari, M. A., Husnil, Y.A., Saragih, R. and Larasari, L. H. 2019^a. September. The influence of scale-up treatment from red color melinjo peels mass on the produced anthocyanin characteristics. In *IOP Conference Series: Materials Science and Engineering*. IOP Publishing, Bristol.

Tarmizi, E., Putri, A. Z. E., Nusandari, M. A., Husnil, Y. A., Saragih, R. and Larasari, L. H. 2019^b. Identification of chemical structure of anthocyanin and other active substances of red color melinjo peels by FTIR and LC-MC analysis. In *IOP Conference Series: Materials Science and Engineering*, IOP Publishing, Bristol.

Tarmizi, E., Lalasari, L. H. and Saragih, R. 2015. The effect of solvents on the stabilities (color and Fe) of anthocyanin isolated from the red-color-melinjo peels. In *AIP Conference Proceedings*, American Institute of Physics, America.

Tatefuji, T., Yanagihara, M., Fukushima, S. and Hashimoto, K. 2014. Safety assessment of melinjo (*Gnetum gnemon* L.) seed extract: acute and subchronic toxicity studies. *Food and Chemical Toxicology*, 67: 230-235. (doi.10.1016/j.fct.2014.02.030).

Teguo, P. W., Fauconneau, B., Deffieux, G., Huguet, F., Vercauteren, J. and Merillon, J. M. 1998. Isolation, identification and antioxidant activity of three stilbene glukosides newly extraction from *Vitis vinifera* cell cultures. *Journal Natural Products*, 61: 655-657.

Tellone, E., de-Rosa, M. and Porolli, D. 2014. Molecular interactions of hemoglobin with resveratrol: Potential protective antioxidant role and metabolic adaptations of erythrocyte. *Biological Chemistry*. 395(3): 347-354.

- Terpinc, P., Čeh, B., Ulrih, N. P. and Abramovič, H. 2012. Studies of the correlation between antioxidant properties and the total phenolic content of different oil cake extracts. *Industrial Crops and Products*.39: 210-217. (doi.10.1016/j.indcrop.2012.02.023).
- Thakur, M., Pant, K., Naik, R. R. and Nanda, V. 2020. Optimization of spray drying operating conditions for production of functional milk powder encapsulating bee pollen. *Drying Technology*. (doi.org/10.1080/07373937.2020.1720225).
- Tian, Y., Wang, Y., Ma, Y., Zhu, P., He, J. and Lei, J. 2017. Optimization of subcritical water extraction of resveratrol from grape seeds by response surface methodology. *Applied Sciences*, 7(4): 1-12.
- Timmers, S., Konings, E., Bilet, L., Houtkooper, R. H., van de Weijer, T., Goossens, G. H., Hoeks, J., van der Krieken, S., Ryu, D., Kersten, S., Moonen-Kornips, E., Hesselink, M. K., Kunz, I., Schrauwen-Hinderling, V. B., Blaak, E. E., Auwerx, J. and Schrauwen, P. 2011. Calorie restriction-like effects of 30 days of resveratrol supplementation on energy metabolism and metabolic profile in obese humans. *Cell Metabolism*, 14:612–622.
- Timmers, S., Auwerx, J. and Schrauwen, P. 2012. The journey of resveratrol from yeast to human. *Aging*. 4(3): 146-158.
- Tojo, C., de-Dios, M. and Brroso, F. 2011. Surfactant effect on microemulsion-based nanoparticle synthesis. *Material*, 4: 55-72.
- Tong, W. Q, 2000, Applications of Complexation in Formulation of Insoluble Compound, in Water Insoluble Drug Formation, Liu R (Editor), Interpharm Press, Englewood.
- Tonon, R. V., Brabet, C. and Hubinger, M. D. 2008. Influence of process conditions on the physicochemical properties of açai (*Euterpe oleraceae* Mart.) powder produced by spray drying. *Journal of food Engineering*, 88(3): 411-418.
- Trela, B. C. and Waterhouse, A. L. 1996. Resveratrol: Isomeric molar absorptivities and stability. *Journal of Agricultural and Food Chemistry*, 44: 1253-1257.
- Triputra, M. A. and Yanuar, A. 2018. Analysis of Compounds Isolated from *Gnetum gnemon* L. Seeds as Potensial ACE Inhibitors through Molecular Docking and Molecular Dynamics Simulations. *Journal of Young Pharmacists*, 10(2): S32-S39. (doi.10.5530/jyp.2018.2s.7).
- Truong, V.L., Jun, M. and Jeong, W.S. 2018. Role of resveratrol in regulation of cellular defense systems against oxidative stress. *Biofactors*, 44(1): 36-49.

- Tsai, C. C., Chou, C. H., Liu, Y. C. and Hsieh, C.W. 2014. Ultrasound-assisted extraction of phenolic compounds from *Phyllanthus emblica* L. and evaluation of antioksidant activities. *International Journal of Cosmetic Science*, 36(5): 471-476. (doi.10.1111/ics.12143).
- Turrens, J. F., Lariccia, J. and Nair, M. G. 1997. Resveratrol has no effect on lipoproteinprofile and does not prevent peroxidation of serum lipids in normal rats. *Free Radical Research*, 27: 557–562.
- Turturică, M., Stănciuc, N., Bahrim, G. and Râpeanu, G. 2016. Effect of thermal treatment on phenolic compounds from plum (*Prunus domestica*) extracts– A kinetic study. *Journal of Food Engineering*, 171: 200-207.
- Tyagarajan, P. 2012. Evaluation and optimation of cranberry seed oil extraction methodes. Thesis. Departement of Bioresource Engineering. McGill University, Montreal, Quebec.
- Vardin, H. and Yasar, M. 2012. Optimisation of pomegranate (*Punica Granatum* L.) juice spray-drying as affected by temperature and maltodextrin content. *International Journal of Food Science and Technology*, 47(1): 167-176.
- Vendramini, A. L. and Trugo, L. C. 2000. Chemical composition of acerola fruit (*Malpighia glabra* L.) at Three Stages of Maturity. *Food Chemistry*, 71: 195-198. (doi.org/10.1016/S0308-8146(00)00152-7 176).
- Villaflores, O. B., Chen, Y. J., Chen, C. P., Yeh, J. M. and Wu, T. Y. 2012. Curcuminoids and resveratrol as anti-Alzheimer agents. *Taiwanese Journal of Obstetrics and Gynecology*, 51: 515-525.
- Villanueva, A. J. F., Bonilla, C. J. A., Rubio, C. J. V. and Bustamante, G. J. J. 2004. Agrotecnia y utilización de *Clitoria ternatea* en sistemas de producción de carne y leche. *Revista Mexicana de Ciencias Pecuarias*, 42(1): 79-96.
- Volden, J. G., Borge, I.A., Bengtsson, G.B., Hansen, M., Thygesen, I.E. and Wicklund, T. 2008. Effect of thermal treatment on glucosinolates and antioxidant-related parameters in red cabbage (*Brassica oleracea* L. ssp. capitata f. rubra). *Food Chemistry*, 109: 595-605.
- Vural, N., Algan-Cavuldak, Ö. and Anlı, R. E. 2018. Multi response optimisation of polyphenol extraction conditions from grape seeds by using ultrasound assisted extraction (UAE). *Separation Science and Technology*, 53(10): 1540-1551.

- Wagner, L. A. and Warthesen, J. J. 1995. Stability of spray dried encapsulated carrot carotenes. *Journal of Food Science*, 60(5): 1048-1053.
- Wan, Z. L., Wang, J. M., Wang, L. Y., Yang, X.Q. and Yuan, Y. 2013. Enhanced physical and oxidative Stabilities of soy protein-based emulsions by incorporation of a water-soluble steviosideresveratrol complex. *Journal of Agricultural and Food Chemistry*, 61: 4433-4440.
- Wang, D., Liu, W. and Chen, G. 2013. A simple methode for the isolation and purification of resveratrol from *Polygonum cuspidatum*. *Journal Phammaceutical Analysis*, 3(4): 241-247.
- Wang, L., Boussetta, N., Lebovka, N. and Vorobiev, E. 2018. Effects of ultrasound treatment and concentration of ethanol on selectivity of phenolic extraction from apple pomace. *International Journal of Food Science and Technology*, 53(9): 2104-2109.
- Wang, X., Wu, Q., Wu, Y., Chen, G., Yue, W., and Liang, Q. 2012. Response surface optimized ultrasonic-assisted extraction of flavonoids from Sparganii rhizoma and evaluation of their in vitro antioxidant activities. *Molecules*, 17(6): 6769-6783. (doi.10.3390/molecules17066769).
- Wang, H., Sun, Y., Li, Y., Tong, X., Regenstein, J. M., Huang, Y and Jiang, L. 2019. Effect of the condition of spray-drying on the properties of the polypeptide-rich powders from enzyme-assisted aqueous extraction processing. *Drying Technology*, 37(16): 2105-2115.
- Wang, Y. and Selomulya, C. 2020. Spray drying strategy for encapsulation of bioactive peptide powders for food applications. *Advanced Powder Technology*, 31(1): 409-415.
- Wardhani, D. H., Sari, D. K. and Prasetyaningrum, A. 2014. Ultrasonic-assisted extraction of antioxidant phenolic compounds from *Euchema cottonii*. *Reaktor*, 14(4): 291-297. (doi.10.14710/reaktor.14.4.291-297).
- Wazir, D., Ahmad, S., Muse, R., Mahmood, M., and Shukor, M. Y. 2011. Antioxidant activities of different parts of *Gnetum gnemon* L. *Journal of Plant Biochemistry and Biotechnology*, 20(2): 234-240. (doi. 10.1007/s13562-011-0051-8).
- Weiss, J., Decker, E. A. and McClements, D.J. 2008. Solid lipid nanoparticles as delivery system for bioactive food components. *Food Biophysics*, 3:146-154.
- Wen, C., Zhang, J., Zhang, H., Dzah, C. S., Zandile, M., Duan, Y., Ma, H., and Luo, X. 2018. Advances in ultrasound assisted extraction of bioactive compounds

from cash crops-A review. *Ultrasonics Sonochemistry*, 48: 538-549. (doi. 10.1016/j.ultsonch.2018.07.018).

- Wijayanti, R. A. I. Y., Susanto, W. H., dan Wijayanti, N. 2017. Pengaruh tingkat kematangan buah nangka bubuk (*Artocarpus heterophyllus*) dan proporsi gula terhadap karakteristik fisik, kimia, dan organoleptik lempok nangka bubuk. *Jurnal Pangan dan Agroindustri*, 5(4): 20-30.
- Wu, Y., Zou, L., Mao, J., Huang, J. and Liu, S. 2014. Stability and encapsulation efficiency of sulforaphane microencapsulated by spray drying. *Carbohydrate polymers*, 102: 497-503.
- Xiao, Y. D., Huang, W. Y., Li, D. J., Song, J. F., Liu, C. Q., Wei, Q. Y., Zhang, M. and Yang, Q. M. 2018. Thermal degradation kinetics of all-trans and cis-carotenoids in a light-induced model system. *Food Chemistry*, 239: 360-368.
- Xiong, Q., Zhang, Q., Zhang, D., Shi, Y., Jiang, C. and Shi, X. 2014. Preliminary separation and purification of resveratrol from extract of peanut (*Arachis hypogea*) sprouts by microporous adsorbent resin. *Food Chemistry*, 145: 1-7.
- Xu, G., Ye, X., Chen, J. and Liu, D. 2007. Effect of heat treatment on the phenolic compounds and antioxidant capacity of citrus peel extract. *Journal of Agricultural and Food chemistry*, 55(2): 330-335.
- Xu, S., Wang, G., Liu, H. M., Wang, L. J. and Wang, H. F. 2007. A Dmol3 study on the reaction between trans-resveratrol and hydroperoxyl radical: dissimilarity of antioxidant activity among O-H groups of trans-resveratrol. *Journal of Molecular Structure: THEOCHEM*, 809(1): 79-85.
- Yanagihara, M., Yoshimatsu, M., Inoue, A., Kanno, T., Tatefuji, T. and Hashimoto, K. 2012. Inhibitory effect of gnetin C, a resveratrol dimer from melinjo (*Gnetum gnemon*), on tyrosinase activity and melanin biosynthesis. *Biological and Pharmaceutical Bulletin*, 35(6): 993-996.
- Yang, H., Feng, K., Wen, P., Zong, M. H., Lou W. Y. and Wu, H. 2017. Enhancing oxidative stability of encapsulated fish oil by incorporation of ferulic acid into electrospun zein mat. *LWT-Food Science and Technology*. 84: 82-90.
- Yang, Y. and McClements, D. J. 2013. Encapsulation of vitamin E in edible emulsions fabricated using a natural surfactant. *Food Hydrocolloids*, 30(2): 712-720.

- Yang, X. T., Zhang, Z. Q., Joyce, D., Huang, X. M., Xu, L.Y. and Pang, X. Q. 2009. Characterization of chlorophyll degradation in banana and plantain during ripening at high temperature. *Food Chemistry*, 114(2): 383-390.
- Yeni, G. 2015. Rekayasa proses nanoenkapsulasi konsentrat katekindari gambir (*Uncaria gambir* Roxb.) sebagai antioksidan. Disertasi. Sekolah Pasca Sarjana IPB, Bogor.
- Yüksel, H., Koç, G. Ç. and Dirim, S. N. 2019. Physical characterization of spray-dried milk powders and their agglomerates with the addition of carob, cinnamon, and ginger powders. *Pamukkale Üniversitesi Mühendislik Bilimleri Dergisi*, 25(7): 824-833.
- Zardo, I., de Espíndola Sobczyk, A., Marczak, L. D. F. and Sarkis, J. 2019. Optimization of ultrasound assisted extraction of phenolic compounds from sunflower seed cake using response surface methodology. *Waste and Biomass Valorization*, 10(1): 33-44.
- Zhang, H., Zhang, J., Ungvari, Z. and Zhang, C. 2009. Resveratrol improves endothelial function: role of TNF α and vascular oxidative stress. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 29(8): 1164-1171.
- Zhang, Z., Li, D., Wang, L., Ozkan, N., Chen, X. D. Mao, Z and Yang, H. 2007. Optimization of ethanol-water extraction of lignans from flaxseed. *Separation and Purification Technology*, 57(1): 17-24.
- Zhang, X. P., Le, Y., Wang, J. X., Zhao, H. and Chen, J. F. 2013. Resveratrol nanodispersion with high stability and dissolution rate. *LWT-Food Science and Technology*, 50(2):622-628.
- Zhang, J., Bing, L. and Reineccius, G. A. 2015. Formation, optical property and stability of orange oil nanoemulsions stabilized by quallija saponins. *LWT-Food Science and Technology*, 64(2):1063-1070.
- Zhang, J. Y., Pan, D. L., Jia, Z. H., Wang, T., Wang, G. and Guo, Z. R. 2018. Chlorophyll, carotenoid and vitamin C metabolism regulation in *Actinidia chinensis* 'Hongyang' outer pericarp during fruit development. *PloS one* 13(3): 1-17. (doi.org/10.1371/journal.pone. 0194835).
- Zhao, B., Xie, J. and Zhao, J. 2004. A novel water-soluble nanoparticles of hypocrellin B and their interaction with a model protein : C-phycoyanin. *Biochimica et Biophysica Acta-General Subjects*, 1670(2): 13-120

- Zhou, C., Cheng, X., Zhao, Q., Yan, Y., Wang, J. and Huang, J. 2013. Self-assembly of nonionic surfactant tween 20@ 2 β -CD inclusion complexes in dilute solution. *Langmuir*, 29(43): 13175-13182.
- Zou Y., Lu, Y and Wei, D. 2004. Antioxidant activity of flavonoid rich extract of *Hypericum perforatum* in vitro. *Journal of Agricultural and Food Chemistry*, 52: 5032-5039.
- Zhou, Y. Su, P., Yin, H., Dong, Z. Yang, L., and Yuan, C. 2018. Effects of different harvest times on the maturity of polyphenols in two red wine grape cultivars (*Vitis vinifera* L.) in Qingtongxia (China). *South African Journal of Enology and Viticulture*, 40(1): 1-12.
- Zu, Y., Wu, W., Zhao, X., Li, Y., Wang, W., Zhong, C., Zhang, Y. and Zhao, X. 2014. Enhancement of solubility, antioxidant ability and bioavailability of taxifolin nanoparticles by liquid antisolvent precipitation technique. *International Journal of Pharmaceutics*, 471(1): 366-376.
- Zuidan, N. J. and Nedovic, V. A. 2010. *Encapsulation technologies for food Ingredients and Food Processing*. Springer. New York.
- Zuluaga-domínguez, C.M. and Nieto-Veloza, 2017. Bioactive compounds sources, properties and applications. Nova Science Publisher. New York.
- Zupančič, Š., Lavrič, Z. and Kristl, J. 2015. Stability and solubility of trans-resveratrol are strongly influenced by pH and temperature. *European Journal of Pharmaceutics and Biopharmaceutics*, 1 (93): 196-204. (doi.10.1016/j.ejpb.2015.04.002).