

DAFTAR PUSTAKA

- Abed, A., Brouers, F., Samaka, S., dan Al-Musawi, T. J., 2018, Role of Fe₃O₄ Magnetite Nanoparticles Used to Coat Bentonite in Zinc(II) Ions Sequestration, *Environ. Nanotechnol.*, 10, 17-27.
- Abro, R., Chen, X., Harijan, K., Dhakan, Z.A. dan Ammar, M., 2013, A Comparative Study of Recycling of Used Engine Oil Using Extraction by Composite Solvent, Single Solvent, and Acid Treatment Methods, *ISRN Chemical Engineering*, 2013, 1-5.
- Aghababaei, A., Ncibi, M.C., dan Sillanpaa, M., 2017, Optimized Removal of Oxytetracycline and Cadmium from Contaminated Waters using Chemically-Activated and Pyrolyzed Biochars from Forest and Wood-Processing Residues, *Bioresour. Technol.*, 239, 28-36.
- Agoston, A., Schneidhofer, C., Dorr, N. dan Jakoby, B., 2008. A Concept of An Infrared Sensor System for Oil Condition Monitoring, *Elektrotechnik und Informationstechnik*, 125(3), 71-75.
- Ahmed, M., dan Douek, M., 2013, The role of Magnetic Nanoparticles in The Localization and Treatment of Breast Cancer, *BioMed research Int.* 1-11.
- Alekseeva, O.V., Rodionova, A.N., Noskov, A.V. dan Agagonov. A.V., 2020, Bentonite/Magnetite Composite for Removal of Nitrofurazone, *Clay Clay Miner.*, 67, 471-480.
- Alekseeva, O.V., Rodionova, A.N., Bagrovskaya, N.A. dan Agafonov, A.V., 2016, Synthesis, Structure and Properties of A Bentonite-Magnetite Composite, *Prot. Met. Phys. Chem. Surf.*, 52(5), 819-824.
- Al-Ghouty, M. A., dan Al-Degs, Y. S., 2011, New Adsorbents Based on Microemulsion Modified Diatomite and Activated Carbon for Removing Organic and Inorganic Pollutans from Waste Lubricants, *Chem. Eng. J.*, 173, 115-128.
- Al-Ghouty, M.A. dan Al-Atoum, L., 2009, Virgin and Recycled Engine Oil Differentiation: A Spectroscopic Study, *J. Environ. Manage.*, 90, 187-195.
- Anonim, 2020, *Statistik Indonesia: Statistical Yearbook of Indonesia 2020*, Badan Pusat Statistik, Jakarta.
- Anonim, 2014, *Peraturan Pemerintah Republik Indonesia Nomor 101 Tahun 2014 Tentang Pengelolaan Limbah Bahan Berbahaya dan Beracun*, Pemerintahan RI, Indonesia.
- Anton, L., 1985, *Teknologi Pelumas*, Lembaran Publikasi Lemigas, PPTMGB Lemigas, Jakarta.

- Ardianto, D., 2013, Sintesis Bentonit Magnetik dengan Metode Presipitasi Sebagai Adsorben Ion Logam Berat Cd^{2+} dan Co^{2+} , *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok.
- Ariyanti, E. S., 2010, *Otomatisasi Pengukuran Koefisien Viskositas Zat Cair Menggunakan Gelombang Ultrasonik*, Fakultas Sains dan Teknologi, Universitas Islam Negeri Maulana Malik Ibrahim, Malang.
- Artur, W., 2016, *Condition Monitoring of In Service Lubricants-The Analysis of Colour*, 20TH IGWT Symposium, Commodity Science in A Changing World, University of Economics, Varna, Bulgaria.
- ASTM D 445, 2010, *Standard Test Method for Kinematic Viscosity and Opaque Liquids*, Annual Book of ASTM Standard, ASTM International, Conshohocken.
- ASTM D 974, 2011, *Standard Test Method for Total Acid Number (TAN) in Lubricant by Colour Indicator Titration*, Annual Book of ASTM Standard, ASTM International, Conshohocken.
- ASTM D 1481, 2011, *Standard Test Method for Density and Relative Density (Specific Gravity) of Liquids by Lipkin Bicapillary Pycnometer*, Annual Book of ASTM Standard, ASTM International, Conshohocken.
- ASTM D 1500, 2011, *Standard Test Method for ASTM Colour of Petroleum Product (ASTM Colour Scale)*, Annual Book of ASTM Standard, ASTM International, Conshohocken.
- ASTM D 4927, 2020, *Standard Test Method for Elemental Analysis of Lubricant and Additive Components by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy*, Annual Book of ASTM Standard, ASTM International, Conshohocken.
- ASTM E 2412, 2010, *Standard Test Method for Condition Monitoring of In-Service Lubricants By Trend Analysis Using Fourier Transform Infrared (FTIR) Spectrometry*, Annual Book of ASTM Standard, ASTM International, Conshohocken.
- Aziz, B. K., Abdullah, M. A., dan Jubrael, K. J., 2011, Acid Activation and Bleaching Capacity of Some Clays for Decolourizing Used Oils, *Asian J. Chem.*, 6(23), 2449-2455.
- Bai, J., 2010, Fabrication and Properties of Porous Mullite Ceramic from Calcines Carbonaceous Kaolin and $\alpha-Al_2O_3$, *J. Ceramic Inter.*, 36, 673-678.
- Bananezhad, B., Islami, M. R., Ghonchehpour, E., Mostafavi, H., Tikdari, A. M., dan Rafiei, H. R., 2019, Bentonite Clay As An Efficient Substrate for The

Synthesis of The Super Stable and Recoverable Magnetic Nanocomposite of Palladium ($\text{Fe}_3\text{O}_4/\text{Bentonite-Pd}$), *Polyhedron*, 162, 192-200.

- Belachew, N. dan Bekele, G., 2020, Synergy of Magnetite Intercalated Bentonite for Enhanced Adsorption of Congo Red Dye. *Silicon*. 12(3), 603-612.
- Benz, M., 2012, Superparamagnetism: Theory and Applications, *Discuss. Two Pap. Magn. Nanoparticles*, 1-26.
- Bhattacharrya, K. G., dan Gupta, S. S., 2008, Adsorption of A Few Heavy Metals on Natural and Modified Kaolinite and Montmorillonite: A Review, *Adv. Colloid Interface.*, 140, 114-131.
- Bhushan, Z.K., Anil, S.M., Sainand, K., dan Shivkumar, H., 2016, Comparison between Different Methods of Waste Oil Recovery, *IJIRSET*, 5(11), 20001–20009.
- Boadu, K. O., Joel, O. F., Essumang, D. K., dan Evbuomwan, B. O., 2019, A Review of Methods for Removal of Contaminants in Used Lubricating Oil, *CSIJ*, 26(4), 1-11.
- Cao, Y., Yan, F., Li, J., Liang, X., and He, B., 2009, Used Lubricating Oil Recycling using A Membrane Filtration: Analysis of Efficiency, Structural and Composing, *Desalin. Water Treat.*, 11, 73-80.
- Choi, J.Y., Kim, J., Jhung, S.H., Kim, H.K., Chang, J.S dan Chae, H.K., 2006, Microwave Synthesis of A Porous Metal-Organic Framework, Zinc Terephthalate MOF-5, *Bull. Korean Chem. Soc.*, 27(10), 1523-1534.
- Cool, P. dan Vansant, E.F., 1998, Pillared Clays: Preparation, Characterization and Applications, *Synthesis*. 265-288.
- Datta, S.M., 2013, Clay-polymer Nanocomposites as A Novel Drug Carrier: Synthesis, Characterization and Controlled Release Study of Propranolol Hydrochloride, *Appl. Clay. Sci.*, 80, 85-92.
- Dordio, A.V., Miranda, S., Ramalho, J.P.P. dan Carvalho, A.J.P., 2017, Mechanisms of Removal of Three Widespread Pharmaceuticals by Two Clay Materials, *J. Hazard. Mater.*, 323, 575-583.
- Durrani, H.A., 2014, Re-refining Recovery Methods of Used Lubricating Oil, *Int. J. Eng. Sci. Technol.*, 3(3), 1216-1220.
- Elfeky, S.A., Ebrahim, S. dan Fahmy, A., 2017, Applications of CTAB Modified Magnetic Nanoparticles for Removal of Chromium(VI) from Contaminated Water, *J. Adv. Res.*, 8, 435-443.

- Fatimah, N., Prasetya, A.T. dan Sumarni, W., Penggunaan Silika Gel Terimobilisasi Biomassa *Aspergillus niger* Untuk Adsorpsi Logam Fe(III), *Indones. J. Chem. Sci.*, 3(3), 183-187.
- Fisli, A. dan Yusuf, S., 2010, Sintesis Nanokomposit Magnetik Berbasis Bahan Alam untuk Adsorben Thorium, *Jurnal Sains dan Teknologi Nuklir Indonesia*, 11(2), 1-6.
- Gamba, M., Kovar, P., Pospisil, M. dan Sanchez, R.M.T., 2017, Insight into Thiabendazole Interaction with Montmorillonite and Organically Modified Montmorillonites, *Appl. Clay Sci.*, 137, 59-68.
- Giraldo, L., Erto, A. dan Pirajan, J.C.M., 2013, Magnetite Nanoparticles for Removal of Heavy Metals from Aqueous Solutions: Synthesis and Characterization, *Adsorption*, 19, 465-474.
- Girotti, G., Raimondi, A., Blengini, G. A., dan Fino, D., 2011, The Contribution of Lube Additives to The Life Cycle Impacts of Fully Formulated Petroleum-Based Lubricants, *Am. J. Appl. Sci.*, 8(11), 1232-1240.
- Gnanaprakash, G., Ayyappan, S., Jayakumar, T., Philip, J. dan Raj, B., 2006, Magnetic Nanoparticles with Enhanced γ - Fe₂O₃ to α - Fe₂O₃ Phase Transition Temperature, *Nanotechnology*, 17, 51-58.
- Goharrizi, R.S., Taghavi, L., Sarrafi, A., Karbasi, A. dan Dehagi, M., 2018, Preparation and Characterization of Magnetite-Bentonite Nano Composites from Native Bentonite Mines of Kerman-Iran, *J.Magn.*, 23(2), 133-141.
- Hajjaji, M., dan Arfaoui, H., 2009, Applied Clay Science Adsorption of Methylene Blue and Zinc Ions on Raw and Acid-Activated Bentonite from Morocco, *Appl. Clay Sci.*, 46, 418-421.
- Hamawand, I., Yusaf, T. dan Rafat, S., 2013, Recycling of Waste Engine Oils Using a New Wasing Agent, *Energies*, 6, 1023-1049.
- Hammond, K.D. dan Conner, W.C., 2013, Analysis of Catalyst Surface Structure by Physical Sorption, *Advances in Catalysis*, 56, 1-10.
- Hariani, P.L., Salmi dan Riyanti, F., 2015, Bentonite and Bentonite-Fe₃O₄ Composites As Adsorbent for Treatment Acid Mine Drainage Synthetic, *J. Chem. Pharm. Res.*, 7(9S), 152-158.
- Hasan, R., Bukhari, S. N., Jusoh, R., Mutamin, N. S. A., dan Setiabudi, H. D., 2018, Adsorption of Pb(II) onto KCC-1 from Aqueous Solution: Isotherm and Kinetic Study, *Mater. Today Proc.*, 5, 21574-21583.

- Idayanti, N., Manaf, A. dan Dedi, 2018, Magnet Nanokomposit Sebagai Magnet Permanen Masa Depan, *Metalurgi*, 33(1), 1-18.
- Kemala, D., Moersidik, S.S., Adityosulindro, S. dan Hilwa, F., 2019, Enhancing Lead Adsorption in Waste Lubricant Oil with Activated Clay as Bleaching Earth, *MATEC Web of Conf.*, 16 Januari 2019, Yogyakarta, Indonesia, 276(06020), 1-7.
- Khowatimy, F.A., Priastomo, Y., Febriyanti, E., Riyantoko, H. dan Trisunaryanti, W., 2014, Study of Waste Lubricant Hydrocracking Into Fuel Fraction Over The Combination of Y-Zeolite and ZnO Catalyst, *Procedia Environ. Sci.*, 19-21 Oktober 2013, Kyoto, Japan, 20, 225-234.
- Koyuncu, H., 2008, Adsorption Kinetics of 3-hydroxybenzaldehyde on Native and Activated Bentonite, *Appl. Clay Sci.*, 38, 279-287.
- Latief, M. A. 2018. Sintesis Komposit Fe₃O₄/Bentonit Asal Daerah Nanggung, Bogor, Jawa Barat sebagai Adsorben Biru Metilena. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam Institut Pertanian Bogor, Bogor.
- Ltifi, I., Ayari, F., Chehimi, H., dan Ayadi, M. T., 2017, Study of The Adsorption of Bright Green by A Natural Clay and Modified. *J. Mater. Sci. Eng.*, 6(1), 317-323.
- Ma, L., Chen, Q., Zhu, J., Xi, Y., He, H., Zhu, R., Tao, Q., dan Ayoko, G. A., 2016, Adsorption of Phenol and Cu(II) onto Cationic and Zwitterionic Surfactant Modified Montmorillonite in Single and Binary Systems, *Chem. Eng. J.*, 283, 880-888.
- Mahdavi, M., Ahmad, M.B., Haron, J., Namvar, F., Nadi, B., Zaki, M. dan Amin, J., Synthesis, Surface Modification and Characterization of Biocompatible Magnetic Iron Oxide Nanoparticles for Biomedical Applications, *Molecules*, 18, 7533-7548.
- Mang, T., dan Dresel, W., 2007, *Lubricants and Lubrication*, Wiley, Weinheim.
- Mara, I.M. dan Kurniawan, A., 2015, Analisa Pemurnian Minyak Pelumas Bekas dengan Metode Acid Clay, *Dinamika Teknik Mesin*, 5(2), 106-112.
- Masel, R. I., 1996, *Principle of Adsorption and Reaction on Solid Surface*, First Ed, John Willey & Sons, Inc., Canada.
- Miller, A., 1956, The Chemistry of Lubricating-Oil Additives, *J. Chem. Edu*, 33(7), 308-312.
- Misozi, D.M., Victor, M., Ebelia, M. dan Tina, C.P., 2018, Mineral Base Oil Recovery from Waste Lubricant Greas, *Rwanda. J. Eng. Sci. Technol. Environ.*, 1(1), 1-7.

- Miz, E. M., Salhi, S., Charibi, I., Bachiri, A.I., Fauconnier, M.L., dan Tahani, A., 2014, Characterization and Adsorption Study of Thymol on Pillared Bentonite, *J. Phys. Chem.*, 4, 98-116.
- Mo, W., He, Q., Su, X., Ma, S., Feng, J., dan He, Z., 2018, Preparation and Characterization of A Granular Bentonite Composite Adsorbent and Its Application for Pb²⁺ Adsorption, *Appl. Clay Sci.*, 159, 68-73.
- Moura, L.G.M., Assuncao-Filho, J.L. dan Ramos, A.C.S., 2010, Recovery of Used Lubricant Oils Through Adsorption of Residues on Solid Surfaces, *Braz. J. Petroleum Gas*, 4(3), 91-102.
- Murachman, B. dan Putra, E.S., 2014, Dekolorisasi dan Deolisasi Parafin Menggunakan Adsorben Zeolit, Arang Aktif dan Produk Pirolisis Batu Bara, *J. Rek. Pros.*, 8(2), 40-48.
- Nones, J., Gracher, H., Goncalves, A., dan Nones, J., 2015, Effects of Bentonite on Different Cell Types: A Brief Review, *Appl. Clay Sci.*, 105, 225-230.
- Nwachukwu, M.A., Alinnor, J. dan Feng, H., 2012, Review and Assessment of Mechanic Village Potentials for Small Scale Used Engine Oil Recycling Business, *Afr. J. Environ. Sci. Technol.*, 6(12), 464-475.
- Orolinova, Z. dan Mockovciakova, A., 2009, Structural Study of Bentonite/Iron Oxide Composites, *J. Mater. Chem. Phys.*, 114, 956-961.
- Oscik, J., 1982, *Adsorption*, John Willey and Sons, Inc., New York.
- Osman, D.I., Attia, S.K. dan Taman, A.R., 2017, Recycling of Used Engine Oil by Different Solvent, *Egypt. J. Pet.*, 27(2), 221-225.
- Owring, F., Mattsson, H., Olsson, J. dan Pedersen, J., 2004, Investigation of Oxidation of A Mineral and A Synthetic Engine Oil, *Thermochim. Acta.*, 413, 241-248.
- Pawar, R. R., Bajaj, H. C., dan Lee, S., 2016, Activated Bentonite As A Low-Cost Adsorbent for The Removal of Cu(II) and Pb(II) from Aqueous Solutions: Batch and Column Studies, *J. Ind. Eng. Chem.*, 34, 213-223.
- Peternele, W.S., Fuentes, V.M., Fascineli, M.L., Rodrigues, J., Silva, R.C., Lucci, C.M., dan Azevedo, R.B., 2014, Experimental Investigation of The Coprecipitation Method: An Approach to Obtain Magnetite and Maghemite Nanoparticles with Improved Properties, *J. Nanomater.*, 1-11.
- Pinheiro, C.T., Ascensao, V.R., Cardoso, C.M., Quina, M.J. dan Gando-Ferreira, L.M., 2017, An Overview of Waste Lubricant Oil Management System: Physico-chemical Characterization Contribution for Its Improvement, *J. Clean. Prod.*, 150, 301-308.

- Priyadarshana, G., Kottegoda, N., Senaratne, A., De Alwis, A. dan Karunaratne, V., 2015, Synthesis of Magnetite Nanoparticles by Top-Down Approach from a High Purity Ore, *J. Nanomater.*, 1-8.
- Qiao, S., Liu, J. dan Lu, G.Q.M., 2011, *Synthesis Chemistry of Nanomaterials*, Elsevier inc., Amsterdam.
- Rafiei, H. R., Shirvani, M., dan Ogunseitan, O. A., 2016, Removal of Lead from Aqueous Solutions by A Poly(acrylic acid)/Bentonite Nanocomposite, *Appl. Water Sci.*, 6, 331-338.
- Rahmadhaniar, A. Nugrahani, R.A., Fithriyah, N.H. dan Lestariningsih, T., 2020, Lead Adsorption in Lubricant Waste Using Zeolite, *J. Rek. Pros.*, 14(1), 1-7.
- Riyanto, Agussetianingrum, T.A. dan Juliantydwaji, D.P., 2018, The Effect of Treatment with Activated Carbon on The Metal Content in Reuse of Lubricating Oil Waste, *MATEC Web of Conf.*, 13-14, September 2018, Yogyakarta, Indonesia, 154(21), 8-12.
- Rouquerol, F., Rouquerol, J. dan Sing, K., 1999, *Adsorption by Powders and Porous Solids. Principles Methodology and Application*, Academic Press, Inc, London.
- Sadiana, I.M., Fatah, A.H. dan Karelius, K., 2017, Synthesis of Natural Clay Magnetite Composite As Adsorbent of Methylene Blue, *Jurnal Sains dan Terapan Kimia*, 11(2), 90-102.
- Sailon, 2009, Penanggulangan Kontaminasi dan Degradasi Minyak Pelumas pada Mesin, *J. Aus.*, 1(2), 58-62.
- Salih, N., Salimon, J., dan Yousif, E., 2011, The Physicochemical and Tribological Properties of Oleic Acid Based Triester Biolubricants, *Ind. Crops Prod.*, 34, 1089-1096.
- Salem, S., Salem, A. dan Babaei, A.A., 2015, Preparation and Characterization of Nano Porous Bentonite for Regeneration of Semi-Treated Waste Engine Oil: Applied Aspects for Enhanced Recovery, *Chem. Eng. J.*, 260, 368-376.
- Sheng-Nan, S., Chao, W. dan Zan-zan, Z., 2014, Magnetic Iron Oxide Nanoparticles: Synthesis and Surface Coating Techniques for Biomedical Applications, *Chin. Phys. B.*, 23, 1-19.
- Simamora, P., dan Krisna, 2015, Sintesis dan Karakterisasi Sifat Magnetik dan Nanokomposit Fe₃O₄-Montmorillonit Berdasarkan Variasi Suhu, *Prosiding, Seminar Nasional Fisika*, 4, 1-6.

- Siswanti, 2010, Pengaruh Penambahan Aditif Proses Daur Ulang Minyak Pelumas Bekas terhadap Sifat-Sifat Fisis, *Eksergi*, 10(2), 27-31.
- Taib, S. dan Suharyadi, E., 2015, Sintesis Nanopartikel Magnetite (Fe_3O_4) dengan Template Silika (SiO_2) dan Karakterisasi Sifat Kemagnetannya, *Indones. J. Appl. Phys.*, 5, 23-30.
- Tebriani, Sylvina, 2019, Analisis Vibrating Sample Magnetometer (VSM) Pada Hasil Elektrodeposisi Lapisan Tipis Magnetite Menggunakan Arus Continue Direct Current. 5(1), 722-730.
- Teja, A. S., dan Koh, P. Y., 2009, Synthesis, Properties and Applications of Magnetic Iron Oxide Nanoparticles, *Prog. Cryst. Growth Charact. Mater.*, 55, 22-45.
- Toor, M., Jin, B., Dai, S. dan Vimonses, V., 2015, Activating Natural Bentonite As A Cost-Effective Adsorbent for Removal of Congo-Red In Wastewater, *J. Ind. Eng. Chem.*, 21, 653-661.
- Tripathy, D. dan Adeyeye, A.O., 2007, Magnetic and Transport Properties of Co-Doped Fe_3O_4 Films, *J. Appl. Phys.*, 101, 1-6.
- Udonne, J.D., Efeovbokhan, V.E., Ayoola, A.A., Babatunde, D.E., Ifeoluwa, A. dan Ajalo, I.J., 2016, Recycling Used Lubricating Oil Using Untreated, Activated and Calcined Clay Methods, *J. Eng. Applied Sci.*, 11(6), 1396-1401.
- Wang, Q., Changa, X., Li, D., Hua, Z., Li, R. dan He, Q., 2011, Adsorption of Chromium(III), Mercury(II) dan Lead(II) Ions Onto 4-aminoantipyrine Immobilized Bentonite, *J. Hazard. Mater.*, 186, 1076-1081.
- Wu, W., Wu, Z., Yu, T., dan Kim, W. S., 2015, Recent Progress on Magnetic Iron Oxide Nanoparticles: Synthesis, Surface Functional Strategies, and Biomedical Applications, *Sci. Technol. Adv. Mater.*, 16, 23-50.
- Yusoff, A.H.M., Salimi, M.N. dan Jamlos, M.F., 2017, A Review: Synthetic Strategy Control of Magnetite Nanoparticles Production, *Adv. Nano. Res.*, 6(1), 1-19.
- Zeyani, S., Mikou, M., Naja, J., dan Elachhab, A., 2017, Spectroscopic Analysis Synthetic Lubricating Oil, *Tribology International*, 114, 27-32.
- Zhou, C.H., Sgen, Z.F., Liu, L.H. dan Liu, S.M., 2011, Preparation and Functionality of Clay-Containing Film, *J. Mater. Chem.*, 21(39), 15132-15153.